



Comsats University Islamabad

(Attock Campus)

Name & Reg no:	M Qaim Ali sp25-bcs-012 Saqib Shah sp25-bcs-015
Course	Database System
Submitted To	Ms.Mehreen Wahab
Submission Date	01-06-2026

Project Documentation

Title:

Hostel Management System

Project Name :

Hostel Management System


The Hostel Management System is designed to manage all hostel activities efficiently. The system maintains records of students, rooms, beds, staff members, payments, mess services, subscriptions, and system users. Each student is assigned a room and bed through the allocation process. The payment module keeps track of hostel fee payments, while the mess module manages mess services and subscriptions. Staff members such as wardens, cleaners, security guards, and accountants are responsible for hostel operations.

The Student entity stores student details including student_id, name, phone number, father name, gender, email, address, date of birth, and admission date. The Room entity stores room information such as room_id, room number, room type, capacity, rent, and status. The Bed entity maintains bed details and links each bed to a room.

The Allocation entity establishes the relationship between students and beds. The Payment entity records fee transactions of students. The Mess entity stores mess information, while the Subscription entity records which students are subscribed to the mess service. The Staff entity stores employee information such as role and salary. The HMS_USERS entity stores login credentials for system users.

The system contains one-to-many relationships between Student and Allocation, Room and Allocation, Bed and Allocation, Student and Payment, Student and Subscription, and Mess and Subscription. Primary keys uniquely identify records in each table, while foreign keys establish relationships among entities.

EER Diagram :



Transform EER to Relations :

STUDENT(

student_id PK,

name,

phone_no,

father_name,

gender,

email,

address,

date_of_birth,
admission_date
)

ROOM(
room_id PK,
room_no,
room_type,
capacity,
rent,
status
)

BED(
bed_id PK,
room_id FK,
bed_no
)

STAFF(
staff_id PK,
name,
cnic,
phone_no,

salary,

role,

join_date

)

ALLOCATION(

allocation_id PK,

student_id FK,

room_id FK,

bed_id FK,

allocation_date,

checkout_date,

status

)

PAYMENT(

payment_id PK,

student_id FK,

amount,

payment_date,

status

)

MESS(

mess_id PK,

mess_name,

charges,

timings,

status

)

SUBSCRIPTION(

subscription_id PK,

student_id FK,

mess_id FK,

start_date,

end_date,

amount

)

HMS_USERS(

user_id PK,

username,

role,

password,

phone_no

)

CREATE TABLE Student (

student_id NUMBER PRIMARY KEY,

name VARCHAR2(50) NOT NULL,

phone_no VARCHAR2(15) UNIQUE,

father_name VARCHAR2(50),

gender VARCHAR2(10),

email VARCHAR2(50),

address VARCHAR2(100),

date_of_birth DATE,

admission_date DATE

);

Un-Normalized Form (UNF), 1NF, 2NF and 3NF

Un-Normalized Form (UNF)

In the Hostel Management System, all information can initially be represented in a single un-normalized table containing student, room, bed, payment, mess, subscription, and staff details. This table contains repeating groups and redundant data.

HOSTEL_RECORD

Student_ID
Student_Name
Phone_No
Father_Name
Room_No
Room_Type
Bed_No
Payment_Amount
Payment_Status
Mess_Name
Mess_Charges

Staff_Name
Staff_Role

Problems in UNF

- Data redundancy exists.
- Repeating groups are present.
- Difficult to update records.
- Insertion and deletion anomalies may occur.

First Normal Form (1NF)

To achieve First Normal Form, all repeating groups are removed and each field contains only atomic values. Every row becomes unique.

The data is divided into separate relations as follows:

STUDENT

(Student_ID, Name, Phone_No, Father_Name, Gender,
Email, Address, Date_Of_Birth, Admission_Date)

ROOM

(Room_ID, Room_No, Room_Type, Capacity, Rent, Status)

BED

(Bed_ID, Room_ID, Bed_No)

STAFF

(Staff_ID, Name, CNIC, Phone_No, Salary, Role, Join_Date)

PAYMENT

(Payment_ID, Student_ID, Amount, Payment_Date, Status)

MESS

(Mess_ID, Mess_Name, Charges, Timings, Status)

Benefits of 1NF

- Atomic values are maintained.
- Repeating groups are removed.
- Data becomes more organized.

Second Normal Form (2NF)

Second Normal Form removes partial dependency. Every non-key attribute must depend on the whole primary key.

The relationship tables are separated as follows:

```
ALLOCATION
(Allocation_ID, Student_ID, Room_ID,
Bed_ID, Allocation_Date, Checkout_Date, Status)
```

```
SUBSCRIPTION
(Subscription_ID, Student_ID, Mess_ID,
Start_Date, End_Date, Amount)
```

Benefits of 2NF

- Partial dependencies are eliminated.
 - Data redundancy is reduced.
 - Relationships are properly managed.
-

Third Normal Form (3NF)

Third Normal Form removes transitive dependencies. Every non-key attribute depends only on the primary key.

Final relations obtained are:

```
STUDENT
(Student_ID PK, Name, Phone_No, Father_Name,
Gender, Email, Address, Date_Of_Birth, Admission_Date)
```

```
ROOM
(Room_ID PK, Room_No, Room_Type,
Capacity, Rent, Status)
```

```
BED
(Bed_ID PK, Room_ID FK, Bed_No)
```

```
STAFF
(Staff_ID PK, Name, CNIC,
Phone_No, Salary, Role, Join_Date)
```

```
ALLOCATION
(Allocation_ID PK, Student_ID FK,
Room_ID FK, Bed_ID FK,
Allocation_Date, Checkout_Date, Status)
```

```
PAYMENT
(Payment_ID PK, Student_ID FK,
Amount, Payment_Date, Status)
```

MESS

(Mess_ID PK, Mess_Name,
Charges, Timings, Status)

SUBSCRIPTION

(Subscription_ID PK, Student_ID FK,
Mess_ID FK, Start_Date, End_Date, Amount)

HMS_USERS

(User_ID PK, Username,
Role, Password, Phone_No)

Benefits of 3NF

- All transitive dependencies are removed.
- Data redundancy is minimized.
- Database integrity is maintained.
- Update, insertion, and deletion anomalies are eliminated.


Validation of Normalization

After applying normalization, the final relations obtained through the normalization process are the same as the relations generated from the EER Diagram. Therefore, the database design is valid, consistent, and free from redundancy and anomalies.

1. SQL DDL Queries

1. STUDENT TABLE

```
CREATE TABLE Student (  
  
    student_id NUMBER PRIMARY KEY,  
  
    name VARCHAR2(50) NOT NULL,  
  
    phone_no VARCHAR2(15) UNIQUE,  
  
    father_name VARCHAR2(50),  
  
    gender VARCHAR2(10),  
  
    email VARCHAR2(50),  
  
    address VARCHAR2(100),  
  
    date_of_birth DATE,  
  
    admission_date DATE  
  
)
```



-- 2. ROOM TABLE

```
CREATE TABLE Room (  
  
    room_id NUMBER PRIMARY KEY,  
  
    room_no NUMBER UNIQUE,
```

```
total_room NUMBER,  
  
room_type VARCHAR2(20),  
  
capacity NUMBER,  
  
rent NUMBER,  
  
status VARCHAR2(20)  
  
);
```

```
Table ROOM created.
```

-- 3. BED TABLE

```
CREATE TABLE Bed (  
  
    bed_id NUMBER PRIMARY KEY,  
  
    room_id NUMBER,  
  
    bed_no NUMBER,  
  
  
    CONSTRAINT fk_bed_room  
  
    FOREIGN KEY (room_id)  
  
    REFERENCES Room(room_id)  
  
);
```

```
Table BED created.
```

-- 4. STAFF TABLE

```
CREATE TABLE Staff (  
  
    staff_id NUMBER PRIMARY KEY,  
  
    name VARCHAR2(50) NOT NULL,  
  
    cnic VARCHAR2(20) UNIQUE,  
  
    phone_no VARCHAR2(15),  
  
    salary NUMBER,  
  
    role VARCHAR2(30),  
  
    join_date DATE  
  
);
```

```
Table STAFF created.
```

-- 5. ALLOCATION TABLE

```
CREATE TABLE Allocation (  
  
    allocation_id NUMBER PRIMARY KEY,  
  
    student_id NUMBER,  
  
    room_id NUMBER,  
  
    bed_id NUMBER,  
  
    allocation_date DATE,  
  
    checkout_date DATE,  
  
    status VARCHAR2(20),
```

```
CONSTRAINT fk_alloc_student
```

```
FOREIGN KEY (student_id)
```

```
REFERENCES Student(student_id),
```

```
CONSTRAINT fk_alloc_room
```

```
FOREIGN KEY (room_id)
```

```
REFERENCES Room(room_id),
```

```
CONSTRAINT fk_alloc_bed
```

```
FOREIGN KEY (bed_id)
```

```
REFERENCES Bed(bed_id)
```

```
);
```

```
Table ALLOCATION created.
```

-- 6. PAYMENT TABLE

```
CREATE TABLE Payment (
```

```
    payment_id NUMBER PRIMARY KEY,
```

```
    student_id NUMBER,
```

```
    amount NUMBER,
```

```
    payment_date DATE,
```

```
    status VARCHAR2(20),
```

```
CONSTRAINT fk_payment_student  
  
FOREIGN KEY (student_id)  
  
REFERENCES Student(student_id)  
  
);
```

```
Table PAYMENT created.
```

-- 7. MESS TABLE

```
CREATE TABLE Mess (  
  
    mess_id NUMBER PRIMARY KEY,  
  
    mess_name VARCHAR2(50),  
  
    charges NUMBER,  
  
    timings VARCHAR2(50),  
  
    status VARCHAR2(20)  
  
);
```

```
Table MESS created.
```

-- 8. SUBSCRIPTION TABLE

```
CREATE TABLE Subscription (  
  
    subscription_id NUMBER PRIMARY KEY,  
  
    student_id NUMBER,
```

```
mess_id NUMBER,  
  
start_date DATE,  
  
end_date DATE,  
  
amount NUMBER,  
  
  
CONSTRAINT fk_sub_student  
  
FOREIGN KEY (student_id)  
  
REFERENCES Student(student_id),  
  
  
CONSTRAINT fk_sub_mess  
  
FOREIGN KEY (mess_id)  
  
REFERENCES Mess(mess_id)  
  
);
```

```
Table SUBSCRIPTION created.
```

-- 9. HMS_USERS TABLE

```
CREATE TABLE HMS_USERS (  
  
    user_id NUMBER PRIMARY KEY,  
  
    username VARCHAR2(50) UNIQUE,  
  
    role VARCHAR2(30),  
  
    password VARCHAR2(50),
```



```
phone_no VARCHAR2(15)  
  
);
```

```
Table HMS_USERS created.
```

Sql DML Queries

INSERT INTO Student VALUES

```
(1,'Usman Tariq','03021234567','Tariq Mehmood','Male',  
  
'usman@gmail.com','Islamabad',  
  
TO_DATE('2001-12-20','YYYY-MM-DD'),  
  
TO_DATE('2024-09-01','YYYY-MM-DD'));
```

INSERT INTO Student VALUES

```
(2,'Ali Ahmed','03123456789','Ahmed Raza','Male',  
  
'ali@gmail.com','Lahore',  
  
TO_DATE('2002-05-10','YYYY-MM-DD'),  
  
TO_DATE('2024-09-01','YYYY-MM-DD'));
```

INSERT INTO Student VALUES

```
(3,'Bilal Khan','03234567890','Khan Ahmed','Male',  
  
'bilal@gmail.com','Karachi',  
  
TO_DATE('2001-07-15','YYYY-MM-DD'),  
  
TO_DATE('2024-09-01','YYYY-MM-DD'));
```

Room Data

INSERT INTO Room VALUES (1,101,10,'Single',1,18000,'Available');

INSERT INTO Room VALUES (2,102,10,'Single',1,18000,'Available');

INSERT INTO Room VALUES (3,103,10,'Single',1,18000,'Available');

INSERT INTO Room VALUES (4,104,10,'Single',1,18000,'Available');

INSERT INTO Room VALUES (5,105,10,'Single',1,18000,'Available');

INSERT INTO Room VALUES (6,106,10,'Shared',2,12000,'Available');

INSERT INTO Room VALUES (7,107,10,'Shared',2,12000,'Available');

INSERT INTO Room VALUES (8,108,10,'Shared',2,12000,'Available');

INSERT INTO Room VALUES (9,109,10,'Shared',2,12000,'Available');

INSERT INTO Room VALUES (10,110,10,'Shared',2,12000,'Available');

BED DATA

INSERT INTO Bed VALUES (1,1,1);

INSERT INTO Bed VALUES (2,2,1);

INSERT INTO Bed VALUES (3,3,1);

INSERT INTO Bed VALUES (4,4,1);

INSERT INTO Bed VALUES (5,5,1);

```
INSERT INTO Bed VALUES (6,6,1);
```

```
INSERT INTO Bed VALUES (7,6,2);
```

```
INSERT INTO Bed VALUES (8,7,1);
```

```
INSERT INTO Bed VALUES (9,7,2);
```

```
INSERT INTO Bed VALUES (10,8,1);
```

```
INSERT INTO Bed VALUES (11,8,2);
```

```
INSERT INTO Bed VALUES (12,9,1);
```

```
INSERT INTO Bed VALUES (13,9,2);
```

```
INSERT INTO Bed VALUES (14,10,1);
```

```
INSERT INTO Bed VALUES (15,10,2);
```

STAFF DATA

```
INSERT INTO Staff VALUES
```

```
(1,'Hassan Raza','35202-1234567-1','03111222333',50000,'Warden',
```

```
TO_DATE('2023-01-10','YYYY-MM-DD'));
```

```
INSERT INTO Staff VALUES
```

```
(2,'Ayesha Khan','35202-2345678-2','03211222333',25000,'Cleaner',
```

```
TO_DATE('2023-02-15','YYYY-MM-DD'));
```

```
INSERT INTO Staff VALUES
```

```
(3,'Ali Ahmed','35202-3456789-3','03311222333',30000,'Security Guard',
```

```
TO_DATE('2023-03-01','YYYY-MM-DD'));
```

```
INSERT INTO Staff VALUES
```

```
(4,'Bilal Khan','35202-4567890-4','03411222333',40000,'Accountant',
```

```
TO_DATE('2023-04-20','YYYY-MM-DD'));
```

MESS DATA

```
INSERT INTO Mess VALUES
```

```
(1,'Main Mess',5000,'7AM-10PM','Active');
```

HMS_USERS DATA

```
INSERT INTO HMS_USERS VALUES
```

```
(1,'admin','Admin','admin123','03001234567');
```

```
INSERT INTO HMS_USERS VALUES
```

```
(2,'warden1','Warden','warden123','03111222333');
```

Allocation Data

```
INSERT INTO Allocation VALUES
```

```
(1,1,1,1,TO_DATE('2024-09-01','YYYY-MM-DD'),NULL,'Active');
```

INSERT INTO Allocation VALUES

(2,2,6,6,TO_DATE('2024-09-01','YYYY-MM-DD'),NULL,'Active');

INSERT INTO Allocation VALUES

(3,3,7,8,TO_DATE('2024-09-01','YYYY-MM-DD'),NULL,'Active');

PAYMENT DATA

INSERT INTO Payment VALUES

(1,1,18000,TO_DATE('2024-09-05','YYYY-MM-DD'),'Paid');

INSERT INTO Payment VALUES

(2,2,12000,TO_DATE('2024-09-05','YYYY-MM-DD'),'Paid');

INSERT INTO Payment VALUES

(3,3,12000,TO_DATE('2024-09-05','YYYY-MM-DD'),'Unpaid');

Subscription DATA

INSERT INTO Subscription VALUES

(1,1,1,TO_DATE('2024-09-01','YYYY-MM-DD'),

TO_DATE('2024-12-31','YYYY-MM-DD'),5000);

INSERT INTO Subscription VALUES

```
(2,2,1,TO_DATE('2024-09-01','YYYY-MM-DD'),  
TO_DATE('2024-12-31','YYYY-MM-DD'),5000);
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

```
1 row inserted.
```

HR.sql Welcome Page HOSTEL_MANAGEMENT.sql HR

Worksheet Query Builder

```
SELECT *
FROM Student;
```

Query Result x

All Rows Fetched: 3 in 0.047 seconds

	STUDENT_ID	NAME	PHONE_NO	FATHER_NAME	GENDER	EMAIL	ADDRESS	DATE_OF_BIRTH	ADM
1	1	Usman Tariq	03021234567	Tariq Mehmood	Male	usman@gmail.com	Islamabad	20-DEC-01	01-
2	2	Ali Ahmed	03123456789	Ahmed Raza	Male	ali@gmail.com	Lahore	10-MAY-02	01-
3	3	Bilal Khan	03234567890	Khan Ahmed	Male	bilal@gmail.com	Karachi	15-JUL-01	01-

HR.sql Welcome Page HOSTEL_MANAGEMENT.sql HR

Worksheet Query Builder

```
SELECT *
FROM Allocation;
```

Query Result x

All Rows Fetched: 3 in 0.052 seconds

	ALLOCATION_ID	STUDENT_ID	ROOM_ID	BED_ID	ALLOCATION_DATE	CHECKOUT_DATE	STATUS
1	1	1	1	1	101-SEP-24	(null)	Active
2	2	2	2	6	601-SEP-24	(null)	Active
3	3	3	3	7	801-SEP-24	(null)	Active

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
-- Male Students
SELECT *
FROM Student
WHERE gender = 'Male';
```

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
-- Students from Islamabad
SELECT *
FROM Student
WHERE address = 'Islamabad';
```

Query Result x

SQL | All Rows Fetched: 3 in 0.052 seconds

	ALLOCATION_ID	STUDENT_ID	ROOM_ID	BED_ID	ALLOCATION_DATE	CHECKOUT_DATE	STATUS
1	1	1	1	1	1 01-SEP-24	(null)	Active
2	2	2	2	6	6 01-SEP-24	(null)	Active
3	3	3	3	7	8 01-SEP-24	(null)	Active

HR.sqlWelcome PageHOSTEL_MANAGEMENT.sqlHR

Worksheet

Query Builder

-- Students from Islamabad

SELECT *

FROM Student

WHERE address = 'Islamabad';

Query Result

All Rows Fetched: 3 in 0.052 seconds

	ALLOCATION_ID	STUDENT_ID	ROOM_ID	BED_ID	ALLOCATION_DATE	CHECKOUT_DATE	STATUS
1	1	1	1	1	01-SEP-24	(null)	Active
2	2	2	2	6	01-SEP-24	(null)	Active
3	3	3	3	7	01-SEP-24	(null)	Active

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
-- All Rooms
SELECT *
FROM Room;

-- Available Rooms
```

Query Result x

SQL | All Rows Fetched: 10 in 0.023 seconds

	ROOM_ID	ROOM_NO	TOTAL_ROOM	ROOM_TYPE	CAPACITY	RENT	STATUS
1	1	101	10	Single	1	18000	Available
2	2	102	10	Single	1	18000	Available
3	3	103	10	Single	1	18000	Available
4	4	104	10	Single	1	18000	Available
5	5	105	10	Single	1	18000	Available
6	6	106	10	Shared	2	12000	Available
7	7	107	10	Shared	2	12000	Available
8	8	108	10	Shared	2	12000	Available
9	9	109	10	Shared	2	12000	Available
10	10	110	10	Shared	2	12000	Available

HR.sqlWelcome PageHOSTEL_MANAGEMENT.sqlHR



WorksheetQuery Builder

-- Single Rooms
SELECT *
FROM Room
WHERE room_type = 'Single';

-- Shared Rooms

Query Result x



SQL | All Rows Fetched: 5 in 0.015 seconds

	ROOM_ID	ROOM_NO	TOTAL_ROOM	ROOM_TYPE	CAPACITY	RENT	STATUS
1	1	101	10	Single	1	18000	Available
2	2	102	10	Single	1	18000	Available
3	3	103	10	Single	1	18000	Available
4	4	104	10	Single	1	18000	Available
5	5	105	10	Single	1	18000	Available

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
WHERE room_type = 'Shared';

-- Total Capacity of Rooms
SELECT SUM(capacity) AS Total_Capacity
FROM Room;
```

Query Result x

SQL | All Rows Fetched: 1 in 0.011 seconds

	TOTAL_CAPACITY
1	15

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
-- All Beds
SELECT *
FROM Bed;

-- Available Beds
SELECT *
```

Query Result x

SQL | All Rows Fetched: 15 in 0.017 seconds

	BED_ID	ROOM_ID	BED_NO
1	1	1	1
2	2	2	1
3	3	3	1
4	4	4	1
5	5	5	1
6	6	6	1
7	7	6	2
8	8	7	1
9	9	7	2
10	10	8	1
11	11	8	2
12	12	9	1
13	13	9	2
14	14	10	1

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
SELECT *  
FROM Staff;  
  
-- Staff Count by Role  
SELECT role, COUNT(*) AS Total_Staff  
FROM Staff  
GROUP BY role;
```

Query Result x

SQL | All Rows Fetched: 4 in 0.036 seconds

	ROLE	TOTAL_STAFF
1	Accountant	1
2	Warden	1
3	Cleaner	1
4	Security Guard	1

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
SELECT * FROM Allocation;

-- Active Allocations
SELECT *
FROM Allocation
WHERE status = 'Active';

-- Room Wise Student Count
```

Query Result x

SQL | All Rows Fetched: 3 in 0.016 seconds

	ALLOCATION_ID	STUDENT_ID	ROOM_ID	BED_ID	ALLOCATION_DATE	CHECKOUT_DATE	STATUS
1	1	1	1	1	01-SEP-24	(null)	Active
2	2	2	6	6	01-SEP-24	(null)	Active
3	3	3	7	8	01-SEP-24	(null)	Active

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
-- Room Wise Student Count
SELECT room_id, COUNT(student_id) AS Total_Students
FROM Allocation
GROUP BY room_id;
```

-- =====

-- JOIN QUERIES (IMPORTANT FOR VIVA)

Query Result x

SQL | All Rows Fetched: 3 in 0.023 seconds

	ROOM_ID	TOTAL_STUDENTS
1	6	1
2	1	1
3	7	1

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
s.name,  
p.amount,  
p.status,  
p.payment_date  
FROM Student s  
JOIN Payment p ON s.student_id = p.student_id;
```

Query Result x

SQL | All Rows Fetched: 3 in 0.09 seconds

	NAME	AMOUNT	STATUS	PAYMENT_DATE
1	Usman Tariq	18000	Paid	05-SEP-24
2	Ali Ahmed	12000	Paid	05-SEP-24
3	Bilal Khan	12000	Unpaid	05-SEP-24

HR.sql

Welcome Page

HOSTEL_MANAGEMENT.sql

HR

Worksheet

Query Builder

```

-- Full System View (VERY IMPORTANT)
SELECT
    s.name,
    r.room_no,
    r.room_type,
    a.bed_id,
    p.amount,
    p.status
FROM Student s
LEFT JOIN Allocation a ON s.student_id = a.student_id
LEFT JOIN Room r ON a.room_id = r.room_id
LEFT JOIN Payment p ON s.student_id = p.student_id;

```

Query Result

All Rows Fetched: 3 in 0.027 seconds

	NAME	ROOM_NO	ROOM_TYPE	BED_ID	AMOUNT	STATUS
1	Usman Tariq	101	Single	1	18000	Paid
2	Ali Ahmed	106	Shared	6	12000	Paid
3	Bilal Khan	107	Shared	8	12000	Unpaid

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
FROM Mess;

-- Active Mess
SELECT *
FROM Mess
WHERE status = 'Active';

-- Total Mess Income
SELECT SUM(charges) AS Total_Mess_Income
FROM Mess;
```

Query Result x

SQL | All Rows Fetched: 1 in 0.027 seconds

	MESS_ID	MESS_NAME	CHARGES	TIMINGS	STATUS
1	1	Main Mess	5000	7AM-10PM	Active

HR.sql x Welcome Page x HOSTEL_MANAGEMENT.sql x HR x

Worksheet Query Builder

```
-- =====  
-- SUBSCRIPTION QUERIES  
-- =====  
  
-- All Subscriptions  
SELECT *  
FROM Subscription;
```

Query Result x

SQL | All Rows Fetched: 2 in 0.058 seconds

	SUBSCRIPTION_ID	STUDENT_ID	MESS_ID	START_DATE	END_DATE	AMOUNT
1	1	1	1	01-SEP-24	31-DEC-24	5000
2	2	2	1	01-SEP-24	31-DEC-24	5000