SCHEDULE OF PLINHT LEVEL BEAMS													
Beam Mark	Size		Top Reinforcement (Supports) Bottom Reinforcement Stirrups								Mid Depth	D	
	B D		Left/Bottom Support Right/Top S			p Support	(Span)		(All 3/8"Ø unless specified)			Rein.	Remarks
			a1	a2	al	a2	b1	b2	s1(x1)	s2	s3(x3)	(EF)	
PB-1	8"	24"	2-1/2"Ø	2-5/8"Ø	2-1/2"Ø	2-5/8"Ø	2-3/4"Ø	-	5"	10"	5"	-	-
PB-2	9"	24"	2-5/8"Ø	2-1/2"Ø	2-5/8"Ø	2-1/2"Ø	2-5/8"Ø	-	5"	10"	5"	-	-
PB-3	9"	24"	2-5/8"Ø	-	2-5/8"Ø	-	2-5/8"Ø	-	5"	10"	5"	-	-
PB-4	12"	24"	3-5/8"Ø	2-1/2"Ø	2-5/8"Ø	2-1/2"Ø	2-5/8"Ø	-	5"	10"	5"	-	-
PB-5	12"	24"	3-5/8"Ø	-	3-5/8"Ø	-	3-5/8"Ø	-	5"	10"	5"	-	-
PB-6	12"	30"	3-5/8"Ø	2-5/8"Ø	3-5/8"Ø	2-5/8"Ø	3-5/8"Ø	-	5"	10"	5"	-	-
PB-7	12"	45"	3-5/8"Ø	-	3-5/8"Ø	-	3-5/8"Ø	-	5"	10"	5"	3#3	-
PB-8	12"	45"	3-5/8"Ø	2-1/2"Ø	3-5/8"Ø	2-1/2"Ø	3-5/8"Ø	-	5"	10"	5"	3#3	-
PB-9	6"	24"	2-5/8"Ø	-	2-5/8"Ø	-	2-5/8"Ø	-	5"	10"	5"	-	-
PB-10	9"	48"	2-5/8"Ø	2-5/8"Ø	2-5/8"Ø	2-5/8"Ø	3-3/4"Ø	-	5"	10"	5"	2#3	REF.SEC.E-E
SB-1	12"	30"	3-3/4"Ø	-	3-3/4"Ø	-	3-3/4"Ø	-	6"	10"	6"	-	-