




THINK
LUXE

WARDROBE
ACCESSORY MANUAL



PART 1

Storage System

- 001-004 Accessories Storage
- 005-005 Folding Clothes Storage
- 006-008 Hanging Clothes Storage
- 009-010 Pants Storage
- 011-013 Shoe Storage
- 014-022 Sideboard Storage
- 023-029 Wall-mounted System

PART 2

Caring System

- 031-031 Vanity Mirror
- 032-034 Dressing Mirror
- 035-036 Closet Care

PART 3

Electrical System

- 038-044 Socket-outlet
- 045-045 Wiring Accessories
- 046-046 Wireless Charging

Lighting System

- 048-049 Lamp Adaptation Table
- 050-059 Common Lighting Fixtures
- 060-068 Functional Lamps
- 069-074 Lamp Accessories
- 075-077 Parapet Lighting

PART 4

Balcony System

- 079-083 Balcony Accessory

PART 5

Multifunctional System

- 085-087 Folding Pull-out Hardware
- 088-091 Lifting Hardware
- 092-093 Door Panel Hardware
- 094-096 Functional Bed Hardware
- 097-102 Other Accessories
- 103-105 Accessories Line

STORAGE SYSTEM



001



Wood grain panel lattice drawer C

Product Features:
Stylish appearance, compartmentalized storage,
designed for placing items like ties and scarves.
Imported slide rail, silent design, smoother pulling.
The product is easy to clean and maintain.

Function configuration

Code	PBO200060360/0460/0560/0670/0780/0880
Product material	Wood grain panel
Color configuration	Choose according to the carcass color 358*418*110/458*418*110/558*418*110/658*418*110/
Size	758*418*110/858*418*110
Installation sizes	D=400mm, H=140mm
Installation and adaptation	Bottom mounting area, see "Functional Accessories install Adaptation Table" for details
Warranty	5 years



Solid wood lattice drawer A

Product Features:
-Solid wood original color, elegant and noble, more high-quality,
used with the cabinet body
-Store ties, jewelry, etc. in an orderly manner

Function configuration

Code	PBOZ00070360/0460/0560/0670/0780/0880 (JP-CN-GM36AM/46AM/56AM/67AM/78AM/88AM)
Product material	Plywood with wood veneer
Color configuration	Choose according to the carcass color
Size	362/462/562/672/782/882*420*115
Installation sizes	D≥430mm, H≥140mm
Installation and adaptation	Bottom mounting area, see "Functional Accessories install Adaptation Table" for details
Warranty	5 years

002

002

Storage 【System A】ccesories Storage



Gunmetal gray aluminum frame jewelry box

Product Features:

The aluminum alloy frame is formed by integral bending.
Adapt dividers to partition the shelf, so that the storage is more reasonable.
Jewelry boxes and ring boxes are used to store jewelry and rings that are not suitable for long-term contact with air or light, as well as items that are easily scratched during handling.

Function configuration

Code	PBOH0071	Al-alloy	gunmetal
------	----------	----------	----------

Product material	W564mm/W764mm/W864mm*D414mm*H78mm		
------------------	-----------------------------------	--	--

Color configuration	For built-in use only, this product comes with slide rails and can be equipped with drawers. The net width in the cabinet is required to be 564/764/864mm, the net internal depth is ≥430mm, the net internal height is ≥120mm, and H1 is required at the top. If not marked,		
---------------------	---	--	--

Size	the default is 50mm. If marked, H1≥35mm is required. If drawers are added, the height of H1 is adjustable, the drawer height is 120/180mm, and the drawer is centered up and down, H2=(panel height-78)/2. 5 years		
------	--	--	--

Installation and adaptation

Warranty



Hairdressing wand storage side pull-out basket

Product Features:

- The drawer side-pull structure is mainly used for storing hairdressing tools such as hair dryers, straighteners, and curling irons.
- With power extraction system, three two-hole sockets and switches, can provide stable power for electronic appliance stored in drawer, which is convenient for daily hairdressing use and storage of electronic appliance.
- The storage compartment is made of professional high-temperature resistant leather, which effectively protects drawer from the waste heat from electronic appliance.

Function configuration

Code	PBOH0099
------	----------


Product material	Al-alloy + MDF + Heat-resistant leather
------------------	---

Color configuration	gunmetal gray
---------------------	---------------

Size	W300*H422*D435/W400*H422*D435mm
------	---------------------------------

Installation and adaptation	<ul style="list-style-type: none"> -This product comes with slide rail; You need to order decorative door. Decorative door available in built-in, half-overlay, or full-overlay; -Cabinet internal width = 314mm/414mm, depth ≥470mm, internal height ≥480mm, when embedded, depth ≥470mm+panel thickness+2mm. -The accessory rail does not rebound and needs to be equipped with a handle/buckle.
-----------------------------	---

Warranty	2 years
----------	---------



Beauty drawer

Product Features:

Refined separated storage of beauty products, with dividers for flexible separation

Function configuration

Code	PBOH0096
------	----------

Product material	Al-alloy + leather + glass
------------------	----------------------------

Color configuration	off-white
---------------------	-----------

Size	W764/W864/W964*D400*H108mm
------	----------------------------

Installation and adaptation	<p>The beauty drawer is suitable for cabinet internal width 764mm/864mm/964mm, depth 410mm, and height 115mm; height 120 mm ≤ h ≤ 240 mm; This product comes with rails, accessory rails without rebound, need to be equipped with handle/recessed pull.</p>
-----------------------------	--

Warranty	2 years
----------	---------



Beauty storage holder behind gray door

Product Features:

Installed behind the YML058 aluminum frame door, it can store daily beauty products and accessories; With a mirror, it is a great solution for your daily makeup needs.

Function configuration

Code	PBOH0118
------	----------

Product material	Al-alloy
------------------	----------

Color configuration	gunmetal gray
---------------------	---------------

Size	Gray holder W373*H55/100/105*D16mm; Gray ZW-658-
------	--

	3 mounting strip W18.5*H599*D16mm; Gray ZW-658-3 magnifying glass W175*H152*D12mm
--	---

Installation and adaptation	mounted behind the YML058 aluminum frame door
-----------------------------	---

Warranty	3 years
----------	---------

Storage 【System F】 olding Clothes Storage



Gunmetal gray Integrated aluminum frame underwear box


Product Features:

- For underwear storage.
- The aluminum alloy frame is formed by integral bending.
- The internal partition of the frame adopts a flexible combination of aluminum alloy and plastic to increase the storage space for clothes.

Function configuration

Code	PBOH0072
Color configuration	Gunmetal gray aluminum frame with orange leather texture
Size	W564mm/W764mm/W864mm*D414mm*H93mm
Installation and adaptation	For built-in use only, this product comes with slide rails and can be equipped with drawers. The net width in the cabinet is required to be 564/764/864mm, the net internal depth is ≥430mm, the net internal height is ≥120mm, and H1 is required at the top. If not marked, the default is 50mm. If marked, H1≥35mm is required. If drawers are added, the height of H1 is adjustable, the drawer height is 120/180mm, and the drawer is centered up and down, H2=(panel height-93)/2.
Warranty	2 years

Storage System 【Hanging Clothes Storage】



Rotating clothes basket

Product Features:

- This material is used in the corner of wardrobe and is divided into three layers. The upper layer is used to store tops, the middle layer can store pants, and bottom panel can store bags

Function configuration

Code	PBOC0018 Al-alloy gray Φ700*H1900~2100
Product material	When installed in a corner cabinet, the cabinet must have a net internal width ≥864mm, a net internal depth ≥864mm, and an internal height of 1900≤2100. It must be fixed on site with self-tapping screws according to the guide holes on the top and bottom panels.
Color configuration	≥864mm
Size	
Installation and adaptation	
Warranty	3 years



Gunmetal gray aluminum frame basket

Product Features:

- Used for clothes storage solution.
- The aluminum alloy frame is formed by integral bending.
- Sleek frame design prevents injuries during pulling, which is safe and comfortable.

Function configuration

Code	PBOH0064
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W564mm/W764mm/W864mm*D417mm*H71mm
Installation and adaptation	For built-in use only, this product comes with slide rails and can be equipped with drawers. The net width in the cabinet is required to be 564/764/864mm, the net internal depth is ≥430mm, the net internal height is ≥230mm, and H1 is required at the top. If not marked, the default is 50mm. If marked, H1≥35mm is required. If drawers are added, the height of H1 is adjustable, the drawer height is 120/180mm, and the drawer is centered up and down, H2=(panel height-78)/2.
Warranty	2 years



Revolving Closet Rod

Product Features:

- Easy to install and use, it can be rotated out as a temporary clothing hanging place when needed.
- Put it away when not in use, and it will not affect the closing of the door.

Function configuration

Code	PWWQ0027
Product material	Electroplating metallic
Color configuration	silver
Size	W160*D60*H40mm
Installation and adaptation	The upper installation area is installed under the shelf. If the empty space inside the cabinet is larger than the size of this model, this type of model can be placed in the cabinet and the position can be adjusted at will.
Warranty	2 years

Storage System 【Hanging Clothes Storage】



Gunmetal gray lifting clothes rail/clothes rail pad block

Product Features:

- The width can be adjusted by 200MM, and there is no need to cut the crossbar. The cabinet can be used in a more flexible width and can bear a load of 15kg.
- Adopting two buffers, pull down to avoid rapid descent, make clothes fall, and rise easier and more stable;
- The handle adopts a triangular grip, which is comfortable and more humane;
- The swing arm and crossbar adapt aluminum-magnesium alloy as the main material, and finish adapt wear-resistant lacquer process, which makes the quality higher;
- Includes suite of lifting clothes rail pad blocks (avoid door hinges).

Function configuration

Code	PWNT0020/PWNT0021
Product material	Aluminum-magnesium alloy
Color configuration	Gunmetal gray
Size	Clothes rail specification W (764-964) mm/W (964-1164) mm * D132mm * H808mm clothes rail pad specification is W15mm * D134mm * H319mm Installed under the top panel of the cabinet, the net width in the cabinet is required to be $764 \leq W \leq 1164$ mm, the net internal depth is ≥ 490 mm, the net internal height is ≥ 950 mm, each pair of clothes pass comes with a pair of clothes pass pads with a thickness of 15mm. When there is no pad, the single side of the clothes pass is 25mm away from the side panel, and the single side distance increases by 15mm with the pad. Gun gray lifting clothes pass pads PWNT0021 can be ordered separately.
Installation and adaptation	
Warranty	3 years



Vertically adjustable clothes rail

Product Features:

- The segmented buckle design is adopted to support flexible vertical height adjustment of the clothes pass;
- 12cm reinforced nodes are set to adapt to the different height requirements of children/adults;
- Can match many types of clothing from cropped T-shirts to long down jackets.

Function configuration

Code	PWNT0028
Product material	Al-alloy + plastic
Color configuration	snow veil gray
Size	874-1700*16.4*8.6mm
Installation and adaptation	Base material of carcass side panel is 18mm particle board/MDF/plywood.
Warranty	1 year



Top-mounted hanging rod/clothes rail end

Product Features:

- Top-mounted hanging rod: leather embedded in the middle of spindle is orange
- Top-mounted clothes rail end: The finish is sprayed with coffee color, imitating the texture of roman columns



Function configuration

Code	PWNT0013 / PWNT0013Z
Product material	Clothes spindle al-alloy End zinc alloy
Color configuration	Orange
Size	W = 3000 (Top-mounted hanging rod) W65 * D32 * H65 (Top-mounted clothes rail end)
Installation and adaptation	Used to be installed under 18 or 25mm top panels or shelf panels, and the cabinet internal width must be ≥ 180 mm
Warranty	1 year



Built-in hook


Product Features:

- Built-in installation, more integrated appearance.
- Load-bearing: 10KG.

Function configuration

Code	PBOGY022
Product material	Al-alloy + plastic
Color configuration	snow veil gray
Size	W23.5mm*D13mm*H69.6mm
/	
Warranty	1 year

Storage System 【Pants Storage】



Solid wood trousers rack

Product Features:

- Solid wood shows more texture
- Hang pants neatly, so that the hanging pants no longer appear wrinkles, convenient to choose pants, easy to pick and put, let the pants have their own exclusive place

Function configuration

Code	PBOK00010360/0460/0560/0670/0780/0880 (JP-CN-KM36AS/46AS/56AS/67AS/78AS/88AS)
Product material	Plywood with wood veneer
Color configuration	Choose according to the carcass color
Size	362/462/562/672/782/882*420*50
Installation net height size	D≥430mm, H≥650mm; it is recommended to leave H600mm blank at the bottom of trousers rack.
Installation and adaptation	Bottom mounting area, see "Functional Accessories install Adaptation Table" for details



Gunmetal gray Integrated aluminum frame trousers rack

Product Features:

- Used for pants storage.
- The aluminum alloy frame is formed by integral bending.
- The trouser rack dividers are slideable and adjustable.
- Two storage boxes are designed on the left and right ends for storing items such as belts, keys, trouser accessories, and sundries.

Function configuration

Code	PBOK0017
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W564mm/W764mm/W864mm*D417mm*H78mm
Installation and adaptation	<p>①For built-in only, this product comes with its own guide rails and can be equipped with drawers. The net width in the cabinet is required to be 564/764/864mm, the net internal depth is ≥430mm, the net internal height is ≥120mm, and H1 is required at the top. If not marked, it is 50mm by default. If marked, H1≥35mm is required; ②When drawers are added, the height of H1 is adjustable, the drawer height is 120/180mm, the drawer is centered up and down, H2=(panel height-78)/2; ③The space below the trouser rack must be ≥550mm; ④The 864mm specification is equipped with 10 trouser rods, the 764mm specification is equipped with 8 trouser rods, and the 564mm specification is equipped with 6 trouser rods. Customers can add additional trouser rods according to their needs. The trouser rod is called "gunmetal gray integrated aluminum frame trouser rack rod PBOK0019".</p>
Warranty	2 years



Top mounted pants rack

Product Features:

This material is mainly used for vertical storage of pants in the wardrobe. It can be installed as long as the cabinet internal size is larger than the size of the trousers rack. There is no need to reserve a specific space according to the size of the trousers rack.

Function configuration

Code	PBOK0010
Product material	Aluminum frame + foam PP
Color configuration	orange
Size	W339*D468*H135
Installation and adaptation	To be installed inside the cabinet. The internal cabinet width must be ≥364mm, and the net internal depth must be ≥480mm. On-site, fix it using self-tapping screws according to the pre-drilled holes on the shelf. It is recommended to leave a clearance of H600mm below the trouser rack.
Warranty	3 years



Champagne gold al-alloy trousers rack

Product Features:

- Aviation al-alloy, champagne gold color;
- Removable al-alloy hanging rod;
- Equipped with push-to-open slide rail, the product is hidden, with a load-bearing capacity 30kg;
- Wide application: suitable for designing and installing in balconies, laundry rooms, bathroom spaces, and temporary drying areas.

Function configuration

Code	PBOK0020
Product material	Al-alloy
Color configuration	champagne gold
Size	624*420*62mm
Installation and adaptation	Suitable for carcass with an internal width of 624mm, and net internal cabinet depth ≥430mm.
Warranty	1 year

Storage System 【Shoe Storage】



4-tier rotate shoe rack

Product Features:

- Zigzag design improves shoe storage space and meets shoe size characteristics
- Features intuitive drag-and-drop movement and smooth 360° rotation for frustration-free adjustments.
- Double-sided storage, high space utilization

Function configuration

Code	PBOX00070700
Product material	The shoe rack is plastic and frame is al-alloy
Color configuration	Rose gold
Size	700*360* (790-990)
Installation net height size	Width ≥ 764mm, net depth ≥ 380mm, height 790-990mm, height the direction size is adjustable, and adjust is 200mm
Installation and adaptation	Cabinet internal W (≥ 764mm) * H (790-990) * D (≥ 380mm)
Warranty	2 years



Boot Hanger

Product Features:

- Simulate the shape of human leg and fit the boot mouth
- Stay vertical to avoid wrinkles in the boots



Al-alloy slipper rack

Product Features:

It is used to replace the existing slipper rack behind the door (PBOX00030330) in the system, using products of uniform style and material to avoid a cluttered feeling among the functional accessories in the cabinet.

Function configuration

Code	PBQY0106 Al-alloy gunmetal gray W300*D41*H25
Product material	Installed on panels with a thickness of ≥18mm for storage; panel width must be ≥350mm; when installed on door panels, move 70mm or stagger the installation to avoid door hinges. If there is a shelf at the back, the shelf must be moved inward 50mm. The panel for installing this storage box has lead holes by default, but you can choose not to drill the holes. Installation position of storage box is adjustable in the center, and the distance between the upper, lower or left and right edges must be ≥ 50mm
Color configuration	
Size	
Installation and adaptation	
Warranty	1 year



Plastic adjustable shelf

Product Features:

It is used to replace the existing slipper rack behind the door (PBOX00030330) in the system, using products of uniform style and material to avoid a cluttered feeling among the functional accessories in the cabinet.



Function configuration

Code	PWNCO027
Color configuration	Black gray
Size	Custom size (W≤1820mm × D280mm × H12mm). Cabinet requirements: Interior width 300mm-1000mm, depth >280mm.
Installation and adaptation	Suitable for shoes cabinet, balcony cabinet, etc.

Storage System 【Shoe Storage】



White plastic single layer flip shoe rack

Product Features:

Only 180mm depth is required to easily store shoes behind door

Function configuration

Code	PBOX0006248
Product material	Plastic
Color configuration	white
Size	23*134*248
Installation and adaptation	Wood grain panel, lacquer flat panel, PVC flat panel, and door panel built-in. Panel internal dimensions: Height (H) 320-600mm, Width (W) ≤800mm, Depth ≥180mm 3 years
Warranty	

Storage System 【Sideboard Storage】



Gunmetal gray aluminum frame four-hole wine grid rack

Product Features:

- Structure is light and transparent, and exclusive for storing red wine and other wine bottles, with strong display effect.

- Through combination, it can be adapted to standard carcass of W414.

Function configuration

Code	PBQY0103
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W207
Installation and adaptation	Built-in installation inside the cabinet. Cabinet interior requirements: Depth ≥320mm (recommended 320mm), Width (W) = 207mm, Height (H) = 207mm
Warranty	5 years



Gunmetal gray aluminum frame six-hole wine grid rack

Product Features:

- Structure is light and transparent, and exclusive for storing red wine and other wine bottles, with strong display effect.

- Size is suitable for carcass of W314.

Function configuration

Code	PBQY0104
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W314
Installation and adaptation	Built-in installation inside the cabinet. Cabinet interior requirements: Depth ≥320mm (recommended 320mm), Width (W) = 207mm, Height (H) = 207mm.
Warranty	5 years

Storage System 【Sideboard Storage】



Gunmetal gray aluminum frame wine rack

Product Features:

- Suitable for 1000 cabinets (964 internal space)
- This wine rack adopts environmental al-alloy. Suitable for installation of wooden cabinets and aluminum cabinets. The installation method adopts snap-on type. It forms a perfect integration with the cabinet. The installation method is simpler and more convenient. The product can be either flat or diagonal with any angle. Reflect the multi-completion of products.

Function configuration

Code	PBOQ0031 Al-alloy
Product material	gunmetal gray W962mm*D314mm*H52mm
Color configuration	Cannot be used in corner cabinet, beveled cabinets. Cabinet internal width is 964mm, and the depth of the cabinet must be ≥320mm. When installed in the cabinet, it must be installed at a 30-degree angle. The distance between the bottle rack and the front end of the side panel must be ≥5mm, and 1mm of space must be left at the back for installation.
Size	
Installation and adaptation	
Warranty	1 year




Minimalist shelf wine rack

Product Features:

- Installed under the shelf of sideboard or wine cabinet;
- The product is simple and fashionable, and red wine glasses are neatly stored and placed.

Function configuration

Code	PBOFJ002
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W440*D7.5*H38mm
Installation and adaptation	On-site installation, installed on a shelf with a thickness of ≥18mm, installed 20mm back; the shelf width must be ≥450mm, and the depth must be ≥350mm; the internal space between the panel for installing the wine rack and the upper panel surface must be ≥150mm; it can also be used in combination with a minimalist shelf wine glass rack, and the internal space between the upper and lower shelves must be ≥450mm
Warranty	10 years



Minimalist shelf wine glass rack

Product Features:

- Installed under the shelf of sideboard or wine cabinet;
- The product is simple and fashionable, and red wine glasses are neatly stored and placed.

Function configuration

Code	PBOFJ001
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W695*D122*H44mm
Installation and adaptation	On-site installation, installed under a shelf with a thickness of ≥18mm; Shelf depth ≥130mm, length ≥705mm; The net height between the shelf where the wine glass rack is installed and the lower plane must be ≥300mm (the recommended height of the wine glass is ≤250mm); It can also be used in combination with a minimalist shelf wine rack, and the upper and lower shelf heights must be ≥450mm
Warranty	10 years



Roma gray powder-coated aluminum wine bottle holder

Product Features:

- Installed in sideboard or wine cabinet for use;
- Exclusive for storing red wine glasses, showcase is neat and beautiful.

Function configuration

Code	PWNS0164
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W963*H99*D102mm
Installation and adaptation	The net height of carcass = 964mm. Only one wine glass rack can be installed at the same horizontal position. The cabinet net depth must be ≥182mm. The vertical distance between the upper and lower wine glass racks must be ≥200mm. If the cabinet net depth is ≥382mm, it is recommended to use the upper and lower wine glass racks at different levels, and the horizontal and vertical distances between the two wine racks must be ≥200mm.
Warranty	1 year

Storage System 【Sideboard Storage】



Roma gray al-alloy paint wine bottle holder


Product Features:

- Installed in sideboard or wine cabinet for use;
- Exclusive for storing red wine bottles and other wine bottles, showcase is neat and beautiful.

Function configuration

Code	PWNS0165
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W963*H99*D19mm
Installation and adaptation	The net height of carcass is ≥964mm, the net depth of carcass needs to be ≥182mm, the vertical distance between the upper and lower bottle racks must be ≥20mm, and the vertical distance between the top bottle rack and the upper panel must be ≥120mm; if two rows of bottle racks are installed, the cabinet net depth must be ≥302mm, the horizontal distance between the two sets of bottle racks must be ≥20mm, the vertical distance must be ≥200mm, and the internal space distance between the top bottle rack and the upper panel must be ≥200mm
Warranty	1 year

Storage System 【Sideboard Storage】



Four-sided wire basket shallow drawer

Product Features:

- For sideboard storage.
- The aluminum alloy frame is formed by integral bending, minimalist lines.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent.

Function configuration

Code	PBOH0067
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W564mm*D365mm*H101mm
Installation and adaptation	This product comes with its own slide rail and drawers can be added, and the drawers can be embedded, half-covered or fully covered. Cabinet internal width must be 564mm, the net interior depth must be ≥382mm, and the net interior height must be ≥130mm. When drawers are added, the default drawer height is 180mm, and the drawer height is: 180≤ H≤240mm.
Warranty	2 years



Gray plastic ring

Product Features:

- It can be installed in the shelves of sideboards and entrance cabinets, and the slots on the upper shelves can be used as paper holes to facilitate daily paper use.

Function configuration

Code	PGWL0063
Product material	Plastic
Color configuration	gray
Size	L138*W40*H18mm
Warranty	1 year



Four sides basket tall drawer

Product Features:

- For sideboard storage.
- The aluminum alloy frame is formed by integral bending.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent.

Function configuration

Code	PBOH0068
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W564mm*D365mm*H149mm
Installation and adaptation	This product comes with its own slide rail and drawers can be added, and the drawers can be embedded, half-covered or fully covered. Cabinet internal width must be 564mm, the net interior depth must be ≥382mm, and the net interior height must be ≥180mm. When drawers are added, the default drawer height is 240mm, and the drawer height is: 240≤ H≤300mm.
Warranty	2 years

Storage System 【Sideboard Storage】



Flat basket tall drawer

Product Features:

- For sideboard storage.
- Height of the basket body is higher, which can meet the placement needs of other large cooking tools such as pots and soup bowls.
- The whole basket frame adapt aluminum panel splicing.

Function configuration

Code	PBOH0066
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W564mm*D365mm*H217mm
Installation and adaptation	This product comes with its own slide rail and must be equipped with drawer front panel. The drawer front panel can be embedded, half-covered, or fully covered. The net width in the cabinet must be 564mm, the net interior depth must be ≥382mm, and the net interior height must be ≥250mm. The default drawer height is 420mm, and the drawer height is: 300≤H≤420mm.
Warranty	2 years



Two-in-one shallow drawer

Product Features:

- For sideboard storage.
- The aluminum alloy frame is formed by integral bending.
- There is a simple storage divider placed in the middle of the basket, which can divide the storage items to make the storage more reasonable.
- A divider add at the front end of the basket body to store cups.

Function configuration

Code	PBOH0070
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W864mm*D365mm*H101mm
Installation and adaptation	This product comes with its own slide rail and must be equipped with drawer front panel. The drawer front panel can be embedded, half-covered, or fully covered. The net width in the cabinet must be 864mm, the net interior depth must be ≥382mm, and the net interior height must be ≥130mm. The default drawer height is 180mm, and the drawer height is: 180≤H≤240mm.
Warranty	2 years



Divable shallow drawer

Product Features:

- For sideboard storage.
- The aluminum alloy frame is formed by integral bending.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent.
- There is a simple storage divider placed in the middle of the basket, which can divide the storage items to make the storage more reasonable.

Function configuration

Code	PBOH0069
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W564mm*D365mm*H101mm
Installation and adaptation	This product comes with its own slide rail and drawers can be added, and the drawers can be embedded, half-covered or fully covered. Cabinet internal width must be 564mm, the net interior depth must be ≥382mm, and the net interior height must be ≥130mm. When drawers are added, the default drawer height is 180mm, and the drawer height is: 180≤H≤240mm.
Warranty	2 years



Divable shallow drawer W864

Product Features:

- Used for sideboard storage, it contains two dividers, which can be flexibly move left and right for reasonable partition storage.
- Drawer bottom panel contains anti slip pad to prevent tableware from shifting when pulled out.
- The aluminum alloy frame is formed by integral bending.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent.
- Load-bearing 15kg

Function configuration

Code	PBOH0097
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W864*D101*D365mm
Installation and adaptation	This product comes with its own slide rail and drawer front panel can be added, and the drawer front panel can be embedded, half-covered or fully covered. Cabinet internal width is required to be 864mm, the net interior depth must be ≥382mm, and the net interior height must be ≥130mm. The recommended drawer front panel height is 130≤H≤240mm, and the default standard height is 180mm. -The accessory rail does not rebound and needs to be equipped with a handle/buckle. Note: If the net width > 864mm, only the fixed width can be 873mm and 882mm. Can add basket gaskets, suite of gaskets (two pieces total 9mm).
Warranty	2 years

Storage System 【Sideboard Storage】



Four sides basket tall drawer

Product Features:

- For sideboard storage.
- Drawer bottom panel contains anti slip pad to prevent tableware from shifting when pulled out.
- The aluminum alloy frame is formed by integral bending.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent. Load-bearing 15kg

Function configuration

Code PBOH0098

Product material Al-alloy

Color configuration gunmetal gray

Size W864*H149*D415mm

Installation and adaptation

This product comes with its own slide rail and needs to be equipped with a drawing one-sided mirror. The drawing one-sided mirror available in built-in, half-overlay, or full-overlay, width the cabinet = 864mm, depth height greater than equals 425mm, and Standard configuration is ≥ 180. The height of the drawing surface is recommended to be $180 \leq H \leq 300$ mm, and height 240mm. Accessory does not have push-to-open and needs to be equipped with handle/recessed pull; Note: If width > 864mm, only the fixed width can be 873mm and 882mm. Can add basket gaskets, suite of gaskets (two pieces total 9mm).

Warranty 2 years



Four sides basket tall drawer W414

Product Features:

- For sideboard storage.
- Drawer bottom panel contains anti slip pad to prevent tableware from shifting when pulled out.
- The aluminum alloy frame is formed by integral bending.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent. Load-bearing 15kg

Function configuration

Code PBOH0103

Product material Al-alloy

Color configuration gunmetal gray

Size W414*H149*D365mm

This product comes with its own slide rail and needs to be equipped with a drawing one-sided mirror. The drawing one-sided mirror available in built-in, half-overlay, or full-overlay, width the cabinet = 864mm, depth height greater than equals 425mm, and Standard configuration is ≥ 180. The height of the drawing surface is recommended to be $180 \leq H \leq 300$ mm, and height 240mm. -The accessory rail does not rebound and needs to be equipped with a handle/buckle.

Warranty 2 years



Dividable shallow drawer W414

Product Features:

- For sideboard storage.
- Drawer bottom panel contains anti slip pad to prevent tableware from shifting when pulled out.
- The aluminum alloy frame is formed by integral bending.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent. Load-bearing 15kg

Function configuration

Code PBOH0102

Product material Al-alloy

Color configuration gunmetal gray

Size W414*H101*D365mm

Installation and adaptation

This product comes with its own slide rail and can be equipped with a drawing one-sided mirror. The drawing one-sided mirror available in built-in, half-overlay, or full-overlay, width the cabinet is 414mm, and depth height greater than or equals 382mm; Net interior height ≥ 130. The recommended height the drawer front panel is $130 \leq H \leq 240$ mm, and standard configuration height 180mm. Accessory does not have push-to-open and needs to be equipped with handle/recessed pull; Note: If width > 414mm, only the fixed width can be 423mm and 432mm. Can add basket gaskets, suite of gaskets (two pieces totaling 9mm).

Warranty 2 years



Pull-out basket gaskets

Product Features:

- For sideboard storage.
- Drawer bottom panel contains anti slip pad to prevent tableware from shifting when pulled out.
- The aluminum alloy frame is formed by integral bending.
- The back is fixed with aluminum alloy fixings to ensure the strength of the frame to the greatest extent. Load-bearing 15kg

Function configuration

Code PBOH0104 ABS gray W4.5*D329*H51mm

Product material (two pieces per set, total thickness 9mm. Spacers are stackable with max. 2 sets) suitable for dividable shallow drawer W864 (PBOH0097), four-sided wire basket high drawer W864 (PBOH0098), dividable shallow drawer W414 (PBOH0102), four-sided wire basket high drawer W414 (PBOH0103); if internal width > 414mm, only 423mm or 432mm can be set. Pull-out basket gaskets can be added; this pull-out basket gasket comes

in one set (two pieces totaling 9mm), and the thickness of a single gasket is 4.5mm; gaskets can be stacked, and the number of stacking sets is ≤ 2 sets

Warranty 2 years

Storage System 【Wall-mounted System】



Aluminum alloy integrated hook

Product Features:

- Replace the existing adjustable hook behind the iron door (G21015018) in the system, which has a simpler and lighter structure and is easier to install.
- Suitable for multiple scenarios. It can be used in the entrance cabinet to hang keys, packaging bags, bags, umbrellas, etc., and can also be used in the wardrobe to hang jewelry, scarves, ties, etc.
- Product appearance upgrade. The color can be combined with other hardware to create a unified overall style and beautiful design.

Function configuration

Code	PBOGY017
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W300*D20*H25
Installation and adaptation	When installed on a panel with a thickness of ≥18mm, the panel width must be ≥350mm. When installed behind a door panel, it needs to be moved 70mm or staggered to avoid the door hinge. When there is a shelf at the rear, the shelf needs to be moved inward 30mm. The panel has lead holes by default, but you can choose not to drill holes. Installation position of hook is adjustable in the center, and the distance between the upper, lower or left and right edges must be ≥ 50mm
Warranty	1 year




Al-alloy over-the-door storage box

Product Features: - Used to replace the original door storage basket (G21009046), the installation position is more flexible, the color can be combined with other hardware, and the overall design is beautiful - Used for storing entryway cabinet, shoe brushes, shoe polish, air fresheners and other odds and ends. - It is fixed behind door panel with screw of the same color, which is convenient, quick and stable to install and can be detached.

Function configuration

Code	PBOH0044
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W300*D60*H80
Installation and adaptation	Installed on panels with a thickness of ≥18mm for storage; panel width must be ≥370mm; when installed on door panels, move 70mm or stagger the installation to avoid door hinges. If there is a shelf at the back, the shelf must be moved inward 70mm. The panel for installing this storage box has lead holes by default, but you can choose not to drill the holes. Installation position of storage box is adjustable in the center, and the distance between the upper, lower or left and right edges must be ≥ 50mm
Warranty	1 year



15mm pegboard

Product Features:

- Flexible adjustment of positions, matched with hook, brackets, etc., make the placement of items more flexible and orderly.
- Suitable for back panels of bookcases, sideboards, balcony cabinets, bathroom cabinets, etc.
- Size can be customized according to customer needs

Function configuration

Code	PBOD0008
Product material	1.5mm iron panel
Color configuration	White
Size	Wnon-standard * H non-standard * D15mm
Installation and adaptation	The slotted model is installed on an 18mm back panel. The size range of the ordinary model is: 300≤W≤2700, 300≤H≤2700; the size range of the slotted model is: 401≤W≤2700, 300≤H≤2700, and W and H cannot be >850mm at the same time.
Warranty	3 years



Gray beauty storage holder behind door


Product Features:

- Installed behind the YML058 aluminum frame door, it can store daily beauty products and accessories;
- With a mirror, it is a great solution for your daily makeup needs.

Function configuration

Code	PBOH0118	Al-alloy	gunmetal	gray
Product material	W300*D60*H80			
Color configuration	Gray ZW-658-3 storage holder W373 * H105 * D16mm			
Size	Gray ZW-658-3 storage holder W373 * H100 * D16mm			
Installation and adaptation	Gray ZW-658-3 storage holder W373 * H55 * D16mm			
	Gray ZW-658-3 installation strip W18.5 * H599 * D16mm			
	gray ZW-658-3 magnifying glass W175 * H152 * D12mm			
Warranty	3 years			

Storage System 【Wall-mounted System】




15mm embedded power track pegboard

Product Features:

- Flexible adjustment of location to adapt to different items
- Suitable for back panels of bookcases, balcony cabinets, bathroom cabinets, etc.
- Can be combined with PBZP0201 linear power track to provide power support for sideboard areas
- Size can be customized according to customer needs

Function configuration

Code	PBOD0009
Product material	1.5mm iron panel
Color configuration	white
Size	Wnon-standard * H non-standard * D15mm
Installation and adaptation	The slotted model is installed on an 18mm back panel. The size range of the ordinary model is: 300≤W≤2700, 300≤H≤2700; the size range of the slotted model is: 401≤W≤2700, 300≤H≤2700, and W and H cannot be >850mm at the same time.
Warranty	3 years




15mm white pegboard short hook

Product Features:

- A total of 5 hook, adapted to PPBOD0008 15mm pegboard or PBOD0009 5mm embedded power track pegboard

Function configuration

Code	PBOK0024
Product material	Al-alloy
Color configuration	white
Size	65*50*42mm
Warranty	3 years



15mm white pegboard towel hanger

Product Features:

- Adapted to PBOD0008 15mm pegboard or PBOD0009 15mm embedded power track pegboard

Function configuration

Code	PBOK0023
Product material	Al-alloy
Color configuration	white
Size	280*66*65mm
Warranty	3 years



15mm withe pegboard long storage shelf


Product Features:

- Adapted to PBOD0008 15mm pegboard or PBOD0009 15mm embedded power track pegboard

Function configuration

Code	PWNS0267
Product material	Al-alloy
Color configuration	white
Size	200*110*47mm
Warranty	3 years

Storage System 【Wall-mounted System】




Gunmetal gray 15mm pegboard

Product Features:

- Flexible adjustment of positions, matched with hook, brackets, etc., make the placement of items more flexible and orderly.
- Suitable for back panels of bookcases, sideboards, balcony cabinets, bathroom cabinets, etc.
- Size can be customized according to customer needs

Function configuration

Code	PBOD0010
Product material	1.5mm Iron plate
Color configuration	gunmetal gray
Size	Wnon-standard * H non-standard * D15mm
Installation and adaptation	The slotted model is installed on an 18mm back panel. The size range of the ordinary model is: 300≤W≤2700, 300≤H≤2700; the size range of the slotted model is: 401≤W≤2700, 300≤H≤2700, and W and H cannot be >850mm at the same time.
Warranty	3 years




Gunmetal gray 15mm pegboard short hook

Product Features:

- A total of 5 hook, adapt to PBOD0010 gunmetal gray 15mm pegboard or PBOD0011 gunmetal gray 15mm embedded power track pegboard

Function configuration

Code	PBOK0025
Product material	Al-alloy
Color configuration	gunmetal gray
Size	65*50*42mm
Warranty	3 years



Gunmetal gray 15mm embedded power track pegboard

Product Features:

- Flexible adjustment of location to adapt to different items
- Suitable for back panels of bookcases, balcony cabinets, bathroom cabinets, etc.
- Can be combined with PBZP0201 linear power track to provide power support for sideboard areas
- Size can be customized according to customer needs

Function configuration

Code	PBOD0011
Product material	1.5mm Iron plate
Color configuration	gunmetal gray
Size	Wnon-standard * H non-standard * D15mm
Installation and adaptation	The slotted model is installed on an 18mm back panel. The size range of the ordinary model is: 300≤W≤2700, 300≤H≤2700; the size range of the slotted model is: 401≤W≤2700, 300≤H≤2700, and W and H cannot be >850mm at the same time.
Warranty	3 years



Gunmetal gray 15mm pegboard towel hanger


Product Features:

- Adapt to PBOD0010 gunmetal gray 15mm pegboard or PBOD0011 gunmetal gray 15mm embedded power track pegboard

Function configuration

Code	PBOK0026 Al-
Product material	alloy
Color configuration	gunmetal
Size	gray
Warranty	3 years

Storage System 【Wall-mounted System】



Gunmetal gray 15mm pegboard long storage shelf

Product Features:

Adapt to PBOD0010 gunmetal gray 15mm pegboard or PBOD0011 gunmetal gray 15mm embedded power track pegboard

Function configuration

Code PWNS0268

Product material Al-alloy

Color configuration gunmetal gray

Size 267*110*47mm

Warranty 3 years

CARING SYSTEM



Caring System 【Vanity Mirror】



Brushed brass framed LED illuminated mirror

Product Features:

- With three-tone light, anti-fog, and electronic appliance shutdown functions.
- One-button switch for lighting and anti-fog, with beauty function.
- Brass metal edging, simple and atmospheric.

Function configuration

Code	PBHJ0031
Product material	Al-alloy frame + copper free silver mirror
Color configuration	brass color frame
Size	W500mm*H960mm
Installation and adaptation	Brushed brass frame functional lamp mirror. It is equipped with a hanging code on the back, and screw spacing: 290mm on center (O.C.) for all fasteners. The cabinet internal size should be larger than 550*1000mm, and attention should be paid to the grounding of the power supply. After fixing the screws on the back panel, use the hanging code that comes with the intelligent mirror to complete the fixation.
Warranty	2 years

Caring System 【Dressing Mirror】



1100mm gray aluminum frame intelligent sliding mirror

Product Features:

- Compared with the ordinary dressing mirror, this product has light strips on the side, which can illuminate the person, making the person look clearer and brighter.
- The product comes with an intelligent module that can display time, weather, air quality and other conditions in real time.
- Unique track hiding and storage lines, simple and beautiful.
- The back panel of the mirror is equipped with a gate-control switch, which can control the light of the sliding mirror to light up when it is pushed and pulled, and turn it off when it is pushed in.

Function configuration

Code	PBHJ0024
Product material	Mirror + al-alloy
Color configuration	dark gray
Size	W400*D55*H1100
Installation and adaptation	It can be installed on the left or right side of the cabinet. The cabinet internal width must be ≥100mm, the internal height must be ≥150mm, and the net internal depth must be ≥420mm. It can be fixed on site using self-tapping screws according to the guide holes on the left/right side panels. For the installation video, see P130.
Warranty	1 year



550mm gunmetal gray vanity mirror

Product Features:

- The light color can be adjusted according to different customer choices: warm awmber (2700K), warm white (3000K), daylight white (4000K).
- The simple round design can better match finishes and shapes of different cabinets.

Function configuration

Code	PBHJ0056
Product material	Al-alloy
Size	φ550*20.5mm
Installation and adaptation	Only used for left-opening doors, size and color cannot be changed, the corresponding cabinet is designed according to the door panel size. Each door is equipped with 2 Blum quick-release damping door hinges (configured according to the door panel cover method) + a 12V adapter (one adapter can be shared for every three door)
Warranty	2 years



1000mm leather texture sliding mirror

Product Features:

- Mirror image is smooth, no deformation or distortion
- High-quality slide rail, silent design, smooth push and pull
- Humanized design, ergonomic

Function configuration

Code	PBHJ0055
Product material	Leather texture frame + silver mirror
Color configuration	gunmetal gray
Size	W1100mm*D350mm*H20mm
Installation and adaptation	must be ≥200mm, the internal height must be ≥150mm, and the net internal depth must be ≥420mm. It can be fixed on site using self-tapping screws according to the guide holes on the left/right side panels. The drawing must indicate whether the sliding mirror is installed on the left or right side panel.
Warranty	1 year



900mm gunmetal gray-free rotate dressing mirror

Product Features:

- This rotate dressing mirror is install behind swing door and can be rotate to adjust the angle
- The mirror body is copper free silver mirror-free mirror, which is better than ordinary silver mirrors in environmental protection, durability, scratch resistance, corrosion resistance and reflectivity

Function configuration

Code	PBHJ0051
Product material	Al-alloy frame + copper-free silver mirror
Color configuration	gunmetal gray
Size	W300mm*D19mm*H900mm
Installation and adaptation	Can only be installed on the back of left or right doors, aluminum frame doors, wooden frame doors, PP doors with frame Except for solid wood doors with frames, leather doors, rock door panels and glass doors. Suitable for door panel Size range: $1680 \leq H \leq 2700$, $450 \leq W \leq 600$, door panel thickness shall be ≥ 18 mm When the dressing mirror is installed on the door panel, the corresponding shelf and functional accessories behind the door panel need to be moved inward 30mm
Warranty	2 years



1000mm LED sliding mirror with lamp

Product Features:

- The mirror has lamp on both sides, providing additional lighting for the user when dressing, illuminating the entire body.
- Push-structure with sensor switch, mirror i.e. pulled out.
- Mirror can be angled and has a positioning function at 90 degrees.
- Using extremely narrow frame design, the frame is almost invisible on the front, simple but not simplistic;
- The mirror is smooth, free from deformation and distortion.

Function configuration

Code	PBHJ0081
Product material	Al-alloy + mirror
Color configuration	gunmetal gray
Size	W48*D360mm*H1000mm
Installation and adaptation	Optional installation on the left or right side of an open cabinet or a regular cabinet (with door panel) It cannot be installed on the side panel with door hinges. Cabinet internal width must be ≥ 100 mm. Internal height ≥ 1050 mm, net interior depth ≥ 380 mm, and it is fixed on site using self-tapping screws according to the guide holes on the left/right side panels.
Warranty	3 years



Champagne gold narrow frame dressing mirror


Product Features:

- The frame of this dressing mirror is champagne gold, with a higher-grade surface treatment effect, which is the same color as the champagne gold aluminum trouser rack and champagne gold clothes, so that the accessories of this series can echo each other in the carcass.
- The dressing mirror is equipped with a decorative cover to prevent clothes from touching the oil stains of track in the carcass
- The frame has added corner protection, and the overall structure is more stable and durable

Function configuration


Code	PBHJ0022
Product material	Al-alloy
Color configuration	Champagne gold
Size	W250*D47*H1100
Installation and adaptation	Screw it to the side panel
Warranty	2 years

CAXA module code: ultra-thin side pull mirror



Side-pull ultra-thin mirror description: The structure mainly consists of a carcass and a drawer box. The drawer box is equipped with a silver mirror, and is connected to the carcass side panels via three-section rails. When in use, the drawing box can be pulled out to dress up. When not in use, the drawing box can be pushed into carcass to hide the silver mirror.

Height-dressing mirror installation position reference table	
Height (cm)	Recommended height of the top of dressing mirror from the ground (mm)
H < 160	1550
160 ≤ H < 170	1650
170 ≤ H < 180	1750
180 ≤ H < 190	1850
190 ≤ H	1950



Shelf rear-mounted clothing care machine

Product Features:

- Hidden behind the 18mm shelf of the cabinet and perfectly integrated with the carcass.
- Plasma air purification cycle, efficient sterilization, moisture-proof, insect-proof, healthy and environmentally friendly

Function configuration

Code	PBHM0024 Plastic module 3W W300*H25*D70
Product material	Only applicable to 18MM shelves. If the shelves are connected to the middle vertical panel, the rear end of the middle vertical panel needs to be 75mm ahead, or more than 20mm away from the nursing machine on the left and right. The fragrance capsule is installed upwards, the wiring is on the right, and the cabinet back panel is drilled on site. A 60W driver (PBZP0047) is required.
Rated power	
Size	
Installation and adaptation	
Warranty	1 year



Snap-in aluminum alloy disinfection module

Product Features:

- The three functions of disinfection, moisture-proof and heating are integrated to fully protect clothes and carcass.
- Thick metal frame with black touch control panel, perfect match with the cabinet inner shelf, easy to install.
- Linear lighting makes it easier for users to find items in the drawer.

Function configuration

Code	PBHM0028
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W(260-964) * D153 * H81.9 mm, W (964-1500), non-standard order required.
Installation and adaptation	<p>Only for built-in use, this product comes with its own panel and driver; the net inner depth is required to be ≥ 250mm, the net inner height is required to be 41mm, the rear end of the shelf below the disinfection module needs to be retracted 80mm, and no additional panel can be added.</p> <p>The length of the snap-in aluminum alloy disinfection module can be cut freely. (1) When the length is 260≤W<964mm, it can be cut directly to a length of 964mm; (2) When length 964 < W ≤ 1500mm, non-standard order required.</p>
Warranty	3 years



Cabinet Sterilization Care Device

Product Features:

This compact, multi-purpose device is designed for installation in wardrobes, entryway shoe cabinets, and kitchen cabinets. Utilizing multi-directional airflow, it eliminates odors and bacteria while providing heating and dehumidifying functions to prevent mold and moisture. Meeting household sterilization needs across various cabinet types, it ensures fresh, healthy storage spaces with easy installation.

Function configuration

Code	PBHM0032
Product material	PC
Color configuration	Black display + white host
Size	L229*W42*H140mm/L312*W21*H57mm
Warranty	2 years

ELECTRICAL SYSTEM



Electrical System 【Socket-outlet】



900mm gunmetal gray-free rotate dressing mirror


Product Features:
 - This rotate dressing mirror is install behind swing door and can be rotate to adjust the angle.
 - The mirror body is copper free silver mirror-free mirror, which is better than ordinary silver mirrors in environmental protection, durability, scratch resistance, corrosion resistance and reflectivity.

Function configuration

Code	PBZP0095
Product material	Al-alloy
Size	W(≤ 2500mm) * D66mm * H18mm. For other sizes, non-standard order required. Installed on the countertop or back panel, can be customized according to the carcass structure (W≤ 2500mm). No outlet included, USB plug outlet (PBZP0085) and five-hole plug outlet (PBZP0084) are required
Installation and adaptation	
Rated power	8800W
Warranty	1 year

- ① USB outlet
② Five-hole outlet

Product Features:
 sed with prefabricated power tracks



Function configuration

Code	USB outlet PBZP0085/ five-hole outlet PBZP0084
Product material	Al-alloy
Size	W69mm*D69mm*H35mm/ W69mm*D104mm*H35mm
Installation and adaptation	used with prefabricated power track
Maximum power	USB outlet 15W, five-hole outlet 2200W
Warranty	1 year



Gray embedded knob-type S10 power track

Product Features:

- In-situ replacement to solve the pain point of insufficient outlets;
- Concealed track wiring with live/neutral lines; shock-proof design.
- The adapter has an independent switch, which can be turned off by rotating 45°
- Built-in design, perfect fit with the panel;

Function configuration


Code	PBZZ0125
Product material	Al-alloy
Color configuration	gray
Size	W500/750/1000*H72.6*D19.8mm
Installation and adaptation	This power track is installed on a back panel or countertop with a thickness of ≥18mm. A through hole is required on the back panel/countertop. This power track needs to be equipped with a PBDC0002 gray round knob five-hole outlet.
Warranty	1 year



Gray round knob five-hole outlet

Function configuration

Code	PBDC0002
Product material	PP
Color configuration	gray
Size	ø62.5mm
Installation and adaptation	Suitable for gray surface-mounted knob-type S10 power track &gray embedded knob-type S10 power track
Warranty	1 year



Gray surface-mounted knob-type S10 power track

Product Features:

- In-situ replacement to solve the pain point of insufficient outlets;
- Concealed track wiring with live/neutral lines; shock-proof design.
- The adapter has an independent switch, which can be turned off by rotating 45°

Function configuration

Code	PBZZ0126
Product material	Al-alloy
Color configuration	gray
Size	W500/750/1000/1200*H80*D19.5mm
Installation and adaptation	This power track needs to be equipped with PBDC0002 gray round knob five-hole outlet
Warranty	1 year



Built-in linear power track

Product Features:

- Can be installed in TV cabinets, sideboards, desks and other power consumption areas;
- maximum rated power 5000W;
- Built-in design, closely integrated with carcass or countertop, frame is thinner and more beautiful, and the exposed width is only 22 ~ 23mm.

Function configuration

Code	PBZP0201 Al-alloy + PC gunmetal gray
Product material	W500mm/W800mm/W1000mm/W1200mm/W
Color configuration	non-standard size (W ≤ 1500mm) * H22.6mm * D25mm 5000W
Size	spray linear embedded power slide rail needs to be matched with white linear power slide rail five-hole plug PBZP0203W/black linear power slide rail five-hole plug PBZP0203B/white linear power slide rail USB outlet PBZP0202W/Black linear power track USB outlet PBZP0202B is used; it can be installed on the back panel or countertop, the thickness of the back panel and countertop must be ≥18mm; when installed on an 18mm back panel, it is recommended that the track position be installed ≥100mm from the lower shelf height, and the back panel needs to be moved forward ≥8mm; when installed on an 18mm countertop, it is recommended that the track position be installed ≥50mm back, and a space of ≥8mm should be left under the countertop.
Rated power	
Installation and adaptation	
Warranty	1 year



Black linear power track USB outlet

Product Features:

- Includes USC and TypeC terminals, USB 20W fast charging, TypeC 30W fast charging
- With power-on indicator light, it will light up when powered on.

Function configuration

Code	PBZP0202B
Product material	Al-alloy + tempered glass
Color configuration	black + gunmetal gray
Size	69mm*69mm
Installation and adaptation	PBZP0202B compatible with built-in linear power tracks
Warranty	1 year



Black linear power slide rail five-hole plug

Product Features:

- Contains a two-hole plug and a three-hole plug;
- With power-on indicator light, it will light up when powered on

Function configuration

Code	PBZP0203B
Product material	Al-alloy + tempered glass
Color configuration	black + gunmetal gray
Size	69mm*69mm
Installation and adaptation	PBZP0203B compatible with built-in linear power tracks
Warranty	1 year



White linear power track USB outlet

Product Features:

- Includes USC and TypeC terminals, USB 20W fast charging, TypeC 30W fast charging
- With power-on indicator light, it will light up when powered on

Function configuration

Code	PBZP0202W
Product material	Al-alloy + tempered glass
Color configuration	white + gunmetal gray
Size	69mm*69mm
Installation and adaptation	PBZP0202W compatible with built-in linear power tracks
Warranty	1 year



White linear power slide rail five-hole plug

Product Features:

- Contains a two-hole plug and a three-hole plug;
- With power-on indicator light, it will light up when powered on

Function configuration

Code	PBZP0203W
Product material	Al-alloy + tempered glass
Color configuration	white + gunmetal gray
Size	69mm*69mm
Installation and adaptation	PBZP0203W compatible with built-in linear power tracks
Warranty	1 year



Black built-in desktop double-sided five-hole outlet

Product Features:

Multi-scenario application: mostly used in desks, dresser tables and other products.
Meet the electricity needs of most electronic equipment and appliances in households

Function configuration

Code	PBDC0001
Product material	PC + ABS + acrylic
Color configuration	black
Size	W258.5*D65*H45mm
Rated power	2500W
Installation and adaptation	Applied to 25mm thick countertop. When the panel is melamine (no edge banding is required on the inner side of the hole), powder coating, PVC, wood veneer, PP and UV lacquer, the cut-out dimensions: L= 260mm and W = 56mm; when the panel is lacquered, cut-out dimensions: L=261, W=57, and the distance from the edge is ≥50mm
Warranty	3 years



2-slot outlet with sliding cover

Product Features: - Used in power-consuming areas such as nightstands and desks, and suitable for charging scenarios of mobile phones and other devices. - Includes a USB socket and a two-hole socket. - With sliding decorative cover, dust and moisture proof, good safety.

Function configuration

Code	PBZP0072
Product material	Plastic
Color configuration	black
Size	W140*D36.2*H33.8mm
Rated power	2500W
Installation and adaptation	It can be installed on a countertop or back panel with a thickness of ≥18mm. The panel needs to be slotted and fixed on site with self-tapping screws; the outlet position is optional and must be ≥50mm from the edge
Warranty	1 year



Embedded two-hole outlet with switch

Product Features:

- The built-in design integrates with the drawer unit, enabling dual functionality - storage capacity and electrical power access.
- The outlet includes three two-hole outlets and a main switch, which can be used in the drawer to take electricity for various hairdressing appliances or other electronic products,
- With master switch, you can power on or off with one button.

Function configuration

Code	PBZP0199
Product material	Al-alloy + PC
Color configuration	gunmetal gray
Size	W222*H38mm
Rated power	2500W
Installation and adaptation	The drawer's net internal width w ≥ 300mm, the drawer's net internal height h1 ≥ 120; the drawer's end panel height h2 ≥ 85mm, the distance between the drawer end and the back panel d ≥ 50mm
Warranty	1 year



4-slot outlet with sliding cover

Product Features: - It is used in power-consuming areas such as sideboards, nightstand, desks, etc. and is suitable for scenarios where devices are charged and electrical appliances are powered. - Includes two USB sockets and two five-hole sockets. - With sliding decorative cover, dust and moisture proof, good safety.

Function configuration

Code	PBZP0073
Product material	Plastic
Color configuration	black
Size	W204.2*D47*H33.8mm
Rated power	2500W
Installation and adaptation	It can be installed on a countertop or back panel with a thickness of ≥18mm. The panel needs to be slotted and fixed on site with self-tapping screws; the outlet position is optional and must be ≥50mm from the edge
Warranty	1 year



Cabinet junction box

Product Features:

- The junction box can fully release wall, so that the carcass can be placed against the wall.
- At the same time, it also provides another installation method for the switches of electrical appliances in the carcass, making the electrical appliances, lamps, switches, etc. more closely integrated with the carcass.

Function configuration

Code	PBZP0040 Plastic
------	------------------

Product material	white
------------------	-------

Color configuration	86 * 86 * 30 (box) /22 * 8 * 500 (wire casing)
---------------------	--

Size	This accessory is a white plastic part and can be installed on the top, bottom, side panel or shelf. First, install the junction box on carcass according to the pre-opened slot of carcass,
------	--

Installation and adaptation	lead the wire casing to the back panel, open a φ5 hole at the corresponding position of the back panel for wiring, and the switch can be connected to the other side of the junction box.
-----------------------------	---

Warranty	3 years
----------	---------



Black embedded wireless charger

Product Features:

- Built-in design, perfectly adapted to various furniture styles;
- Official certification, supports Apple mobile phones (7.5 W fast charging), Samsung mobile phones (10W fast charging), Huawei mobile phones (10W fast charging), etc.

Function configuration

Code	PBZP0198
------	----------

Product material	Al-alloy + tempered glass
------------------	---------------------------

Color configuration	black
---------------------	-------

Size	φ95*H25mm
------	-----------

Installation and adaptation	Installed on the desktop or nightstand, the panel opening is φ90mm; the panel thickness is ≥18mm, and a 15mm space is left at the bottom.
-----------------------------	---

Warranty	1 year
----------	--------



Threading hole

Product Features:

- Cover the edge of the opening without affecting the appearance of the panel
- Provide support and fixation for cables, and straighten cables

Function configuration

Code	PWNQ0055
------	----------

Product material	Rubber
------------------	--------

Color configuration	white
---------------------	-------

Size	Φ70*H27
------	---------

Installation and adaptation	Mill a 60mm through hole, fix it with glass glue on site, adapt to the back panel, and pre-open the back panel
-----------------------------	--

Warranty	1 year
----------	--------

Lighting System 【Lamp Adaptation Table】



LIGHTING SYSTEM

Category	General lamp in cabinet				
	Name	Code	Power	Selectable driver	Selectable switch
Without switch	Name: Built-in oblique light strips	PBZQ0012	5W/m	Hailieniao intelligent power supply 60W + Film Switch kit PBZP0227/Hailieniao intelligent power supply 60W PBZP0226	<p>The following switches are optional: 1. Hailieniao wired single gate-control switch PBZP0237 2. Hailieniao wired double gate-control switch PBZP0236 3. Hailieniao wired human body sensor switch PBZP0235 4. Hailieniao wireless small round switch PBZP0234 + Hailieniao wireless small round switch receiver PBZP0239 (it is recommended to choose this switch for open unit)</p> <p>Note: Hailieniao intelligent power supply 60W + membrane switch kit PBZP0227, there is no need to select the switch Note: If you select Hailieniao intelligent power supply 60W PBZP0226, you need to select a switch separately Hailieniao wireless remote PBZP0234 must be ordered as a set with PBZP0239 wireless actuators. Configurations support 1:1 or 1:N pairing - a single remote can control one or multiple actuators.</p>
	Right built-in oblique light strips	PBZQ0013	5W/m		
	Built-in oblique light strips is cuttable	PBZL0032	6W/m		
	Triangular surface-mounted lamp	PBZC0062	9W/m		
	Rear-lit glass shelf light	PBZC0080	9.5W / m		
	Rear-mounted oblique shelf lamp	PBZC0079	6W/m		
	18mm mocha color al-alloy snap-in shelf lamp	PBZC0020	9.5W / m		
	18mm brushed brass al-alloy snap-in shelf lamp	PBZC0028	9.5W / m		
	25mm roma gray aluminum frame glass shelf light with clothes rail	PBZC0105	3.5W / m		
	25mm roma gray aluminum frame glass shelf light	PBZC0106	3.5W / m		
	25mm snow veil gray aluminum frame glass shelf light with clothes rail	PBZC0107	3.5W / m		
	25mm snow veil gray aluminum frame glass shelf light	PBZC0108	3.5W / m		
	Aluminum alloy clothing light	PBZG0009	8W/m		
	K04 gunmetal gray recessed pull with lamp	PWNO0089	5W/m		
	K04 recessed pull with lamp	PWWK0185	5W/m		
	LED soft light strip	PBZL0011	3.5W / m		
	Cabinet spotlight	PBZC0093	1W/m		
	Rear shelf water ripples lamp	PBZC0090	4.8W/m		
	Gunmetal gray haitang chamfer unidirectional linear light	PBZP0196	2.4W/m		
	Gunmetal gray haitang chamfer bi-directional linear light	PBZP0197	4.8W/m		
	Gunmetal gray haitang chamfer lamp beveled four frames	PWML0022	2.4W/m		
	Built in depth anti-glare workdesk lamp	PBZP0194	10W/m		
	Acrylic burlap white cloth backlit panel	PBZP0173	10W/m		
	U-shaped acrylic decorative panel lamp	PBZP0170	10W/m		
	Luxury stone acrylic backlit panel	PWMV0033	10W/m		
	Forest phantom acrylic backlit panel	PBZP0189	10W/m		
	Right side RGB anti-glare built-in hard light strips	PBZL0072A	10W/m	60W super power supply (RGB light strips PBZP0219)	RGB lamp 5-hole exclusive controller PBZZ0129 + bluetooth MESH5 key sensor PBZP0221
	RGB anti-glare built-in oblique emitting hard light strips	PBZL0072B	10W/m		

Lighting System 【Lamp Adaptation Table】

Category	General lamp in cabinet				
	Name	Code	Power	Selectable driver	Selectable switch
With switch	Drawer sensation light	PBZP0118	5W/m	Hailieniao intelligent power supply 60W PBZP0226	No other switches can be selected; 1100mm gray aluminum frame smart sliding mirror and 1000mm illuminated sliding mirror, used inside the swing door, can be used with Hailieniao wired single door switch PBZP0237 or Hailieniao wired double door switch PBZP0236
	Gunmetal gray P-shaped induction clothes rail lamp	P B ZG0018	5W/m		
	Gunmetal gray P-shaped clothes rail sterilizing light strip	PBHM0027	5W (fixed) + 5W/m		
	Cabinet sterilizing lamp	P B ZC 0044	2.73W		
	Night sensation light	P B ZG0011	8W/m		
	Built-in depth anti-glare workdesk lamp	PBZP0194	10W/m		
	1100mm gray aluminum frame intelligent sliding mirror 1000mm LED sliding mirror	PBHJ0024	18W		
	with lamp Shelf rear-mounted clothing care machine	PBHJ0081	14.5W		
	Full spectrum eye protection study desk lamp	PBHM0024	3W		
		P B ZP 0265	/		No driver required
Without switch	Universal lighting for wall panel				
	Wall panel staggered lights	PBZP0200	3W/m	Hailieniao intelligent power supply 60W + membrane switch kit PBZP0227/ Hailieniao intelligent power supply 60W PBZP0226	Note: Hailieniao intelligent power supply 60W + membrane switch kit PBZP0227, there is no need to select the switch
	Gunmetal gray wall panel simply luminous light	PBZP0207G	3W/m		
	Brushed brass wall panel simply luminous light	P B ZP 0207B	3W/m		
	Straight light-emitting external corner lamp	PBZP0195	1W/m		
	Brushed brass oxidation lamp al-alloy branch line	PWQXF025	4W/m		
	Gunmetal gray spray lamp al-alloy branch line	PWQXF025C	4W/m		
	Brushed brass oxidation lamp aluminum lamp male angle trim strip	PWQXS037	4W/m		
	Gunmetal gray spray lamp al-alloy external corner trim strip	PWQXS037C	4W/m		

Design description:

1. Carcass or combined carcass with driver must be designed with at least one "lamp access port".
2. Hailieniao intelligent power supply 60W can be connected to up to 6 lamps, and the sum of power of the connected lamps cannot exceed the rated power of power supply 60W.
3. Only one switch can be connected to one power supply.
4. If the open cabinet needs to use a single switch to control the light strips of multiple drivers, it is recommended to order a PBZP0234 Hailieniao wireless small round switch + multiple PBZP0239 Hailieniao wireless small round switch receivers. Membrane switches are not recommended.

Lighting System 【Common Lighting Fixtures】



Rear-mounted oblique shelf lamp

Product Features:

- The thickened oblique triangular light-emitting lampshade makes the backlight softer and the light spot more uniform.
- The beveled lampshade design allows the light source to be hidden between the shelves, so you can see the light without seeing the lamp.
- The one-way buckle structure and pluggable light rail separation make repair and maintenance easier.

Function configuration

Code	PBZC0079
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	W (\leq 1164) mm * D13.2mm * H16.6mm, if it exceeds 1164mm, it will be non-standard subscription
Rated power	5W/m
Installation and adaptation	It is assembled at the rear end of the shelf, the shelf thickness is \geq 18mm, the aluminum profile is directly inserted into the rear end of the shelf, and the shelf depth needs to be moved forward 13mm. If there are middle vertical panels above and below the shelf where the rear shelf light is installed, the depth of the middle vertical panel needs to be moved forward 20mm. A switch and driver 60W (C21064832) are required, and the total wattage of the 6 light strips cannot exceed 60W.
Warranty	3 years



Rear-lit glass shelf light

Product Features:

- High-quality aluminum lamp body, finished with high hardness, uniform oxidation dissipation and good integrity.
- Upper and lower luminous design, no dots, soft and comfortable, and good decorative effect.

Function configuration

Code	PBZC0080
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	W (\leq 1000) mm * D21.2mm * H16.5mm, if it exceeds 1000mm, it will be non-standard subscription
Rated power	9W/m
Installation and adaptation	When used with 8mm glass shelves, the rear end depth of the glass shelves needs to be moved forward 14mm. A switch and driver 60W (C21064832) are required, and the total wattage of the 6 light strips cannot exceed 60W.
Warranty	3 years



18mm mocha color al-alloy snap-in shelf lamp

Product Features:

- Oblique illumination, soft and non-glare light, can be used as a shelf.
- Front decorative panel to increase the lines of the cabinet

Function configuration

Code	PBZC0020 Al-alloy mocha color
Product material	3500K
Color configuration	Customized size ($\leq 782\text{mm}$)*D13mm*H36mm, other sizes are non-standard, comes with 1m light line + 1m extension line, can be ordered according to the actual line PBZL0010
Color temperature	9.46W/m
Size	Configure 12V driver, see "Function Accessories Installation Adaptation Table" for details
Rated power	
Installation and adaptation	
Warranty	3 years



Right built-in oblique light strips

Product Features: - The main lamp body is changed to an inclined structure with the light shining at a 45-degree angle, so that it is not dazzling when installed in the cabinet and reduces eye glare. - LED strips are field-cuttable to match cabinet dimensions. Featuring tool-free installation with integrated snap-fit retention system, they securely mount into light channels without adhesives.

Function configuration

Code	PBZQ0013 (right) 3500K
Color temperature	Customized size ($\leq 2700\text{mm}$)*D14mm*H9.1mm, comes with 1m light line + 1m extension line, can be ordered according to the actual line PBZL0010
Size	5W/m
Rated power	It can be installed on the side panel or top and bottom panels of the cabinet. It comes with a buckle and can be directly snapped into the slot on site. There is no need to cut a notch at the intersection of the shelf and the side panel light strip.
Installation and adaptation	
Warranty	3 years




Built-in oblique light strips

Product Features:

- The main lamp body is changed to an inclined structure with the light shining at a 45-degree angle, so that it is not dazzling when installed in the cabinet and reduces eye glare.
- LED strips are field-cuttable to match cabinet dimensions. Featuring tool-free installation with integrated snap-fit retention system, they securely mount into light channels without adhesives.

Function configuration

Code	PBZQ0012 (top, left) 3500K
Color temperature	Customized size ($\leq 2700\text{mm}$)*D14mm*H9.1mm, comes with 1m light line + 1m extension line, can be ordered according to the actual line PBZL0010
Size	5W/m
Rated power	It can be installed on the side panel or top and bottom panels of the cabinet. It comes with a buckle and can be directly snapped into the slot on site. There is no need to cut a notch at the intersection of the shelf and the side panel light strip.
Installation and adaptation	
Warranty	3 years



18mm brushed brass al-alloy snap-in shelf lamp

Product Features: Oblique lighting, soft and non-glaring light, can be used as a shelf, front decorative panel, and increase the lines of the carcass

Function configuration

Code	PBZC0028
Product material	Al-alloy
Color configuration	brass color
Color temperature	3500K
Size	Customized size ($\leq 1164\text{mm}$)*D13mm*H36mm, other sizes are non-standard, comes with 1m light line + 1m extension line, can be ordered according to the actual line PBZL0010
Rated power	9.46W/m
Installation and adaptation	Installed on the front of 18mm thick shelf and top panel. The top panel is installed from top to top, leaving a gap of 25mm at the top, and the top panel of the lower cabinet is installed. The lower cabinet H is $\geq 1800\text{mm}$. The bottom panel of the upper cabinet can be selected to be 90mm/170mm deep and the cabinet depth (excluding door panels) is $\geq 250\text{mm}$. A $\Phi 5$ hole is opened on the back panel for wiring.
Warranty	3 years



LED soft light strip

Product Features:

This LED soft light strip is a surface light source, which can effectively reduce the graininess of lamp. The end is equipped with a sleeve, which is waterproof and dustproof, and is equipped with a buckle for easy installation

Function configuration

Code	PBZL0011
Product material	Silica gel
Color configuration	white
Color temperature	3500K
Size	Customized size (W≤5000mm)*D6mm*H12mm, comes with 1m light cord + 1m extension cord, according to the actual wiring, you can also install an extension line PBZL0010
Rated power	3.5W/m
Installation and adaptation	With its own buckle, installed in the cabinet, can be cut on-site according to size, first use self-tapping screws Lock the buckle on the panel inside the cabinet, and then clip the light strip onto the buckle.
Warranty	3 years



Built-in oblique light strips is cuttable

Product Features:

- The lamp body is inclined structure with the light shining at a 45-degree angle, so that it is not dazzling when installed in the cabinet and reduces eye glare.
- The light strip can be cut to size and installed according to the carcass size.
- No adhesive is required, the built-in buckle can be directly fixed in the lamp trough.

Function configuration

Code	PBZL0032
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	W (≤3000) mm
Rated power	5W/m
Installation and adaptation	Can only be installed 100 degrees from the front or back (including inside the cabinet, outside the cabinet, corner cabinet, etc.), the light strip comes with a buckle, which can be directly inserted into the slot on site. There is no need to cut a notch at the intersection of the top and bottom panels and the side panel light strips. A switch and driver 60W (G21064832) are required, and the total wattage of the 6 light strips cannot exceed 60W.
Warranty	3 years




Triangular surface-mounted lamp

Product Features:

- Single color temperature lamp, color temperature is 3500K, power is 10W/m, snap-on fixed, easy to install
- Triangular cross section, thin and light appearance, oblique inward illumination, good display effect
- Finish is gunmetal gray coating, color as the existing aluminum in the system, and can be used to match material to form a unified style

Function configuration

Code	PBZC0062
Product material	Aluminum profile + light strip
Color temperature	3500K
Size	Customized size (≤1164mm)*D29mm*H9mm, other sizes are non-standard, comes with 1m light line + 1m extension line, can be ordered according to the actual line PBZL0010
Rated power	9W/m
Installation and adaptation	It is used to install just below the front end of the top and bottom layers of the panel (the light strip cannot be installed facing upwards). It cannot be used for corner cabinets or bevel cabinets. It can only be installed at the front. Other locations require approval. It does not distinguish between left and right. The light trough prompt hole is on the right by default. The width of the light strip = the width of the space inside the panel.
Warranty	5 years



Gunmetal gray haitang chamfer lamp beveled four frames

Product Features:

- Installed in front of the cabinet, four lights are spliced into a frame, which is more beautiful and integrated, and the lights on the four sides can evenly illuminate the entire cabinet space.

Function configuration

Code	PWML0022
Product material	Al-alloy + acrylic
Color configuration	gunmetal gray
Color temperature	3500K
Size	Non-standard size: 200≤W≤600mm, 196≤H≤2700mm
Rated power	2.4W/m
Installation and adaptation	Use black plastic clip G30006789 to install on the front end of the panel, panel thickness = 18mm; the four sides of the panel need to be ≥45mm inward;
Warranty	5 years



Rear shelf water ripples lamp

Product Features:

Emitting light upward or downward, the side panels present a water ripple lighting effect, which is gorgeous and eye-catching.

Function configuration

Code	PBZC0090
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	W≤1162/non-standard size (W>1162mm)*D22*H19mm
Rated power	1W
Installation and adaptation	Installed behind an 18mm layer panel or 18mm top panel, a 22mm space must be left between the panel and the backboard. The length of the light strip bottom panel is equal to the cutting size of the panel width, and the wiring is routed from the back. 3 years
Warranty	




U-shaped acrylic decorative panel lamp

Product Features:

U-shaped shelf lights can be applied to the shelves inside the cabinet. They have linen texture inside, which can softly illuminate the space inside the cabinet and decorate the shelves, making them bright and eye-catching.

Function configuration

Code	PBZP0170
Product material	Al-alloy + acrylic
Color configuration	gunmetal gray
Color temperature	3500K
Size	Non-standard customization W449/899*D300*H36.4mm
Rated power	10W/m
Installation and adaptation	Installed on 18mm shelves/middle vertical panels (cannot be used horizontally or vertically). Since the product depth is 300mm, the shelves need to be moved inward by 30mm, that is, the shelf/middle vertical panel depth = 270mm, the cabinet interior depth ≥ 300mm, and the cabinet interior width is compatible with 450mm and 900mm. 3 years
Warranty	



Cabinet spotlight

Product Features:

- It can be used in various display cabinets and open cabinets to provide emphasis lighting for exhibits and illuminate the exclusive C position.
- Built-in installation at the bottom of shelf, suitable for various furniture styles;
- The lamp head can be rotated 20° for multi-directional lighting.

Function configuration

Code	PBZC0093
Product material	Al-alloy
Color configuration	gray
Color temperature	3500K
Size	φ35*H19mm
Rated power	1W
Installation and adaptation	Spotlights must be installed ≤150mm back, and the panel thickness must be ≥18mm; 3 years
Warranty	



Acrylic burlap white cloth backlit panel


Product Features:

- High-quality light guide panel, laser-marked, luminous as a whole, illuminating the entire cabinet space;
- Linen grain map, milder light and better visual effect.

Function configuration

Code	PBZP0173
Product material	Al-alloy + acrylic
Color configuration	gunmetal gray
Color temperature	3500K
Size	Non-standard customization (200≤W≤1100, 200≤H≤2400) mm
Rated power	10W/m
Installation and adaptation	It can be installed in the carcass, and cannot be installed in corner cabinets, corner cabinets, wall cabinets, or low cabinets. A gap of 12.5mm must be left behind the carcass shelf to install the backlit panel. The carcass must have a thick back panel, and the backlit panel must be attached to the front of the carcass back panel on site
Warranty	3 years

Lighting System 【Common Lighting Fixtures】



Forest phantom acrylic backlit panel

Product Features:

- High-quality light guide panel, laser-marked, luminous as a whole, illuminating the entire cabinet space;
- The backlit panel is no longer monotonous, with better decorative effect and better able to meet the personalized needs of users;

Function configuration

Code	PBZP0189
Product material	Al-alloy + acrylic
Color configuration	gunmetal gray
Color temperature	3500K
Size	Non-standard customization (200 ≤ W ≤ 1100, 200 ≤ H ≤ 2400) mm
Rated power	10W/m
Installation and adaptation	Installed in the cabinet, not in corner cabinets or cut-corner cabinets A gap of 18.5mm must be left behind the carcass shelf to install the backlit panel. The carcass must have a thick back panel, and the backlit panel must be attached to the front of the carcass back panel on site. 3 years
Warranty	



Gunmetal gray haitang chamfer unidirectional linear light

Product Features:

- It is installed on the side panel or the front end of the shelf of the cabinet. The light shines from front to back, illuminating the entire space inside the cabinet.

Function configuration

Code	PBZP0196
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	W36.5*D43.3*H1500/2000/2800mm
Rated power	2.4W/m
Installation and adaptation	Use the black plastic clip G30006789 to install it on the front end of the panel. It is used on the 18mm shelf (top and bottom panels) or the front end of the 18mm side panel. When installed on the side panel, the shelf/top and bottom panels need to be inward ≥ 45mm; the lower end of the light bar can be used on the ground; when installed on the shelf/top and bottom panels, the front end needs to be flush with the vertical panel, and the shelf needs to be inward ≥ 45mm; the two ends of the light bar cannot be exposed, and the left and right sides of the light bar need to be covered by the side panels.
Warranty	5 years



Luxury stone acrylic backlit panel

Product Features:

- High-quality light guide panel, laser-marked, luminous as a whole, illuminating the entire cabinet space;
- The backlit panel is no longer monotonous, with better decorative effect and better able to meet the personalized needs of users;

Function configuration

Code	PWMV0033 Al-alloy + acrylic silver white aluminum
Product material	frame
Color configuration	3500K
Color temperature	Non-standard customization (200 ≤ W ≤ 1100, 200 ≤ H ≤ 2400) mm
Size	10W/m
Rated power	Installed in the cabinet, not in corner cabinets or cut-corner cabinets A gap of 18.5mm must be left behind the carcass shelf to install the backlit panel. The carcass must have a thick back panel, and the backlit panel must be attached to the front of the carcass back panel on site. 3 years
Installation and adaptation	
Warranty	



Gunmetal gray haitang chamfer bi-directional linear light

Product Features:

- It is installed on the side panel or the front end of the shelf of the cabinet. The light shines from front to back, illuminating the entire space inside the cabinet.

Function configuration

Code	PBZP0197
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	W18.5*D43.3*H1500/2000/2800mm
Rated power	4.8W/m
Installation and adaptation	Use the black plastic clip G30006789 to install it at the front end of the panel, and use it on the front end of the 36mm shelf or 36mm middle vertical panel; when installed on the middle vertical panel, the middle vertical panel needs to be inward ≥ 45mm, and the lower end of the light bar can be used on the ground. When not used on the ground, the two ends of the light bar must not be exposed, and the upper and lower parts of the light bar must be covered by the shelf; when installed on the shelf, the shelf needs to be inward ≥ 45mm, and the two ends of the light bar must not be exposed, and the upper and lower parts of the light bar must be covered by the side panels. Can be used with gunmetal gray haitang chamfer unidirectional linear light.
Warranty	5 years



18mm pure color backlit panel

Product Features:

- Ultra-thin wall cabinet bottom panel lamp, surface light source design, fully illuminates countertop.
- Comes with hand scan sensor switch, independent control.

Function configuration

Code	PWMV0025
Product material	Acrylic
Color configuration	Silver white aluminum frame
Color temperature	3500K
Size	200 mm ≤ W ≤ 1200 mm, 200 mm ≤ H ≤ 2700 mm, D = 18.2 mm, W and H are non-standard customized sizes
Installation and adaptation	Installed in the cabinet, not in corner cabinets or cut-corner cabinets. The space behind the cabinet shelf needs to be left. Installation and adaptation: The backlit panel is installed with a gap of 18.5mm. The carcass must have a back panel. The backlit panel is attached to the front of the cabinet back panel on site. The height and width of the back panel need to be reduced. The reduction rule is: W-1mm/H-1mm.
Warranty	3 years



Full spectrum eye protection study desk

Product Features:

- Adopts 2835 SMD light source with high CRI, full spectrum, four blue peaks, and wide-angle surface light source, with high energy saving efficiency

Function configuration

Code	PBZP0265
Product material	Al-alloy
Color configuration	white
Color temperature	4000K
Size	W1171*D491*H746mm
Installation and adaptation	It can be used with the GYS120 desk module, or can be used in other desktop scenarios as needed.
Warranty	3 years

Drawer sensation light

Product Features:

- It has an outward inclined lighting design to illuminate the inside and outside of drawer, making it very convenient to find items in the drawer.
- Ultra-thin structure design, does not occupy drawer, and two install: top mounting and side mounting.
- Door activated sensor switch, lights up when the door is opened and goes out when the door is closed.



Function configuration

Code	PBZP0118
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	W (≤ 1164) mm * D20mm * H10mm, if it exceeds 1164mm, it is non-standard subscription. Installed on the top panel, shelf, left and right side panels of the cabinet. Drawer induction lights cannot be used when the cabinet is equipped with K04 (including K04 with light) handles. The clearance width in the cabinet is required to be: 165≤W≤1200mm. When the length is 1164<W≤1200mm, non-standard purchase is required; it comes with a door-controlled switch and other switches cannot be configured; a 60W driver (G21064-832) is required, and the total wattage of every 6 light strips cannot exceed 60W.
Installation and adaptation	
Rated power	5W/m
Warranty	3 years



K04 recessed pull with lamp

Product Features:

- The K04 handle with light allows the door panel to be handle-free, making the door panel more beautiful overall.
- With hidden light strip to enhance the cabinet's atmosphere.

Function configuration

Code	PWNQ0089
Product material	Al-alloy
Color configuration	silver
Color temperature	3500K
Size	Non-standard customization, up to 2900 Installed under the inner layer or bottom panel of the cabinet, the width of the bottom panel or shelf is ≥ 600/900mm, and the depth is ≥ 250mm; it comes with a hand-sweep switch and cannot be configured with other switches; a 60W driver (G21064832) is required, and the total wattage of every 6 lamps cannot exceed 60W.
Installation and adaptation	
Rated power	5W/m
Warranty	3 years



Aluminum alloy clothing light

Product Features:

- Sturdy and durable structure, no burrs or scratches on the surface, surface light source, high-grade overall texture, soft and non-glaring light, can be used with other lamps of the same color temperature.
- Equipped with a human body sensing switch, it automatically turns on the lighting when it senses the human body.

Function configuration

Code	PBZG00090564/PBZG00090964/PBZG00091164
Color temperature	3500K
Size	Customized size (≤ 1164), comes with 1m light rail + 1m extension cable, can be routed according to the actual routing another extension cable PBZL0010
Installation and adaptation	Can be top mounted or side mounted.
Rated power	564(4.4W)/964(7.3W)/1164(8.6W)
Warranty	3 years



K04 recessed pull with lamp

Product Features:

- Newly designed handle-free with lamp and lamp lights enhance the high-end atmosphere of carcass.
- Use it with drawer, and the light illuminates drawer, which is convenient for users to find items.

Function configuration

Code	PWWK0185
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	Non-standard customization Installed on the left and right side panels of the cabinet, can be based on the cabinet width (including or excluding the side panel thickness). Customize specification (200 ≤ W ≤ 3000mm), any driver 60W is optional, If it is not equipped with a switch, it will be always on. If it is equipped with a switch, the switch can be controlled. The total wattage of every 6 light strips cannot exceed 60W.
Installation and adaptation	
Rated power	5W/m
Warranty	3 years



Built-in depth anti-glare workdesk lamp

Product Features:

- High irradiation brightness and wide angle; Used in sideboard, wall cabinet and other places that need high brightness lighting;
- It comes with a hand scan sensor switch, which can be turned on or off with one swipe; and the brightness can be freely adjusted according to the time the hand stays, which is convenient for control and better experience;
- Deep tube light source hidden design, multi-point lighting to prevent visual fatigue, professional lens design, more accurate lighting;

Function configuration

Code	PBZP0194
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	4000K
Size	W564 = 4.8 W, W764 = 7.2 W, W864 = 8.4 W, W964 = 9.6 W, W1164 = 10.8 W; W564/764/864/964/1164/non-standard customization (W ≤ 1500mm)*H18*D14mm Install under the shelf, open the shelf groove, the shelf cannot be exposed to light at both ends, the shelf thickness must be ≥ 18mm, and install 100mm in front
Installation and adaptation	
Warranty	3 years




Gunmetal gray P-shaped induction clothes rail lamp

Product Features:

- The clothing rod is material of al-alloy, with multiple fixed specification and can be cut as needed;

Function configuration

Code	PBZG0018	Aluminum profile + light strip gunmetal
Product material	gray	
Color configuration	3500K	
Color temperature	Customized size (\leq 116mm)*D30mm*H103mm, other sizes are non-standard, comes with 1m light line + 1m extension line, can	
Size	bordered according to the actual line PBZL0010	
Installation and adaptation	Installed under the shelf or top panel of the carcass, the clothes-through lamp has a clothes-through base. The length of the clothes-through lamp only needs to subtract the size of the base on the left, and the length is the width of the inner space in the cabinet W-5mm; it has its own induction switch and can be equipped with a 60W driver. The cabinet where the clothes-through is installed only needs to have side covering for the top and bottom.	
Rated power	5W/m	
Warranty	2 years	



Night sensation light

Product Features:

- There are three manual adjust switches, which can be always on, off, and induction mode. Customers can adjust according to their needs.
- Used at the kickboard of the entryway cabinet, nightstand, or the under-bed panel. When it senses a human body at night, it can be triggered to light up briefly, making it convenient to change shoes or see the ground clearly.

Function configuration

Code	PBZG00110314/PBZG00110764
Color configuration	Silver + White
Size	W314mm/W764mm, comes with 1m light rail + 1m extension cable, can be routed according to actual wiring and another extension cable PBZL0010
Installation and adaptation	No need to drill holes, just screw them on site; each lamp needs to be equipped with a PBZP0032 white plastic ultra-thin wiring guide G21008974.
Rated power	2.4W/6W
Warranty	3 years



Cabinet sterilizing lamp

Product Features:

- It is specially used for entryway cabinet and entrance shoes cabinet. When the cabinet door is closed, the ultraviolet light turns on, which has the effect of sterilization and disinfection.
- After the cabinet door is opened, the UV lamp is turned off and the lighting lamp is turned on to provide lighting inside the cabinet.
- adapt magnet buckle, it is convenient to disassemble and install at any time.

Function configuration

Code	PBZC0044	Silver + White
Color configuration	W364 * D22 * H12mm, comes with 1m light rail + 1m extension cable, can be routed according to actual wiring and another extension cable PBZL0010	
Size	Noneed to drill holes, just screw them on site; each lamp needs to be equipped with a PBZP0032 white plastic ultra-thin wiring guide G21008974.	
Installation and adaptation		
Rated power	2.73W	
Warranty	3 years	



RGB lamp 5-hole exclusive controller

Product Features:

- PBZP0219, PBZZ0129, and PBZP0221 are used together as power supply; The PBZP0221 can be connected to multiple PBZZ0129 and PBZP0219, that is,i.e. one switch can control lights on multiple power supply supplies.
- Exclusive for use with RGB anti-glare recessed light strips PBZL0072A/PBZL0072B. One controller can connect up to 5 RGB anti-glare recessed light strips.

Function configuration

Code	PBZZ0129
Product material	Al-alloy
Color configuration	black
Size	98*42*15.8mm
Installation and adaptation	Used together as a power control system; PBZP0221 can connect multiple PBZZ0129 and PBZP0219. Exclusive for use with RGB anti-glare recessed light strips PBZL0072A/PBZL0072B. One controller can connect up to 5 RGB anti-glare recessed light strips.
Warranty	3 years



60W Super power supply (RGB light strips adaptation)

Product Features:

- PBZP0219, PBZZ0129, and PBZP0221 are used together as power supply; The PBZP0221 can be connected to multiple PBZZ0129 and PBZP0219, that is i.e. one switch can control lights on multiple power supply supplies.
- Exclusive for use with RGB anti-glare recessed light strips PBZL0072A/PBZL0072B. One controller can connect up to 5 RGB anti-glare recessed light strips.

Function configuration

Code PBZP0219

Product material ABS

Color configuration black

Size W48.4*D26.2*H15.2mm

Installation and adaptation Used together as a power control system; PBZP0221 can connect multiple PBZZ0129 and PBZP0219, that is, one switch can control the lights on multiple power supplies. Exclusive for use with RGB anti-glare recessed light strips PBZL0072A/PBZL0072B. One controller can connect up to 5 RGB anti-glare recessed light strips.

Warranty 3 years



Right side RGB anti-glare built-in oblique emitting hard light strips

Product Features:

- Cool e-sports lights add atmosphere to the space; you can choose from a variety of fixed light colors or gradient color modes.

Function configuration

Code PBZL0072A

Product material Al-alloy+pc

Color configuration gray

Size W≤3000mm

Installation and adaptation /

Warranty 3 years



Bluetooth MESH5 key sensor

Product Features:

- PBZP0219, PBZZ0129, and PBZP0221 are used together as power supply; The PBZP0221 can be connected to multiple PBZZ0129 and PBZP0219, that is i.e. one switch can control lights on multiple power supply supplies.
- Exclusive for use with RGB anti-glare recessed light strips PBZL0072A/PBZL0072B. One controller can connect up to 5 RGB anti-glare recessed light strips.

Function configuration

Code PBZP0221

Product material plastic

Color configuration gray

Size 45*45*14mm

Installation and adaptation Used together as a power control system; PBZP0221 can connect multiple PBZZ0129 and PBZP0219. Exclusive for use with RGB anti-glare recessed light strips PBZL0072A/PBZL0072B. One controller can connect up to 5 RGB anti-glare recessed light strips.

Warranty 3 years



RGB anti-glare built-in oblique emitting hard light strips

Product Features:

- Cool e-sports lights add atmosphere to the space; you can choose from a variety of fixed light colors or gradient color modes.

Function configuration

Code PBZL0072B

Product material Al-alloy+pc

Color configuration gray

Size W≤3000mm

Installation and adaptation /

Warranty 3 years



25mm roma gray aluminum frame glass shelf light with clothes rail

Product Features:

- Aluminum frame + gray glass, light strips illuminate obliquely from front to back, evenly and non-dazzling;
- There is a clothes rail under the shelves to hang clothes, scarves, etc., which has a good display effect.

Function configuration

Code	PBZC0105	Aluminum frame + gray glass
Product material	roma gray	
Color configuration	3500K	
Color temperature	Non-standard size: 250mm ≤ W ≤ 1200mm, 300mm ≤ D ≤ 600mm	
Size	3.5W/m	
Rated power	2 years	
Warranty		



25mm snow veil gray aluminum frame glass shelf light

Product Features:

- Aluminum frame + frosted glass, light strips illuminate obliquely from front to back, evenly and non-dazzling;
- Putting items on the glass shelves has a good display effect.

Function configuration

Code	PBZC0108	Aluminum frame + gray glass
Product material	snow veil gray	
Color configuration	3500K	
Color temperature	Non-standard size: 250mm ≤ W ≤ 1200mm, 300mm ≤ D ≤ 600mm	
Size	3.5W/m	
Rated power	2 years	
Warranty		



25mm roma gray aluminum frame glass shelf light

Product Features:

- Aluminum frame + frosted glass, light strips illuminate obliquely from front to back, evenly and non-dazzling;
- Putting items on the glass shelves has a good display effect.

Function configuration

Code	PBZC0106	Aluminum frame + gray glass
Product material	roma gray	
Color configuration	3500K	
Color temperature	Non-standard size: 250mm ≤ W ≤ 1200mm, 300mm ≤ D ≤ 600mm	
Size	3.5W/m	
Rated power	2 years	
Warranty		



25mm snow veil gray aluminum frame glass shelf light with clothes rail

Product Features:

- Aluminum frame + frosted glass, light strips illuminate obliquely from front to back, evenly and non-dazzling;
- Place items shelf glass for showcase effect.

Function configuration

Code	PBZC0107	Aluminum frame + gray glass
Product material	snow veil gray	
Color configuration	3500K	
Color temperature	Non-standard size: 250mm ≤ W ≤ 1200mm, 300mm ≤ D ≤ 600mm	
Size	3.5W/m	
Rated power	2 years	
Warranty		




Built-in switch wire casing

Product Features:

It can be used with embedded gate-control switch and embedded human body induction switch to cover the panel wire casing, making the wiring more beautiful.

Function configuration

Code	PBZP0094
Product material	PVC
Color configuration	white
Size	W600mm * D10mm * H5.2mm/W non-standard (> 600) * D10mm * H5.2mm
Installation and adaptation	built-in gate-control switch and built-in human body induction switch
Warranty	3 years



White plastic cable management clip

Product Features:

- The cable management clip is used to store the lines behind the cabinet, assist in the bundling of cables, and is affixed to a fixed position on the cabinet. When the line behind the carcass needs to be inspected, a hole can be opened at a fixed position and the line can be pulled out for inspection.
- It can be used with lamps or drivers to improve product matching and install the installation master to manage driver on site.



White plastic ultra-thin wiring tracer

Product Features:

- It can be applied inside carcass and at back panel of carcass, and the wires are placed in the wire pipe, so that the occupied volume is small and the wires are avoided from being scattered.
- When the lamp wiring in front of the shelf are routed to the back panel, they can also play a good guiding role while also having a certain hiding effect.

Function configuration

Code	PBZP0032
Product material	PVC
Color configuration	white
Size	W10.5*D4.5*H600
Installation and adaptation	3m pasted to panel
Warranty	2-3 years



White lamp extension cord 2000mm

Product Features:

When the distance between the lamp and the driver is too far, this material can be used as an intermediate connecting wire to extend the line between the two.

Function configuration

Code	PBZL00102000
Product material	Plastic
Color configuration	white
Size	W=2000mm
Installation and adaptation	Interfaces for universal existing lamps and adapter
Warranty	3 years



Power supply storage box

Product Features:

- The rear-mounted shelf installation structure does not occupy any space inside the cabinet, perfectly solving the problem of power supply storage and maintenance.
- Aluminum alloy material, unique heat sink design, effectively reducing the power supply surface temperature.

Function configuration

Code PBOH0065

Product material Al-alloy

Color configuration gunmetal gray

Size W (<3000) mm*D87mm*H33.5mm

Installation and adaptation
It is assembled at the rear end of the shelf to store the driver, the shelf thickness is ≥ 18 mm, the aluminum profile is directly inserted into the rear end of the shelf, and the shelf rear end depth needs to be moved forward 83mm. If there are middle vertical panels above and below the shelves where the power storage box is installed, the depth of the rear end of the middle vertical panel needs to be moved forward 88 mm; the length of each drive is 280 mm, and the length of the power storage box is divided by 280. The integer obtained is the number of drives that can be placed.

Warranty 3 years



Hailieniao intelligent power supply 60W+ membrane switch kit

Product Features:

- Support scene linkage with lamp, voice control of Xiaodu and Huawei intelligent speakers;
- Adopting advanced GaN solution, it has smaller size and more stable output; low standby power consumption, only 0.3W; efficiency reaches 89.4%, more power-saving;
- It has functions such as overload prompt and distribution network prompt to effectively reduce customer complaints caused by load;
- Sufficient margin for component selection, all from well-known brands; Sufficient margin for electromagnetic compatibility, fully compliant with 3C and IEC standards;
- Environmentally friendly process throughout the entire line, 100% aging;
- Used with membrane switch, the lamp can be manually controlled to turn on and off.

Function configuration

Code PBZP0227

Product material PC

Color configuration black

Size 173*60*20mm

Warranty 2 years



Hailieniao intelligent power supply 60W

Product Features:

- Supports scene linkage with lamp, and voice control of Xiaodu and Huawei intelligent speakers.
- 采用先进的氮化镓解决方案，具有更小的尺寸和更稳定的输出；低待机功耗，仅为0.3W；效率高达89.4%，节能效果显著；
- 具有过载提示和网络分布提示等功能，有效减少因负载引起的客户投诉；
- 组件选择充分考虑了冗余，所有组件均为知名品牌；电磁兼容性充分，符合3C和IEC标准；
- 环保工艺贯穿整个生产过程，100%老化；
- 与膜开关配合使用，可以手动控制灯泡的开闭。

Function configuration

Code PBZP0226

Product material PC

Color configuration black

Size 173*60*20mm

Warranty 2 years



Hailieniao wired single gate-control switch

Product Features:

- Built-in install, integrated and beautiful, for hinged door; Use wired power supply control, which is stable and durable, and does not need to change electricity;
- Using infrared sensing technology, it is responsive; Probe separation design, easy wiring install;
- 4pin master control port design, which can realize one remote control control multiple power supply.
- Upgraded control protocol, compatible with physical switches
- Cooperate with smart APP.

Function configuration

Code PBZP0237

Product material PC

Color configuration gray

Size 60*40*13mm

Suitable for 18/25mm thick shelves. Each sensor needs to be equipped with an "embedded switch wire casing". The trough needs to be in the same straight line as the sensor hole. At the same time, a $\Phi 8*10$ mm wire hole should be opened at the starting point of the original sensor trough (29 in front). The specific trough dimensions are shown in the figure. The door contact sensor hole is $\Phi 8*33$ mm, the sensor trough width is 8mm, and the length is $D1=D-29$; the hole center distance of the single door is 80mm from the edge.

Warranty 2 years



Hailieniao wired double gate-control switch

Product Features: - Built-in install, integrated and beautiful, for hinged door; - Use wired power supply control, which is stable and durable, and does not need to change electricity; - Using infrared sensing technology, it is responsive; - Probe separation design, easy wiring install; - 4pin master control port design, which can realize one remote control control multiple power supply. Upgraded control protocol, compatible with physical switches - Cooperate with smart APP.

Function configuration

Code	PBZP0236
Product material	PC
Color configuration	gray
Size	60*40*13mm
Installation and adaptation	Suitable for 18/25mm thick shelves. Each sensor needs to be equipped with an "embedded switch wire casing". The trough needs to be in the same straight line as the sensor hole. At the same time, a $\Phi 8*10$ mm wire hole should be opened at the starting point of the original sensor trough (29 in front). The specific trough dimensions are shown in the figure. The door contact sensor hole is $\Phi 8*33$ mm, the sensor trough width is 8mm, and the length is D1=D-29; the hole center distance of the single door is 80mm from the edge.
Warranty	2 years



Hailieniao wireless circle switch

Product Features: - Install on side panel carcass, the sensing distance is 6 meters; - Single touch control switch, long press to control brightness; - Hailieniao wireless circle switch can pair and control multiple Hailieniao wireless circle switch receivers.

Function configuration

Code	PBZP0234
Product material	PC+ABS
Color configuration	gray
Size	$\varnothing 30*13.5$ mm
Installation and adaptation	It needs to be paired with PBZP0234 Hailieniao wireless circle switch receiver to place an order.
Warranty	2 years



Hailieniao wired human body sensor switch

Product Features: - When the switch senses a person moving, it controls the lamp to automatically light up, and automatically turn off the lights after a period of time after the person leaves - suitable for closet, entryway cabinet and other scenarios - 4pin master control port design, which can realize one remote control control multiple power supply. Upgrade the control protocol, compatible with the use of physical switches and intelligent.

Function configuration

Code	PBZP0235 PC gray
Product material	60*40*13mm
Color configuration	Suitable for 18/25mm thick shelves. Each sensor needs to be equipped with an "embedded switch wire casing". The trough must be in the same straight line as the sensor hole. At the same time, a $\Phi 8*10$ mm wire hole must be opened at the starting point of the original sensor trough (29 in front). The specific trough dimensions are shown in the figure. The sensor hole is $\Phi 8*33$ mm, the sensor trough width is 8mm, the trough depth is 6mm, and the length D1=D-29
Size	
Installation and adaptation	
Warranty	2 years




Hailieniao wireless circle switch receiver

Product Features:
- Installed on the driver;
- A single Hailieniao wireless remote can pair with and control multiple wireless actuators.

Function configuration

Code	PBZP0239
Product material	ABS
Color configuration	black
Size	W48.4*D26.2*H15.2mm
Installation and adaptation	It needs to be used with PBZP0234 Hailieniao wireless circle switch.
Warranty	2 years




Straight light-emitting external corner lamp

Product Features:
exclusive external corner of the retaining wall; Direct light emission, lampshade multi-layer filtering.



Function configuration

Code	PBZP0195
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	H≤3000*W38.8*D38.8mm
Installation and adaptation	Install at the outer corner of the wall by 15mm; Reduce the board length by 9mm
Rated power	1W/m
Warranty	3 years



Wall panel simply luminous light

Product Features:
Used to visible surface the retaining wall; Direct glow, no glare.



Function configuration

Code	PBZP0207B (Brushed brass) / PBZP0207G (Gunmetal gray)
Product material	Al-alloy
Color configuration	brushed brass/gunmetal gray
Color temperature	3500K
Size	H≤3000*W47*D18mm
Installation and adaptation	H ≤ 3000 * W47 * D18mm -Installed on the exposed surface of 15mm wall; -Can be installed horizontally or vertically; -Reduced gap between panels: 7mm; 3W/m
Rated power	3 years
Warranty	




Wall panel staggered lights

Product Features:
- Wall panel staggered lights; Oblique light-emitting lampshade, wider irradiation range;
The transition between light and dark is more even and softer.



Function configuration

Code	PBZP0200
Product material	Al-alloy
Color configuration	gunmetal gray
Color temperature	3500K
Size	200≤H≤2712*W14*D9mm
Installation and adaptation	-The light strip can be installed in the groove on the back of the 15mm wall panel. It is composed of aluminum staggered lights and staggered light accessories package, which is used for staggered lighting scenes of wall panels; -The orderable size of staggered wall lights is: W=14mm, 200mm≤H≤2712mm; -The ordering software allows you to choose the groove on the left or right back of the panel. The software will output the groove program and make notes "left-hand light groove" and "right-hand light groove". The workshop will groove according to the notes. -The wall panel for installing this staggered light is not matched with the skirting. 3W/m 3 years
Rated power	
Warranty	



Aluminum alloy branch line with lamp

Product Features:
Special branch line lamp for wall panel: specially used for waist line or branch line of wall panel with light; also has decorative lighting function



Function configuration

Code	PWQXF025 (Brushed brass) / PWQXF025C (Gunmetal gray)
Product material	Al-alloy
Color configuration	brushed brass/gunmetal gray
Color temperature	3500K
Size	3000*51*18.8mm
Installation and adaptation	- Installed on the exposed surface of 15mm wall; -Can be installed horizontally as a sash or vertically as a dividing line; -Reduced gap between panels: 13mm 4W/m
Rated power	3 years
Warranty	



Al-alloy external corner trim strip with lamp

Product Features:

Special lamps for the external corner of the wall panel; indirect light, the light is refracted through the profile, soft and glare-free



PWQXS037 PWQXS037C

Function configuration

Code	PWQXS037 (Brushed brass) / PWQXS037C (Gunmetal gray)
Product material	Al-alloy
Color configuration	brushed brass/gunmetal gray
Color temperature	3500K
Size	H≤3000*W38*D38mm
Installation and adaptation	- Vertically mounted 15mm retaining wall as external corner trim; - Panel minus by 17mm
Rated power	4W/m
Warranty	3 years

BALCONY SYSTEM



Balcony System 【Balcony Accessory】



Silver al-alloy kickboard

Product Features:

- Balcony cabinet kickboard to prevent water soaking board from deforming
- Can be combined with black alloy kickboard

Function configuration

Code	PWND0002A(BL-B02H08)
Product material	Al-alloy
Color configuration	silver
Size	H=80
Installation and adaptation	The size is customized within the specification, buckled on the patented adjustable feet of OPPEIN Corner needs to be equipped with: silver aluminum alloy universal foot (G10007605)
Accessories line	



L-type adjustable feet

Product Features:

- Panels can be installed seamlessly against the wall

Function configuration

Code	PWNK0052
Product material	Al-alloy
Color configuration	black
Size	Adjustable range 110 -120mm
Installation and adaptation	Used for balcony cabinet side panels, no need to drill holes, just screw and fix the connection on site; the panel is designed to be 115mm above the ground.



PP adjustable feet with OPPEIN patent

Product Features:

- The balcony cabinet has adjustable feet to support the carcass and prevent it from falling to the ground

Function configuration

Code	PWNK0019A(WGKW05) Plastic black
Product material	H=80
Color configuration	Installed on the bottom side of the base panel to provide support, 4 M4*16mm cross countersunk self-tapping screws are required
Size	
Installation and adaptation	



Sink with cup washer

Product Features:

- Compact sink for daily water tasks in restaurants.
- With high-pressure cup washer: Manual push-button controls flushing.

Function configuration

Code	OP-JPXH005
Product material	Al-alloy
Color configuration	black
Size	W550mm*D320mm*H200mm
Installation and adaptation	Suitable countertop thickness: 12mm, 152mm, countertop gap edge Q ≥ 80mm. Carcass panel (if any) The distance from the edge of the notch is Q≥ 40mm. The cabinet under the sink is not allowed to have any shelves or middle vertical panels. The pipeline holes are opened on site. The opening for installation on the table is W=525, D=295, R=15; the opening for undermount installation is W=506, D=276, R=5
Warranty	1 year

Balcony System 【Balcony Accessory】



Aluminum beam connecting rod

Product Features:

- Used to strengthen the cabinet structure.

Function configuration

Code	PWNQ0021 (WGH01)/Connect PWNQ0022 (WGH012)
Product material	Al-alloy/ABS plastic
Color configuration	silver white/gray
Size	W= 3000/connecting rod: 41 * 13.8 * 25.8
Installation and adaptation	The length of the aluminum beam is equal to the width of the balcony cabinet space and is suitable for the upper front end of the floor cabinet. Connect the cabinet and support it. Each aluminum beam is equipped with 2 aluminum beam connectors
Accessories line	




Black pull-down faucet

Product Features:

- Low-lead brass water-contact components;
- Pull-out faucet, making cleaning more convenient;
- Dual-mode water outlet, suitable for a variety of usage scenarios.

Function configuration


Code	ST1308
Product material	Low lead copper + zinc alloy
Color configuration	matt black
Size	φ51*193*186mm
Warranty	1 year



Aluminum foil waterproof bottom panel

Function configuration

Code	PWMJ0005
Product material	Aluminum foil board
Color configuration	silver white
Size	400mm ≤ D ≤ 650mm, 545mm ≤ W ≤ 1200mm, other dimensions need to be approved, and width exceeds 745mm, middle vertical panel needs to be added
Installation and adaptation	The following three structures can be adopted: ① side panels wrapped with low panels, ② bottom panels wrapped with side panels, ③ bottom panels with middle vertical panels Each with two special rubber strips of the same length as the depth of the waterproof bottom panel.
Accessories line	




12mm Xuanhuang sintered stone seamless integrated undermount basin

Product Features:

- Sintered stone and water basin are seamlessly splicing, easy to clean, and there are no dead ends;
- The high-temperature glaze of the water basin is wear-resistant, not easy to scratch, and will last as good as new after long-term use.

Function configuration

Code	PWTR0037
Product material	Ceramic
Finish	High temperature glaze
Size	400≤W≤2400, 300≤D≤600, H=180mm
Installation and adaptation	Undercounter integrated basin; requires drain stopper: OP-P432-F
Warranty	1 year



12mm Aodi black sintered stone slab seamless integrated undermount basin

Product Features:

- Sintered stone and water basin are seamlessly splicing, easy to clean, and there are no dead ends;
- The high-temperature glaze of the water basin is wear-resistant, not easy to scratch, and will last as good as new after long-term use.

Function configuration

Code	PWTR0038
Product material	Ceramic
Finish	High temperature glaze
Size	400≤W≤2400, 300≤D≤600, H=180mm
Installation and adaptation	Undercounter integrated basin; requires drain stopper: OP-P432-F
Warranty	1 year



OP-G-F1240 gray single hole faucet

Product Features:


- Lead-free water passage certified;
- The water does not splash;
- Secondary water efficiency, water saving.

Function configuration

Code	OP-G-F1240
Product material	Zinc alloy
Finish	gunmetal gray
Size	50*169*161mm
Finish	water plating
Warranty	5 years

MULTIFUNCTIONAL SYSTEM





Folding stool with cushion hardware

Product Features:

- The door panels of shoes cabinet and storage cabinet can be made into small stools that can be turned down, profile can be put away when not in use. The shape is the same as door panel, completely hidden.
- It can be used to sit down and change shoes, and can also be used to support feet when taking things from high places, so that it is convenient and practical.
- Load-bearing 150kg

Function configuration

Code	PWWQ0051
Color configuration	Black
Installation and adaptation	Place it on back panel/side panel of the cabinet, please refer to "Function Accessories Installation Adaptation Table" for details
Warranty	1 year



Down-press folding desk hardware

Product Features:

- Hide the panel under countertop, which makes it better when stowed, and structure is more stable without the risk of tipping
- Can be used in desks, sideboard, etc. to expand countertop and dining surface of the desk. When stowed, it can be hidden inside the cabinet without taking up too much space

Function configuration

Code	PWWC0014
Color configuration	Black
Installation and adaptation	Carcass depth 480-620mm, countertop width 600-900mm, and height is unchanged
Warranty	2 years



Up-lift folding desk hardware

Product Features:

- Combine carcass with dining room table or desk to make the most of your dining or living room space for more activities
- Does not take up space when stowed, providing a wider moving area



Function configuration

Code	PWNQ0042
Size	160* (320~450)
Installation and adaptation	See "Functional Accessories Install Adaptation Table" for details
Warranty	1 year



Folding platform set

Product Features:

- It can be used in a wide range of furniture spaces such as wardrobe, shoes cabinet, sideboard, etc., allowing you to access items on the higher storage floor of the hanging wall cabinet.
- The drawer under the folding platform provides additional storage space.
- Can be used with Blum drawer and slide rail series.



Function configuration

Code	PWNQ0128
Product material	Metal
Color configuration	black
Size	H45
Installation and adaptation	Folding platform includes al-alloy crossbar, cushion strip, screw, the pedal needs to be opened, and depth in the cabinet is D ≥ 445
Warranty	100,000 times

Multifunctional System 【Folding and Pull-out Hardware】



Dressing mirror soft-close hinge


Product Features:

- Suitable for board weight 2.5 ~ 7KG.
- It can achieve the buffering effect when the cosmetic mirror is closed. When torque of door panel is small, hinge can stop at will, and door panel can be pressed down to close by hand.
- CAXA module code: Makeup drawer: JP00C054;
- Flip dressing table: JSOOB0004/9/10/11/12/13/14

Function configuration

Code	PWWM0144
Product material	Enclosure plastic
Color configuration	black
Size	Diameter 50mm
Installation and adaptation	1. Makeup drawer installation inner space: $350 \leq W \leq 882$, $D \geq 415$, $H \geq 218$ 2. Cosmetic table flip mirror panel: $W > D$, $300 \leq W \leq 700$, $280 \leq D \leq 450$
Warranty	3 years

Multifunctional System 【Lifting Hardware】



Lifting cabinet electric hardware

Product Features:

- Used in Electric lifting cabinets, lifting tables and other scenarios.
- Low noise (≤ 50 dB), high load (max thrust 800N), high stability (speed 35mm/s)
- Standard install distance: 560mm, standard stroke: 650mm

Function configuration

Code	PBQY0120
Product material	Al-alloy
Components	Aluminum alloy lifting column + control box
Size	W70mm*D70mm*H560mm
Installation and adaptation	The standard internal height for installing the electric hardware of the lifting cabinet is 566mm, and the stroke (rising height) is 640mm, which means that the total height can reach 1206mm.
Warranty	3 years



Table sliding connection hardware

Product Features:

- Flexible and convenient: The product can connect countertop with wall panel, and with pulley, countertop can move left and right to meet the needs of users in different usage scenarios;
- Space utilization: Users can save space by panning table to one side when it is not in use

Function configuration

Code	PWWY0060 Al-alloy gray
Product material	$600 \leq L \leq 2950$ mm Installed behind the wall panel, the
Color configuration	slide rail length of
Size	$600 \leq L \leq 2950$; the left and right sides of the module that combines the wall panel and the slide rail must
Installation and adaptation	be blocked by panels, cabinets or walls, and the two sides of the module should not be visible. 3 years
Warranty	



Three-section pneumatic tatami lifting spindle

Product Features:

- The lifting range is 335 ~ 725mm, with a larger range
- The desktop needs to be rounded corners to effectively prevent bumps and enhance the safety of tatami

Function configuration

Code	PWWF0032
Color configuration	White lift rod + Gunmetal gray corner guard
Installation and adaptation	Only used for Tatami cabinets, the countertop size range is: $500 \leq W \leq 800$, $500 \leq D \leq 800$, the thickness is 25mm; the height size range of Tatami cabinet is: $380 \leq H \leq 500$ mm (including the bottom plate and the table top), the net depth of the Tatami cabinet for installing the lifting rod must be ≥ 335 mm, the lifting rod table panel needs to be milled with a $\phi 72$ through hole, and the chamfers on all sides are R80.
Warranty	2 years



Lifting children's desk hardware (including book blocking strip)

Product Features:

- Added book restraint strip to prevent sliding on tilted desktops. It significantly enhances user experience.
- The mechanism adjusts table height/angle to accommodate children's growth stages.
- 0-90 degree infinite adjustment angle: easy to use, meeting various usage conditions.
- One-button height adjustment 52cm ≤ H ≤ 90cm: user-friendly and easy to operate.

Function configuration

Code	PWWC0012A
Size	When the size of tabletop is thickness: 18mm, width = 400, length= 700-1500 mm; And when the size is thickness: 25mm, width 400, length 700-1100mm
Installation and adaptation	height lifting 520mm ≤ H ≤ 900mm
Warranty	1 year



Suspa Nuremberg children's desk stand

Product Features:

- Medium carbon steel legs (200kg capacity): Stable with minimal wobble.
- The height of the desktop can be adjusted by a manual rocker, with a lifting range of 52-75cm.
- 0-45° tilt desktop promotes ergonomic posture.
- Scientifically partitioned drawers maximize storage efficiency.



SF2302 Black rectangular tube dual motor lifting table

Product Features:

- Suitable for width 1200-1800mm
- Dual motors stably adjust height, with range of 710-1180mm;
- Multiple gears can be adjusted with one button to meet the needs of different scenarios;
- LCD screen height display, height value visualization.

Function configuration

Code	PWNB0085
Product material	Iron
Color configuration	back
Size	1150*600*710mm
Warranty	2 years



Bookshelf flip-up door hardware

Product Features:

- The product suitable for bookcase, decoration cabinet and other cabinet doors;
- The door panel can be flipped up and embedded into the cabinet, freeing up floor space, suitable for narrow areas;
- The door panel is equipped with a widened handle slot to allow books to be placed horizontally;
- Built-in buffer device to avoid the risk of pinching.

Function configuration

Code	PWWF0043
Product material	Al-alloy
Color configuration	back
Installation and adaptation	Applicable cabinets with internal width of 450-1000mm and internal height of 410-450mm;
Warranty	internal depth of 360-500
	3 years



Champagne gold rising stealth slide rail

Product Features:

- Can be installed under the countertop, invisible installation;
- The pull plate rises after being pulled out, and is easily flush with countertop, increasing the usable area of countertop.

Function configuration

Code	PWWWT009
Product material	Al-alloy
Color configuration	gold color
Size	442≤ W ≤ 1042, 408 ≤ D ≤ 600, Max load-bearing 30kg
Installation and adaptation	-Can be installed under the countertop and installed invisible; -The pull-out board rises by pulling it out, and can be easily flush with the countertop, increasing the usable area of the countertop
Warranty	2 years



Parallel motion door system with LIN-X sag-free hinge

Product Features:

- Ultra-small opening, you can directly open it to pick up things while sitting in front of the door

Function configuration

Code	PWWM0079
Color configuration	Silver
Installation and adaptation	Used for wood grain panel and lacquer flat panel door panel, 400 mm ≤ door panel width W ≤ 500 mm, 600 ≤ height H ≤ 900 mm; single door weighs less than 17kg
Warranty	1 year



Quad intelligent sliding door

Product Features:

- Realize staggered sliding opening of cabinet doors. When closed, the two doors are on the same plane, making the overall appearance beautiful, atmospheric and integrated
- Only need to go up track, no need to go down track, making it easier to design and installation
- Automatic opening and closing through touch, push and remote control, showing intelligent, fashion and humanization

Function configuration

Code	PBQY0119
Product material	Al-alloy
Installation and adaptation	This system is only available for quad sliding doors, not for single sliding doors, double sliding doors or triple sliding doors. When the door panels are closed, the two door panels are on the same horizontal plane; two doors cannot be opened at the same time. When one door panel is opened, it can overlap with the other door panel. The left and right side panels of the installed cabinet must be 25mm thick, and there is no need to pre-arrange positioning holes on the top panel. When the top panel width is ≥1200, a middle vertical panel support is required. When the cabinet is super wide, multiple separate cabinets can be spliced together. The cabinet height can range from ≤ 2400mm, the carcass depth can range from 420-800mm, and the carcass width is only 3600mm.
Components	Sliding door hardware + wireless remote control
Warranty	2 years

Multifunctional System 【Door Panel Hardware】



Sliding cabinet system pulley assembly kit

Product Features:
The cabinet can slide left and right on the wall panel by combining hardware with wall panel.

Function configuration

Code	PWWY0051
Product material	Iron gray
Color configuration	
Warranty	3 years

Function configuration

Code	PWQXF031/PWQXF030
Product material	Al-alloy
Color configuration	gunmetal gray
Size	W≤3000mm
Warranty	3 years

Sliding cabinet system slide rail 1/2

Multifunctional System 【Functional Bed Hardware】



Wall Bed Hardware

Product Features:

- Multiple sizes available to meet customized requirements
- The structure is light and combines the living room and bedroom, and the living space can be converted as needed.
- Save more space to meet the needs of small apartments

Function configuration

Code	PWWC0001/PWWC0002/PWWC0004
Color configuration	blue gray
Size	970/1270/1570*2125*300
Installation and adaptation	For details, please refer to "Functional Accessories install Table"
Accessories line	For details, please refer to "Functional Accessories install Table"
Warranty	1 year




Horizontal murphy bed hardware

Product Features:
Combined with bookcase, study room can be turned into bedroom, which can be used for multiple purposes, with both guest room and study room.

Function configuration

Code	PWWC0003A/PWWC0003B/PWWC0003C
Color configuration	blue gray
Size	1025/1325/1625*2070*300mm
Installation and adaptation	For details, please refer to "Functional Accessories install Table"
Accessories line	For details, please refer to "Functional Accessories install Table"
Warranty	1 year



Storage bed linkage mechanism

Product Features:

- It is more convenient to disassemble and transport, with a stable structure and takes up less space during transportation.

Function configuration

Code PWNQ0050 Silver

Color configuration W=780

Size Achieve the lifting effect. All finish wood grain panel and lacquer flat panel, bedside can be interchanged, and bed structure specification is fixed.

Installation and adaptation Hardware includes: ① Storage bed linkage kit ② 16×M8 anchor inserts ③ Pre-drilled holes on bed rails
④ Required: Night-light system + Flexible slat frame;

Accessories line 1 year

Warranty



Storage bed linkage mechanism

Product Features:

- Accessory is connected with bed, and bed can be turned up from the side to realize easy storage in the space under bed.

- Suitable for bed with width 1.2 m/1.5 m, load range (rib frame + mattress): 40-55Kg.

Function configuration

Code PBHZ0003

Color configuration Silver

Size W=780mm

Warranty 1 year



Gray corner guard

Product Features:

- It is used at the right-angle corner of storage bed to play a smooth transition role and avoid scratching and injury at the corner.
- Beautiful and simple, which makes the whole bed frame look more rounded.

Function configuration

Code PBQY0095

Color configuration Gray

Size W150*D25*H25

Installation and adaptation Right-angle bend for storage bed, connecting 25mm panel



Matched dimensions of lift door

Product Features:

- Use with PBHZ0003 storage bed linkage.

Function configuration

Code PBHZ0002

Product material Carbon structure steel

Color configuration gray

Size 1995*1200mm

Warranty 3 years



Mini fingerprint lock

Product Features:

- The fingerprint unlocking method is adopted, which is convenient and quick to unlock, avoiding the trouble of carrying and losing the key.
- 2×LR6 alkaline batteries deliver 12-month service life (>2,000 cycles verified), supporting extended operation.
- Low voltage prompt, the battery dead state lock remains open. Different from products on the market, there is no need for emergency power supply.

Function configuration

Code	PWWS0007
Product material	Zinc alloy
Color configuration	Gunmetal gray
Size	W108mm*D18mm*H31mm
Installation and adaptation	Power supply, can only be used for flat doors or drawers without front drawers, cannot be used for rebound doors or rebound drawers; the panel needs to be milled with a Φ28 through hole, and be careful to avoid the handle if there is one.
Warranty	1 year



Caster wheel

Product Features:

Smooth movement, single wheel load-bearing 50Kg



Function configuration

Code	PWNK0044
Size	40*59*69
Installation and adaptation	Can be used with directional wheel swivel to convert into directional wheel
Warranty	1 year



Al-alloy ventilation mesh

Product Features: - Power supply vented enclosure design. - Strong and durable, not easy to age and discolor

Function configuration

Code	PWNQ0127
Product material	Al-alloy
Color configuration	Silver white
Size	W400*D80
Installation and adaptation	Panel needs to hole milling of 380mm * 70mmxR4, and panel W≥450mm.



Directional wheel rotator

Product Features:

Use with casters



Function configuration

Code	PWNK0045
Size	67*46*39
Installation and adaptation	Can be used with casters to convert swivel caster to directional wheels
Warranty	1 year



Gravity brake wheel

Product Features: - This model is used for the bottom of a light stool or wooden storage box. When the weight of the stored product is less than 20 kg, the wheels can roll freely, making it easy to move and store items. - Under the action of sudden force or gravity, it can have a braking effect and avoid collisions. If a child presses on the storage box while playing, the storage box will not slide due to the force and can play a protective role. - Or it can be designed as a caster wheel of a sitting stool, which can slide when not sitting, and can be fixed when sitting, so as to be convenient for changing shoes and other operations.

Function configuration

Code	PWNK0064
Product material	Plastic
Color configuration	Black
Size	H45
Installation and adaptation	There is no need to open holes, fasten the connection with screws on site
Warranty	1 year



Vent hole

Product Features: - Power supply vented enclosure design. - Strong and durable, not easy to age and discolor



Function configuration

Code	PWNQ0052
Product material	/
Color configuration	Brown
Size	257*68
Installation and adaptation	Cutout: 255×65×R5 Apply structural adhesive during installation Install 2x APK-250 UL94 V-0 square vent inserts per hole Program per process spec.
Warranty	1 year



Dark brown ABS vent

Product Features:
- It is specially used for entryway cabinet, porch shoes cabinet and tatami to play the role of ventilation.
- The ventilation holes are fine, insect-proof and moisture proof.
- Features interference fit with cabinet holes, enabling snap-fit installation for enhanced convenience and secure reliability

Function configuration

Code	PWNQ0130
Product material	ABS
Color configuration	Dark brown
Size	φ45*H10.3
Installation and adaptation	By default, it is installed in the middle back panel of carcass, and cut-out dimension is Φ40.
Warranty	1 year



Snap-action drawer retention hardware

Product Features: The product integrates with Blum drawer slides. When accessories are mounted to both the drawer pull-out tray and slide side panels, an anti-deflection locking mechanism activates upon full extension, eliminating tray wobble and unintended slide movement.



Function configuration

Code	PWNQ0129
Product material	Plastic + al-alloy spindle
Color configuration	gray
Installation and adaptation	Only two-side fixed parts are included, but drawer slides are not included. Pull plate width W = cabinet internal space - 24; pull plate depth = drawer slide length - 38.
Warranty	100,000 times



Black plastic clip

Function configuration

Code	PWJL0029
Product material	PP
Color configuration	Black
Size	40*12*4.8mm
Installation and adaptation	Suitable for drawers with a depth of less than 250mm that cannot be installed with guide rails, to prevent the drawer from falling off when being pulled out.
Warranty	5 years



Hettich black 450mm drawer slide

Product Features:

- On the one hand, it can be used in conjunction with a homemade dressing mirror, pushing and pulling to hide the mirror;
- On the other hand, the drawer slide can be adapted to accommodate deeper drawers, such as wardrobes and cloakrooms.



U-shaped gunmetal gray drawer connecting rod

Product Features:

- It is used for the connection between drawer under the bed. The two drawer can be connected and pulled out in one piece, making more efficient use of depth under the bed;
- When you encounter an aisle that is not wide enough, you can remove the accessories and take out the drawers one by one, so that both drawers can be used reasonably for storage.

Function configuration

Code	PWXJ0009
Product material	Al-alloy
Color configuration	Gunmetal gray
Size	W≤3000*D42.5*H25mm
Warranty	1 year

Functional Accessories Install Adaptation Table

1.Storage System

Category	Product Name	Accessories line (used together)	Application Conditions
			<p>Bottom loading area D≥430mm, H≥140mm, installed under the shelf or other functional accessories; add non-standard grid rack model GZ01A, this model has left and right cover plates by default, and the height spacing is 10mm; the default width of the cover plate is 0, the width variation range is W=18/25 or W≥35, the height defaults to the functional part height + spacing distance, and can be changed to H≤1000; GW indicates that the material is wood grain panel, and GM indicates that the material is solid wood.</p> <p>The side panels and bottom panels are made of 12mm MDF with the same color as the carcass, the bottom panel is made of 9mm board with the same color as the carcass, the cross-shaped frame is made of 9mm board with the same color as the carcass, and the cross-shaped frame is sealed with thin edges on all sides. The standard inner width is 462/562/672/782/882mm, the width direction is variable in the range of 254-1184mm, and the depth direction is not variable. The number of grids for 462mm and 562mm specifications is 9, and the number of grids for 782mm is 15. It is installed in a slot manner. A 10mm wide groove needs to be opened on the 9mm bottom panel drawer front panel, and a 6mm wide and 6mm deep groove needs to be opened on the 5mm bottom panel drawer front panel. The grid surface is grooved 22mm at the bottom. It can only be equipped with Hettich three-section drawer slide, not half extension drawer slide, and does not have a locking structure. The minimum carcass net depth suitable for installation is 430mm. Type C is matched with 400mm rails and is suitable for carcass with a net depth of ≥ 415mm. The internal space height required for installation is 140mm. Aluminum frame panels and wood grain aluminum edge panels cannot be made. The panels are not equipped with handles and the width can be non-standard. If the width processing range (including gaps) is W, then 250≤W≤1180 (350-1180), then 250≤W≤1180, the height is fixed at 110mm, and the depth is only the standard 400mm. When the internal width of the cabinet is <254 or greater than 1184mm, the lattice shelf will not be processed.</p>
Grid storage	Wood grain panel lattice drawer C	/	<p>Each pair of clothes rail with a pair of clothes rail spacer block. Without spacer blocks, the clearance from clothes rail end to side panel is 25mm. This clearance increases by 15mm when spacer blocks are installed.</p> <p>Suitable for carcass with internal width of 764-1164mm, depth ≥550mm, and internal height ≥900mm. The installation height of the lifting clothes rail should be ≥1200mm from the ground, because the lifting clothes rail can only work in a tall cabinet (height ≥2000mm). For overlay door designs, confirm hinges are standard full-overlay, half-overlay, or top-bottom pivot type. Otherwise, procure additional PBQY0096 lifting rail spacer blocks based on dimensional deviation measurements.</p>
Pants storage	Solid wood trousers rack	/	<p>Bottom loading area D≥430mm, installed under the shelf or other functional accessories; add non-standard trouser rack model GZ01A, this model comes with left and right cover plates by default, with a height spacing of 10mm; the default width of the cover plate is 0, the width variation range is W=18/25mm or W≥35mm, the height defaults to the functional component height + spacing distance, which can be changed to H≤1000mm; 254≤W≤1184, panel height H=50mm can only be equipped with Hettich three-section drawer slide KW means wood grain panel trousers rack, KM means solid wood trousers rack, The minimum carcass net depth suitable for installation is 430mm, the internal height is ≥80mm, and the width can be non-standard.</p>

2.Caring System

Category	Product Name	Accessories line (used together)	Application Conditions
Dressing mirror	Solid wood dressing mirror	/	<p>In the upper installation area, the slide rail is 50mm away from the bottom panel and is installed on the side panel. If the cabinet net size is larger than this (model size + 100mm), this type of model can be placed in the cabinet and the position can be adjusted at will. The minimum carcass net depth suitable for installation is D, D≥470mm (open cabinet), D≥540mm (swing door, door panel cover), D≥560mm (swing door, door panel embedded), D≥600mm (sliding door, outer panel depth)</p>
	1100mm gray aluminum frame intelligent sliding mirror	/	<p>It can be installed on the left or right side of the open cabinet. The cabinet internal width must be ≥100mm, the internal height must be ≥1150mm, and the net internal depth must be ≥420mm. It can be fixed on site using self-tapping screws according to the guide holes on the left/right side panels. The drawing must indicate whether the sliding mirror is installed on the left or right side panel. When installed on the left side panel, the lead hole is opened on the left side panel, otherwise the lead hole is opened on the right side panel.</p>

3.Electrical circuit system

Category	Product Name	Accessories line (used together)	Application Conditions
Electrical circuit system	Prefabricated power track	/	<p>Installed on countertop or back panel, can be customized according to the cabinet structure (W≤2500mm), does not include a socket, and requires the use of a USB plug socket: G30000419, a five-hole plug socket: G30000419. Fix it on site with double-sided tape or glue, which comes with the product packaging box. The power rail cannot be cut with the control end. After cutting, the non-control end will be installed. The cutting size must be ≥ (greater than or equal to) 300.</p>
	Embedded knob power track	/	<p>Can be installed on back panels with a thickness of ≥18mm (the back panel needs to be moved forward 9mm) or table panels and fixed with glue. The length is fixed and cannot be customized. The socket is not included. PBZP0061 USB knob socket (G21121112) and PBZP0062 five-hole knob socket (G21121111) are required for use. When there is vertical panel under countertop 18mm table, vertical panel needs to be slotted to avoid it. When countertop thickness ≥ 25mm, vertical panel does not need to be slotted. When the track is installed on the back panel, the back panel is moved forward 9mm relative to the side panel, and the slot is opened ≥50mm lower.</p>

4.Lighting System

Category	Product Name	Accessories line (used together)	Application Conditions
	Mocha/Brushed brass al-alloy snap-in shelf lamp	Color temperature: 3500K; Power: 9.46 W/m Configuration: 12V driver	<p>The front of the shelf is reduced by 5mm, and the wire groove needs to be marked on the right side of the shelf. When installing on the shelf, use a φ8 drill bit to drill a cable hole on the right side of the back panel; clamp the light in front of the shelf, pass the power cord through the cable hole and plug it into the driver.</p>
Commonly used single-color temperature lamps	Black/brushed brass clothes rail glass shelf light	Color temperature: 4000K. Power: 464 (3W), 564 (3.7W), 764 (5W), 864 (5.6W), 964 (6.2W)	<p>Frame is made of aluminum, and core board is made of glass, which can only be connected to both sides of carcass. Back panel on site has a hole of φ5 for wiring, and the opening position corresponds to shelf lamp back face of the shelf lamp. It is required that the net interior space of the carcass where shelf install should meet: D ≥ 431 mm, W = 964/864/764/564/464 mm, and use φ4*16 self-tapping screws on site to fix the shelf support (provided by the supplier), and then place the shelf lights. When an embedded light strip is installed on the side panel, the light strip needs to be installed in sections to avoid the shelf lights.</p>
	Black/brushed brass aluminum frame glass shelf light	Color temperature: 4000K. Power: 464 (3W), 564 (3.7W), 764 (5W), 864 (5.6W), 964 (6.2W)	<p>Frame is made of aluminum, and core board is made of glass, which can only be connected to both sides of carcass. Back panel on site has a hole of φ5 for wiring, and the opening position corresponds to shelf lamp back face of the shelf lamp. It is required that the net interior space of the carcass where shelf install should meet: D ≥ 431 mm, W = 964/864/764/564/464 mm, and use φ4*16 self-tapping screws on site to fix the shelf support (provided by the supplier), and then place the shelf lights. When an embedded light strip is installed on the side panel, the light strip needs to be installed in sections to avoid the shelf lights.</p>

Functional Accessories Install Adaptation Table

5. Multifunctional System

Category	Product Name	Accessories line (used together)	Application Conditions
Functional Bed Hardware	Wall Bed Hardware	<p>This accessory does not include a mattress. The PWWC0001 mattress is compatible with the following specifications: 880*1980*170, and the mattress weight is 25KG±1KG; the PWWC0002 mattress is compatible with the following specifications: 1180*1980*170, and the mattress weight is 33KG±1KG; the PWWC0004 mattress is compatible with the following specifications: 1480*1980*170mm, and the mattress weight is 37KG±1KG.</p> <p>If the weight of mattress exceeds the recommended mattress weight range, the use of accessory will be affected.</p>	<p>Cabinet internal width is 970/1270/1570mm, and height is 2125mm; 320 mm ≤ inner depth ≤ 600 mm. A distance ≥ 2400mm must be left directly in front of bed turning to leave space for bed to turn down. This accessory does not include a mattress. The mattress needs to be ordered according to the bedding order process of the home furnishing products Management Department. The product name is: OP-MY003 mattress for wardrobe flip bed.</p> <p>The mattress adaptability specifications of PWWC0001 are: 880*1980*170, K3 code: G10141781, mattress weight 25KG±1KG; The mattress adaptability specifications of PWWC0002 are: 1180*1980*170, K3 code: G10141732, mattress weight 33KG±1KG; The mattress adaptability specifications of PWWC0004 are: 1480*1980*170mm, K3 code: G10142137, mattress weight 37KG±1KG.</p>
	Horizontal murphy bed hardware	<p>This accessory does not include a mattress. The PWWC0003A mattress is compatible with the following specifications: 880*1980*170, and the mattress weight is 25KG±1KG; the PWWC0003B mattress is compatible with the following specifications: 1180*1980*170, and the mattress weight is 33KG±1KG; the PWWC0003C mattress is compatible with the following specifications: 1480*1980*170mm, and the mattress weight is 37KG±1KG.</p> <p>If the weight of mattress exceeds the recommended mattress weight range, the use of accessory will be affected.</p>	<p>Cabinet internal width 2070mm is unchangeable, height is 1025/1325/1625mm is unchangeable, 320mm ≤ internal clearance depth ≤ 600mm. A minimum clearance of (inner clearance height + 300mm) shall be maintained in front of the flip bed to accommodate its pivoting motion. This accessory does not include a mattress. The mattress needs to be ordered according to the bedding order process of the home furnishing products Management Department. The product name is: OP-MY003 mattress for wardrobe flip bed. The mattress adaptability specifications of PWWC0003A are: 880*1980*170, K3 code: G10141781, mattress weight 25KG±1KG; the mattress adaptability specifications of PWWC0003B are: 1180*1980*170, K3 code: G10141732, mattress weight 33KG±1KG; the mattress adaptability specifications of PWWC0003C are: 1480*1980*170mm, K3 code: G10142137, mattress weight 37KG±1KG.</p>
Folding pull-out hardware	Up-lift folding desk accessory	/	<p>Suitable for 18mm wood grain panel and lacquer panel, 600mm ≤ countertop width ≤ 1000mm, and countertop width = cabinet interior space-2mm, 320mm ≤ countertop depth 450mm, fixed to 18mm back panel, back panel or shelf must be inserted 52mm.</p> <p>In the design scheme of the space, pay attention to the scope swept countertop (from closed to fully opened), and no other items or carcass should hinder countertop. Reserve space ahead of time.</p> <p>Each set of accessories has two support parts, which must be installed symmetrically, and the extended countertop must be level with the cabinet shelves. Buckle on the support must be pressed when closing.</p>