

PawGuard — Complete API Specification

PAWGUARD-APISPEC-01

REST API Reference for the Entire Backend — All Modules, All Endpoints
PawGuard Rescue & Adoption Operations

August 2026

1. Overview

This document catalogs every REST API endpoint exposed by the PawGuard backend: 23 modules, 448 endpoints in total. It is generated directly from the production source code, so it reflects exactly what is deployed — not a design intention that may have drifted from the build.

2. Base URL & Versioning

Environment	Base URL
Production (live)	https://pawguard-backend-mqri.onrender.com/api/v1
Interactive docs (Swagger UI)	https://pawguard-backend-mqri.onrender.com/docs
OpenAPI schema (machine-readable)	https://pawguard-backend-mqri.onrender.com/openapi.json

Every endpoint in this document is relative to the `/api/v1` base — for example, the Auth module's `/auth/login` is reachable at <https://pawguard-backend-mqri.onrender.com/api/v1/auth/login>.

3. Authentication

- Bearer-token authentication: Authorization: Bearer <access_token> on every protected request.
- Access tokens are short-lived JWTs (RS256, 15 minutes); obtained via POST `/auth/login` and renewed via POST `/auth/refresh`.
- Endpoints marked “Public” in this document require no token (e.g. browsing the adoption directory, submitting a public rescue report).
- All other endpoints require both a valid token and the specific permission code shown in the “Permission” column — a valid login alone is not enough if the account's role lacks that permission.

4. Standard Response Envelope

Every endpoint returns one of two consistent JSON shapes, so client apps can parse responses uniformly:

Shape	Structure
Single-item response	<code>{ "success": true, "data": { ... }, "message": "..." }</code>
List / paginated response	<code>{ "success": true, "data": [...], "meta": { "total", "page", "page_size", "total_pages" } }</code>
Error response	<code>{ "success": false, "error": { "code", "message", "details" } }</code>

5. Rate Limiting

Sensitive endpoints (login, QR-tag scanning, lost-pet broadcast, public submissions) are rate-limited per user/IP via Redis. Where a limit applies, it is shown in the “Rate Limit” column of that endpoint's table.

6. Module Index

Module	Base Path	Endpoints	Purpose
Auth	<code>/admin, /auth</code>	34	Identity: registration, login, sessions, RBAC/PBAC, MFA, OAuth, audit trail.
Admin	<code>/admin/audit-logs, /admin/dashboard</code>	19	Cross-module administration: audit-log viewing and admin analytics dashboard.
Dashboards	<code>/dashboards</code>	14	Aggregated, role-specific operational dashboards.

Module	Base Path	Endpoints	Purpose
Rescue	/rescue, /public/rescue	24	Rescue intake, field triage, dispatch tracking (includes a public reporting endpoint).
Rescue Centre	/rescue-centres	8	Rescue-centre / shelter facility directory and capacity management.
Dog	/dogs	16	Shelter-admitted dog master profiles, medical/behavior history, media.
Companion Pet	/companion-pets	36	Owner-managed pets, vet clinics, appointments, QR safety tags, medical uploads, reminders.
Adoption	/adoptions	17	Adoption applications, six-phase vetting pipeline, approvals, and post-adoption follow-ups.
Volunteer	/volunteers	15	Volunteer registration, shift scheduling, hours, training records.
Foster	/fosters	12	Foster applications, active placements, returns, foster-to-adopt.
Donation	/donations	30	Donor management, one-time/recurring donations, sponsorships, receipts.
Lost Found	/lost-found	18	Lost/found pet reporting, automated matching, broadcast alerts, ownership claims.
Inventory	/inventory	11	Stock levels, movement tracking, reorder triggers.
Shelter	/shelter	23	Facility capacity, room/kennel assignment, inter-facility transfers.
Medical	/medical	21	Shelter-side medical records: treatments, vaccinations, surgery, clearances.
Portal	/portal	53	Public website content and public submission endpoints (largest module).
Fleet	/fleet	17	Rescue-transport vehicles, maintenance, trips, fuel.
Grievance	/grievance	16	Complaint/grievance intake and resolution tracking.
Notifications	/notifications	10	Shared in-app/email/push delivery layer used by nearly every module.
Settings	/settings	17	Global settings and feature flags.
Storage	/storage	8	Presigned S3 upload issuance and confirmation for every module that accepts files.
Finance	/finance	25	Financial ledger reconciling donations and expenses.
Reports	/reports	4	On-demand CSV/XLSX/PDF report generation.

Total: 448 endpoints across 23 modules. Two additional internal modules (outbox, generated_reports) support the platform but expose no direct API endpoints of their own.

Source: pawguard-backend repository (github.com/syedvpd/PAW-GUARD-), extracted directly from each module's router source code.

7. Module: Auth (34 endpoints)

Identity: registration, login, sessions, RBAC/PBAC, MFA, OAuth, audit trail.

Method	Endpoint	Description	Permission	Rate Limit
GET	/admin/roles	List Roles	system:admin	—
POST	/admin/roles	Create Role	system:admin	—
GET	/admin/roles/{role_id}	Get Role	system:admin	—
PUT	/admin/roles/{role_id}	Update Role	system:admin	—
DELETE	/admin/roles/{role_id}	Delete Role	system:admin	—
GET	/admin/permissions	List Permissions	system:admin	—
GET	/admin/users	List Users	system:admin	—
POST	/admin/users	Create User	system:admin	—
GET	/admin/users/{user_id}	Get User	system:admin	—
PUT	/admin/users/{user_id}	Update User	system:admin	—
DELETE	/admin/users/{user_id}	Delete User	system:admin	—
POST	/admin/users/restore-and-reset	Restore And Reset Password	system:admin	—
POST	/auth/register	Register	Public	—
POST	/auth/login	Login	Public	—
POST	/auth/mfa/verify	Verify Mfa Login	Public	—
POST	/auth/refresh	Refresh	Public	—
POST	/auth/logout	Logout	Public	—
POST	/auth/logout-all	Logout All	Public	—
GET	/auth/me	Get Me	Public	—
PUT	/auth/me	Update Profile	Public	—
GET	/auth/sessions	List Sessions	Public	—
DELETE	/auth/sessions/{session_id}	Revoke Session	Public	—
POST	/auth/password/change	Change Password	Public	—
POST	/auth/password/reset/request	Request Password Reset	Public	—
POST	/auth/password/reset/confirm	Confirm Password Reset	Public	—
POST	/auth/email/verify/confirm	Confirm Email Verification	Public	—
POST	/auth/email/verify/request	Request Email Verification	Public	—
POST	/auth/mfa/enroll	Enroll Mfa	Public	—
POST	/auth/mfa/enroll/confirm	Confirm Mfa Enrollment	Public	—
POST	/auth/mfa/disable	Disable Mfa	Public	—
POST	/auth/oauth/login	OAuth Login	Public	—
GET	/auth/oauth/accounts	List OAuth Accounts	Public	—
POST	/auth/oauth/link	Link OAuth Account	Public	—
DELETE	/auth/oauth/accounts/{account_id}	Unlink OAuth Account	Public	—

8. Module: Admin (19 endpoints)

Cross-module administration: audit-log viewing and admin analytics dashboard.

Method	Endpoint	Description	Permission	Rate Limit
GET	/admin/audit-logs	List Audit Logs	system:admin	—
GET	/admin/audit-logs/export	Export Audit Logs	system:admin	—
GET	/admin/audit-logs/{entry_id}	Get Audit Log	system:admin	—
GET	/admin/dashboard/metrics	Get System Metrics	system:admin	—
GET	/admin/dashboard/summary	Get Summary	system:admin	—
GET	/admin/dashboard/kpis	Get Kpis	system:admin	—
GET	/admin/dashboard/charts	Get Charts	system:admin	—
GET	/admin/dashboard/recent-activity	Get Recent Activity	system:admin	—
GET	/admin/dashboard/inventory-alerts	Get Inventory Alerts	system:admin	—
GET	/admin/dashboard/donation-summary	Get Donation Summary	system:admin	—
GET	/admin/dashboard/rescue-stats	Get Rescue Stats	system:admin	—
GET	/admin/dashboard/medical-stats	Get Medical Stats	system:admin	—
GET	/admin/dashboard/adoption-stats	Get Adoption Stats	system:admin	—
GET	/admin/dashboard/volunteer-stats	Get Volunteer Stats	system:admin	—
GET	/admin/dashboard/notification-summary	Get Notification Summary	system:admin	—
GET	/admin/dashboard/shelter-stats	Get Shelter Stats	system:admin	—
GET	/admin/dashboard/foster-stats	Get Foster Stats	system:admin	—
GET	/admin/dashboard/lost-found-stats	Get Lost Found Stats	system:admin	—
GET	/admin/dashboard/grievance-stats	Get Grievance Stats	system:admin	—

9. Module: Dashboards (14 endpoints)

Aggregated, role-specific operational dashboards.

Method	Endpoint	Description	Permission	Rate Limit
GET	/dashboards/rescue	Get Rescue Dashboard	dashboard:rescue	—
GET	/dashboards/rescue/stream	Stream Rescue Dashboard	dashboard:rescue	—
GET	/dashboards/shelter	Get Shelter Dashboard	dashboard:shelter	—
GET	/dashboards/medical	Get Medical Dashboard	dashboard:medical	—
GET	/dashboards/adoption	Get Adoption Dashboard	dashboard:adoption	—
GET	/dashboards/foster	Get Foster Dashboard	dashboard:foster	—
GET	/dashboards/volunteer	Get Volunteer Dashboard	dashboard:volunteer	—
GET	/dashboards/inventory	Get Inventory Dashboard	dashboard:inventory	—
GET	/dashboards/finance	Get Finance Dashboard	dashboard:finance	—
GET	/dashboards/donor	Get Donor Dashboard	dashboard:donor	—
GET	/dashboards/staff	Get Staff Dashboard	system:admin	—
GET	/dashboards/executive	Get Executive Dashboard	system:admin	—
GET	/dashboards/public	Get Public Dashboard	Public	—
GET	/dashboards/operations	Get Operations Dashboard	system:admin	—

10. Module: Rescue (24 endpoints)

Rescue intake, field triage, dispatch tracking (includes a public reporting endpoint).

Method	Endpoint	Description	Permission	Rate Limit
POST	/rescue/report	Report Incident	rescue:create	5/60s
POST	/public/rescue/report	Public Report Incident	Public	5/60s
POST	/rescue/media-upload-url	Request Rescue Media Upload Url	Public	10/60s
POST	/rescue/{request_id}/verify	Verify Request	rescue:verify	—
POST	/rescue/{request_id}/assign-coordinator	Assign Coordinator	rescue:dispatch	—
POST	/rescue/{request_id}/dispatch	Dispatch Team	rescue:dispatch	—
PATCH	/rescue/dispatches/{dispatch_id}	Update Dispatch	rescue:dispatch	—
DELETE	/rescue/dispatches/{dispatch_id}	Delete Dispatch	rescue:delete	—
POST	/rescue/{request_id}/escalate	Escalate Rescue	rescue:update	—
POST	/rescue/{request_id}/located	Mark Located	rescue:execute	—
POST	/rescue/{request_id}/secured	Mark Rescued	rescue:execute	—
POST	/rescue/{request_id}/admitted	Mark Admitted	rescue:dispatch	—
POST	/rescue/{request_id}/fail	Fail Rescue	rescue:execute	—
POST	/rescue/{request_id}/accept	Accept Dispatch	rescue:execute	—
POST	/rescue/{request_id}/reports	Add Observation Report	rescue:execute	—
GET	/rescue/status	Get Public Status	Public	10/60s
GET	/rescue/dispatches	List Dispatches	rescue:read	—
GET	/rescue/{request_id}	Get Request	Public	—
GET	/rescue	List Requests	Public	—
DELETE	/rescue/{request_id}	Soft Delete Request	rescue:execute	—
POST	/rescue/bulk/status-update	Bulk Update Rescue Status	rescue:execute	—
POST	/rescue/bulk/delete	Bulk Delete Rescue Requests	rescue:execute	—
POST	/rescue/agents/location	Update Agent Location	rescue:execute	—
GET	/rescue/{request_id}/suggest-agents	Suggest Nearest Agents	rescue:dispatch	—

11. Module: Rescue Centre (8 endpoints)

Rescue-centre / shelter facility directory and capacity management.

Method	Endpoint	Description	Permission	Rate Limit
GET	/rescue-centres	List Rescue Centres	Public	—
POST	/rescue-centres	Create Rescue Centre	shelter:update	—
GET	/rescue-centres/{facility_id}	Get Rescue Centre	Public	—
PUT	/rescue-centres/{facility_id}	Update Rescue Centre	shelter:update	—
DELETE	/rescue-centres/{facility_id}	Delete Rescue Centre	shelter:update	—
PUT	/rescue-centres/{facility_id}/status	Update Rescue Centre Status	shelter:update	—
POST	/rescue-centres/bulk/delete	Bulk Delete Rescue Centres	shelter:update	—
POST	/rescue-centres/bulk/status	Bulk Update Rescue Centre Status	shelter:update	—

12. Module: Dog (16 endpoints)

Shelter-admitted dog master profiles, medical/behavior history, media.

Method	Endpoint	Description	Permission	Rate Limit
POST	/dogs	Register Dog	shelter:update	—
GET	/dogs	List Dogs	Public	—
GET	/dogs/admin/dogs/{dog_id}	Get Dog	Public	—
GET	/dogs/{dog_id}/timeline	Get Dog Timeline	shelter:read	—
GET	/dogs/{dog_id}/public-scan	Privacy-safe public dog QR scan	Public	—
GET	/dogs/{dog_id}/qr-image	Generate a staff-only dog profile QR image	shelter:update	—
POST	/dogs/{dog_id}/weight	Record Dog Weight	shelter:update	—
GET	/dogs/{dog_id}/weights	Get Dog Weight History	shelter:read	—
PUT	/dogs/{dog_id}	Update Dog	shelter:update	—
PATCH	/dogs/{dog_id}/status	Update Dog Status	shelter:update	—
DELETE	/dogs/{dog_id}	Soft Delete Dog	shelter:update	—
POST	/dogs/bulk/status-update	Bulk Update Dog Status	shelter:update	—
POST	/dogs/bulk/delete	Bulk Delete Dogs	shelter:update	—
POST	/dogs/{dog_id}/safety-tag	Provision a permanent Safety Tag for a Dog Master profile	safety_tag:manage	—
GET	/dogs/{dog_id}/safety-tag	Get active Safety Tag metadata for a Dog Master profile	safety_tag:manage	—
DELETE	/dogs/{dog_id}/safety-tag	Deactivate/revoke active Safety Tag for tag replacement	safety_tag:manage	—

13. Module: Companion Pet (36 endpoints)

Owner-managed pets, vet clinics, appointments, QR safety tags, medical uploads, reminders.

Method	Endpoint	Description	Permission	Rate Limit
POST	/companion-pets	Create an owner companion pet	companion_pet:create	—
GET	/companion-pets	List companion pets visible to the caller	companion_pet:read	—
GET	/companion-pets/clinics	List active veterinary clinics	Public	—
GET	/companion-pets/clinics/{clinic_id}	Get single veterinary clinic details	Public	—
GET	/companion-pets/clinics/{clinic_id}/veterinarians	List veterinarians available at a veterinary clinic for appointment booking	Public	—
GET	/companion-pets/appointments	List authorized veterinary appointments	appointment:read	—
GET	/companion-pets/{pet_id}	Get an authorized companion pet profile	companion_pet:read	—
PATCH	/companion-pets/{pet_id}	Update an authorized companion pet profile	companion_pet:update	—
DELETE	/companion-pets/{pet_id}	Soft-delete an owned companion pet	companion_pet:delete	—
POST	/companion-pets/{pet_id}/medical-files/upload-url	Request a presigned medical-history upload	companion_pet:medical_upload	—
PUT	/companion-pets/{pet_id}/medical-files/{file_id}/confirm	Confirm a medical-history upload	companion_pet:medical_upload	—
GET	/companion-pets/{pet_id}/medical-files	List authorized medical-history files	companion_pet:read	—
GET	/companion-pets/medical-files/{file_id}/download-url	Get presigned download URL for a medical-history file	companion_pet:read	—
POST	/companion-pets/{pet_id}/medical-records	Create a medical-history record	companion_pet:medical_upload	—
GET	/companion-pets/{pet_id}/medical-records	List a pet's authorized medical history	companion_pet:read	—
GET	/companion-pets/medical-records/{record_id}	Get an authorized medical-history record by ID	companion_pet:read	—
PUT	/companion-pets/medical-records/{record_id}	Update an authorized medical-history record (full update)	companion_pet:medical_upload	—
DELETE	/companion-pets/medical-records/{record_id}	Soft-delete an authorized medical-history record	companion_pet:medical_upload	—
GET	/companion-pets/medical-files/{file_id}/download-url	Get presigned download URL for a medical-history file	companion_pet:read	—
POST	/companion-pets/{pet_id}/safety-tag	Provision or rotate a QR safety tag	safety_tag:manage	—
GET	/companion-pets/{pet_id}/safety-tag	Read safety-tag metadata without revealing its token	companion_pet:read	—
DELETE	/companion-pets/{pet_id}/safety-tag	Deactivate or revoke a QR safety tag	safety_tag:manage	—
POST	/companion-pets/from-adoption/{application_id}	Create a companion pet from an approved adoption application	companion_pet:create	—
POST	/companion-pets/safety-tag/scan	Privacy-safe public QR safety-tag scan	Public	—
POST	/companion-pets/clinics	Create a veterinary clinic directory entry	vet_clinic:manage	—
PATCH	/companion-pets/clinics/{clinic_id}	Update a veterinary clinic directory entry	vet_clinic:manage	—
DELETE	/companion-pets/clinics/{clinic_id}	Soft-delete a veterinary clinic directory entry	vet_clinic:manage	—
POST	/companion-pets/clinics/{clinic_id}/memberships	Authorize a user for a veterinary clinic	vet_clinic:manage	—
POST	/companion-pets/appointments	Book a veterinary appointment	appointment:create	—
GET	/companion-pets/appointments/{appointment_id}	Get an authorized appointment	appointment:read	—
POST	/companion-pets/appointments/{appointment_id}/cancel	Cancel an appointment	appointment:cancel	—
DELETE	/companion-pets/appointments/{appointment_id}	Cancel an appointment via DELETE	appointment:cancel	—
POST	/companion-pets/appointments/{appointment_id}/confirm	Confirm an appointment as clinic staff	appointment:manage	—

Method	Endpoint	Description	Permission	Rate Limit
POST	/companion-pets/{pet_id}/reminders	Create a vaccination or medication reminder	companion_pet:update	—
GET	/companion-pets/{pet_id}/reminders	List vaccination and medication reminders	companion_pet:read	—
DELETE	/companion-pets/{pet_id}/reminders/{reminder_id}	Soft-delete a vaccination or medication reminder	companion_pet:update	—

14. Module: Adoption (17 endpoints)

Adoption applications, six-phase vetting pipeline, approvals, and post-adoption follow-ups.

Method	Endpoint	Description	Permission	Rate Limit
GET	/adoptions/nearby-shelters	Find Nearby Shelters	Public	—
POST	/adoptions	Apply For Adoption	Public	—
GET	/adoptions/my	List My Applications	Public	—
GET	/adoptions	List Applications	Public	—
GET	/adoptions/{app_id}	Get Application	Public	—
GET	/adoptions/{app_id}/agreement	Get Adoption Agreement	Public	—
PUT	/adoptions/{app_id}	Update Application	adoption:process	—
PATCH	/adoptions/{app_id}/status	Update Application Status	adoption:process	—
POST	/adoptions/{app_id}/scores	Add Score	adoption:process	—
GET	/adoptions/{app_id}/scores	Get Scores	Public	—
DELETE	/adoptions/{app_id}	Soft Delete Application	adoption:process	—
POST	/adoptions/{app_id}/follow-ups	Create Follow Up	adoption:process	—
GET	/adoptions/{app_id}/follow-ups	Get Follow Ups	Public	—
POST	/adoptions/{app_id}/follow-ups/{follow_up_id}/proof	Submit Follow Up Proof	Public	—
PUT	/adoptions/{app_id}/fee	Update Adoption Fee	adoption:process	—
POST	/adoptions/bulk/status-update	Bulk Update Application Status	adoption:process	—
POST	/adoptions/bulk/delete	Bulk Delete Applications	adoption:process	—

15. Module: Volunteer (15 endpoints)

Volunteer registration, shift scheduling, hours, training records.

Method	Endpoint	Description	Permission	Rate Limit
POST	/volunteers/apply	Apply to Volunteer	Public	—
PUT	/volunteers/{profile_id}	Update Profile	volunteer:update	—
DELETE	/volunteers/{profile_id}	Soft Delete Profile	volunteer:update	—
GET	/volunteers/shifts	List Shifts	public:read	—
GET	/volunteers/{profile_id}	Get Profile	Public	—
POST	/volunteers/shifts	Create Shift	volunteer:schedule	—
POST	/volunteers/shifts/{shift_id}/join	Join Shift	Public	—
POST	/volunteers/attendance/{attendance_id}/check-in	Check In	Public	—
POST	/volunteers/attendance/{attendance_id}/check-out	Check Out	Public	—
GET	/volunteers/shifts/{shift_id}/attendance	List Shift Attendance	volunteer:read	—
GET	/volunteers	List Profiles	volunteer:update	—
POST	/volunteers/bulk/delete	Bulk Delete Profiles	volunteer:update	—
GET	/volunteers/{profile_id}/certificate	Issue Service Certificate	Public	—
GET	/volunteers/{profile_id}/service-summary	Get Service Summary	Public	—
POST	/volunteers/bulk/status	Bulk Update Profile Status	volunteer:update	—

16. Module: Foster (12 endpoints)

Foster applications, active placements, returns, foster-to-adopt.

Method	Endpoint	Description	Permission	Rate Limit
POST	/fosters/apply	Apply to Foster	Public	—
PUT	/fosters/{profile_id}	Update Profile	foster:update	—
DELETE	/fosters/{profile_id}	Soft Delete Profile	foster:update	—
POST	/fosters/{profile_id}/placements	Place Dog	foster:approve	—
POST	/fosters/placements/{placement_id}/return	Return Dog	foster:approve	—
GET	/fosters	List Profiles	foster:read	—
POST	/fosters/bulk/delete	Bulk Delete Profiles	foster:update	—
POST	/fosters/placements/{placement_id}/progress	Log Progress	Public	—
GET	/fosters/placements/{placement_id}/progress	Get Progress Logs	Public	—
POST	/fosters/placements/{placement_id}/supplies	Log Supply Dispatch	foster:approve	—
GET	/fosters/placements/{placement_id}/supplies	List Supply Dispatches	Public	—
POST	/fosters/placements/{placement_id}/convert-to-adopt	Convert to Adopt	foster:approve	—

17. Module: Donation (30 endpoints)

Donor management, one-time/recurring donations, sponsorships, receipts.

Method	Endpoint	Description	Permission	Rate Limit
POST	/donations/register	Register Donor	Public	—
PUT	/donations/donors/{donor_id}	Update Donor	donation:update	—
DELETE	/donations/donors/{donor_id}	Soft Delete Donor	donation:update	—
POST	/donations	Record Manual Donation	donation:manage	—
POST	/donations/checkout	Initiate Donation Checkout	Public	—
POST	/donations/verify	Verify Donation Checkout	Public	—
POST	/donations/webhook/razorpay	Razorpay Webhook	Public	—
GET	/donations/history	Get Donation History	Public	—
GET	/donations	List All Donations	donation:read	—
GET	/donations/donors	List Donors	donation:read	—
GET	/donations/{donation_id}/receipt	Get Donation Receipt	Public	—
PATCH	/donations/{donation_id}/status	Update Donation Status	donation:update	—
POST	/donations/{donation_id}/reconcile	Reconcile Donation	finance:create	—
POST	/donations/bulk/status-update	Bulk Update Donation Status	donation:update	—
POST	/donations/donors/bulk/delete	Bulk Delete Donors	donation:update	—
POST	/donations/sponsorships	Create Sponsorship	Public	—
PATCH	/donations/sponsorships/{sponsorship_id}/status	Update Sponsorship Status	Public	—
GET	/donations/sponsorships/my	List My Sponsorships	Public	—
GET	/donations/sponsorships	List All Sponsorships	donation:read	—
GET	/donations/sponsorships/{sponsorship_id}	Get Sponsorship	Public	—
GET	/donations/campaigns	List Public Campaigns	Public	—
GET	/donations/campaigns/manage	List All Campaigns	donation:read	—
POST	/donations/campaigns	Create Campaign	donation:manage	—
GET	/donations/campaigns/{campaign_id}	Get Campaign	Public	—
PATCH	/donations/campaigns/{campaign_id}	Update Campaign	donation:update	—
DELETE	/donations/campaigns/{campaign_id}	Delete Campaign	donation:update	—
GET	/donations/donors/me	Get My Donor Profile	Public	—
POST	/donations/recurring	Create Recurring Subscription	Public	—
GET	/donations/recurring	List My Recurring Subscriptions	Public	—
DELETE	/donations/recurring/{subscription_id}	Cancel Recurring Subscription	Public	—

18. Module: Lost Found (18 endpoints)

Lost/found pet reporting, automated matching, broadcast alerts, ownership claims.

Method	Endpoint	Description	Permission	Rate Limit
POST	/lost-found/sighting	Public submission of a lost pet sighting by a QR-scanner citizen	Public	—
POST	/lost-found/lost	Report Lost Pet	Public	—
POST	/lost-found/lost/{report_id}/broadcast	Broadcast Lost Pet Alert	lost_found:broadcast	3/3600s
POST	/lost-found/found	Report Found Pet	Public	—
GET	/lost-found/lost	List Lost Reports	Public	—
GET	/lost-found/found	List Found Reports	Public	—
GET	/lost-found/reunion-stories	Get Reunion Stories	Public	—
GET	/lost-found/lost/{report_id}	Get Lost Report	Public	—
GET	/lost-found/found/{report_id}	Get Found Report	Public	—
GET	/lost-found/lost/{report_id}/matches	Get Matches For Lost	Public	—
GET	/lost-found/found/{report_id}/matches	Get Matches For Found	Public	—
POST	/lost-found/matches/{match_id}/claim	Submit Ownership Claim	Public	—
POST	/lost-found/matches/{match_id}/claim/review	Review Ownership Claim	system:admin	—
POST	/lost-found/matches/{match_id}/resolve	Resolve Match	system:admin	—
DELETE	/lost-found/lost/{report_id}	Delete Lost Report	system:admin	—
DELETE	/lost-found/found/{report_id}	Delete Found Report	system:admin	—
POST	/lost-found/lost/bulk/delete	Bulk Delete Lost Reports	system:admin	—
POST	/lost-found/found/bulk/delete	Bulk Delete Found Reports	system:admin	—

19. Module: Inventory (11 endpoints)

Stock levels, movement tracking, reorder triggers.

Method	Endpoint	Description	Permission	Rate Limit
POST	/inventory/items	Create Item	inventory:create	—
GET	/inventory/items	List Items	inventory:read	—
GET	/inventory/items/{item_id}	Get Item	inventory:read	—
POST	/inventory/movements	Record Movement	inventory:update	—
GET	/inventory/items/{item_id}/movements	List Movements	inventory:read	—
POST	/inventory/requisitions	Create Requisition	inventory:create	—
GET	/inventory/requisitions	List Requisitions	inventory:read	—
PUT	/inventory/requisitions/{req_id}/status	Update Requisition Status	inventory:update	—
DELETE	/inventory/items/{item_id}	Delete Item	inventory:update	—
POST	/inventory/items/bulk/delete	Bulk Delete Items	inventory:update	—
POST	/inventory/requisitions/bulk/status	Bulk Update Requisition Status	inventory:update	—

20. Module: Shelter (23 endpoints)

Facility capacity, room/kennel assignment, inter-facility transfers.

Method	Endpoint	Description	Permission	Rate Limit
POST	/shelter/facilities	Create Facility	shelter:update	—
GET	/shelter/facilities	List Facilities	shelter:read	—
GET	/shelter/facilities/{facility_id}	Get Facility	shelter:read	—
PUT	/shelter/facilities/{facility_id}	Update Facility	shelter:update	—
POST	/shelter/facilities/{facility_id}/sections	Create Section	shelter:update	—
GET	/shelter/facilities/{facility_id}/sections	List Sections	shelter:read	—
POST	/shelter/sections/{section_id}/kennels	Create Kennel	shelter:update	—
GET	/shelter/sections/{section_id}/kennels	List Kennels	shelter:read	—
POST	/shelter/kennels/{kennel_id}/assign/{dog_id}	Assign Dog to Kennel	shelter:update	—
PUT	/shelter/kennels/{kennel_id}/sanitation	Update Kennel Sanitation	shelter:update	—
POST	/shelter/kennels/{kennel_id}/cleaning-logs	Log Kennel Cleaning	shelter:update	—
GET	/shelter/kennels/{kennel_id}/cleaning-logs	List Kennel Cleaning Logs	shelter:read	—
POST	/shelter/transfers	Request Transfer	shelter:update	—
GET	/shelter/transfers	List Transfers	shelter:read	—
GET	/shelter/transfers/{transfer_id}	Get Transfer	shelter:read	—
POST	/shelter/transfers/{transfer_id}/confirm-sender	Confirm Transfer Sender	shelter:update	—
POST	/shelter/transfers/{transfer_id}/confirm-receiver	Confirm Transfer Receiver	shelter:update	—
POST	/shelter/care-logs	Submit Daily Care Log	shelter:update	—
GET	/shelter/dogs/{dog_id}/care-logs	List Care Logs	shelter:read	—
DELETE	/shelter/facilities/{facility_id}	Delete Facility	shelter:update	—
PUT	/shelter/facilities/{facility_id}/status	Update Facility Status	shelter:update	—
POST	/shelter/facilities/bulk/delete	Bulk Delete Facilities	shelter:update	—
POST	/shelter/facilities/bulk/status	Bulk Update Facility Status	shelter:update	—

21. Module: Medical (21 endpoints)

Shelter-side medical records: treatments, vaccinations, surgery, clearances.

Method	Endpoint	Description	Permission	Rate Limit
POST	/medical/exams	Perform Clinical Exam	medical:create	—
POST	/medical/treatments	Record Treatment	medical:create	—
POST	/medical/vaccinations	Administer Vaccine	medical:create	—
POST	/medical/prescriptions	Prescribe Medication	medical:create	—
POST	/medical/clearance/{dog_id}	Authorize Adoption Clearance	medical:clearance	—
GET	/medical/clearances/dogs/{dog_id}	Get Dog Clearances	medical:read	—
POST	/medical/administrations	Log Medication Administration	medical:update	—
GET	/medical/prescriptions/{prescription_id}/administrations	Get Prescription Administrations	medical:read	—
GET	/medical/dogs/{dog_id}/administrations	Get Dog Administrations	medical:read	—
POST	/medical/vaccine-protocols	Create Vaccine Protocol	medical:update	—
GET	/medical/vaccine-protocols	List Vaccine Protocols	medical:read	—
GET	/medical/dogs/{dog_id}/history	Get Medical History	medical:read	—
GET	/medical/exams	List Exams	medical:read	—
GET	/medical/treatments	List Treatments	medical:read	—
GET	/medical/vaccinations	List Vaccinations	medical:read	—
GET	/medical/prescriptions	List Prescriptions	medical:read	—
PUT	/medical/prescriptions/{prescription_id}	Update Prescription	medical:update	—
PATCH	/medical/prescriptions/{prescription_id}/status	Update Prescription Status	medical:update	—
DELETE	/medical/{entity_type}/{entity_id}	Soft Delete Entity	medical:delete	—
POST	/medical/bulk/prescriptions/status	Bulk Update Prescription Status	medical:update	—
POST	/medical/bulk/delete	Bulk Delete Entities	medical:delete	—

22. Module: Portal (53 endpoints)

Public website content and public submission endpoints (largest module).

Method	Endpoint	Description	Permission	Rate Limit
GET	/portal/stats	Get Hero Stats	Public	—
GET	/portal/success-stories	List Published Stories	Public	—
GET	/portal/success-stories/{story_id}	Get Published Story	Public	—
GET	/portal/blog	List Published Blog	Public	—
GET	/portal/blog/slug/{slug}	Get Blog By Slug	Public	—
GET	/portal/veterinary-network	List Veterinary Partners	Public	—
GET	/portal/contact	List Contact Locations	Public	—
POST	/portal/contact	Submit Contact Message	Public	—
POST	/portal/newsletter/subscribe	Subscribe Newsletter	Public	—
GET	/portal/faq	List Faq	Public	—
GET	/portal/legal	List Published Legal Docs	Public	—
GET	/portal/legal/{slug}	Get Published Legal Doc	Public	—
GET	/portal/urgent-alerts	List Active Urgent Alerts	Public	—
GET	/portal/transparency	Get Transparency Stats	Public	—
GET	/portal/me/dashboard	Get User Dashboard	Public	—
POST	/portal/admin/success-stories	Create Story	system:admin	—
PUT	/portal/admin/success-stories/{story_id}	Update Story	system:admin	—
POST	/portal/admin/blog	Create Blog	system:admin	—
PUT	/portal/admin/blog/{post_id}	Update Blog	system:admin	—
POST	/portal/admin/veterinary-network	Create Vet	system:admin	—
PUT	/portal/admin/veterinary-network/{partner_id}	Update Vet	system:admin	—
POST	/portal/admin/contact	Create Contact	system:admin	—
PUT	/portal/admin/contact/{location_id}	Update Contact	system:admin	—
POST	/portal/admin/faq	Create Faq	system:admin	—
PUT	/portal/admin/faq/{entry_id}	Update Faq	system:admin	—
GET	/portal/admin/success-stories	Admin List Stories	system:admin	—
GET	/portal/admin/blog	Admin List Blogs	system:admin	—
GET	/portal/admin/faq	Admin List Faqs	system:admin	—
PUT	/portal/admin/settings/{key}	Upsert Setting	system:admin	—
GET	/portal/admin/settings	List Settings	system:admin	—
DELETE	/portal/admin/success-stories/{story_id}	Soft Delete Story	system:admin	—
DELETE	/portal/admin/blog/{post_id}	Soft Delete Blog	system:admin	—
DELETE	/portal/admin/faq/{entry_id}	Soft Delete Faq	system:admin	—
POST	/portal/admin/success-stories/bulk/delete	Bulk Delete Stories	system:admin	—
POST	/portal/admin/success-stories/bulk/status	Bulk Update Story Status	system:admin	—
POST	/portal/admin/blog/bulk/delete	Bulk Delete Blogs	system:admin	—
POST	/portal/admin/blog/bulk/status	Bulk Update Blog Status	system:admin	—
POST	/portal/admin/faq/bulk/delete	Bulk Delete Faqs	system:admin	—
POST	/portal/admin/faq/bulk/status	Bulk Update Faq Status	system:admin	—
POST	/portal/admin/legal	Create Legal Doc	system:admin	—
PUT	/portal/admin/legal/{doc_id}	Update Legal Doc	system:admin	—
DELETE	/portal/admin/legal/{doc_id}	Soft Delete Legal Doc	system:admin	—

Method	Endpoint	Description	Permission	Rate Limit
GET	/portal/admin/legal	Admin List Legal Docs	system:admin	—
POST	/portal/admin/urgent-alerts	Create Urgent Alert	system:admin	—
PUT	/portal/admin/urgent-alerts/{alert_id}	Update Urgent Alert	system:admin	—
DELETE	/portal/admin/urgent-alerts/{alert_id}	Soft Delete Urgent Alert	system:admin	—
GET	/portal/admin/urgent-alerts	Admin List Urgent Alerts	system:admin	—
GET	/portal/cms/pages/{slug}	Get Public Cms Page	Public	—
GET	/portal/admin/cms/pages	List Admin Cms Pages	system:admin	—
GET	/portal/admin/cms/pages/{slug}	Get Admin Cms Page	system:admin	—
PUT	/portal/admin/cms/pages/{slug}	Update Admin Cms Page	system:admin	—
POST	/portal/admin/cms/pages/{slug}/publish	Publish Admin Cms Page	system:admin	—
POST	/portal/admin/cms/pages/{slug}/discard	Discard Admin Cms Page	system:admin	—

23. Module: Fleet (17 endpoints)

Rescue-transport vehicles, maintenance, trips, fuel.

Method	Endpoint	Description	Permission	Rate Limit
POST	/fleet/vehicles	Create Vehicle	vehicle:update	—
GET	/fleet/vehicles	List Vehicles	vehicle:read	—
GET	/fleet/vehicles/{vehicle_id}	Get Vehicle	vehicle:read	—
PUT	/fleet/vehicles/{vehicle_id}	Update Vehicle	vehicle:update	—
PATCH	/fleet/vehicles/{vehicle_id}/status	Update Vehicle Status	vehicle:update	—
DELETE	/fleet/vehicles/{vehicle_id}	Soft Delete Vehicle	vehicle:update	—
POST	/fleet/maintenance	Log Maintenance	vehicle:update	—
GET	/fleet/vehicles/{vehicle_id}/maintenance	List Maintenance	vehicle:read	—
POST	/fleet/bulk/status-update	Bulk Update Vehicle Status	vehicle:update	—
POST	/fleet/bulk/delete	Bulk Delete Vehicles	vehicle:update	—
POST	/fleet/equipment	Checkout Equipment	vehicle:update	—
GET	/fleet/equipment	List Equipment Checkouts	vehicle:read	—
GET	/fleet/equipment/{checkout_id}	Get Equipment Checkout	vehicle:read	—
POST	/fleet/equipment/{checkout_id}/return	Return Equipment	vehicle:update	—
POST	/fleet/vehicles/{vehicle_id}/fuel	Log Fuel	vehicle:update	—
GET	/fleet/vehicles/{vehicle_id}/fuel	List Fuel Logs	vehicle:read	—
GET	/fleet/fuel/{log_id}	Get Fuel Log	vehicle:read	—

24. Module: Grievance (16 endpoints)

Complaint/grievance intake and resolution tracking.

Method	Endpoint	Description	Permission	Rate Limit
POST	/grievance	Submit Complaint	Public	—
GET	/grievance	List Tickets	grievance:read	—
GET	/grievance/feedback	List Feedback	grievance:read	—
GET	/grievance/{ticket_id}	Get Ticket	grievance:read	—
PUT	/grievance/{ticket_id}	Update Ticket	grievance:update	—
PATCH	/grievance/{ticket_id}/status	Update Ticket Status	grievance:update	—
POST	/grievance/{ticket_id}/assign	Assign Ticket	grievance:assign	—
POST	/grievance/{ticket_id}/escalate	Escalate Ticket	grievance:assign	—
POST	/grievance/{ticket_id}/comments	Add Comment	grievance:comment	—
GET	/grievance/{ticket_id}/comments	List Comments	grievance:read	—
POST	/grievance/feedback	Submit Feedback	Public	—
DELETE	/grievance/{ticket_id}	Soft Delete Ticket	grievance:update	—
DELETE	/grievance/feedback/{feedback_id}	Soft Delete Feedback	grievance:update	—
POST	/grievance/bulk/delete	Bulk Delete Tickets	grievance:update	—
POST	/grievance/bulk/status	Bulk Update Ticket Status	grievance:update	—
POST	/grievance/feedback/bulk/delete	Bulk Delete Feedback	grievance:update	—

25. Module: Notifications (10 endpoints)

Shared in-app/email/push delivery layer used by nearly every module.

Method	Endpoint	Description	Permission	Rate Limit
GET	/notifications	List Notifications	Public	—
GET	/notifications/unread-count	Unread Count	Public	—
PUT	/notifications/{notification_id}/read	Mark Read	Public	—
PUT	/notifications/read-all	Mark All Read	Public	—
DELETE	/notifications/{notification_id}	Delete Notification	Public	—
POST	/notifications/bulk/delete	Bulk Delete Notifications	notification:manage	—
POST	/notifications/send	Send Notification	notification:manage	—
GET	/notifications/preferences	Get Preferences	Public	—
PUT	/notifications/preferences	Update Preferences	Public	—
POST	/notifications/broadcast	Broadcast Notification	system:admin	—

26. Module: Settings (17 endpoints)

Global settings and feature flags.

Method	Endpoint	Description	Permission	Rate Limit
GET	/settings/general	Get General Settings	system:admin	—
GET	/settings/email	Get Email Settings	system:admin	—
GET	/settings/storage	Get Storage Settings	system:admin	—
GET	/settings/public-content	Get Public Content	public:read	—
PUT	/settings/public-content	Update Public Content	system:admin	—
GET	/settings/system	List Settings	system:admin	—
GET	/settings/system/{key}	Get Setting	system:admin	—
POST	/settings/system	Create Setting	system:admin	—
PUT	/settings/system/{key}	Update Setting	system:admin	—
DELETE	/settings/system/{setting_id}	Delete Setting	system:admin	—
GET	/settings/password-policy	Get Password Policy	system:admin	—
PUT	/settings/password-policy	Update Password Policy	system:admin	—
GET	/settings/business-rules	List Business Rules	system:admin	—
GET	/settings/business-rules/{rule_key}	Get Business Rule	system:admin	—
POST	/settings/business-rules	Create Business Rule	system:admin	—
PUT	/settings/business-rules/{rule_key}	Update Business Rule	system:admin	—
DELETE	/settings/business-rules/{rule_id}	Delete Business Rule	system:admin	—

27. Module: Storage (8 endpoints)

Presigned S3 upload issuance and confirmation for every module that accepts files.

Method	Endpoint	Description	Permission	Rate Limit
POST	/storage/upload-url	Request Upload Url	Public	—
PUT	/storage/{file_id}/confirm	Confirm Upload	Public	—
GET	/storage/{file_id}/download-url	Get Download Url	Public	—
GET	/storage/{file_id}	Get File	Public	—
GET	/storage	List Files	Public	—
DELETE	/storage/{file_id}	Delete File	Public	—
POST	/storage/bulk/delete	Bulk Delete Files	Public	—
GET	/storage/entity/{entity_type}/{entity_id}	List Files By Entity	Public	—

28. Module: Finance (25 endpoints)

Financial ledger reconciling donations and expenses.

Method	Endpoint	Description	Permission	Rate Limit
POST	/finance/accounts	Create Account	finance:create	—
GET	/finance/accounts	List Accounts	finance:read	—
GET	/finance/accounts/{account_id}	Get Account	finance:read	—
PUT	/finance/accounts/{account_id}	Update Account	finance:update	—
DELETE	/finance/accounts/{account_id}	Delete Account	finance:update	—
POST	/finance/transactions	Create Transaction	finance:create	—
GET	/finance/transactions	List Transactions	finance:read	—
GET	/finance/transactions/{tx_id}	Get Transaction	finance:read	—
PATCH	/finance/transactions/{tx_id}/status	Update Transaction Status	finance:update	—
DELETE	/finance/transactions/{tx_id}	Delete Transaction	finance:update	—
GET	/finance/summary	Get Finance Summary	finance:read	—
GET	/finance/pnl	Get Pnl	finance:read	—
GET	/finance/account-balances	Get Account Balances	finance:read	—
POST	/finance/reconcile/donations	Reconcile Donations	finance:create	—
GET	/finance/reconcile/summary	Get Reconciliation Summary	finance:read	—
POST	/finance/budgets	Create Budget	finance:create	—
GET	/finance/budgets	List Budgets	finance:read	—
GET	/finance/budgets/{budget_id}	Get Budget	finance:read	—
POST	/finance/budgets/{budget_id}/items	Add Budget Item	finance:update	—
DELETE	/finance/budgets/{budget_id}	Delete Budget	finance:update	—
POST	/finance/recurring	Create Recurring	finance:create	—
GET	/finance/recurring	List Recurring	finance:read	—
DELETE	/finance/recurring/{rtx_id}	Delete Recurring	finance:update	—
POST	/finance/accounts/bulk/delete	Bulk Delete Accounts	finance:update	—
POST	/finance/transactions/bulk/delete	Bulk Delete Transactions	finance:update	—

29. Module: Reports (4 endpoints)

On-demand CSV/XLSX/PDF report generation.

Method	Endpoint	Description	Permission	Rate Limit
POST	/reports/generate	Generate Report	reports:create	—
GET	/reports/types	List Report Types	reports:read	—
GET	/reports/formats	List Report Formats	reports:read	—
GET	/reports/download/{filename}	Download Report	reports:read	—

End of API specification. Generated from pawguard-backend source at github.com/syedvpd/PAW-GUARD-.