

Module: Rescue Centre

pawguard/modules/rescue_centre — API prefix: /rescue-centres

PawGuard Backend | FastAPI 3.13 + PostgreSQL 17 + Redis/ARQ + S3 | Generated from repo @ commit 99a8430 (2026-08-12)

1. Purpose

Directory and capacity management for rescue centres / shelter facilities — built on top of the shelter module's facility model, exposed under /rescue-centres for the super-admin dashboard.

2. Position in the Layered Architecture

Client → Router (auth+validate) → Service (business logic) → Repository (data access) → PostgreSQL

Like every module in this codebase, business rules live only in the Service layer; Routers authenticate/authorize/validate and Repositories perform data access with no business decisions (see AGENTS.md — the project's engineering constitution).

3. Data Model

This module does not own its own tables directly — it reads/writes through other modules' repositories (see Notes below).

4. API Endpoints (8 total)

Method	Path	Permission Required
GET	/rescue-centres	—
POST	/rescue-centres	shelter:update
GET	/rescue-centres/{facility_id}	—
PUT	/rescue-centres/{facility_id}	shelter:update
DELETE	/rescue-centres/{facility_id}	shelter:update
PUT	/rescue-centres/{facility_id}/status	shelter:update
POST	/rescue-centres/bulk/delete	shelter:update
POST	/rescue-centres/bulk/status	shelter:update

Distinct permission codes used: shelter:update

6. Notable Implementation Details

- Thin directory layer over the shelter module's ShelterFacility model — no separate table of its own.

Auto-extracted from pawguard/modules/rescue_centre/ (models.py, router(s), service.py) at repo commit 99a8430, 2026-08-12.