

Autonomous Audit Report

Deterministic Rule-Based Analysis · Zero LLM

ZERO-LLM ASSURANCE

Target: https://petstore3.swagger.io/api/v3/openapi.json
Run ID: 4cb5d60f-7ee1-4775-9073-4dd6cc2b8f8b
Generated: 2026-09-03 10:23:28 UTC+00:00

Executive Summary & KPI

PASS RATE 11.1%	TOTAL APIS 19	TOTAL TESTS 54
PASSED 6	FAILED / TIMEOUT 15	BLOCKED 33

Performance & Latency SLA Percentiles

Percentile	Value (ms)	Percentile	Value (ms)
P50 (Median)	379	Min	276
P90	815	Max	1626
P95 (SLA Target)	844	Average	545.62
P99 (Tail)	1626	Samples	54

Historical Multi-Run Regression Audit

Metric	Value
Regression Status	BASELINE_ESTABLISHED
Baseline Run ID	-
P95 Delta vs Baseline	+0.0%
Contract Regressions	0

Notes: First completed run for this specification. Baseline established.

Failure Diagnostics & Remediation

[CONTRACT_VALIDATION_ERROR] POST /pet HTTP 400	
Diagnosis Endpoint rejected the request payload with HTTP 400 — a required attribute was missing, malformed, or out of contract.	Remediation Compare the generated request body against the OpenAPI schema. Pinpoint missing required fields, invalid formats (email/date/uuid), enum violations, or type mismatches in the payload.
[DEPENDENCY_BLOCKED] GET /pet/{pet.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] DELETE /pet/{pet.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[DEPENDENCY_BLOCKED] GET /pet/{pet.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[CONTRACT_VALIDATION_ERROR] POST /store/order HTTP 400	
Diagnosis Endpoint rejected the request payload with HTTP 400 — a required attribute was missing, malformed, or out of contract.	Remediation Compare the generated request body against the OpenAPI schema. Pinpoint missing required fields, invalid formats (email/date/uuid), enum violations, or type mismatches in the payload.
[DEPENDENCY_BLOCKED] GET /store/order/{order.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] DELETE /store/order/{order.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] GET /store/order/{order.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[CONTRACT_VALIDATION_ERROR] POST /user HTTP 400	
Diagnosis Endpoint rejected the request payload with HTTP 400 — a required attribute was missing, malformed, or out of contract.	Remediation Compare the generated request body against the OpenAPI schema. Pinpoint missing required fields, invalid formats (email/date/uuid), enum violations, or type mismatches in the payload.
[DEPENDENCY_BLOCKED] GET /user/{user.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] PUT /user/{user.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] GET /user/{user.id} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[DEPENDENCY_BLOCKED] DELETE /user/{{user.id}} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] GET /user/{{user.id}} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[CONTRACT_VALIDATION_ERROR] PUT /pet HTTP 400	
Diagnosis Endpoint rejected the request payload with HTTP 400 — a required attribute was missing, malformed, or out of contract.	Remediation Compare the generated request body against the OpenAPI schema. Pinpoint missing required fields, invalid formats (email/date/uuid), enum violations, or type mismatches in the payload.
[UNHANDLED_SERVER_CRASH] GET /pet/findByStatus?status=available HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.
[UNHANDLED_SERVER_CRASH] GET /pet/findByTags?tags=[tags[0] 608] HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.
[DEPENDENCY_BLOCKED] POST /pet/{{pet.petId}}?name=name_71 BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] POST /pet/{{uploadimage.petId}}/uploadImage?additionalMetadata=additionalMetadata_275 BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[UNHANDLED_SERVER_CRASH] GET /store/inventory HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.
[CONTRACT_VALIDATION_ERROR] POST /user/createWithList HTTP 400	
Diagnosis Endpoint rejected the request payload with HTTP 400 — a required attribute was missing, malformed, or out of contract.	Remediation Compare the generated request body against the OpenAPI schema. Pinpoint missing required fields, invalid formats (email/date/uuid), enum violations, or type mismatches in the payload.

[UNKNOWN] GET /user/login?username=username_444 HTTP 200	
Diagnosis Unclassified failure with HTTP 200. Evidence:	Remediation Review the captured response body/assertions for this step and reconcile with the expected status contract defined in the OpenAPI spec.
[UNKNOWN] GET /user/logout HTTP 200	
Diagnosis Unclassified failure with HTTP 200. Evidence:	Remediation Review the captured response body/assertions for this step and reconcile with the expected status contract defined in the OpenAPI spec.
[UNHANDLED_SERVER_CRASH] POST /pet HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.
[DEPENDENCY_BLOCKED] POST /pet BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] POST /pet BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] POST /pet BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[UNHANDLED_SERVER_CRASH] PUT /pet HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.
[DEPENDENCY_BLOCKED] PUT /pet BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] PUT /pet BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] PUT /pet BLOCKED	

Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
--	---

[DEPENDENCY_BLOCKED] POST /pet/{petId}/uploadImage BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[DEPENDENCY_BLOCKED] POST /pet/{petId}/uploadImage BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[DEPENDENCY_BLOCKED] POST /pet/{petId}/uploadImage BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[UNHANDLED_SERVER_CRASH] POST /store/order HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.

[DEPENDENCY_BLOCKED] POST /store/order BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[DEPENDENCY_BLOCKED] POST /store/order BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[DEPENDENCY_BLOCKED] POST /store/order BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

[UNHANDLED_SERVER_CRASH] POST /user HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.

[DEPENDENCY_BLOCKED] POST /user BLOCKED	
---	--

Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] POST /user BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] POST /user BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[UNHANDLED_SERVER_CRASH] POST /user/createWithList HTTP 500	
Diagnosis Endpoint returned HTTP 500 — an unhandled server-side runtime exception occurred.	Remediation Inspect backend logs for the reported stack trace. Look for null-pointer dereferences, unexpected database errors, or uncaught exceptions on this endpoint path.
[DEPENDENCY_BLOCKED] PUT /user/{username} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] PUT /user/{username} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] PUT /user/{username} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] PUT /user/{username} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.
[DEPENDENCY_BLOCKED] PUT /user/{username} BLOCKED	
Diagnosis Step was blocked because a prerequisite step failed earlier in the workflow.	Remediation Inspect the upstream dependency step in this test case; once the prerequisite passes, this step will unblock. If it is truly independent, split it into its own test case so a single failure does not cascade.

API Execution Matrix

Method	Target URL / Path	Expected	Actual	Verdict
POST	https://petstore3.swagger.io/api/v3/pet	200	400	FAILED
GET	/pet/{pet.id}	200	-	BLOCKED
DELETE	/pet/{pet.id}	200	-	BLOCKED
GET	/pet/{pet.id}	404	-	BLOCKED
POST	https://petstore3.swagger.io/api/v3/store/order	200	400	FAILED
GET	/store/order/{order.id}	200	-	BLOCKED
DELETE	/store/order/{order.id}	200	-	BLOCKED
GET	/store/order/{order.id}	404	-	BLOCKED
POST	https://petstore3.swagger.io/api/v3/user	200	400	FAILED
GET	/user/{user.id}	200	-	BLOCKED
PUT	/user/{user.id}	200	-	BLOCKED
GET	/user/{user.id}	200	-	BLOCKED
DELETE	/user/{user.id}	200	-	BLOCKED
GET	/user/{user.id}	404	-	BLOCKED
PUT	https://petstore3.swagger.io/api/v3/pet	200	400	FAILED
GET	https://petstore3.swagger.io/api/v3/pet/findByStatus?status=available	200	500	FAILED
GET	https://petstore3.swagger.io/api/v3/pet/findByTags?tags=[tags[0]_608]	200	500	FAILED
POST	/pet/{pet.petId}?name=name_71	200	-	BLOCKED
POST	/pet/{uploadimage.petId}/uploadImage?additionalMetadata=additionalMetadata_275	200	-	BLOCKED
GET	https://petstore3.swagger.io/api/v3/store/inventory	200	500	FAILED
POST	https://petstore3.swagger.io/api/v3/user/createWithList	200	400	FAILED
GET	https://petstore3.swagger.io/api/v3/user/login?username=username_444	200	200	FAILED
GET	https://petstore3.swagger.io/api/v3/user/logout	200	200	FAILED
POST	https://petstore3.swagger.io/api/v3/pet	400	400	PASSED
POST	https://petstore3.swagger.io/api/v3/pet	400	500	FAILED
POST	/pet	400	-	BLOCKED
POST	/pet	400	-	BLOCKED
POST	/pet	400	-	BLOCKED
PUT	https://petstore3.swagger.io/api/v3/pet	400	400	PASSED
PUT	https://petstore3.swagger.io/api/v3/pet	400	500	FAILED
PUT	/pet	400	-	BLOCKED
PUT	/pet	400	-	BLOCKED
PUT	/pet	400	-	BLOCKED
POST	/pet/{petId}/uploadImage	400	-	BLOCKED
POST	/pet/{petId}/uploadImage	400	-	BLOCKED
POST	/pet/{petId}/uploadImage	400	-	BLOCKED
POST	https://petstore3.swagger.io/api/v3/store/order	400	400	PASSED
POST	https://petstore3.swagger.io/api/v3/store/order	400	500	FAILED
POST	/store/order	400	-	BLOCKED
POST	/store/order	400	-	BLOCKED
POST	/store/order	400	-	BLOCKED
POST	https://petstore3.swagger.io/api/v3/user	400	400	PASSED
POST	https://petstore3.swagger.io/api/v3/user	400	500	FAILED
POST	/user	400	-	BLOCKED
POST	/user	400	-	BLOCKED
POST	/user	400	-	BLOCKED
POST	https://petstore3.swagger.io/api/v3/user/createWithList	400	400	PASSED
POST	https://petstore3.swagger.io/api/v3/user/createWithList	400	400	PASSED
POST	https://petstore3.swagger.io/api/v3/user/createWithList	400	500	FAILED
PUT	/user/{username}	400	-	BLOCKED
PUT	/user/{username}	400	-	BLOCKED
PUT	/user/{username}	400	-	BLOCKED
PUT	/user/{username}	400	-	BLOCKED
PUT	/user/{username}	400	-	BLOCKED

Confidentiality & Redaction Notice

Bearer tokens, passwords, API keys, cookies, and other sensitive fields were masked or redacted before persistence and are not present in this report. The evidence appendix contains only sanitized request/response fragments.

Appendix A — Sanitized Evidence

Expanded request/response detail for failed steps (secrets redacted).

POST /pet — FAILED

Request Body:

"safe_fallback_351"

Response Status:

400

Response Body:

{"code":400,"message":"Input error: unable to convert input to io.swagger.petstore.model.Pet"}

POST /store/order — FAILED

Request Body:

"safe_fallback_307"

Response Status:

400

Response Body:

{"code":400,"message":"Input error: unable to convert input to io.swagger.petstore.model.Order"}

POST /user — FAILED

Request Body:

"safe_fallback_101"

Response Status:

400

Response Body:

{"code":400,"message":"Input error: unable to convert input to io.swagger.petstore.model.User"}

PUT /pet — FAILED

Request Body:

"safe_fallback_825"

Response Status:

400

Response Body:

{"code":400,"message":"Input error: unable to convert input to io.swagger.petstore.model.Pet"}

GET /pet/findByStatus?status=available — FAILED

Response Status:

500

Response Body:

{"code":500,"message":"There was an error processing your request. It has been logged (ID: b2b8c9c3dcc70df3)"}

GET /pet/findByTags?tags=[tags[0]_608] — FAILED

Response Status:

500

Response Body:

{"code":500,"message":"There was an error processing your request. It has been logged (ID: 815362ba3a323803)"}

GET /store/inventory — FAILED

Response Status:

500

Response Body:

{"code":500,"message":"There was an error processing your request. It has been logged (ID: 15d3aec583046bdb)"}

POST /user/createWithList — FAILED

Request Body:

[]

Response Status:

400

Response Body:

No User provided. Try again?

... additional sanitized evidences omitted for brevity.