

Plans - AI Onboarding Plan Generation

Sarmad Motors Pakistan (Pvt) Ltd

Purpose

Given (a) an employee, (b) their job role, and (c) the role-requirement matrix plus the corpus, the Plans module asks the AI to compose a personalised onboarding plan. The plan lists modules, each module contains tasks, quizzes and an assessment rubric, and every item is **source-cited** back to a document chunk.

Why this matters

This is the visible product of SkillsPrint. Everything else in the app (users, roles, documents, requirements, matrix) exists to feed this step. The generated plan is what a new employee actually opens on day one and works through.

How it works

- The admin picks an employee and confirms the job role.
- The system loads the role's mandatory requirements, retrieves the top-N relevant chunks per requirement, and constructs an AI prompt.
- The prompt is sent to Groq first (openai/gpt-oss-120b). If Groq is unavailable, the request falls back to Google Gemini automatically. Every attempt is recorded in the generation-run log.
- The AI returns a strict JSON structure - plan title, plan summary, modules (with tasks, quizzes, assessment) - each carrying source_document_id and source_section.
- The plan is stored in the database and shown on the Plans page for the admin to validate before releasing to the employee.

Plan structure

Level	What it contains	Cited
Plan	Title, summary, target role, target employee, priority weighting	Aggregate
Module	Learning objective, estimated duration, tasks, quizzes, assessment	Yes
Task	Concrete action - read, watch, sign, meet, shadow	Yes
Quiz	Auto-graded questions (multiple choice, multiple response, true/false, scenarios)	Yes
Assessment	Weighted rubric evaluated by supervisor or auto-scored	Yes

Recorded per generation

- Provider used and whether the fallback was engaged.
- Model name, temperature, prompt template version.
- Latency in milliseconds, tokens in and out.
- Full prompt digest (SHA-256) for auditability - the prompt itself is retained for 30 days.
- The generated raw JSON for regeneration or comparison.