Object: sale.order	Type: Bas
Name: Sales Order	
	Transient
	Apps: acc
	delivery,
	industry_
	mass_mai
	pos_sale,
	sale_amaz
	sale_asyn
	sale_expe
	sale_mrp,
	sale_proje
	sale_renti
	sale_stoc
	sale_subs
	sale_subs
	spreadshe
	website_a
	website_s
	website_s
	website_s
	whatsapp

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	sale.order.manager
Planning / Administrator	X				sale.order.planning.manager
Project / Administrator	X				sale.order.project.manager
Accounting / Bookkeeper	X	X			sale.order.accountant
Accounting / Invoicing	X	X			sale.order
User types / Portal	X				sale.order.portal
Accounting / Read-only	X				sale.order.accountant
Manufacturing / User	X	X			sale.order manufacturing.user
Inventory / User	X	X			sale.order stock worker
Sales / User: Own Documents Only	X	X	X		sale.order

Fields

Name	Label	Type	Attribute	Rq	Ro
access_token	Security Token	char			
access_url	Portal Access URL	char			X
access_warning	Access warning	text			X
activity_calendar_event_id	Next Activity Calendar Event	many2one	- relation = calendar.event - ondelete = Set NULL		X

activity_date_deadline	Next Activity Deadline	date			X
activity_exception_decoration	Activity Exception Decoration	selection	- selection = [(warning, Alert), (danger, Error),]		X
activity_exception_icon	Icon	char			X
activity_ids	Activities	one2many	- relation = mail.activity - field = res_id		
activity_state	Activity State	selection	- selection = [(overdue, Overdue), (today, Today), (planned, Planned),]		X
activity_summary	Next Activity Summary	char			
activity_type_icon	Activity Type Icon	char			X
activity_type_id	Next Activity Type	many2one	- relation = mail.activity.type		
activity_user_id	Responsible User	many2one	- relation = res.users - ondelete = Set NULL		X
amazon_channel	Fulfillment Channel	selection	- selection = [(fbm, Fulfillment by Merchant), (fba, Fulfillment by Amazon),]		
amazon_order_ref	Amazon Reference	char			X
amount_delivery	Delivery Amount	monetary			X
amount_invoiced	Already invoiced	monetary			X
amount_paid	Payment Transactions Amount	float			X
amount_tax	Taxes	monetary			X
amount_to_invoice	Un-invoiced Balance	monetary			X
amount_total	Total	monetary			X
amount_undiscounted	Amount Before Discount	float			X
amount_unpaid	Amount To Pay In POS	monetary			X
amount_untaxed	Untaxed Amount	monetary			X
attendee_count	Attendee Count	integer			X
authorized_transaction_ids	Authorized Transactions	many2many	- relation = payment.transaction		X
available_product_document_ids	Available Product Documents	many2many	- relation = quotation.document		X
avatax_unique_code	Avalara Code	char			X
calendar_event_count	Meetings	integer			X
campaign_id	Campaign	many2one	- relation = utm.campaign - ondelete = Set NULL		
carrier_id	Delivery Method	many2one	- relation = delivery.carrier - ondelete = Set NULL		
cart_quantity	Cart Quantity	integer			X

cart_recovery_email_sent	Cart recovery email already sent	boolean			
client_order_ref	Customer Reference	char			
close_reason_id	Close Reason	many2one	- relation = sale.order.close.reason - ondelete = Set NULL		
closed_task_count	Closed Task Count	integer			X
commercial_partner_id	Commercial Entity	many2one	- relation = res.partner		X
commitment_date	Delivery Date	datetime			
company_id	Company	many2one	- relation = res.company - ondelete = Restrict	X	
company_price_include	Default Sales Price Include	selection			X
completed_task_percentage	Completed Task Percentage	float			X
country_code	Country code	char	- size = 2		X
create_date	Creation Date	datetime			X
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X
currency_id	Currency	many2one	- relation = res.currency - ondelete = Restrict		X
currency_rate	Currency Rate	float			X
customizable_pdf_form_fields	Customizable PDF Form Fields	json			
date_order	Order Date	datetime		X	
delivery_count	Delivery Orders	integer			X
delivery_message	Delivery Message	char			X
delivery_set	Delivery Set	boolean			X
delivery_status	Delivery Status	selection	- selection = [(pending, Not Delivered), (started, Started), (partial, Partially Delivered), (full, Fully Delivered),]		X
display_late	Display Late	boolean			X
display_name	Display Name	char			X
display_recurring_stock_delivery_warning	Display Recurring Stock Delivery Warning	boolean			X
duplicated_order_ids	Duplicated Order	many2many	- relation = sale.order		X
duration_days	Duration in days	integer			X
effective_date	Effective Date	datetime			X
end_date	End Date	date			
expected_date	Expected Date	datetime			X
expense_count	# of Expenses	integer			X

expense_ids	Expenses	one2many	- relation = hr.expense - field = sale_order_id		X
first_contract_date	First Contract Date	date			X
fiscal_position_id	Fiscal Position	many2one	- relation = account.fiscal.position - ondelete = Set NULL		
has_active_pricelist	Has Active Pricelist	boolean			X
has_archived_products	Has Archived Products	boolean			X
has_message	Has Message	boolean			X
has_pickable_lines	Has Pickable Lines	boolean			X
has_recurring_line	Has Recurring Line	boolean			X
has_rented_products	Has Rented Products	boolean			X
has_returnable_lines	Has Returnable Lines	boolean			X
health	Health	selection	- selection = [(normal, Neutral), (done, Good), (bad, Bad),]		
history_count	History Count	integer			X
id	ID	integer			X
incoterm	Incoterm	many2one	- relation = account.incoterms - ondelete = Set NULL		
incoterm_location	Incoterm Location	char			
internal_note	Internal Note	html			
internal_note_display	Internal Note Display	html			
invoice_count	Invoice Count	integer			X
invoice_ids	Invoices	many2many	- relation = account.move		X
invoice_status	Invoice Status	selection	- selection = [(upselling, Upselling Opportunity), (invoiced, Fully Invoiced), (to invoice, To Invoice), (no, Nothing to Invoice),]		X
is_abandoned_cart	Abandoned Cart	boolean			X
is_all_service	Service Product	boolean			X
is_avatax	Is Avatax	boolean			X
is_batch	Is Batch	boolean			
is_expired	Is Expired	boolean			X
is_invoice_cron	Is a Subscription invoiced in cron	boolean			
is_late	Is overdue	boolean			X
is_pdf_quote_builder_available	Is Pdf Quote Builder Available	boolean			X
is_product_milestone	Is Product Milestone	boolean			X

is_renewing	Is Renewing	boolean			X
is_rental_order	Created In App Rental	boolean			
is_subscription	Recurring	boolean			X
is_tax_computed_externally	Is Tax Computed Externally	boolean			X
is_upselling	Is Upselling	boolean			X
journal_id	Invoicing Journal	many2one	- relation = account.journal - ondelete = Set NULL		
json_popover	JSON data for the popover widget	char			X
kpi_1month_mrr_delta	KPI 1 Month MRR Delta	float			
kpi_1month_mrr_percentage	KPI 1 Month MRR Percentage	float			
kpi_3months_mrr_delta	KPI 3 months MRR Delta	float			
kpi_3months_mrr_percentage	KPI 3 Months MRR Percentage	float			
last_invoice_date	Last invoice date	date			X
last_reminder_date	Last Reminder Date	date			
locked	Locked	boolean			
medium_id	Medium	many2one	- relation = utm.medium - ondelete = Set NULL		
message_attachment_count	Attachment Count	integer			X
message_follower_ids	Followers	one2many	- relation = mail.followers - field = res_id		
message_has_error	Message Delivery error	boolean			X
message_has_error_counter	Number of errors	integer			X
message_has_sms_error	SMS Delivery error	boolean			X
message_ids	Messages	one2many	- relation = mail.message - field = res_id		
message_is_follower	Is Follower	boolean			X
message_needaction	Action Needed	boolean			X
message_needaction_counter	Number of Actions	integer			X
message_partner_ids	Followers (Partners)	many2many	- relation = res.partner		
milestone_count	Milestone Count	integer			X
mrp_production_count	Count of MO generated	integer			X
mrp_production_ids	Manufacturing orders associated with this sales order.	many2many	- relation = mrp.production		X

my_activity_date_deadline	My Activity Deadline	date			X
name	Order Reference	char		X	
next_action_date	Next Action	datetime			X
next_invoice_date	Next Invoice	date			
non_recurring_total	Total Non Recurring Revenue	monetary			X
note	Terms and conditions	html			
note_order	Note Order	many2one	- relation = sale.order - ondelete = Set NULL		X
only_services	Only Services	boolean			X
opportunity_id	Opportunity	many2one	- relation = crm.lead - ondelete = Set NULL		
order_line	Order Lines	one2many	- relation = sale.order.line - field = order_id		
order_log_ids	Subscription Logs	one2many	- relation = sale.order.log - field = order_id		X
origin	Source Document	char			
origin_order_id	First contract	many2one	- relation = sale.order - ondelete = Restrict		X
partner_credit_warning	Partner Credit Warning	text			X
partner_id	Customer	many2one	- relation = res.partner - ondelete = Restrict	X	
partner_invoice_id	Invoice Address	many2one	- relation = res.partner - ondelete = Restrict	X	
partner_shipping_id	Delivery Address	many2one	- relation = res.partner - ondelete = Restrict	X	
partner_ups_carrier_account	UPS account number	char			
payment_exception	Contract in exception	boolean			
payment_term_id	Payment Terms	many2one	- relation = account.payment.term - ondelete = Set NULL		
payment_token_id	Payment Token	many2one	- relation = payment.token - ondelete = Set NULL		
pending_email_template_id	Pending Email Template	many2one	- relation = mail.template - ondelete = Set NULL		X

pending_transaction	Pending Transaction	boolean			
percentage_satisfaction	% Happy	integer			X
picking_ids	Transfers	one2many	- relation = stock.picking - field = sale_id		
picking_policy	Shipping Policy	selection	- selection = [(direct, As soon as possible), (one, When all products are ready),]	X	
pickup_location_data	Pickup Location Data	json			
plan_id	Recurring Plan	many2one	- relation = sale.subscription.plan - ondelete = Restrict		
planning_first_sale_line_id	Planning First Sale Line	many2one	- relation = sale.order.line - ondelete = Set NULL		X
planning_hours_planned	Planning Hours Planned	float			X
planning_hours_to_plan	Planning Hours To Plan	float			X
planning_initial_date	Planning Initial Date	date			X
pos_order_count	Pos Order Count	integer			X
pos_order_line_ids	Order lines Transfered to Point of Sale	one2many	- relation = pos.order.line - field = sale_order_origin_id		X
prepayment_percent	Prepayment percentage	float			
pricelist_id	Pricelist	many2one	- relation = product.pricelist - ondelete = Set NULL		
procurement_group_id	Procurement Group	many2one	- relation = procurement.group - ondelete = Set NULL		
project_account_id	Project Account	many2one	- relation = account.analytic.account		X
project_count	Number of Projects	integer			X
project_id	Project	many2one	- relation = project.project - ondelete = Set NULL		
project_ids	Projects	many2many	- relation = project.project		X
purchase_order_count	Number of Purchase Order Generated	integer			X
quotation_document_ids	Headers/Footers	many2many	- relation = quotation.document		
rating_avg	Average Rating	float			X
rating_avg_text	Rating Avg Text	selection	- selection = [(top, Satisfied), (ok, Okay), (ko, Dissatisfied), (none, No Rating yet),]		X
rating_count	Rating count	integer			X

rating_ids	Ratings	one2many	- relation = rating.rating - field = res_id		
rating_last_feedback	Rating Last Feedback	text			X
rating_last_image	Rating Last Image	binary			X
rating_last_text	Rating Text	selection			X
rating_last_value	Rating Last Value	float			X
rating_percentage_satisfaction	Rating Satisfaction	float			X
recompute_delivery_price	Delivery cost should be recomputed	boolean			
recurring_details	Recurring Details	html			X
recurring_monthly	Monthly Recurring	monetary			X
recurring_total	Total Recurring	monetary			X
reference	Payment Ref.	char			
remaining_hours	Remaining duration in hours	integer			X
renewal_count	Renewal Count	integer			X
rental_return_date	Rental Return Date	datetime			
rental_start_date	Rental Start Date	datetime			
rental_status	Rental Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (pickup, Reserved), (return, Pickedup), (returned, Returned), (cancel, Cancelled),]		X
repair_count	Repair Order(s)	integer			X
repair_order_ids	Repair Order	one2many	- relation = repair.order - field = sale_order_id		
require_payment	Online payment	boolean			
require_signature	Online signature	boolean			
sale_order_option_ids	Optional Products Lines	one2many	- relation = sale.order.option - field = order_id		
sale_order_template_id	Quotation Template	many2one	- relation = sale.order.template - ondelete = Set NULL		
shipping_weight	Shipping Weight	float			
shop_warning	Warning	char			
shopee_delivery_status	Shopee Status	selection	- selection = [(draft, Ready to Ship), (confirmed, Shipment Arranged), (done, Shipped), (cancelled, Cancelled), (error, Pickup Failed),]		X
shopee_fulfillment_type	Shopee Fulfillment Type	selection	- selection = [(fbm, Fulfillment by Merchant), (fbs, Fulfillment by Shopee), (hybrid, Fulfillment by Cross Border Seller),]		
shopee_order_ref	Shopee Reference	char			X

shopee_shop_id	Shopee Shop	many2one	- relation = shopee.shop - ondelete = Set NULL		X
show_create_project_button	Show Create Project Button	boolean			X
show_hours_recorded_button	Show Hours Recorded Button	boolean			X
show_json_popover	Has late picking	boolean			X
show_project_button	Show Project Button	boolean			X
show_task_button	Show Task Button	boolean			X
show_update_duration	Has Duration Changed	boolean			
show_update_fpos	Has Fiscal Position Changed	boolean			
show_update_pricelist	Has Pricelist Changed	boolean			
signature	Signature	binary			
signed_by	Signed By	char			
signed_on	Signed On	datetime			
source_id	Source	many2one	- relation = utm.source - ondelete = Set NULL		
spreadsheet_id	Spreadsheet	many2one	- relation = sale.order.spreadsheet - ondelete = Set NULL		X
spreadsheet_ids	Spreadsheets	one2many	- relation = sale.order.spreadsheet - field = order_id		
spreadsheet_template_id	Quote calculator	many2one	- relation = sale.order.spreadsheet		X
starred	Show Subscription on dashboard	boolean			
starred_user_ids	Members	many2many	- relation = res.users		
start_date	Start Date	date			
state	Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (sale, Sales Order), (cancel, Cancelled),]		X
subscription_child_ids	Subscription Child	one2many	- relation = sale.order - field = subscription_id		
subscription_id	Parent Contract	many2one	- relation = sale.order - ondelete = Restrict		
subscription_state	Subscription Status	selection	- selection = [(1_draft, Quotation), (2_renewal, Renewal Quotation), (3_progress, In Progress), (4_paused, Paused), (5_renewed, Renewed), (6_churn, Churned), (7_upsell, Upsell),]		
tag_ids	Tags	many2many	- relation = crm.tag		

task_id	Task	many2one	- relation = project.task - ondelete = Set NULL		
tasks_count	Tasks	integer			X
tasks_ids	Tasks associated with this sale	many2many	- relation = project.task		X
tax_calculation_rounding_method	Tax Calculation Rounding Method	selection			X
tax_country_id	Tax Country	many2one	- relation = res.country - ondelete = Set NULL		X
tax_totals	Tax Totals	binary			X
team_id	Sales Team	many2one	- relation = crm.team - ondelete = Set NULL		
team_user_id	Team Leader	many2one	- relation = res.users		
terms_type	Terms & Conditions format	selection			X
timesheet_count	Timesheet activities	float			X
timesheet_encode_uom_id	Timesheet Encoding Unit	many2one	- relation = uom.uom		X
timesheet_total_duration	Timesheet Total Duration	integer			X
transaction_ids	Transactions	many2many	- relation = payment.transaction		X
type_name	Type Name	char			X
ups_bill_my_account	Bill My Account	boolean			X
upsell_count	Upsell Count	integer			X
user_closable	Closable	boolean			X
user_extend	Renew	boolean			X
user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL		
user_quantity	Add Products	boolean			X
validity_date	Expiration	date			
visible_project	Display project	boolean			X
warehouse_id	Warehouse	many2one	- relation = stock.warehouse - ondelete = Set NULL		
website_id	Website	many2one	- relation = website - ondelete = Set NULL		X
website_message_ids	Website Messages	one2many	- relation = mail.message - field = res_id		

website_order_line	Order Lines displayed on Website	one2many	- relation = sale.order.line		X
write_date	Last Updated on	datetime			X
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X

Views

Seq	Type	Name	XML ID	Inherited
2	List	sale.order.list (orders)	sale.view_order_tree	sale.sale_
4	List	sale.order.list (quotes)	sale.view_quotation_tree	sale.sale_
10	Form	sale.order.form.sale.project	sale_project.view_order_form_inherit_sale_project	sale.view
10	Form	sale.subscription.order.form	sale_subscription.sale_subscription_order_view_form	sale_man
15	Search	sale.order.list.select	sale.view_sales_order_filter	
16	Form	amazon.order.form	sale_amazon.amazon_order_view_form	sale.view
16	List	amazon.order.list	sale_amazon.sale_order_tree	sale.sale_
16	Search	amazon.order.search	sale_amazon.view_sales_order_filter	sale.view
16	Form	delivery.sale.order.form.view.with.carrier	delivery.view_order_form_with_carrier	sale.view
16	Form	rental.order.form	sale_renting.rental_order_form_view	sale.view
16	Form	rental.order.form	sale_management_renting.sale_order_form_view	sale_man
16	Form	rental.order.form.inherit.stock	sale_stock_renting.rental_order_form_view_inherit_stock	sale_rent
16	List	rental.order.list	sale_renting.rental_order_view_tree	
16	Search	rental.order.search.bis	sale_renting.rental_order_view_search_without_searchpanel	sale_rent
16	Search	rental.order.search.inherit.sale_renting_project	sale_renting_project.rental_order_view_search	sale_rent
16	Activity	sale.order.activity	sale.sale_order_view_activity	
16	Calendar	sale.order.calendar	sale.view_sale_order_calendar	
16	Calendar	sale.order.calendar	sale_subscription.view_sale_subscription_calendar	sale.view
16	Cohort	sale.order.cohort	sale_subscription.sale_order_view_cohort	
16	Search	sale.order.ecommerce.search.view	website_sale.view_sales_order_filter_ecommerce	sale.view
16	Search	sale.order.filter.subscription	sale_subscription.view_sales_order_filter_subscription	sale.view
16	Form	sale.order.form	sale.view_order_form	
16	Form	sale.order.form	spreadsheet_sale_management.sale_order_view_form	sale.view
16	Form	sale.order.form	website_sale.sale_order_view_form	sale.view
16	Form	sale.order.form.abandoned.cart	website_sale.sale_order_view_form_cart_recovery	sale.view
16	Form	sale.order.form.inherit	sale_external_tax.order_form_inherit	sale.view
16	Form	sale.order.form.inherit	account_avatax_sale.order_form_inherit	sale.view

16	Form	sale.order.form.inherit.delivery.ups	delivery_ups_rest.view_order_form_inherit_delivery_ups	sale.view
16	Form	sale.order.form.inherit.event.sale	event_sale.sale_order_view_form	sale.view
16	Form	sale.order.form.inherit.repair	repair.view_sale_order_form_inherit_repair	sale.view
16	Form	sale.order.form.inherit.sale	sale_crm.sale_view_inherit123	sale.view
16	Form	sale.order.form.inherit.sale.expense	sale_expense.sale_order_form_view_inherit	sale.view
16	Form	sale.order.form.inherit.sale_management	sale_management.sale_order_form_quote	sale.view
16	Form	sale.order.form.pdf.quote.builder	sale_pdf_quote_builder.sale_order_form_inherit_sale_pdf_quote_builder	sale_man
16	Form	sale.order.form.pos.sale	pos_sale.view_order_form_inherit_pos_sale	sale.view
16	Form	sale.order.form.sale.planning	sale_planning.view_order_form_inherit_sale_planning	sale.view
16	Form	sale.order.form.sale.project	industry_fsm_sale.view_order_form_inherit_sale_project	sale.view
16	Form	sale.order.form.sale.stock	sale_stock.view_order_form_inherit_sale_stock	sale.view
16	Form	sale.order.form.sale.timesheet	sale_timesheet.view_order_form_inherit_sale_timesheet	sale_proj
16	Graph	sale.order.graph	sale.view_sale_order_graph	
16	Form	sale.order.inherited.form.mrp	sale_mrp.sale_order_form_mrp	sale.view
16	Form	sale.order.inherited.form.purchase	sale_purchase.sale_order_inherited_form_purchase	sale.view
16	Kanban	sale.order.kanban	sale.view_sale_order_kanban	
16	Kanban	sale.order.kanban	sale.view_quotation_kanban_with_onboarding	sale.view
16	Kanban	sale.order.kanban	sale_subscription.sale_subscription_view_kanban	
16	Form	sale.order.line.list.sale.stock.qty	sale_stock.view_order_form_inherit_sale_stock_qty	sale.view
16	List	sale.order.list	sale.view_quotation_tree_with_onboarding	sale.view
16	List	sale.order.list	sale_subscription.view_order_tree	sale.view
16	List	sale.order.list	sale_subscription.view_quotation_tree_subscription	sale.view
16	List	sale.order.list.inherit.sale.stock	sale_stock.sale_order_tree	sale.sale_
16	List	sale.order.list.inherit.sale.stock	sale_stock.view_order_tree	sale.view
16	List	sale.order.list.inherit.website.sale	website_sale.sale_order_tree	sale.sale_
16	Search	sale.order.list.select.inherit.sale_project	sale_project.view_sales_order_filter_inherit_sale_project	sale.view
16	Pivot	sale.order.pivot	sale.view_sale_order_pivot	
16	Search	sale.order.search	sale_subscription.sale_subscription_view_search	
16	Search	sale.order.search.inherit.project_sale_subscription	project_sale_subscription.sale_subscription_view_search_inherit_project_sale_subscription	sale_subs
16	Search	sale.order.search.inherit.quotation	sale.sale_order_view_search_inherit_quotation	sale.view
16	Search	sale.order.search.inherit.sale	sale.sale_order_view_search_inherit_sale	sale.view
16	List	sale.order.subscription.list.inherit.website.sale.subscription	website_sale_subscription.sale_order_subscription_view_tree_inherit_website_sale_subscription	sale_subs
16	Form	sale.order.view.form.inherit.website.appointment.sale	website_appointment_sale.sale_order_view_form	sale.view
16	Activity	sale.subscription.activity	sale_subscription.sale_subscription_view_activity	

16	Form	sale.subscription.order.form	sale_subscription_stock.sale_subscription_order_view_form	sale_subs
16	List	sale.subscription.order.list	sale_subscription.sale_subscription_view_tree	
16	Cohort	sale.subscription.report.cohort	sale_subscription.sale_subscription_report_view_cohort	
16	Form	shopee.order.form	sale_shopee.view_order_form	sale.view_
16	List	shopee.order.list	sale_shopee.sale_order_tree	sale.sale_
16	Search	shopee.order.search	sale_shopee.view_sales_order_filter	sale.view_
32	Calendar	rental.order.calendar	sale_renting.rental_order_view_calendar	sale.view_
32	Search	sale.order.ecommerce.abondand.view	website_sale.view_sales_order_filter_ecommerce_abondand	
32	Search	sale.order.ecommerce.search.unpaid.view	website_sale.view_sales_order_filter_ecommerce_unpaid	sale.view_
32	Kanban	sale.order.kanban.upload (orders)	sale.sale_order_kanban_upload	sale.view_
32	List	sale.order.tree.upload (orders)	sale.sale_order_list_upload	sale.view_
100	Kanban	rental.order.kanban	sale_renting.rental_order_view_kanban	sale.view_
100	Search	rental.order.search	sale_renting.rental_order_view_search	
999	Form	rental.order.form	sale_renting.rental_order_primary_form_view	sale_rent
999	List	sale.subscription.order.list	sale_subscription.sale_subscription_upsell_primary_view_tree	sale.view_
999	Form	sale.subscription.order.primary.form	sale_subscription.sale_subscription_primary_form_view	sale_subs
999	List	sale.subscription.quotation.list	sale_subscription.sale_subscription_quotation_tree_view	sale_subs
1,000	List	sale.order.list	sale.sale_order_tree	

Object: event.sale.report						Type: Base Object			
Name: Event Sales Report						Transient: False			
						Apps: event_sale, website_event_sale			

Security

Group	R	W	C	U	Name				
Events / Administrator	X				access.event.sale.report.manager				

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Is registration active (not archived)?	boolean						event_sale
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL		X			event_sale
display_name	Display Name	char			X			event_sale
event_date_begin	Event Start Date	date			X			event_sale
event_date_end	Event End Date	date			X			event_sale
event_id	Event	many2one	- relation = event.event - ondelete = Set NULL		X			event_sale
event_registration_create_date	Registration Date	date			X			event_sale
event_registration_id	Event Registration	many2one	- relation = event.registration - ondelete = Set NULL		X			event_sale
event_registration_name	Attendee Name	char			X			event_sale
event_registration_state	Registration Status	selection	- selection = [(draft, Unconfirmed), (cancel, Cancelled), (open, Confirmed), (done, Attended),]		X			event_sale
event_ticket_id	Event Ticket	many2one	- relation = event.event.ticket - ondelete = Set NULL		X			event_sale
event_ticket_price	Ticket price	float			X			event_sale
event_type_id	Event Type	many2one	- relation = event.type - ondelete = Set NULL		X			event_sale
id	ID	integer			X			event_sale

invoice_partner_id	Invoice Address	many2one	- relation = res.partner - ondelete = Set NULL		X			event_sale
is_published	Published Events	boolean			X			website_event_sale
product_id	Product	many2one	- relation = product.product - ondelete = Set NULL		X			event_sale
sale_order_date	Order Date	datetime			X			event_sale
sale_order_id	Sale Order	many2one	- relation = sale.order - ondelete = Set NULL		X			event_sale
sale_order_line_id	Sale Order Line	many2one	- relation = sale.order.line - ondelete = Set NULL		X			event_sale
sale_order_partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL		X			event_sale
sale_order_state	Sale Order Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (sale, Sales Order), (cancel, Cancelled),]		X			event_sale
sale_order_user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL		X			event_sale
sale_price	Revenues	float			X			event_sale
sale_price_untaxed	Untaxed Revenues	float			X			event_sale
sale_status	Payment Status	selection	- selection = [(to_pay, Not Sold), (sold, Sold), (free, Free),]					event_sale

Views

Seq	Type	Name	XML ID	Inherited
16	Form	event.sale.report.view.form	event_sale.event_sale_report_view_form	
16	Graph	event.sale.report.view.graph	event_sale.event_sale_report_view_graph	
16	List	event.sale.report.view.list	event_sale.event_sale_report_view_tree	
16	Pivot	event.sale.report.view.pivot	event_sale.event_sale_report_view_pivot	
16	Search	event.sale.report.view.search	event_sale.event_sale_report_view_search	
16	Search	event.sale.report.view.search.inherit.website	website_event_sale.event_sale_report_view_search	event_sale.event_sale_report_view_search

Object: sale.pdf.form.field
Name: Form fields of inside quotation documents.

Type: Base Object

Transient: False

Apps: sale_pdf_quote_builder

<u>Security</u>

Group	R	W	C	U	Name
User types / Internal User	X				access_sale_pdf_form_field_user
Administration / Settings	X	X	X	X	access_sale_pdf_form_field_user

<u>Fields</u>

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
create_date	Created on	datetime			X			sale_pdf_quote_builder
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_pdf_quote_builder
display_name	Display Name	char			X			sale_pdf_quote_builder
document_type	Document Type	selection	- selection = [(quotation_document, Header/Footer), (product_document, Product Document),]	X	X			sale_pdf_quote_builder
id	ID	integer			X			sale_pdf_quote_builder
name	Form Field Name	char		X	X			sale_pdf_quote_builder
path	Path	char						sale_pdf_quote_builder
product_document_ids	Product Documents	many2many	- relation = product.document					sale_pdf_quote_builder
quotation_document_ids	Quotation Documents	many2many	- relation = quotation.document					sale_pdf_quote_builder
write_date	Last Updated on	datetime			X			sale_pdf_quote_builder
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_pdf_quote_builder

Views				
Seq	**Type**	**Name**	**XML ID**	**Inherited**
16	List	sale.pdf.form.field.list	sale_pdf_quote_builder.sale_pdf_form_field_list	
16	Search	sale.pdf.form.field.search	sale_pdf_quote_builder.quotation_document_search	

Object: sale.subscription.pricing	Type: Base Object
Name: Pricing rule of subscription products	Transient: False
	Apps: sale_subscription

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	access_sale_subscription_pricing_manager
Sales / User: Own Documents Only	X				access_sale_subscription_pricing_salesman

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						sale_subscription
company_id	Company	many2one	- relation = res.company		X			sale_subscription
create_date	Created on	datetime			X			sale_subscription
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription
currency_id	Currency	many2one	- relation = res.currency - ondelete = Set NULL		X			sale_subscription
display_name	Display Name	char			X			sale_subscription
id	ID	integer			X			sale_subscription

name	Billing Period	char			X			sale_subscription
plan_id	Recurring Plan	many2one	- relation = sale.subscription.plan - ondelete = Restrict	X				sale_subscription
price	Recurring Price	monetary		X				sale_subscription
pricelist_id	Pricelist	many2one	- relation = product.pricelist - ondelete = Cascade					sale_subscription
product_template_id	Products	many2one	- relation = product.template - ondelete = Cascade					sale_subscription
product_variant_ids	Product Variants	many2many	- relation = product.product					sale_subscription
write_date	Last Updated on	datetime			X			sale_subscription
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription

Views

Seq	Type	Name	XML ID	Inherited		

Object: project.sale.line.employee.map	Type: Base Object
Name: Project Sales line, employee mapping	Transient: False
	Apps: industry_fsm_sale, sale_timesheet

Security

Group	R	W	C	U	Name
Project / Administrator	X	X	X	X	access_project_sale_line_employee_map_project_manager
User types / Internal User	X				access_project_sale_line_employee_map

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
company_id	Company	many2one	- relation = res.company		X			sale_timesheet
cost	Cost	monetary						sale_timesheet
cost_currency_id	Cost Currency	many2one	- relation = res.currency		X			sale_timesheet
create_date	Created on	datetime			X			sale_timesheet
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_timesheet

currency_id	Currency	many2one	- relation = res.currency - ondelete = Set NULL					sale_timesheet
display_cost	Hourly Cost	monetary						sale_timesheet
display_name	Display Name	char			X			sale_timesheet
employee_id	Employee	many2one	- relation = hr.employee - ondelete = Restrict	X				sale_timesheet
existing_employee_ids	Existing Employee	many2many	- relation = hr.employee		X			sale_timesheet
id	ID	integer			X			sale_timesheet
is_cost_changed	Is Cost Manually Changed	boolean			X			sale_timesheet
partner_id	Customer	many2one	- relation = res.partner		X			sale_timesheet
price_unit	Unit Price	float						industry_fsm_sale, sale_timesheet
project_id	Project	many2one	- relation = project.project - ondelete = Restrict	X				sale_timesheet

sale_line_id	Sales Order Item	many2one	- relation = sale.order.line - ondelete = Set NULL					sale_timesheet
sale_order_id	Order Reference	many2one	- relation = sale.order		X			sale_timesheet
timesheet_product_id	Service	many2one	- relation = product.product - ondelete = Set NULL					industry_fsm_sale
write_date	Last Updated on	datetime			X			sale_timesheet
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_timesheet

Views

Seq	Type	Name	XML ID	Inherited

Object: sale.order.template
Name: Quotation Template

Type: Base Object

Transient: False

Apps: sale_management, sale_pdf_quote_builder, sale_subscription, spreadsheet_sale_management

<u>Security</u>

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	sale.order.template
Administration / Settings	X				sale.order.template
Sales / User: Own Documents Only	X				sale.order.template

<u>Fields</u>

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						sale_management
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL					sale_management
create_date	Created on	datetime			X			sale_management
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_management
display_name	Display Name	char			X			sale_management
duration_unit	Duration Unit	selection	- selection = [(month, Months), (year, Years),]	X				sale_subscription
duration_value	End After	integer		X				sale_subscription
id	ID	integer			X			sale_management
is_subscription	Is Subscription	boolean			X			sale_subscription
is_unlimited	Last Forever	boolean						sale_subscription
journal_id	Invoicing Journal	many2one	- relation = account.journal - ondelete = Set NULL				X	sale_management
mail_template_id	Confirmation Mail	many2one	- relation = mail.template - ondelete = Set NULL					sale_management
name	Quotation Template	char		X				sale_management
note	Terms and conditions	html				X		sale_management

number_of_days	Quotation Duration	integer						sale_management
plan_id	Recurring Plan	many2one	- relation = sale.subscription.plan - ondelete = Set NULL					sale_subscription
prepayment_percent	Prepayment percentage	float						sale_management
quotation_document_ids	Headers and footers	many2many	- relation = quotation.document					sale_pdf_quote_builder
require_payment	Online Payment	boolean						sale_management
require_signature	Online Signature	boolean						sale_management
sale_order_template_line_ids	Lines	one2many	- relation = sale.order.template.line - field = sale_order_template_id					sale_management
sale_order_template_option_ids	Optional Products	one2many	- relation = sale.order.template.option - field = sale_order_template_id					sale_management
sequence	Sequence	integer						sale_management
spreadsheet_template_id	Quote calculator	many2one	- relation = sale.order.spreadsheet - ondelete = Set NULL					spreadsheet_sale_management
write_date	Last Updated on	datetime			X			sale_management
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_management

Views

Seq	Type	Name	XML ID	Inherited
16	Form	sale.order.template.form	sale_management.sale_order_template_view_form	
16	Form	sale.order.template.form	sale_pdf_quote_builder.sale_order_template_form	sale_management.sale_order_template_view_form
16	Form	sale.order.template.form	sale_subscription.sale_subscription_template_view_form	sale_management.sale_order_template_view_form
16	Form	sale.order.template.form	spreadsheet_sale_management.sale_order_template_view_form	sale_management.sale_order_template_view_form
16	List	sale.order.template.list	sale_management.sale_order_template_view_tree	
16	List	sale.order.template.list	sale_subscription.sale_order_template_view_tree	sale_management.sale_order_template_view_tree
16	Search	sale.order.template.search	sale_management.sale_order_template_view_search	
16	Search	sale.order.template.search	sale_subscription.sale_order_template_view_search	

Object: sale.order.template.line
Name: Quotation Template Line

Type: Base Object

Transient: False

Apps: sale_management,
sale_management_renting,
sale_project, sale_subscription

<u>Security</u>

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	sale.order.template.line
Sales / User: Own Documents Only	X				sale.order.template.line

<u>Fields</u>

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
company_id	Company	many2one	- relation = res.company		X		X	sale_management
create_date	Created on	datetime			X			sale_management
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_management
display_name	Display Name	char			X			sale_management
display_type	Display Type	selection	- selection = [(line_section, Section), (line_note, Note),]					sale_management
id	ID	integer			X			sale_management
name	Description	text				X		sale_management

product_id	Product	many2one	- relation = product.product - ondelete = Set NULL					sale_management
product_uom_category_id	Category	many2one	- relation = uom.category		X			sale_management
product_uom_id	Unit of Measure	many2one	- relation = uom.uom - ondelete = Set NULL					sale_management
product_uom_qty	Quantity	float		X				sale_management
recurring_invoice	Subscription Product	boolean			X			sale_subscription
sale_order_template_id	Quotation Template Reference	many2one	- relation = sale.order.template - ondelete = Cascade	X			X	sale_management
sequence	Sequence	integer						sale_management
write_date	Last Updated on	datetime			X			sale_management
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_management

Views

Seq	Type	Name	XML ID	Inherited		

<table>
<tr><td colspan="2">Object: sale.order.template.option
Name: Quotation Template Option</td><td>Type: Base Object

Transient: False

Apps: sale_management,
sale_management_renting,
sale_subscription</td></tr>
</table>

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	sale.order.template.option
Sales / User: Own Documents Only	X				sale.order.template.option

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
company_id	Company	many2one	- relation = res.company		X		X	sale_management
create_date	Created on	datetime			X			sale_management
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_management
display_name	Display Name	char			X			sale_management
id	ID	integer			X			sale_management
name	Description	text		X		X		sale_management

product_id	Product	many2one	- relation = product.product - ondelete = Restrict	X				sale_management
product_uom_category_id	Category	many2one	- relation = uom.category		X			sale_management
quantity	Quantity	float			X			sale_management
recurring_invoice	Subscription Product	boolean			X			sale_subscription
sale_order_template_id	Quotation Template Reference	many2one	- relation = sale.order.template - ondelete = Cascade	X			X	sale_management
uom_id	Unit of Measure	many2one	- relation = uom.uom - ondelete = Restrict	X				sale_management
write_date	Last Updated on	datetime			X			sale_management
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_management

Views

Seq	Type	Name	XML ID	Inherited		

Object: sale.rental.report	Type: Base Object
Name: Rental Analysis Report	Transient: False
	Apps: sale_renting, sale_stock_renting

Security

Group	R	W	C	U	Name
Sales / Administrator	X				rental.report
Sales / User: Own Documents Only	X				rental.report

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
categ_id	Product Category	many2one	- relation = product.category - ondelete = Set NULL		X			sale_renting
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL		X			sale_renting
currency_id	Currency	many2one	- relation = res.currency - ondelete = Set NULL		X			sale_renting
date	Date	date			X			sale_renting
display_name	Display Name	char			X			sale_renting
id	ID	integer			X			sale_renting
lot_id	Serial Number	many2one	- relation = stock.lot - ondelete = Set NULL		X			sale_stock_renting
order_id	Order #	many2one	- relation = sale.order - ondelete = Set NULL		X			sale_renting

partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL		X			sale_renting
price	Daily Amount	float			X			sale_renting
product_id	Product	many2one	- relation = product.product - ondelete = Set NULL		X			sale_renting
product_tmpl_id	Product Template	many2one	- relation = product.template - ondelete = Set NULL		X			sale_renting
product_uom	Unit of Measure	many2one	- relation = uom.uom - ondelete = Set NULL		X			sale_renting
qty_delivered	Daily Picked-Up Qty	float			X			sale_renting
qty_returned	Daily Returned Qty	float			X			sale_renting
quantity	Daily Ordered Qty	float			X			sale_renting
state	Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (sale, Sales Order), (cancel, Cancelled),]		X			sale_renting
user_id	Salesman	many2one	- relation = res.users - ondelete = Set NULL		X			sale_renting

Views

Seq	Type	Name	XML ID	Inherited
16	Graph	sale.rental.report.graph	sale_renting.rental_report_graph_view	
16	Pivot	sale.rental.report.pivot	sale_renting.rental_report_pivot_view	
16	Search	sale.rental.report.search	sale_renting.rental_report_search_view	
16	Search	sale.rental.report.search.inherit.stock	sale_stock_renting.rental_report_search_view_inherit_lots	sale_renting.rental_report_search_view
16	List	sale.rental.report.view.list	sale_renting.sale_rental_report_view_tree	

Object: sale.rental.schedule
Name: Rental Schedule

Type: Base Object

Transient: False

Apps: sale_renting, sale_renting_project, sale_stock_renting

Security

Group	R	W	C	U	Name
Sales / Administrator	X				rental.schedule
Sales / User: Own Documents Only	X				rental.schedule

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
card_name	Customer Name	char			X			sale_renting
categ_id	Product Category	many2one	- relation = product.category - ondelete = Set NULL		X			sale_renting
color	Color	integer			X			sale_renting
commercial_partner_id	Customer Entity	many2one	- relation = res.partner - ondelete = Set NULL		X			sale_renting
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL		X			sale_renting
country_id	Customer Country	many2one	- relation = res.country - ondelete = Set NULL		X			sale_renting
description	Description	char			X			sale_renting
display_name	Display Name	char			X			sale_renting
id	ID	integer			X			sale_renting
is_available	Is Available	boolean			X			sale_stock_renting
late	Is Late	boolean			X			sale_renting
lot_id	Serial Number	many2one	- relation = stock.lot - ondelete = Set NULL		X			sale_stock_renting

name	Order Reference	char			X			sale_renting
order_date	Order Date	datetime			X			sale_renting
order_id	Order #	many2one	- relation = sale.order - ondelete = Set NULL		X			sale_renting
order_line_id	Order line #	many2one	- relation = sale.order.line - ondelete = Set NULL		X			sale_renting
partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL		X			sale_renting
pickup_date	Pickup Date	datetime			X			sale_renting
product_id	Product	many2one	- relation = product.product - ondelete = Set NULL		X			sale_renting
product_name	Product Reference	char			X			sale_renting
product_tmpl_id	Product Template	many2one	- relation = product.template - ondelete = Set NULL		X			sale_renting
product_uom	Unit of Measure	many2one	- relation = uom.uom - ondelete = Set NULL		X			sale_renting
product_uom_qty	Qty Ordered	float			X			sale_renting
project_id	Project	many2one	- relation = project.project - ondelete = Set NULL		X			sale_renting_project
qty_delivered	Qty Picked-Up	float			X			sale_renting
qty_returned	Qty Returned	float			X			sale_renting
rental_status	Rental Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (pickup, Reserved), (return, Pickedup), (returned, Returned), (cancel, Cancelled),]		X			sale_renting
report_line_status	Rental Status (advanced)	selection	- selection = [(reserved, Reserved), (pickedup, Pickedup), (returned, Returned),]		X			sale_renting
return_date	Return Date	datetime			X			sale_renting

state	Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (sale, Sales Order), (cancel, Cancelled),]		X			sale_renting
team_id	Sales Team	many2one	- relation = crm.team - ondelete = Set NULL		X			sale_renting
user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL		X			sale_renting
warehouse_id	Warehouse	many2one	- relation = stock.warehouse - ondelete = Set NULL		X			sale_stock_renting

Views

Seq	Type	Name	XML ID	Inherited
16	Form	rental.schedule.form	sale_renting.rental_schedule_view_form	
16	Form	sale.rental.schedule.form	sale_stock_renting.rental_schedule_view_form_inherit_lots	sale_renting.rental_schedule_view_form
16	Gantt	sale.rental.schedule.gantt	sale_renting.rental_schedule_view_gantt	
16	Gantt	sale.rental.schedule.gantt	sale_stock_renting.rental_schedule_view_gantt_inherit_stock	sale_renting.rental_schedule_view_gantt
16	Search	sale.rental.schedule.search	sale_renting.rental_schedule_view_search	
16	Search	sale.rental.schedule.search.inherit.stock	sale_stock_renting.rental_schedule_view_search_inherit_lots	sale_renting.rental_schedule_view_search

Object: sale.order.log	Type: Base Object
Name: Sale Order Log	Transient: False
	Apps: sale_subscription

Security

Group	R	W	C	U	Name
Sales / User: Own Documents Only	X				access_sale_order_log

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
amount_signed	MRR change	monetary		X	X			sale_subscription
company_id	Company	many2one	- relation = res.company		X			sale_subscription
create_date	Created on	datetime			X			sale_subscription
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription
currency_id	Currency	many2one	- relation = res.currency					sale_subscription
display_name	Display Name	char			X			sale_subscription
event_date	Event Date	date		X			X	sale_subscription

event_type	Type of event	selection	- selection = [(0_creation, New), (1_expansion, Expansion), (15_contraction, Contraction), (2_churn, Churn), (3_transfer, Transfer),]	X	X		X	sale_subscription
id	ID	integer			X			sale_subscription
order_id	Sale Order	many2one	- relation = sale.order - ondelete = Cascade	X	X			sale_subscription
origin_order_id	Origin Contract	many2one	- relation = sale.order - ondelete = Set NULL		X		X	sale_subscription
plan_id	Recurring Plan	many2one	- relation = sale.subscription.plan		X			sale_subscription
recurring_monthly	New MRR	monetary		X	X			sale_subscription
subscription_state	Subscription State	selection	- selection = [(1_draft, Quotation), (2_renewal, Renewal Quotation), (3_progress, In Progress), (4_paused, Paused), (5_renewed, Renewed), (6_churn, Churned), (7_upsell, Upsell),]					sale_subscription
team_id	Sales Team	many2one	- relation = crm.team		X			sale_subscription
user_id	Salesperson	many2one	- relation = res.users		X			sale_subscription
write_date	Last Updated on	datetime			X			sale_subscription
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription

Views				
Seq	Type	Name	XML ID	Inherited

Object: sale.temporal.recurrence
Name: Sale temporal Recurrence

Type: Base Object

Transient: False

Apps: sale_renting

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	sale_temporal_recurrence.sale.manager
User types / Internal User	X				sale_temporal_recurrence.internal.user
User types / Portal	X				sale_temporal_recurrence.portal
User types / Public	X				sale_temporal_recurrence.public

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						sale_renting
create_date	Created on	datetime			X			sale_renting
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_renting
display_name	Display Name	char			X			sale_renting
duration	Duration	integer		X				sale_renting
duration_display	Duration Display	char			X			sale_renting
id	ID	integer			X			sale_renting
name	Name	char		X		X		sale_renting

unit	Unit	selection	- selection = [(hour, Hours), (day, Days), (week, Weeks), (month, Months), (year, Years),]	X				sale_renting
write_date	Last Updated on	datetime			X			sale_renting
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_renting

Views

Seq	Type	Name	XML ID	Inherited
16	Form	sale.temporal.recurrence.form	sale_renting.sale_temporal_recurrence_view_form	
16	List	sale.temporal.recurrence.list	sale_renting.sale_temporal_recurrence_view_tree	

Object: sale.report	Type: Base Object
Name: Sales Analysis Report	Transient: False
	Apps: pos_sale, sale, sale_project, sale_stock, sale_subscription, website_sale

Security

Group	R	W	C	U	Name
Sales / User: Own Documents Only	X				sale.report

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
campaign_id	Campaign	many2one	- relation = utm.campaign - ondelete = Set NULL		X			sale
categ_id	Product Category	many2one	- relation = product.category - ondelete = Set NULL		X			sale
commercial_partner_id	Customer Entity	many2one	- relation = res.partner - ondelete = Set NULL		X			sale
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL		X			sale
country_id	Customer Country	many2one	- relation = res.country - ondelete = Set NULL		X			sale
currency_id	Currency	many2one	- relation = res.currency - ondelete = Set NULL		X			sale
date	Order Date	datetime			X			sale
discount	Discount %	float			X			sale
discount_amount	Discount Amount	monetary			X			sale
display_name	Display Name	char			X			sale
id	ID	integer			X			sale
industry_id	Customer Industry	many2one	- relation = res.partner.industry - ondelete = Set NULL		X			sale
invoice_status	Order Invoice Status	selection	- selection = [(upselling, Upselling Opportunity), (invoiced, Fully Invoiced), (to invoice, To Invoice), (no, Nothing to Invoice),]		X			sale

is_abandoned_cart	Abandoned Cart	boolean			X			website_sale
line_invoice_status	Invoice Status	selection	- selection = [(upselling, Upselling Opportunity), (invoiced, Fully Invoiced), (to invoice, To Invoice), (no, Nothing to Invoice),]		X			sale
medium_id	Medium	many2one	- relation = utm.medium - ondelete = Set NULL		X			sale
name	Order Reference	char			X			sale
nbr	# of Lines	integer			X			sale
order_reference	Order	reference	- selection = [(sale.order, Sales Order), (pos.order, POS Order),]					pos_sale, sale
partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL		X			sale
partner_zip	Customer ZIP	char			X			sale
price_subtotal	Untaxed Total	monetary			X			sale
price_total	Total	monetary			X			sale
price_unit	Unit Price	float			X			sale
pricelist_id	Pricelist	many2one	- relation = product.pricelist - ondelete = Set NULL		X			sale
product_id	Product Variant	many2one	- relation = product.product - ondelete = Set NULL		X			sale
product_tmpl_id	Product	many2one	- relation = product.template - ondelete = Set NULL		X			sale
product_uom	Unit of Measure	many2one	- relation = uom.uom - ondelete = Set NULL		X			sale
product_uom_qty	Qty Ordered	float			X			sale
project_id	Project	many2one	- relation = project.project - ondelete = Set NULL		X			sale_project
qty_delivered	Qty Delivered	float			X			sale
qty_invoiced	Qty Invoiced	float			X			sale
qty_to_deliver	Qty To Deliver	float			X			sale
qty_to_invoice	Qty To Invoice	float			X			sale

source_id	Source	many2one	- relation = utm.source - ondelete = Set NULL		X			sale
state	Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (sale, Sales Order), (cancel, Cancelled), (paid, Paid), (invoiced, Invoiced), (done, Posted),]		X			pos_sale, sale
state_id	Customer State	many2one	- relation = res.country.state - ondelete = Set NULL		X			sale
team_id	Sales Team	many2one	- relation = crm.team - ondelete = Set NULL		X			sale
untaxed_amount_invoiced	Untaxed Amount Invoiced	monetary			X			sale
untaxed_amount_to_invoice	Untaxed Amount To Invoice	monetary			X			sale
user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL		X			sale
volume	Volume	float			X			sale
warehouse_id	Warehouse	many2one	- relation = stock.warehouse - ondelete = Set NULL		X			sale_stock
website_id	Website	many2one	- relation = website - ondelete = Set NULL		X			website_sale
weight	Gross Weight	float			X			sale

Views

Seq	Type	Name	XML ID	Inherited
16	Graph	sale.report.graph	sale.view_order_product_graph	
16	Graph	sale.report.graph	website_sale_dashboard.view_online_sales_graph	
16	Graph	sale.report.graph.bar	sale.sale_report_graph_bar	sale.view_order_product_graph
16	Graph	sale.report.graph.pie	sale.sale_report_graph_pie	sale.view_order_product_graph
16	Pivot	sale.report.pivot	sale.view_order_product_pivot	
16	Pivot	sale.report.pivot	website_sale_dashboard.view_online_sales_pivot	
16	Search	sale.report.search	sale.view_order_product_search	
16	Search	sale.report.search	sale_subscription.view_order_product_search_inherit	sale.view_order_product_search
16	Search	sale.report.search	website_sale.sale_report_view_search_website	
16	Graph	sale.report.view.graph.website	website_sale.sale_report_view_graph_website	

16	List	sale.report.view.list	sale.sale_report_view_tree	
16	List	sale.report.view.list.inherit.website.sale	website_sale.sale_report_view_tree	sale.sale_report_view_tree
16	Pivot	sale.report.view.pivot.website	website_sale.sale_report_view_pivot_website	
16	Search	sale.report.view.search.inherit	website_sale_dashboard.sale_report_view_search_website_inherit	website_sale.sale_report_view_search_website

Object: sale.order.log.report
Name: Sales Log Analysis Report

Type: Base Object

Transient: False

Apps: sale_subscription

Security

Group	R	W	C	U	Name
Sales / Administrator	X				access_sale_order_log_report_manager
Sales / User: Own Documents Only	X				access_sale_order_log_report_salesman

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
amount_signed	MRR Change	monetary			X			sale_subscription
arr_change_normalized	ARR Change (normalized)	monetary			X			sale_subscription
campaign_id	Campaign	many2one	- relation = utm.campaign - ondelete = Set NULL		X			sale_subscription
client_order_ref	Customer Reference	char			X			sale_subscription
close_reason_id	Close Reason	many2one	- relation = sale.order.close.reason - ondelete = Set NULL		X			sale_subscription
commercial_partner_id	Customer Entity	many2one	- relation = res.partner - ondelete = Set NULL		X			sale_subscription
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL		X			sale_subscription
contract_number	Active Subscriptions Change	integer			X			sale_subscription

country_id	Customer Country	many2one	- relation = res.country - ondelete = Set NULL		X			sale_subscription
currency_id	Currency	many2one	- relation = res.currency - ondelete = Set NULL		X			sale_subscription
display_name	Display Name	char			X			sale_subscription
end_date	End Date	date			X			sale_subscription
event_date	Event Date	date			X			sale_subscription
event_type	Type of event	selection	- selection = [(0_creation, New), (1_expansion, Expansion), (15_contraction, Contraction), (2_churn, Churn), (3_transfer, Transfer),]		X			sale_subscription
first_contract_date	First Contract Date	date			X			sale_subscription
health	Health	selection	- selection = [(normal, Neutral), (done, Good), (bad, Bad),]		X			sale_subscription
id	ID	integer			X			sale_subscription
industry_id	Customer Industry	many2one	- relation = res.partner.industry - ondelete = Set NULL		X			sale_subscription
log_currency_id	Log Currency	many2one	- relation = res.currency - ondelete = Set NULL					sale_subscription
mrr_change_normalized	MRR Change (normalized)	monetary			X			sale_subscription
order_id	Sale Order	many2one	- relation = sale.order - ondelete = Set NULL		X			sale_subscription
origin_order_id	First Order	many2one	- relation = sale.order - ondelete = Set NULL		X			sale_subscription
partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL		X			sale_subscription

plan_id	Plan	many2one	- relation = sale.subscription.plan - ondelete = Set NULL		X			sale_subscription
pricelist_id	Pricelist	many2one	- relation = product.pricelist - ondelete = Set NULL		X			sale_subscription
recurring_monthly	Monthly Recurring Revenue	monetary			X			sale_subscription
recurring_yearly	Annual Recurring Revenue	monetary			X			sale_subscription
state	Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (sale, Sales Order), (cancel, Cancelled),]		X			sale_subscription
subscription_state	Subscription State	selection	- selection = [(1_draft, Quotation), (2_renewal, Renewal Quotation), (3_progress, In Progress), (4_paused, Paused), (5_renewed, Renewed), (6_churn, Churned), (7_upsell, Upsell),]		X			sale_subscription
team_id	Sales Team	many2one	- relation = crm.team - ondelete = Set NULL		X			sale_subscription
template_id	Subscription Template	many2one	- relation = sale.order.template - ondelete = Set NULL		X			sale_subscription
user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription

Views

Seq	Type	Name	XML ID	Inherited
16	Graph	sale.order.log.report.graph	sale_subscription.view_sale_order_log_growth_graph	
16	Graph	sale.order.log.report.graph	sale_subscription.view_sale_order_log_analysis_graph	
16	List	sale.order.log.report.list	sale_subscription.view_sale_order_log_growth_tree	
16	Pivot	sale.order.log.report.pivot	sale_subscription.view_sale_order_log_growth_pivot	

| 16 | Search | sale.order.log.report.search | sale_subscription.sale_order_log_report_search | |

Object: sale.order.line
Name: Sales Order Line

Type: Base Object

Transient: False

Apps: delivery, event_sale, industry_fsm_sale, industry_fsm_sale_report, industry_fsm_stock, pos_sale, pos_sale_subscription, project_sale_subscription, repair, sale, sale_amazon, sale_external_tax, sale_management, sale_mrp, sale_mrp_renting, sale_pdf_quote_builder, sale_planning, sale_project, sale_project_stock, sale_purchase, sale_purchase_project, sale_renting, sale_renting_planning, sale_service, sale_stock, sale_stock_renting, sale_subscription, sale_subscription_stock, sale_subscription_timesheet, sale_timesheet, sale_timesheet_enterprise, stock_delivery, website_appointment_sale, website_appointment_sale_project, website_event_sale, website_sale, website_sale_renting, website_sale_stock, website_sale_stock_renting, website_sale_subscription

Security

Group	R	W	C	U	Name
Planning / Administrator	X				sale.order.line.planning.manager
Project / Administrator	X				sale.order.line.project.manager
Accounting / Bookkeeper	X	X			sale.order.line accountant
Accounting / Invoicing	X	X			sale.order.line
User types / Portal	X				sale.order.line.portal
Accounting / Read-only	X				sale.order.line accountant
Manufacturing / User	X	X			sale.order.line manufacturing.user
Inventory / User	X	X			sale.order.line stock worker
Sales / User: Own Documents Only	X	X	X	X	sale.order.line

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
amazon_item_ref	Amazon Item Ref	char						sale_amazon
amazon_offer_id	Amazon Offer	many2one	- relation = amazon.offer - ondelete = Set NULL					sale_amazon
amount_invoiced	Invoiced Amount	monetary			X			sale

amount_to_invoice	Un-invoiced Balance	monetary			X		sale
analytic_distribution	Analytic Distribution	json					sale
analytic_line_ids	Analytic lines	one2many	- relation = account.analytic.line - field = so_line				sale, sale_timesheet
analytic_precision	Analytic Precision	integer					sale
available_product_document_ids	Available Product Documents	many2many	- relation = product.document		X		sale_pdf_quote_builder
available_reserved_lots	Available Reserved Lots	boolean			X		sale_stock_renting
calendar_booking_ids	Bookings	one2many	- relation = calendar.booking - field = order_line_id				website_appointment_sale
calendar_event_id	Meeting	many2one	- relation = calendar.event - ondelete = Set NULL				website_appointment_sale
combo_item_id	Combo Item	many2one	- relation = product.combo.item - ondelete = Set NULL				sale
company_id	Company	many2one	- relation = res.company		X	X	sale
company_price_include	Default Sales Price Include	selection			X		sale
create_date	Created on	datetime			X		sale
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X		sale
currency_id	Currency	many2one	- relation = res.currency		X		sale
customer_lead	Lead Time	float		X			sale, sale_stock
delivered_price_subtotal	Delivered Subtotal	monetary			X		industry_fsm_sale
delivered_price_tax	Delivered Total Tax	float			X		industry_fsm_sale
delivered_price_total	Delivered Total	monetary			X		industry_fsm_sale
discount	Discount (%)	float					sale
display_name	Display Name	char			X		sale
display_qty_widget	Display Qty Widget	boolean			X		sale_stock
display_type	Display Type	selection	- selection = [(line_section, Section), (line_note, Note),]				sale
distribution_analytic_account_ids	Distribution Analytic Account	many2many	- relation = account.analytic.account		X		sale

event_id	Event	many2one	- relation = event.event - ondelete = Set NULL					event_sale
event_ticket_id	Ticket Type	many2one	- relation = event.event.ticket - ondelete = Set NULL					event_sale
forecast_expected_date	Forecast Expected Date	datetime			X			sale_stock
free_qty_today	Free Qty Today	float			X			sale_stock
fsm_lot_id	Fsm Lot	many2one	- relation = stock.lot - ondelete = Set NULL					industry_fsm_stock
has_displayed_warning_upsell	Has Displayed Warning Upsell	boolean						sale_timesheet
id	ID	integer			X			sale
invoice_lines	Invoice Lines	many2many	- relation = account.move.line					sale
invoice_status	Invoice Status	selection	- selection = [(upselling, Upselling Opportunity), (invoiced, Fully Invoiced), (to invoice, To Invoice), (no, Nothing to Invoice),]		X			sale
is_configurable_product	Is the product configurable?	boolean			X			sale
is_delivery	Is a Delivery	boolean						delivery
is_downpayment	Is a down payment	boolean						sale
is_expense	Is expense	boolean						sale
is_mto	Is Mto	boolean			X			sale_stock
is_product_archived	Is Product Archived	boolean			X			sale
is_product_rentable	Rental	boolean			X			sale_renting
is_rental	Is Rental	boolean						sale_renting
is_service	Is a Service	boolean			X			sale_service
is_storable	Track Inventory	boolean			X			sale_stock
last_invoiced_date	Last Invoiced Date	date			X		X	sale_subscription
linked_line_id	Linked Order Line	many2one	- relation = sale.order.line - ondelete = Cascade				X	sale
linked_line_ids	Linked Order Lines	one2many	- relation = sale.order.line - field = linked_line_id					sale
linked_virtual_id	Linked Virtual	char						sale

move_ids	Stock Moves	one2many	- relation = stock.move - field = sale_line_id					sale_stock
name	Description	text		X				sale
name_short	Name Short	char			X			website_sale
next_invoice_date	Next Invoice	date			X			sale_subscription
order_id	Order Reference	many2one	- relation = sale.order - ondelete = Cascade	X		X		sale
order_partner_id	Customer	many2one	- relation = res.partner		X	X		sale
parent_line_id	Parent Line	many2one	- relation = sale.order.line - ondelete = Set NULL		X	X		sale_subscription
pickedup_lot_ids	Pickedup Lot	many2many	- relation = stock.lot					sale_stock_renting
planning_hours_planned	Planning Hours Planned	float			X			sale_planning
planning_hours_to_plan	Planning Hours To Plan	float			X			sale_planning
planning_slot_ids	Planning Slot	one2many	- relation = planning.slot - field = sale_line_id					sale_planning
pos_order_line_ids	Order lines Transfered to Point of Sale	one2many	- relation = pos.order.line - field = sale_order_line_id		X			pos_sale
price_reduce_taxexcl	Price Reduce Tax excl	monetary			X			sale
price_reduce_taxinc	Price Reduce Tax incl	monetary			X			sale
price_subtotal	Subtotal	monetary			X			sale
price_tax	Total Tax	float			X			sale
price_total	Total	monetary			X			sale
price_unit	Unit Price	float		X				sale
pricelist_id	Pricelist	many2one	- relation = product.pricelist		X			sale_subscription
pricelist_item_id	Pricelist Item	many2one	- relation = product.pricelist.item - ondelete = Set NULL		X			sale
product_custom_attribute_value_ids	Custom Values	one2many	- relation = product.attribute.custom.value - field = sale_order_line_id					sale

product_document_ids	Product Documents	many2many	- relation = product.document					sale_pdf_quote_builder
product_id	Product	many2one	- relation = product.product - ondelete = Restrict				X	sale
product_no_variant_attribute_value_ids	Extra Values	many2many	- relation = product.template.attribute.value					sale
product_packaging_id	Packaging	many2one	- relation = product.packaging - ondelete = Set NULL					sale
product_packaging_qty	Packaging Quantity	float						sale
product_qty	Product Qty	float			X			delivery
product_template_attribute_value_ids	Attribute Values	many2many	- relation = product.template.attribute.value		X			sale
product_template_id	Product Template	many2one	- relation = product.template - ondelete = Set NULL					sale
product_template_variant_value_ids	Variant Values	many2many	- relation = product.template.attribute.value		X			sale_subscription
product_type	Product Type	selection			X			sale
product_uom	Unit of Measure	many2one	- relation = uom.uom - ondelete = Restrict					sale
product_uom_category_id	Category	many2one	- relation = uom.category		X			sale
product_uom_qty	Quantity	float		X				sale
product_uom_readonly	Product Uom Readonly	boolean			X			sale
product_updatable	Can Edit Product	boolean			X			sale
project_id	Generated Project	many2one	- relation = project.project - ondelete = Set NULL				X	sale_project
purchase_line_count	Number of generated purchase items	integer			X			sale_purchase
purchase_line_ids	Generated Purchase Lines	one2many	- relation = purchase.order.line - field = sale_line_id		X			sale_purchase
qty_available_today	Qty Available Today	float			X			sale_stock
qty_delivered	Delivery Quantity	float						sale

qty_delivered_method	Method to update delivered qty	selection	- selection = [(manual, Manual), (analytic, Analytic From Expenses), (stock_move, Stock Moves), (milestones, Milestones), (timesheet, Timesheets),]		X			sale, sale_project, sale_stock, sale_timesheet
qty_invoiced	Invoiced Quantity	float			X			sale
qty_invoiced_posted	Invoiced Quantity (posted)	float			X			sale
qty_returned	Returned	float						sale_renting
qty_to_deliver	Qty To Deliver	float			X			sale_stock
qty_to_invoice	Quantity To Invoice	float			X			sale
reached_milestones_ids	Reached Milestones	one2many	- relation = project.milestone - field = sale_line_id					sale_project
recompute_delivery_price	Delivery cost should be recomputed	boolean			X			delivery
recurring_invoice	Subscription Product	boolean			X			sale_subscription
recurring_monthly	Monthly Recurring Revenue	monetary			X			sale_subscription
registration_ids	Registrations	one2many	- relation = event.registration - field = sale_order_line_id					event_sale
remaining_hours	Time Remaining on SO	float			X			sale_timesheet
remaining_hours_available	Remaining Hours Available	boolean			X			sale_timesheet
reservation_begin	Pickup date - padding time	datetime			X			sale_renting
reserved_lot_ids	Reserved Lot	many2many	- relation = stock.lot					sale_stock_renting
return_date	Rental Return Date	datetime			X			sale_renting
returned_lot_ids	Returned Lot	many2many	- relation = stock.lot					sale_stock_renting
route_id	Route	many2one	- relation = stock.route - ondelete = Restrict					sale_stock
sale_order_option_ids	Optional Products Lines	one2many	- relation = sale.order.option - field = line_id					sale_management
salesman_id	Salesperson	many2one	- relation = res.users		X			sale
scheduled_date	Scheduled Date	datetime			X			sale_stock
selected_combo_items	Selected Combo Items	char						sale
sequence	Sequence	integer						sale

service_tracking	Create on Order	selection			X			sale
shop_warning	Warning	char						website_sale
start_date	Rental Start Date	datetime			X			sale_renting
state	Order Status	selection			X			sale
subscription_end_date	End Date	date			X			sale_subscription
subscription_plan_id	Recurring Plan	many2one	- relation = sale.subscription.plan		X			sale_subscription
subscription_start_date	Start Date	date			X			sale_subscription
task_id	Generated Task	many2one	- relation = project.task - ondelete = Set NULL				X	sale_project
tax_calculation_rounding_method	Tax calculation rounding method	selection			X			sale
tax_country_id	Tax Country	many2one	- relation = res.country		X			sale
tax_id	Taxes	many2many	- relation = account.tax					sale
technical_price_unit	Technical Price Unit	float						sale
timesheet_ids	Timesheets	one2many	- relation = account.analytic.line - field = so_line					sale_timesheet
tracking	Tracking	selection			X			sale_stock_renting
unavailable_lot_ids	Unavailable Lot	many2many	- relation = stock.lot		X			sale_stock_renting
untaxed_amount_invoiced	Untaxed Invoiced Amount	monetary			X			sale
untaxed_amount_to_invoice	Untaxed Amount To Invoice	monetary			X			sale
virtual_available_at_date	Virtual Available At Date	float			X			sale_stock
virtual_id	Virtual	char						sale
warehouse_id	Warehouse	many2one	- relation = stock.warehouse - ondelete = Set NULL		X			sale_stock
write_date	Last Updated on	datetime			X			sale
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale

Views

Seq	Type	Name	XML ID	Inherited
16	Form	sale.order.line.form.readonly	sale.sale_order_line_view_form_readonly	

16	Kanban	sale.order.line.kanban	sale.sale_order_line_view_kanban	
16	List	sale.order.line.list	sale.view_order_line_tree	
16	List	sale.order.line.list.sale.stock.location	sale_stock.view_order_line_tree_inherit_sale_stock	sale.view_order_line_tree
16	Search	sale.order.line.select	sale.view_sales_order_line_filter	
16	Form	sale.order.line.view.form.editable	project_sale_subscription.sale_order_line_view_form_editable	sale_project.sale_order_line_view_form_editable
16	List	sale.subscription.plan.inherit.line.tree	sale_subscription.sale_subscription_sale_order_line_list	
16	Search	sale.subscription.sale.order.line.select	sale_subscription.sale_subscription_sales_order_line_filter	
999	List	sale.order.line.list.with.create	sale_project.view_order_line_tree_with_create	sale.view_order_line_tree
999	Form	sale.order.line.view.form.editable	sale_project.sale_order_line_view_form_editable	sale.sale_order_line_view_form_readonly

Object: sale.subscription.report
Name: Subscription Analysis

Type: Base Object

Transient: False

Apps: sale_subscription

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
campaign_id	Campaign	many2one	- relation = utm.campaign - ondelete = Set NULL		X			sale_subscription
categ_id	Product Category	many2one	- relation = product.category - ondelete = Set NULL		X			sale_subscription
client_order_ref	Customer Reference	char						sale_subscription
close_reason_id	Close Reason	many2one	- relation = sale.order.close.reason - ondelete = Set NULL		X			sale_subscription
commercial_partner_id	Customer Company	many2one	- relation = res.partner - ondelete = Set NULL		X			sale_subscription
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL		X			sale_subscription
country_id	Country	many2one	- relation = res.country - ondelete = Set NULL		X			sale_subscription
currency_id	Currency	many2one	- relation = res.currency - ondelete = Set NULL		X			sale_subscription
date	Order Date	datetime			X			sale_subscription
discount	Discount %	float			X			sale_subscription
discount_amount	Discount Amount	monetary			X			sale_subscription
display_name	Display Name	char			X			sale_subscription
end_date	End Date	date			X			sale_subscription

first_contract_date	First contract date	date			X			sale_subscription
health	Health	selection	- selection = [(normal, Neutral), (done, Good), (bad, Bad),]		X			sale_subscription
id	ID	integer			X			sale_subscription
industry_id	Industry	many2one	- relation = res.partner.industry - ondelete = Set NULL		X			sale_subscription
invoice_status	Order Invoice Status	selection	- selection = [(upselling, Upselling Opportunity), (invoiced, Fully Invoiced), (to invoice, To Invoice), (no, Nothing to Invoice),]		X			sale_subscription
is_abandoned_cart	Abandoned Cart	boolean			X			website_sale
is_subscription	Is Subscription	boolean			X			sale_subscription
line_invoice_status	Invoice Status	selection	- selection = [(upselling, Upselling Opportunity), (invoiced, Fully Invoiced), (to invoice, To Invoice), (no, Nothing to Invoice),]		X			sale_subscription
margin	Margin	float						sale_subscription
medium_id	Medium	many2one	- relation = utm.medium - ondelete = Set NULL		X			sale_subscription
name	Order Reference	char			X			sale_subscription
nbr	# of Lines	integer			X			sale_subscription
next_invoice_date	Next Invoice Date	date			X			sale_subscription
order_reference	Order	reference	- selection = [(sale.order, Sales Order), (pos.order, POS Order),]					sale_subscription
origin_order_id	First contract	many2one	- relation = sale.order - ondelete = Set NULL		X			sale_subscription
partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL		X			sale_subscription
partner_zip	Customer ZIP	char			X			sale_subscription
plan_id	Plan	many2one	- relation = sale.subscription.plan - ondelete = Set NULL		X			sale_subscription
price_subtotal	Untaxed Total	monetary			X			sale_subscription
price_total	Total	monetary			X			sale_subscription
price_unit	Unit Price	float			X			sale_subscription
pricelist_id	Pricelist	many2one	- relation = product.pricelist - ondelete = Set NULL		X			sale_subscription

product_id	Product Variant	many2one	- relation = product.product		X			sale_subscription
			- ondelete = Set NULL					
product_tmpl_id	Product	many2one	- relation = product.template		X			sale_subscription
			- ondelete = Set NULL					
product_uom	Unit of Measure	many2one	- relation = uom.uom		X			sale_subscription
			- ondelete = Set NULL					
product_uom_qty	Qty Ordered	float			X			sale_subscription
project_id	Project	many2one	- relation = project.project		X			sale_project
			- ondelete = Set NULL					
qty_delivered	Qty Delivered	float			X			sale_subscription
qty_invoiced	Qty Invoiced	float			X			sale_subscription
qty_to_deliver	Qty To Deliver	float			X			sale_subscription
qty_to_invoice	Qty To Invoice	float			X			sale_subscription
recurring_monthly	Monthly Recurring	monetary			X			sale_subscription
recurring_total	Recurring Revenue	monetary			X			sale_subscription
recurring_yearly	Yearly Recurring	monetary			X			sale_subscription
source_id	Source	many2one	- relation = utm.source		X			sale_subscription
			- ondelete = Set NULL					
state	Status	selection	- selection = [(draft, Quotation), (sent, Quotation Sent), (sale, Sales Order), (cancel, Cancelled), (paid, Paid), (invoiced, Invoiced), (done, Posted),]		X			sale_subscription
state_id	Customer State	many2one	- relation = res.country.state		X			sale_subscription
			- ondelete = Set NULL					
subscription_state	Subscription State	selection	- selection = [(1_draft, Quotation), (2_renewal, Renewal Quotation), (3_progress, In Progress), (4_paused, Paused), (5_renewed, Renewed), (6_churn, Churned), (7_upsell, Upsell),]		X			sale_subscription
team_id	Sales Team	many2one	- relation = crm.team		X			sale_subscription
			- ondelete = Set NULL					
template_id	Subscription Template	many2one	- relation = sale.order.template		X			sale_subscription
			- ondelete = Set NULL					
untaxed_amount_invoiced	Untaxed Amount Invoiced	monetary			X			sale_subscription
untaxed_amount_to_invoice	Untaxed Amount To Invoice	monetary			X			sale_subscription

user_id	Salesperson	many2one	- relation = res.users		X			sale_subscription
			- ondelete = Set NULL					
volume	Volume	float			X			sale_subscription
warehouse_id	Warehouse	many2one	- relation = stock.warehouse		X			sale_subscription
			- ondelete = Set NULL					
website_id	Website	many2one	- relation = website		X			website_sale
			- ondelete = Set NULL					
weight	Gross Weight	float			X			sale_subscription

Views

Seq	Type	Name	XML ID	Inherited
16	Form	sale.subscription.report.form	spreadsheet_dashboard_sale_subscription.sale_subscription_report_view_form	
16	Search	sale.subscription.report.search	sale_subscription.sale_subscription_report_search	
16	Graph	sale.subscription.report.view.graph	sale_subscription.sale_subscription_report_analysis_view_graph	
16	List	sale.subscription.report.view.list	sale_subscription.sale_subscription_report_analysis_view_tree	
16	Pivot	sale.subscription.report.view.pivot	sale_subscription.sale_subscription_report_analysis_view_pivot	

Object: sale.order.close.reason
Name: Subscription Close Reason

Type: Base Object

Transient: False

Apps: sale_subscription

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	access_sale_order_close_reason_manager
User types / Internal User	X				access_order_close_reason_public
User types / Portal	X				access_order_close_reason_public
User types / Public	X				access_order_close_reason_public
Sales / User: Own Documents Only	X				access_sale_order_close_reason_view

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
create_date	Created on	datetime			X			sale_subscription
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription
display_name	Display Name	char			X			sale_subscription
empty_retention_message	Empty Retention Message	boolean			X			sale_subscription
id	ID	integer			X			sale_subscription
is_protected	Is Protected	boolean						sale_subscription
name	Reason	char		X		X		sale_subscription
retention_button_link	Button Link	char				X		sale_subscription
retention_button_text	Button Text	char				X		sale_subscription
retention_message	Message	html				X		sale_subscription
sequence	Sequence	integer						sale_subscription
visible_in_portal	Visible In Portal	boolean		X				sale_subscription

write_date	Last Updated on	datetime			X			sale_subscription
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription

Views

Seq	Type	Name	XML ID	Inherited
16	Form	sale.subscription.reason.form	sale_subscription.sale_subscription_close_reason_view_form	
16	List	sale.subscription.reason.list	sale_subscription.sale_subscription_close_reason_view_tree	

Object: sale.subscription.plan					Type: Base Object				
Name: Subscription Plan									
					Transient: False				
					Apps: sale_subscription				

Security

Group	R	W	C	U	Name				
Sales / Administrator	X	X	X	X	access_sale_subscription_plan_manager				
Sales / User: Own Documents Only	X				access_sale_subscription_plan_salesman				

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						sale_subscription
active_subs_count	Subscriptions	integer			X			sale_subscription
auto_close_limit	Automatic Closing	integer						sale_subscription
auto_close_limit_display	Automatic Closing After	char			X			sale_subscription
billing_first_day	Align to Period Start	boolean						sale_subscription
billing_period_display	Billing Period	char			X			sale_subscription
billing_period_display_sentence	Billing Period Display	char			X			sale_subscription
billing_period_unit	Unit	selection	- selection = [(week, Weeks), (month, Months), (year, Years),]	X				sale_subscription
billing_period_value	Billing Period	integer		X				sale_subscription
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL					sale_subscription
create_date	Created on	datetime			X			sale_subscription
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription
display_name	Display Name	char			X			sale_subscription
id	ID	integer			X			sale_subscription

invoice_mail_template_id	Invoice Email Template	many2one	- relation = mail.template - ondelete = Set NULL					sale_subscription
name	Name	char		X		X		sale_subscription
product_subscription_pricing_ids	Recurring Pricing	one2many	- relation = sale.subscription.pricing - field = plan_id					sale_subscription
related_plan_id	Optional Plans	many2many	- relation = sale.subscription.plan					sale_subscription
subscription_line_count	Subscription Count	integer			X			sale_subscription
user_closable	Closable	boolean						sale_subscription
user_closable_options	Closeable Plan Options	selection	- selection = [(at_date, At date), (end_of_period, End of period),]	X				sale_subscription
user_extend	Renew	boolean						sale_subscription
user_quantity	Add Products	boolean						sale_subscription
write_date	Last Updated on	datetime			X			sale_subscription
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sale_subscription

<u>Views</u>

Seq	Type	Name	XML ID	Inherited
16	Search	sale.subscription.plan.search	sale_subscription.sale_subscription_plan_search	
16	Form	sale.subscription.plan.view.form	sale_subscription.sale_subscription_plan_view_form	
16	List	sale.subscription.plan.view.list	sale_subscription.sale_subscription_plan_view_tree	