Object: crm.lead	Type: Base Object
Name: Lead/Opportunity	Transient: False
	Apps: crm, crm_enterprise, crm_iap_enrich, crm_iap_mine, crm_sale_subscription, data_merge_crm, event_crm, iap_crm, mass_mailing_crm, sale_crm, sale_renting_crm, voip_crm, website_crm, website_crm_livechat

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	crm.lead.manager
Sales / User: Own Documents Only	X	X	X		crm.lead

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						crm
activity_calendar_event_id	Next Activity Calendar Event	many2one	- relation = calendar.event - ondelete = Set NULL		X			crm
activity_date_deadline	Next Activity Deadline	date			X			crm
activity_exception_decoration	Activity Exception Decoration	selection	- selection = [(warning, Alert), (danger, Error),]		X			crm
activity_exception_icon	Icon	char			X			crm
activity_ids	Activities	one2many	- relation = mail.activity - field = res_id					crm
activity_state	Activity State	selection	- selection = [(overdue, Overdue), (today, Today), (planned, Planned),]		X			crm
activity_summary	Next Activity Summary	char						crm
activity_type_icon	Activity Type Icon	char			X			crm
activity_type_id	Next Activity Type	many2one	- relation = mail.activity.type					crm
activity_user_id	Responsible User	many2one	- relation = res.users - ondelete = Set NULL		X			crm
automated_probability	Automated Probability	float			X			crm
calendar_event_ids	Meetings	one2many	- relation = calendar.event - field = opportunity_id					crm

Field	Label	Type	Attributes				Module
campaign_id	Campaign	many2one	- relation = utm.campaign - ondelete = Set NULL			X	crm
city	City	char					crm
color	Color Index	integer					crm
company_currency	Currency	many2one	- relation = res.currency - ondelete = Set NULL	X			crm
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL			X	crm
contact_name	Contact Name	char				X	crm
country_id	Country	many2one	- relation = res.country - ondelete = Set NULL				crm
create_date	Created on	datetime		X			crm
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL	X			crm
date_automation_last	Last Action	datetime		X			crm
date_closed	Closed Date	datetime		X			crm
date_conversion	Conversion Date	datetime		X			crm
date_deadline	Expected Closing	date					crm
date_last_stage_update	Last Stage Update	datetime		X		X	crm
date_open	Assignment Date	datetime		X			crm
day_close	Days to Close	float		X			crm
day_open	Days to Assign	float		X			crm
days_exceeding_closing	Exceeded Closing Days	float		X			crm_enterprise
days_to_convert	Days To Convert	float		X			crm_enterprise
description	Notes	html					crm
display_name	Display Name	char		X			crm
duplicate_lead_count	Potential Duplicate Lead Count	integer		X			crm
duplicate_lead_ids	Potential Duplicate Lead	many2many	- relation = crm.lead	X			crm
duration_tracking	Status time	json		X			crm
email_cc	Email cc	char					crm
email_domain_criterion	Email Domain Criterion	char		X		X	crm

email_from	Email	char				X	crm
email_normalized	Normalized Email	char		X		X	crm
email_state	Email Quality	selection	- selection = [(correct, Correct), (incorrect, Incorrect),]	X			crm
event_id	Source Event	many2one	- relation = event.event - ondelete = Set NULL			X	event_crm
event_lead_rule_id	Registration Rule	many2one	- relation = event.lead.rule - ondelete = Set NULL				event_crm
expected_revenue	Expected Revenue	monetary					crm
function	Job Position	char					crm
has_call_in_queue	Is in the Call Queue	boolean		X			voip_crm
has_message	Has Message	boolean		X			crm
iap_enrich_done	Enrichment done	boolean					crm_iap_enrich
id	ID	integer		X			crm
is_automated_probability	Is automated probability?	boolean		X			crm
is_blacklisted	Blacklist	boolean		X			crm
is_partner_visible	Is Partner Visible	boolean		X			crm
lang_active_count	Lang Active Count	integer		X			crm
lang_code	Locale Code	char		X			crm
lang_id	Language	many2one	- relation = res.lang - ondelete = Set NULL				crm
lead_mining_request_id	Lead Mining Request	many2one	- relation = crm.iap.lead.mining.request - ondelete = Set NULL			X	crm_iap_mine
lead_properties	Properties	properties					crm
lost_reason_id	Lost Reason	many2one	- relation = crm.lost.reason - ondelete = Restrict			X	crm
medium_id	Medium	many2one	- relation = utm.medium - ondelete = Set NULL			X	crm
meeting_display_date	Meeting Display Date	date		X			crm
meeting_display_label	Meeting Display Label	char		X			crm
message_attachment_count	Attachment Count	integer		X			crm

Field	Label	Type	Details				Module
message_bounce	Bounce	integer					crm
message_follower_ids	Followers	one2many	- relation = mail.followers - field = res_id				crm
message_has_error	Message Delivery error	boolean			X		crm
message_has_error_counter	Number of errors	integer			X		crm
message_has_sms_error	SMS Delivery error	boolean			X		crm
message_ids	Messages	one2many	- relation = mail.message - field = res_id				crm
message_is_follower	Is Follower	boolean			X		crm
message_needaction	Action Needed	boolean			X		crm
message_needaction_counter	Number of Actions	integer			X		crm
message_partner_ids	Followers (Partners)	many2many	- relation = res.partner				crm
mobile	Mobile	char					crm
mobile_blacklisted	Blacklisted Phone Is Mobile	boolean			X		crm
my_activity_date_deadline	My Activity Deadline	date			X		crm
name	Opportunity	char		X		X	crm
order_ids	Orders	one2many	- relation = sale.order - field = opportunity_id				sale_crm
partner_email_update	Partner Email will Update	boolean			X		crm
partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL			X	crm
partner_is_blacklisted	Partner is blacklisted	boolean			X		crm
partner_name	Company Name	char				X	crm
partner_phone_update	Partner Phone will Update	boolean			X		crm
phone	Phone	char					crm
phone_blacklisted	Blacklisted Phone is Phone	boolean			X		crm
phone_mobile_search	Phone/Mobile	char					crm
phone_sanitized	Sanitized Number	char			X	X	crm
phone_sanitized_blacklisted	Phone Blacklisted	boolean			X		crm

phone_state	Phone Quality	selection	- selection = [(correct, Correct), (incorrect, Incorrect),]		X			crm
priority	Priority	selection	- selection = [(0, Low), (1, Medium), (2, High), (3, Very High),]				X	crm
probability	Probability	float						crm
prorated_revenue	Prorated Revenue	monetary			X			crm
quotation_count	Number of Quotations	integer			X			sale_crm
rating_ids	Ratings	one2many	- relation = rating.rating - field = res_id					crm
recurring_plan	Recurring Plan	many2one	- relation = crm.recurring.plan - ondelete = Set NULL					crm
recurring_revenue	Recurring Revenues	monetary						crm
recurring_revenue_monthly	Expected MRR	monetary			X			crm
recurring_revenue_monthly_prorated	Prorated MRR	monetary			X			crm
recurring_revenue_prorated	Prorated Recurring Revenues	monetary			X			crm
referred	Referred By	char						crm
registration_count	# Registrations	integer			X			event_crm
registration_ids	Source Registrations	many2many	- relation = event.registration					event_crm
rental_amount_total	Sum of Rental Orders	monetary			X			sale_renting_crm
rental_order_count	Number of Rental Orders	integer			X			sale_renting_crm
rental_order_ids	Rental Orders	one2many	- relation = sale.order - field = opportunity_id					sale_renting_crm
rental_quotation_count	Number of Rental Quotations	integer			X			sale_renting_crm
reveal_id	Reveal ID	char					X	iap_crm
sale_amount_total	Sum of Orders	monetary			X			sale_crm
sale_order_count	Number of Sale Orders	integer			X			sale_crm
show_enrich_button	Allow manual enrich	boolean			X			crm_iap_enrich
source_id	Source	many2one	- relation = utm.source - ondelete = Set NULL				X	crm
stage_id	Stage	many2one	- relation = crm.stage - ondelete = Restrict				X	crm

Field	Label	Type	Attributes					Module
state_id	State	many2one	- relation = res.country.state - ondelete = Set NULL					crm
street	Street	char						crm
street2	Street2	char						crm
tag_ids	Tags	many2many	- relation = crm.tag					crm
team_id	Sales Team	many2one	- relation = crm.team - ondelete = Set NULL				X	crm
title	Title	many2one	- relation = res.partner.title - ondelete = Set NULL					crm
type	Type	selection	- selection = [(lead, Lead), (opportunity, Opportunity),]	X			X	crm
user_company_ids	User Company	many2many	- relation = res.company		X			crm
user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL				X	crm
visitor_ids	Web Visitors	many2many	- relation = website.visitor					website_crm
visitor_page_count	# Page Views	integer			X			website_crm
visitor_sessions_count	# Sessions	integer			X			website_crm_livechat
website	Website	char						crm
website_message_ids	Website Messages	one2many	- relation = mail.message - field = res_id					crm
won_status	Is Won	selection	- selection = [(won, Won), (lost, Lost), (pending, Pending),]		X			crm_enterprise
write_date	Last Updated on	datetime			X			crm
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			crm
zip	Zip	char						crm

Views

Seq	Type	Name	XML ID	Inherited
1	Kanban	crm.lead.kanban.lead	crm.crm_case_kanban_view_leads	
1	List	crm.lead.list.opportunity	crm.crm_case_tree_view_oppor	

2	Calendar	crm.lead.calendar.lead	crm.crm_case_calendar_view_leads	
10	List	crm.lead.list.lead	crm.crm_case_tree_view_leads	
15	Search	crm.lead.search.opportunity	crm.view_crm_case_opportunities_filter	
16	Form	crm.lead.form	crm.crm_lead_view_form	
16	Form	crm.lead.form	crm_helpdesk.crm_lead_view_form	crm.crm_lead_view_form
16	Graph	crm.lead.graph.view	crm_enterprise.crm_opportunity_view_graph	
16	Graph	crm.lead.graph.view	crm_enterprise.crm_lead_view_graph	
16	Kanban	crm.lead.kanban.inherit.iap.mine	crm_iap_mine.view_crm_lead_kanban	crm.view_crm_lead_kanban
16	Kanban	crm.lead.kanban.lead.inherit.iap.mine	crm_iap_mine.crm_case_kanban_view_leads	crm.crm_case_kanban_view_leads
16	List	crm.lead.list.opportunity.inherit.sms	crm_sms.crm_case_tree_view_oppor	crm.crm_case_tree_view_oppor
16	List	crm.lead.list.opportunity.reporting	crm.crm_lead_view_tree_opportunity_reporting	crm.crm_case_tree_view_oppor
16	List	crm.lead.list.opportunity.reporting.inherit.sms	crm_sms.crm_lead_view_tree_opportunity_reporting	crm.crm_lead_view_tree_opportunity_reporting
16	Form	crm.lead.oppor.inherited.crm	sale_crm.crm_case_form_view_oppor	crm.crm_lead_view_form
16	Pivot	crm.lead.pivot.view	crm_enterprise.crm_lead_view_pivot	
16	Search	crm.lead.search.lead	crm.view_crm_case_leads_filter	
16	Search	crm.lead.search.myactivities	crm.view_crm_case_my_activities_filter	crm.view_crm_case_leads_filter
16	Activity	crm.lead.view.activity	crm.crm_lead_view_activity	
16	Cohort	crm.lead.view.cohort	crm_enterprise.crm_lead_view_cohort	
16	Form	crm.lead.view.form.inherit.event.crm	event_crm.crm_lead_view_form	crm.crm_lead_view_form
16	Form	crm.lead.view.form.inherit.iap.lead.enrich	crm_iap_enrich.crm_lead_view_form	crm.crm_lead_view_form
16	Form	crm.lead.view.form.inherit.website.crm	website_crm.crm_lead_view_form	crm.crm_lead_view_form
16	Form	crm.lead.view.form.inherit.website.crm.livechat	website_crm_livechat.crm_lead_view_form	website_crm.crm_lead_view_form
16	Graph	crm.lead.view.graph	crm.crm_lead_view_graph	
16	Graph	crm.lead.view.graph.forecast.inherit	crm_enterprise.crm_lead_view_graph_forecast	crm.crm_lead_view_graph_forecast
16	Kanban	crm.lead.view.kanban.inherit.voip	voip_crm.lead_button_call_kanban_view	crm.crm_case_kanban_view_leads
16	List	crm.lead.view.list.lead.inherit.iap.mine	crm_iap_mine.crm_lead_view_tree_lead	crm.crm_case_tree_view_leads
16	List	crm.lead.view.list.opportunity.inherit.iap.mine	crm_iap_mine.crm_lead_view_tree_opportunity	crm.crm_case_tree_view_oppor
16	Map	crm.lead.view.map	crm_enterprise.crm_lead_view_map	
16	Pivot	crm.lead.view.pivot	crm.crm_lead_view_pivot	
16	Pivot	crm.lead.view.pivot.forecast.inherit	crm_enterprise.crm_lead_view_pivot_forecast	crm.crm_lead_view_pivot_forecast
16	Graph	crm.opportunity.report.graph	crm.crm_opportunity_report_view_graph	

20	List	crm.lead.list.activities	crm.crm_lead_view_list_activities	crm.crm_case_tree_view_oppor
20	Form	crm.lead.oppor.inherited.crm	sale_renting_crm.crm_case_form_view_oppor	crm.crm_lead_view_form
20	Graph	crm.opportunity.report.graph.lead	crm.crm_opportunity_report_view_graph_lead	
24	List	crm.lead.list.lead.reporting	crm.crm_lead_view_tree_reporting	crm.crm_case_tree_view_leads
32	Search	crm.lead.search	crm.crm_opportunity_report_view_search	
32	Graph	crm.lead.view.graph.forecast	crm.crm_lead_view_graph_forecast	
32	Kanban	crm.lead.view.kanban.forecast	crm.crm_lead_view_kanban_forecast	crm.crm_case_kanban_view_leads
32	List	crm.lead.view.list.forecast	crm.crm_lead_view_tree_forecast	crm.crm_case_tree_view_oppor
32	Pivot	crm.lead.view.pivot.forecast	crm.crm_lead_view_pivot_forecast	
32	Search	crm.lead.view.search.forecast	crm.crm_lead_view_search_forecast	crm.view_crm_case_opportunities_filter
60	Pivot	crm.opportunity.report.pivot	crm.crm_opportunity_report_view_pivot	
60	Pivot	crm.opportunity.report.view.pivot.lead	crm.crm_opportunity_report_view_pivot_lead	
100	Kanban	crm.lead.kanban	crm.view_crm_lead_kanban	
1,000	Form	crm.lead.form.quick_create	crm.quick_create_opportunity_form	

Object: crm.team.member
Name: Sales Team Member

Type: Base Object

Transient: False

Apps: crm, sales_team

<u>Security</u>

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	access.crm.team.member.manager
User types / Internal User	X				access.crm.team.member.user
					access.crm.team.member.all

<u>Fields</u>

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						sales_team
assignment_domain	Assignment Domain	char						crm
assignment_enabled	Lead Assign	boolean			X			crm
assignment_max	Average Leads Capacity (on 30 days)	integer						crm
assignment_optout	Skip auto assignment	boolean						crm
company_id	Company	many2one	- relation = res.company		X			sales_team
create_date	Created on	datetime			X			sales_team
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sales_team
crm_team_id	Sales Team	many2one	- relation = crm.team - ondelete = Cascade	X			X	sales_team
display_name	Display Name	char			X			sales_team
email	Email	char			X			sales_team
has_message	Has Message	boolean			X			sales_team
id	ID	integer			X			sales_team
image_128	Image (128)	binary			X			sales_team
image_1920	Image	binary			X			sales_team
is_membership_multi	Multiple Memberships Allowed	boolean			X			sales_team
lead_day_count	Leads (last 24h)	integer			X			crm

Name	Label	Type	Attributes					Module
lead_month_count	Leads (30 days)	integer			X			crm
member_warning	Member Warning	text			X			sales_team
message_attachment_count	Attachment Count	integer			X			sales_team
message_follower_ids	Followers	one2many	- relation = mail.followers - field = res_id					sales_team
message_has_error	Message Delivery error	boolean			X			sales_team
message_has_error_counter	Number of errors	integer			X			sales_team
message_has_sms_error	SMS Delivery error	boolean			X			sms
message_ids	Messages	one2many	- relation = mail.message - field = res_id					sales_team
message_is_follower	Is Follower	boolean			X			sales_team
message_needaction	Action Needed	boolean			X			sales_team
message_needaction_counter	Number of Actions	integer			X			sales_team
message_partner_ids	Followers (Partners)	many2many	- relation = res.partner					sales_team
mobile	Mobile	char			X			sales_team
name	Name	char						sales_team
phone	Phone	char			X			sales_team
rating_ids	Ratings	one2many	- relation = rating.rating - field = res_id					sales_team
user_company_ids	User Company	many2many	- relation = res.company		X			sales_team
user_id	Salesperson	many2one	- relation = res.users - ondelete = Cascade	X			X	sales_team
user_in_teams_ids	User In Teams	many2many	- relation = res.users		X			sales_team
website_message_ids	Website Messages	one2many	- relation = mail.message - field = res_id					portal
write_date	Last Updated on	datetime			X			sales_team

write_uid		Last Updated by	many2one	- relation = res.users		X			sales_team
				- ondelete = Set NULL					

Views

Seq	Type	Name	XML ID	Inherited
16	Form	crm.team.member.view.form	sales_team.crm_team_member_view_form	
16	Form	crm.team.member.view.form.inherit.crm	crm.crm_team_member_view_form	sales_team.crm_team_member_view_form
16	Kanban	crm.team.member.view.kanban	sales_team.crm_team_member_view_kanban	
16	Kanban	crm.team.member.view.kanban.inherit.crm	crm.crm_team_member_view_kanban	sales_team.crm_team_member_view_kanban
16	List	crm.team.member.view.list	sales_team.crm_team_member_view_tree	
16	List	crm.team.member.view.list	crm.crm_team_member_view_tree	sales_team.crm_team_member_view_tree
16	Search	crm.team.member.view.search	sales_team.crm_team_member_view_search	
32	Form	crm.team.member.view.form.from.team	sales_team.crm_team_member_view_form_from_team	sales_team.crm_team_member_view_form
32	Kanban	crm.team.member.view.kanban.from.team	sales_team.crm_team_member_view_kanban_from_team	sales_team.crm_team_member_view_kanban
32	List	crm.team.member.view.list.from.team	sales_team.crm_team_member_view_tree_from_team	sales_team.crm_team_member_view_tree

Object: crm.iap.lead.industry	Type: Base Object
Name: CRM IAP Lead Industry	Transient: False
	Apps: crm_iap_mine

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	access_crm_iap_lead_industry

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
color	Color Index	integer						crm_iap_mine
create_date	Created on	datetime			X			crm_iap_mine
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			crm_iap_mine
display_name	Display Name	char			X			crm_iap_mine
id	ID	integer			X			crm_iap_mine
name	Industry	char		X		X		crm_iap_mine
reveal_ids	Reveal	char		X				crm_iap_mine
sequence	Sequence	integer						crm_iap_mine
write_date	Last Updated on	datetime			X			crm_iap_mine
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			crm_iap_mine

Views

Seq	Type	Name	XML ID	Inherited

Object: crm.recurring.plan	Type: Base Object
Name: CRM Recurring revenue plans	Transient: False
	Apps: crm

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	crm.recurring.plan.access.manager
Sales / User: Own Documents Only	X				crm.recurring.plan.access.salesman

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						crm
create_date	Created on	datetime			X			crm
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			crm
display_name	Display Name	char			X			crm
id	ID	integer			X			crm
name	Plan Name	char		X		X		crm
number_of_months	# Months	integer		X				crm
sequence	Sequence	integer						crm
write_date	Last Updated on	datetime			X			crm

write_uid	Last Updated by	many2one	- relation = res.users		X			crm
			- ondelete = Set NULL					

Views

Seq	Type	Name	XML ID	Inherited
16	List	crm.recurring.plan.view.list	crm.crm_recurring_plan_view_tree	
16	Search	crm.recurring.plan.view.search	crm.crm_recurring_plan_view_search	

Object: crm.tag	Type: Base Object
Name: CRM Tag	Transient: False
	Apps: sales_team

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	crm_tag manager
User types / Internal User					crm_tag
Sales / User: Own Documents Only	X	X	X		crm_tag salesman

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
color	Color	integer						sales_team
create_date	Created on	datetime			X			sales_team
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			sales_team
display_name	Display Name	char			X			sales_team
id	ID	integer			X			sales_team
name	Tag Name	char		X		X		sales_team
write_date	Last Updated on	datetime			X			sales_team

write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			sales_team

Views

Seq	Type	Name	XML ID	Inherited
16	Form	sales.team.crm.tag.view.form	sales_team.sales_team_crm_tag_view_form	
16	List	sales.team.crm.tag.view.list	sales_team.sales_team_crm_tag_view_tree	

Object: crm.lead.scoring.frequency.field
Name: Fields that can be used for predictive lead scoring computation

Type: Base Object

Transient: False

Apps: crm

Security

Group	R	W	C	U	Name
Administration / Settings	X				access_crm_lead_scoring_frequency_field_system
Sales / User: Own Documents Only	X				access_crm_lead_scoring_frequency_field

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
create_date	Created on	datetime			X			crm
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			crm
display_name	Display Name	char			X			crm
field_id	Field	many2one	- relation = ir.model.fields - ondelete = Cascade	X				crm
id	ID	integer			X			crm
name	Field Label	char			X	X		crm
write_date	Last Updated on	datetime			X			crm
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			crm

Views

Seq	Type	Name	XML ID	Inherited

Object: crm.lost.reason	Type: Base Object
Name: Opp. Lost Reason	Transient: False
	Apps: crm

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	crm.lost.reason.manager
User types / Internal User	X				crm.lost.reason.user
Sales / User: Own Documents Only	X				crm.lost.reason.salesman

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						crm
create_date	Created on	datetime			X			crm
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			crm
display_name	Display Name	char			X			crm
id	ID	integer			X			crm
leads_count	Leads Count	integer			X			crm
name	Description	char		X		X		crm
write_date	Last Updated on	datetime			X			crm

write_uid		Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			crm

Views

Seq	Type	Name	XML ID	Inherited
16	Form	crm.lost.reason.form	crm.crm_lost_reason_view_form	
16	List	crm.lost.reason.list	crm.crm_lost_reason_view_tree	
16	Search	crm.lost.reason.view.search	crm.crm_lost_reason_view_search	

Object: crm.iap.lead.role Name: People Role					Type: Base Object Transient: False Apps: crm_iap_mine				

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	access_crm_iap_lead_role

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
color	Color Index	integer						crm_iap_mine
create_date	Created on	datetime			X			crm_iap_mine
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			crm_iap_mine
display_name	Display Name	char			X			crm_iap_mine
id	ID	integer			X			crm_iap_mine
name	Role Name	char		X		X		crm_iap_mine
reveal_id	Reveal	char		X				crm_iap_mine
write_date	Last Updated on	datetime			X			crm_iap_mine
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			crm_iap_mine

Views

Seq	Type	Name	XML ID	Inherited

Object: crm.iap.lead.seniority Name: People Seniority						Type: Base Object Transient: False Apps: crm_iap_mine					

Security

Group	R	W	C	U	Name
Sales / Administrator	X	X	X	X	access_crm_iap_lead_seniority

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
create_date	Created on	datetime			X			crm_iap_mine
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL		X			crm_iap_mine
display_name	Display Name	char			X			crm_iap_mine
id	ID	integer			X			crm_iap_mine
name	Name	char		X		X		crm_iap_mine
reveal_id	Reveal	char		X				crm_iap_mine
write_date	Last Updated on	datetime			X			crm_iap_mine
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			crm_iap_mine

Views

Seq	Type	Name	XML ID	Inherited