DER Models

Seohyun Jang

June 12, 2025

1 Without Storage

1.1 Disaggregation

$$\max \sum_{t \in T} \left(P_t^{DA} x_{it} + \mathbb{E} \left[P_t^{RT}(\xi) y_{it}^+(\xi) - P_t^{PN} y_{it}^-(\xi) \right] \right)$$
 (1a)

s.t.
$$R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) \quad \forall t \in T$$
 (1b)

$$R_{it}(\xi) \geqslant y_{it}^+(\xi) \quad \forall t \in T$$
 (1c)

$$y_{it}^{+}(\xi) \leqslant M z_{it}(\xi), \quad y_{it}^{-}(\xi) \leqslant M (1 - z_{it}(\xi)) \quad \forall t \in T$$
 (1d)

$$x_{it}^{DA} \geqslant 0, y_{it}^{+}(\xi) \geqslant 0, y_{it}^{-}(\xi) \geqslant 0, z_{it}(\xi) \in \{0, 1\} \quad \forall t \in T$$
 (1e)

1.2 Aggregation

$$\max \sum_{t \in T} \left(P_t^{DA} \alpha_t + \mathbb{E} \left[P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right] \right)$$
 (2a)

s.t.
$$\sum_{i \in I} R_{it}(\xi) - \alpha_t = \beta_t^+(\xi) - \beta_t^-(\xi) \quad \forall t \in T$$
 (2b)

$$\sum_{i \in I} R_{it}(\xi) \geqslant \beta_t^+(\xi) \quad \forall t \in T$$
 (2c)

$$\beta_t^+(\xi) \leqslant M z_t(\xi), \quad \beta_t^-(\xi) \leqslant M (1 - z_t(\xi)) \quad \forall t \in T$$
 (2d)

$$\alpha_t^{DA} \ge 0, \beta_t^+(\xi) \ge 0, \beta_t^-(\xi) \ge 0, z_t(\xi) \in \{0, 1\} \quad \forall t \in T$$
 (2e)

1.3 Settlement

$$\max \sum_{t \in T} \left(P_t^{DA} \alpha_t + \mathbb{E} \left[P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right] \right) \tag{3a}$$

s.t.
$$\sum_{i \in I} R_{it}(\xi) - \alpha_t^{DA} = \beta_t^+(\xi) - \beta_t^-(\xi) \quad \forall t \in T$$
 (3b)

$$\sum_{i=1}^{n} R_{it}(\xi) \geqslant \beta_t^+(\xi) \quad \forall t \in T$$
 (3c)

$$\beta_t^+(\xi) \leqslant M z_t(\xi), \quad \beta_t^-(\xi) \leqslant M (1 - z_t(\xi)) \quad \forall t \in T$$
(3d)

$$\alpha_t = \sum_{i \in I} x_{it}(\xi), \quad \beta_t^+(\xi) = \sum_{i \in I} e_{it}^+(\xi), \quad \beta_t^-(\xi) = \sum_{i \in I} e_{it}^-(\xi) \quad \forall t \in T$$
 (3e)

$$R_{it}(\xi) - x_{it}(\xi) = y_{it}^{+}(\xi) - y_{it}^{-}(\xi) \quad \forall t \in T$$
 (3f)

$$R_{it}(\xi) \geqslant y_{it}^+(\xi) \quad \forall t \in T$$
 (3g)

$$y_{it}^+(\xi) \leqslant M z_{it}(\xi), \quad y_{it}^-(\xi) \leqslant M(1 - z_{it}(\xi)) \quad \forall t \in T$$
 (3h)

$$\sum_{j \in I, j \neq i} d_{ijt}(\xi) \leqslant y_{it}^{+}(\xi), \quad \sum_{j \in I, j \neq i} d_{jit}(\xi) \leqslant y_{it}^{-}(\xi) \quad \forall t \in T$$

$$(3i)$$

$$d_{iit}(\xi) = 0 \quad \forall t \in T$$

$$e_{it}^{+}(\xi) = y_{it}^{+}(\xi) - \sum_{j \in I, j \neq i} d_{ijt}(\xi) \quad \forall t \in T$$
 (3k)

$$e_{it}^{-}(\xi) = y_{it}^{-}(\xi) - \sum_{j \in I, j \neq i} d_{jit}(\xi) \quad \forall t \in T$$
 (31)

2 With Storage

2.1 Disaggregation

$$\max \sum_{t \in T} \left(P_t^{DA} x_{it} + \mathbb{E} \left[P_t^{RT}(\xi) y_{it}^+(\xi) - P_t^{PN} y_{it}^-(\xi) \right] \right)$$
s.t.
$$R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi)$$

$$(4b)$$

$$R_{it}(\xi) \geqslant y_{it}^+(\xi)$$

$$z_{i,t+1}(\xi) = z_{it}(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi) \quad \forall i, t$$

$$z_{it}^D(\xi) \leqslant z_{it}(\xi), \quad z_{it}^C(\xi) \leqslant K_i - z_{it}(\xi), \quad 0 \leqslant z_{it}(\xi) \leqslant K_i$$

$$(4e)$$

$$y_{it}^{+}(\xi) \leqslant M_{1}\phi_{it}^{1}(\xi), \quad y_{it}^{-}(\xi) \leqslant M_{1}(1 - \phi_{it}^{1}(\xi)) \tag{4f}$$

$$y_{it}^{-}(\xi) \leqslant M_1 \phi_{it}^2(\xi), \quad z_{it}^C(\xi) \leqslant M_1 (1 - \phi_{it}^2(\xi))$$
 (4g)

$$z_{it}^C(\xi) \leqslant M_1 \phi_{it}^3(\xi), \quad z_{it}^D(\xi) \leqslant M_1 (1 - \phi_{it}^3(\xi))$$
 (4h)

2.2 Aggregation with individual BTM storage control

$$\max \sum_{t \in T} \left(P_t^{DA} \sum_{i \in I} x_{it} + \mathbb{E} \left[P_t^{RT}(\xi) \sum_{i \in I} e_{it}^+(\xi) - P_t^{PN} \sum_{i \in I} e_{it}^-(\xi) \right] \right)$$
(5a)

s.t.
$$R_{it}(\xi) - x_{it} = y_{it}^{+}(\xi) - y_{it}^{-}(\xi) + z_{it}^{C}(\xi) - z_{it}^{D}(\xi)$$
 (5b) $R_{it}(\xi) + z_{it}^{D}(\xi) \geqslant y_{it}^{+}(\xi) + z_{it}^{C}(\xi)$ (5c) $z_{i,t+1}(\xi) = z_{it}(\xi) + z_{it}^{C}(\xi) - z_{it}^{D}(\xi)$ (5d) $z_{it}^{D}(\xi) \leqslant z_{it}(\xi), \quad z_{it}^{C}(\xi) \leqslant K_{i} - z_{it}(\xi), \quad 0 \leqslant z_{it}(\xi) \leqslant K_{i}$ (5e) $e_{it}^{+}(\xi) = y_{it}^{+}(\xi) - \sum_{j \in I} d_{ijt}(\xi), \quad e_{it}^{-}(\xi) = y_{it}^{-}(\xi) - \sum_{j \in I} d_{jit}(\xi)$ (5f) $d_{iit}(\xi) = 0$ (5g) $y_{it}^{+}(\xi) \leqslant M_{1}\phi_{it}^{1}(\xi), \quad y_{it}^{-}(\xi) \leqslant M_{1}(1 - \phi_{it}^{1}(\xi))$ (5h) $y_{it}^{-}(\xi) \leqslant M_{1}\phi_{it}^{2}(\xi), \quad z_{it}^{C}(\xi) \leqslant M_{1}(1 - \phi_{it}^{2}(\xi))$ (5i) $z_{it}^{C}(\xi) \leqslant M_{1}\phi_{it}^{3}(\xi), \quad z_{it}^{D}(\xi) \leqslant M_{1}(1 - \phi_{it}^{3}(\xi))$ (5j)

2.3 Aggregation with direct control over storage

 $\sum_{i,t} e_{it}^{+}(\xi) \leqslant M_2 \phi_t^4(\xi), \quad \sum_{i,t} e_{it}^{-}(\xi) \leqslant M_2 (1 - \phi_t^4(\xi))$

$$\max \sum_{t \in T} \left(P_t^{DA} \alpha_t + \mathbb{E} \left[P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right) \right] \right) \tag{6a}$$

s.t.
$$\sum_{i \in I} R_{it}(\xi) - \alpha_t = \beta_t^+(\xi) - \beta_t^-(\xi) + \gamma_t^C(\xi) - \gamma_t^D(\xi) \quad \forall t$$
 (6b)

$$\sum_{i \in I} R_{it}(\xi) \geqslant \beta_t^+(\xi) \tag{6c}$$

(5k)

$$\gamma_t^D(\xi) \leqslant \gamma_t(\xi), \quad \gamma_t^C(\xi) \leqslant \sum_{i \in I} K_i - \gamma_t(\xi), \quad 0 \leqslant \gamma_t(\xi) \leqslant \sum_{i \in I} K_i \quad \forall t \tag{6d}$$

$$\gamma_{t+1}(\xi) = \gamma_t(\xi) + \gamma_t^C(\xi) - \gamma_t^D(\xi) \quad \forall t$$
 (6e)

$$\beta_t^+(\xi) \leqslant M_2 \mu_t(\xi), \quad \beta_t^-(\xi) \leqslant M_2 (1 - \mu_t(\xi)) \quad \forall t$$
 (6f)

$$\beta_t^-(\xi) \leqslant M_2 \eta_t(\xi), \quad \gamma_t^C(\xi) \leqslant M_2 (1 - \eta_t(\xi)) \quad \forall t$$
 (6g)

$$\gamma_t^C(\xi) \leqslant M_2 \lambda_t(\xi), \quad \gamma_t^D(\xi) \leqslant M_2 (1 - \lambda_t(\xi)) \quad \forall t$$
 (6h)

3 Individual

3.1 Different Internal Price (Non-linear)

$$\max \quad \sum_{t \in T} \left(P_t^{DA} \cdot x_t + \mathbb{E} \left[P_t^{RT}(\xi) \cdot y_t^+(\xi) - P_t^{PN} \cdot y_t^-(\xi) + \rho_t^+(d) \cdot d_t^+(\xi) - \rho_t^-(d) \cdot d_t^-(\xi) \right] \right)$$
 (7a) s.t.
$$R_t(\xi) - x_t = y_t^+(\xi) - y_t^-(\xi) + d_t^+(\xi) - d_t^-(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
 (7b)
$$R_t(\xi) \geqslant y_t^+(\xi) + d_{it}^+(\xi)$$
 (7c)
$$x_t - R_t(\xi) \geqslant y_t^-(\xi) + d_t^-(\xi)$$
 (7d)
$$z_{t+1}(\xi) = z_t(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
 (7e)
$$z_t^D(\xi) \leqslant z_t(\xi), \quad z_t^C(\xi) \leqslant K - z_t(\xi), \quad 0 \leqslant z_t(\xi) \leqslant K$$
 (7f)
$$y_t^+(\xi) \leqslant M\phi_t^1(\xi), \quad y_t^-(\xi) \leqslant M(1 - \phi_t^1(\xi))$$
 (7g)
$$y_t^-(\xi) \leqslant M\phi_t^2(\xi), \quad z_t^C(\xi) \leqslant M(1 - \phi_t^2(\xi))$$
 (7h)
$$z_t^C(\xi) \leqslant M\phi_t^3(\xi), \quad z_t^D(\xi) \leqslant M(1 - \phi_t^3(\xi))$$
 (7i)
$$d_t^+(\xi) \leqslant M\phi_t^4(\xi), \quad d_t^-(\xi) \leqslant M(1 - \phi_t^4(\xi))$$
 (7j)

3.2 Different Internal Price (Piecewise-Linear)

$$\max \sum_{t \in T} \left(P_t^{DA} \cdot x_t + \mathbb{E} \Big[P_t^{RT}(\xi) \cdot y_t^+(\xi) - P_t^{PN} \cdot y_t^-(\xi) + \sum_{b^+ \in R^+} \rho_{t,b^+}^+ \cdot (w_{t,b^+}^+ + u_{t,b^+}^+ \cdot d_{t,b^+}^{\min+}) - \sum_{b^- \in R^-} \rho_{t,b^-}^- \cdot (w_{t,b^-}^- + u_{t,b^-}^- \cdot d_{t,b^-}^{\min-}) \Big] \right)$$
(8a)

s.t.
$$d_t^+ = \sum_{b^+ \in B^+} (w_{t,b^+}^+ + u_{t,b^+}^+ \cdot d_{t,b^+}^{\min +})$$
 (8b)

$$0 \leqslant w_{t \, h^+}^+ \leqslant u_{t \, h^+}^+ \cdot w_{t \, h^+}^{\max +} \tag{8c}$$

$$\sum_{b^+ \in B^+} u_{t,b^+}^+ = 1 \tag{8d}$$

$$d_t^- = \sum_{b^- \in B^-} (w_{t,b^-}^- + u_{t,b^-}^- \cdot d_{t,b^-}^{\min -}) \tag{8e}$$

$$0 \leqslant w_{t,b^{-}}^{-} \leqslant u_{t,b^{-}}^{-} \cdot w_{t,b^{-}}^{\mathsf{max} -} \tag{8f}$$

$$\sum_{b^- \in B^-} u_{t,b^-}^- = 1 \tag{8g}$$

$$R_t(\xi) - x_t = y_t^+(\xi) - y_t^-(\xi) + d_t^+(\xi) - d_t^-(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
(8h)

$$R_t(\xi) + z_t^D(\xi) \geqslant y_t^+(\xi) + d_t^+(\xi) + z_t^C(\xi)$$
 (8i)

$$z_{t+1}(\xi) = z_t(\xi) + z_t^C(\xi) - z_t^D(\xi)$$
(8j)

$$z_t^D(\xi) \leqslant z_t(\xi), \quad z_t^C(\xi) \leqslant K - z_t(\xi), \quad 0 \leqslant z_t(\xi) \leqslant K \tag{8k}$$

$$y_t^+(\xi) \leqslant M\phi_t^1(\xi), \quad y_t^-(\xi) \leqslant M(1 - \phi_t^1(\xi)) \tag{81}$$

$$y_t^-(\xi) \le M\phi_t^2(\xi), \quad z_t^C(\xi) \le M(1 - \phi_t^2(\xi))$$
 (8m)

$$z_t^C(\xi) \leqslant M\phi_t^3(\xi), \quad z_t^D(\xi) \leqslant M(1 - \phi_t^3(\xi))$$
 (8n)

$$d_t^+(\xi) \leqslant M\phi_t^4(\xi), \quad d_t^-(\xi) \leqslant M(1 - \phi_t^4(\xi)) \tag{80}$$

$$y_t^+(\xi) \leqslant M\phi_t^5(\xi), \quad d_t^-(\xi) \leqslant M(1 - \phi_t^5(\xi))$$

$$y_t^-(\xi) \leqslant M\phi_t^6(\xi), \quad d_t^+(\xi) \leqslant M(1 - \phi_t^6(\xi))$$
(8p)