# DER Models

Seohyun Jang

June 3, 2025

### 1 Without Storage

## Disaggregation

$$\max \quad \sum_{t \in T} \left( P_t^{DA} x_{it} + \mathbb{E} \left[ P_t^{RT}(\xi) y_{it}^+(\xi) - P_t^{PN} y_{it}^-(\xi) \right] \right)$$
 (1a) 
$$\text{S.t.} \quad R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) \quad \forall t \in T$$
 (1b) 
$$R_{it}(\xi) \geqslant y_{it}^+(\xi) \quad \forall t \in T$$
 (1c) 
$$y_{it}^+(\xi) \leqslant M z_{it}(\xi), \quad y_{it}^-(\xi) \leqslant M (1 - z_{it}(\xi)) \quad \forall t \in T$$
 (1d) 
$$x_{it}^{DA} \geqslant 0, y_{it}^+(\xi) \geqslant 0, y_{it}^-(\xi) \geqslant 0, z_{it}(\xi) \in \{0, 1\} \quad \forall t \in T$$
 (1e)

(1a)

(2a)

(3l)

### 1.2 Aggregation

$$\max \sum_{t \in T} \left( P_t^{DA} \alpha_t + \mathbb{E} \left[ P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right] \right)$$
s.t. 
$$\sum_{i \in I} R_{it}(\xi) - \alpha_t = \beta_t^+(\xi) - \beta_t^-(\xi) \quad \forall t \in T$$

$$\sum_{i \in I} R_{it}(\xi) \geqslant \beta_t^+(\xi) \quad \forall t \in T$$

$$\beta_t^+(\xi) \leqslant M z_t(\xi), \quad \beta_t^-(\xi) \leqslant M (1 - z_t(\xi)) \quad \forall t \in T$$

$$\alpha_t^{DA} \geqslant 0, \beta_t^+(\xi) \geqslant 0, \beta_t^-(\xi) \geqslant 0, z_t(\xi) \in \{0, 1\} \quad \forall t \in T$$
(2c)

#### Settlement 1.3

$$\begin{aligned} \max \quad & \sum_{t \in T} \left( P_t^{DA} \alpha_t + \mathbb{E} \left[ P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right] \right) \\ \text{s.t.} \quad & \sum_{i \in I} R_{it}(\xi) - \alpha_t^{DA} = \beta_t^+(\xi) - \beta_t^-(\xi) \quad \forall t \in T \end{aligned} \\ & \sum_{i \in I} R_{it}(\xi) \geqslant \beta_t^+(\xi) \quad \forall t \in T \end{aligned}$$

 $e_{it}^-(\xi) = y_{it}^-(\xi) - \sum_{i \in I, i \neq i} d_{jit}(\xi) \quad \forall t \in T$ 

### 2 With Storage

#### Disaggregation 2.1

$$\max \quad \sum_{t \in T} \left( P_t^{DA} x_{it} + \mathbb{E} \left[ P_t^{RT}(\xi) y_{it}^+(\xi) - P_t^{PN} y_{it}^-(\xi) \right] \right)$$
 (4a) 
$$\text{S.t.} \quad R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi)$$
 (4b) 
$$R_{it}(\xi) \geqslant y_{it}^+(\xi)$$
 (4c) 
$$z_{i,t+1}(\xi) = z_{it}(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi) \quad \forall i, t$$
 (4d) 
$$z_{it}^D(\xi) \leqslant z_{it}(\xi), \quad z_{it}^C(\xi) \leqslant K_i - z_{it}(\xi), \quad 0 \leqslant z_{it}(\xi) \leqslant K_i$$
 (4e) 
$$y_{it}^+(\xi) \leqslant M_1 \phi_{it}^1(\xi), \quad y_{it}^-(\xi) \leqslant M_1 (1 - \phi_{it}^1(\xi))$$
 (4f) 
$$y_{it}^-(\xi) \leqslant M_1 \phi_{it}^3(\xi), \quad z_{it}^D(\xi) \leqslant M_1 (1 - \phi_{it}^3(\xi))$$
 (4g) 
$$z_{it}^C(\xi) \leqslant M_1 \phi_{it}^3(\xi), \quad z_{it}^D(\xi) \leqslant M_1 (1 - \phi_{it}^3(\xi))$$
 (4h)

## Aggregation with BTM storage control

$$\max \sum_{t \in T} \left( P_t^{DA} \sum_{i \in I} x_{it} + \mathbb{E} \left[ P_t^{RT}(\xi) \sum_{i \in I} e_{it}^+(\xi) - P_t^{PN} \sum_{i \in I} e_{it}^-(\xi) \right] \right) \tag{5a}$$

$$\text{S.t.} \quad R_{it}(\xi) - x_{it} = y_{it}^+(\xi) - y_{it}^-(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi) \tag{5b}$$

$$R_{it}(\xi) \geqslant y_{it}^+(\xi) \tag{5d}$$

$$z_{i,t+1}(\xi) = z_{it}(\xi) + z_{it}^C(\xi) - z_{it}^D(\xi) \tag{5e}$$

$$z_{it}^D(\xi) \leqslant z_{it}(\xi), \quad z_{it}^C(\xi) \leqslant K_i - z_{it}(\xi), \quad 0 \leqslant z_{it}(\xi) \leqslant K_i \tag{5f}$$

$$e_{it}^+(\xi) = y_{it}^+(\xi) - \sum_{j \in I} d_{ijt}(\xi), \quad e_{it}^-(\xi) = y_{it}^-(\xi) - \sum_{j \in I} d_{jit}(\xi) \tag{5g}$$

$$d_{iit}(\xi) = 0 \tag{5h}$$

$$y_{it}^+(\xi) \leqslant M_1 \phi_{it}^1(\xi), \quad y_{it}^-(\xi) \leqslant M_1 (1 - \phi_{it}^1(\xi)) \tag{5i}$$

$$y_{it}^-(\xi) \leqslant M_1 \phi_{it}^2(\xi), \quad z_{it}^C(\xi) \leqslant M_1 (1 - \phi_{it}^2(\xi)) \tag{5j}$$

$$z_{it}^C(\xi) \leqslant M_1 \phi_{it}^3(\xi), \quad z_{it}^D(\xi) \leqslant M_1 (1 - \phi_{it}^3(\xi)) \tag{5k}$$

$$\sum_{it} e_{it}^+(\xi) \leqslant M_2 \phi_i^4(\xi), \quad \sum_{it} e_{it}^-(\xi) \leqslant M_2 (1 - \phi_i^4(\xi)) \tag{5b}$$

### Aggregation with direct control over storage

$$y_{it}^{-}(\xi) \leqslant M_1 \phi_{it}^2(\xi), \quad z_{it}^C(\xi) \leqslant M_1 (1 - \phi_{it}^2(\xi)) \tag{5}$$

$$z_{it}^C(\xi) \leqslant M_1 \phi_{it}^3(\xi), \quad z_{it}^D(\xi) \leqslant M_1 (1 - \phi_{it}^3(\xi)) \tag{5}$$

$$\sum_{i \in I} e_{it}^+(\xi) \leqslant M_2 \phi_t^4(\xi), \quad \sum_{i \in I} e_{it}^-(\xi) \leqslant M_2 (1 - \phi_t^4(\xi)) \tag{5}$$

$$\text{ion with direct control over storage}$$

$$\max \quad \sum_{t \in T} \left( P_t^{DA} \alpha_t + \mathbb{E} \left[ P_t^{RT}(\xi) \beta_t^+(\xi) - P_t^{PN} \beta_t^-(\xi) \right] \right) \tag{6}$$

$$\text{s.t.} \quad \sum_{i \in I} R_{it}(\xi) - \alpha_t = \beta_t^+(\xi) - \beta_t^-(\xi) + \gamma_t^C(\xi) - \gamma_t^D(\xi) \quad \forall t \tag{6}$$

$$\sum_{i \in I} R_{it}(\xi) \geqslant \beta_t^+(\xi) \tag{6}$$

$$\gamma_t^D(\xi) \leqslant \gamma_t(\xi), \quad \gamma_t^C(\xi) \leqslant \sum_{i \in I} K_i - \gamma_t(\xi), \quad 0 \leqslant \gamma_t(\xi) \leqslant \sum_{i \in I} K_i \quad \forall t \tag{6}$$

$$\gamma_{t+1}(\xi) = \gamma_t(\xi) + \gamma_t^C(\xi) - \gamma_t^D(\xi) \quad \forall t \tag{6}$$

$$\beta_t^+(\xi) \leqslant M_2 \mu_t(\xi), \quad \beta_t^-(\xi) \leqslant M_2 (1 - \mu_t(\xi)) \quad \forall t \tag{6}$$

$$\beta_t^-(\xi) \leqslant M_2 \eta_t(\xi), \quad \gamma_t^C(\xi) \leqslant M_2 (1 - \eta_t(\xi)) \quad \forall t \tag{6}$$

$$\gamma_t^C(\xi) \leqslant M_2 \lambda_t(\xi), \quad \gamma_t^D(\xi) \leqslant M_2 (1 - \lambda_t(\xi)) \quad \forall t \tag{6}$$

### 3 Individual

# 1 Different Internal Price (Non-linear)

$$\begin{aligned} \max \quad & \sum_{t \in T} \left( P_t^{DA} \cdot x_t + \mathbb{E} \left[ P_t^{RT}(\xi) \cdot y_t^+(\xi) - P_t^{PN} \cdot y_t^-(\xi) + \rho_t^+(d) \cdot d_t^+(\xi) - \rho_t^-(d) \cdot d_t^-(\xi) \right] \right) \end{aligned}$$
 (7a) 
$$s.t. \quad & R_t(\xi) - x_t = y_t^+(\xi) - y_t^-(\xi) + d_t^+(\xi) - d_t^-(\xi) + z_t^C(\xi) - z_t^D(\xi) \end{aligned}$$
 (7b) 
$$& R_t(\xi) \geqslant y_t^+(\xi) + d_{it}^+(\xi) \end{aligned}$$
 (7c) 
$$& R_t(\xi) \geqslant y_t^+(\xi) + d_t^-(\xi) \end{aligned}$$
 (7d) 
$$& z_{t+1}(\xi) = z_t(\xi) + z_t^C(\xi) - z_t^D(\xi) \end{aligned}$$
 (7e) 
$$& z_t^D(\xi) \leqslant z_t(\xi), \quad z_t^C(\xi) \leqslant K - z_t(\xi), \quad 0 \leqslant z_t(\xi) \leqslant K \end{aligned}$$
 (7f) 
$$& y_t^+(\xi) \leqslant M\phi_t^1(\xi), \quad y_t^-(\xi) \leqslant M(1 - \phi_t^1(\xi))$$
 (7g) 
$$& y_t^C(\xi) \leqslant M\phi_t^3(\xi), \quad z_t^C(\xi) \leqslant M(1 - \phi_t^2(\xi))$$
 (7h) 
$$& z_t^C(\xi) \leqslant M\phi_t^4(\xi), \quad d_t^D(\xi) \leqslant M(1 - \phi_t^4(\xi)) \end{aligned}$$
 (7j) 
$$& d_t^+(\xi) \leqslant M\phi_t^4(\xi), \quad d_t^-(\xi) \leqslant M(1 - \phi_t^4(\xi))$$
 (7j)

## 3.2 Different Internal Price (Piecewise-Linear)

$$\max \sum_{t \in T} \left( P_t^{DA} \cdot x_t + \mathbb{E} \Big[ P_t^{RT}(\xi) \cdot y_t^+(\xi) - P_t^{PN} \cdot y_t^-(\xi) \right.$$

$$\left. + \sum_{b^+ \in B^+} \rho_{t,b^+}^+ \cdot (w_{t,b^+}^+ + u_{t,b^+}^+ \cdot d_{t,b^+}^{min\,+}) - \sum_{b^- \in B^-} \rho_{t,b^-}^- \cdot (w_{t,b^-}^- + u_{t,b^-}^- \cdot d_{t,b^-}^{min\,-}) \Big] \right)$$

$$\text{S.t.} \quad d_t^+ = \sum_{b^+ \in B^+} (w_{t,b^+}^+ + u_{t,b^+}^+ \cdot d_{t,b^+}^{min\,+})$$

$$0 \leqslant w_{t,b^+}^+ \leqslant u_{t,b^+}^+ \cdot w_{t,b^+}^{max\,+}$$

$$\sum_{b^+ \in B^+} u_{t,b^+}^+ = 1$$

$$(8c)$$

$$d_{t}^{-} = \sum_{b^{-} \in B^{-}} (w_{t,b^{-}}^{-} + u_{t,b^{-}}^{-} \cdot d_{t,b^{-}}^{min -})$$

$$0 \leqslant w_{t,b^{-}}^{-} \leqslant u_{t,b^{-}}^{-} \cdot w_{t,b^{-}}^{max -}$$
(8f)

$$\sum_{b-c} u_{t,b^-}^- = 1 \tag{8g}$$

$$R_{t}(\xi) - x_{t} = y_{t}^{+}(\xi) - y_{t}^{-}(\xi) + d_{t}^{+}(\xi) - d_{t}^{-}(\xi) + z_{t}^{C}(\xi) - z_{t}^{D}(\xi)$$

$$R_{t}(\xi) \geqslant y_{t}^{+}(\xi) + d_{t}^{+}(\xi) + z_{t}^{C}(\xi) \qquad (8i)$$

$$z_{t+1}(\xi) = z_{t}(\xi) + z_{t}^{C}(\xi) - z_{t}^{D}(\xi) \qquad (8j)$$

$$z_{t}^{D}(\xi) \leqslant z_{t}(\xi), \quad z_{t}^{C}(\xi) \leqslant K - z_{t}(\xi), \quad 0 \leqslant z_{t}(\xi) \leqslant K \qquad (8k)$$

$$y_{t}^{+}(\xi) \leqslant M\phi_{t}^{1}(\xi), \quad y_{t}^{-}(\xi) \leqslant M(1 - \phi_{t}^{1}(\xi)) \qquad (8l)$$

$$y_{t}^{-}(\xi) \leqslant M\phi_{t}^{2}(\xi), \quad z_{t}^{C}(\xi) \leqslant M(1 - \phi_{t}^{2}(\xi)) \qquad (8m)$$

$$z_t^C(\xi) \leqslant M\phi_t^3(\xi), \quad z_t^D(\xi) \leqslant M(1 - \phi_t^3(\xi))$$

$$d_t^+(\xi) \leqslant M\phi_t^4(\xi), \quad d_t^-(\xi) \leqslant M(1 - \phi_t^4(\xi))$$
(80)

$$d_{t}(\xi) \leqslant M\phi_{t}(\xi), \quad d_{t}(\xi) \leqslant M(1 - \phi_{t}(\xi))$$

$$y_{t}^{+}(\xi) \leqslant M\phi_{t}^{5}(\xi), \quad d_{t}^{-}(\xi) \leqslant M(1 - \phi_{t}^{5}(\xi))$$
(8p)

$$g_t(\xi) \leqslant M\phi_t(\xi), \quad a_t(\xi) \leqslant M(1 - \phi_t(\xi))$$

$$y_t^-(\xi) \leqslant M\phi_t^6(\xi), \quad d_t^+(\xi) \leqslant M(1 - \phi_t^6(\xi))$$
(89)