

Safety Management and SMS Compliance

INTERNAL - CONTROLLED DOCUMENT | DO NOT DISTRIBUTE WITHOUT AUTHORIZATION

BOF-POL-010

Safety Management and SMS Compliance Policy

Policy Number	BOF-POL-010	Version	1.0
Effective Date	July 20, 2026	Review Cycle	Annual
Policy Owner	Director of Safety and Compliance	Approved By	Chief Operating Officer
Classification	Internal - Controlled Document	Internal - Controlled Document	Internal - Controlled Document

Table of Contents

- 1. Purpose and Scope
- 2. Regulatory References
- 3. Definitions
- 4. The Seven CSA BASICs - Monitoring and Targets
 - 4.1 BASIC Overview
 - 4.2 BASIC Table
 - 4.3 Score Monitoring Protocol
- 5. Roadside Inspection Management
 - 5.1 Driver Obligations at Inspection
 - 5.2 Inspection Report Processing
 - 5.3 Corrective Action Timeline
 - 5.4 OOS Rate Monitoring
 - 5.5 Inspection Documentation
- 6. DataQ Challenge Procedure
- 7. Accident Investigation and Preventability Determination
- 8. Safety Training Program
- 9. Safety Metrics and Reporting
- 10. Safety Program Documentation Requirements
- 11. Roles and Responsibilities
- 12. Regulatory Interaction - Compliance Reviews

- 13. Cross-References
- 14. Non-Compliance and Enforcement
- 15. Policy Review and Amendment
- App. A-G Appendices

1. Purpose and Scope

This policy establishes a comprehensive, structured Safety Management System (SMS) for the commercial trucking and logistics operations conducted under company operating authority. The purpose of this policy is to systematically prevent accidents and regulatory violations, monitor and manage the Federal Motor Carrier Safety Administration (FMCSA) Safety Measurement System (SMS) scores across all seven Compliance, Safety, Accountability (CSA) Behavior Analysis and Safety Improvement Categories (BASICS), manage roadside inspection results, coordinate DataQ challenge submissions for incorrect or erroneous inspection records, and document corrective actions in a consistent and auditable manner.

The company is committed to the highest standards of highway safety and regulatory compliance. This policy formalizes the processes, responsibilities, and accountability structures necessary to maintain a superior safety profile, protect drivers, the public, and company assets, and to proactively manage the company's standing with the FMCSA and state enforcement agencies.

1.1 Scope of Application

This policy applies to:

- ? All company employed and owner-operator leased commercial motor vehicle (CMV) drivers operating under company authority
- ? All commercial motor vehicles owned, leased, or operated under company authority
- ? All operations, dispatch, and administrative staff whose functions affect safety performance or regulatory compliance
- ? All safety, compliance, and management personnel
- ? All third-party contractors or service providers whose activities are governed by company safety standards

No individual or operational unit within the company's authority is exempt from the requirements of this policy. Compliance is a condition of continued employment and/or lease authorization.

2. Regulatory References

This policy is established in compliance with and in reference to the following federal regulations, FMCSA programs, and internal company policies:

2.1 Federal Regulations - Title 49, Code of Federal Regulations (CFR)

Regulation	Subject Matter
49 CFR Part 383	Commercial Driver's License Standards; Requirements and Penalties
49 CFR Part 382	Controlled Substances and Alcohol Use and Testing
49 CFR Part 390	Federal Motor Carrier Safety Regulations - General

Regulation	Subject Matter
49 CFR Part 391	Qualifications of Drivers and Longer Combination Vehicle (LCV) Driver Instructors
49 CFR Part 392	Driving of Commercial Motor Vehicles
49 CFR Part 393	Parts and Accessories Necessary for Safe Operation
49 CFR Part 395	Hours of Service of Drivers
49 CFR Part 396	Inspection, Repair, and Maintenance
49 CFR 390.15	DOT Accident Register Requirements

2.2 FMCSA Programs

- ? FMCSA Safety Measurement System (SMS) - Scoring Methodology and Intervention Thresholds
- ? CSA BASICs Framework - Seven-Category Safety Evaluation Structure
- ? FMCSA DataQ System - Data Quality Challenge Process
- ? FMCSA Safety Fitness Determination Methodology

2.3 Internal Cross-References

Policy Number	Policy Title	Relevance to This Policy
BOF-POL-001	Driver Qualification Policy	Driver Fitness BASIC; qualification file standards
BOF-POL-002	Pre-Trip Inspection Policy	Vehicle Maintenance BASIC; DVIR requirements
BOF-POL-003	HOS Escalation Policy	HOS Compliance BASIC; real-time monitoring
BOF-POL-005	Claims and Incident Response Policy	Crash Indicator BASIC; accident response protocol
BOF-POL-007	Records Retention Policy	Training record and documentation retention standards
BOF-POL-009	Fleet Maintenance Policy	Vehicle Maintenance BASIC; mechanical repair documentation

3. Definitions

The following terms are used throughout this policy and are defined as follows:

Term	Definition
Safety Management System (SMS)	The FMCSA's program used to measure the safety performance of motor carriers and drivers using roadside inspection data, crash data, and investigation results to prioritize carriers for interventions.
CSA	Compliance, Safety, Accountability - the FMCSA's safety compliance and enforcement program that uses data-driven processes to identify high-risk commercial motor carriers and drivers.

Term	Definition
BASIC	Behavior Analysis and Safety Improvement Category - one of the seven measurement categories used by the FMCSA to evaluate carrier and driver safety performance.
Safety Measurement System (SMS)	The system used by the FMCSA to quantify the on-road safety performance and compliance of carriers and drivers based on violations discovered during roadside inspections and crash data.
Intervention Threshold	The percentile score (relative to peer group) at or above which the FMCSA may initiate an intervention action against a carrier. Thresholds vary by BASIC category.
Roadside Inspection	An official examination of a CMV and/or driver conducted by federal or state enforcement officers to verify compliance with applicable safety regulations.
Out-of-Service (OOS) Order	A declaration by an authorized enforcement officer that a CMV or driver may not continue in commercial motor vehicle operations until specified defects or violations are corrected.
DataQ Challenge	A formal request submitted through the FMCSA DataQ system to correct or remove an inaccurate inspection violation or crash record from the MCMIS database.
Preventable Accident	An accident in which the driver failed to take reasonable and prudent actions that could have avoided the collision, regardless of the legal assignment of fault.
Non-Preventable Accident	An accident in which the driver exercised reasonable care and foresight and could not have avoided the collision through any action within their control.
Safety Fitness Determination	An FMCSA rating assigned to a motor carrier following a compliance review, classified as Satisfactory, Conditional, or Unsatisfactory, reflecting the carrier's overall safety fitness.
Compliance Review	A formal examination of a motor carrier's records, operations, and facilities by an FMCSA compliance officer to evaluate the carrier's adherence to federal safety regulations.
Warning Letter	A written notice from the FMCSA to a carrier whose BASIC score has exceeded the intervention threshold, indicating potential further enforcement action if performance is not improved.
Targeted Inspection	Increased roadside inspection scrutiny directed at drivers or vehicles associated with a carrier that has elevated BASIC scores in specific categories.
Severity Weight	A numerical value (1-10 scale) assigned to each violation in the SMS, reflecting the violation's relative risk to highway safety. Higher-risk violations carry higher severity weights.
Time Weight	A multiplier applied to SMS violation data based on when the violation occurred: full weight (×3) within 0-6 months; reduced weight (×2) at 6-12 months; minimum weight (×1) at 12-24 months.
Peer Group Percentile	A carrier's SMS score expressed as a percentile ranking relative to carriers with a similar number of inspections, allowing for fair comparison across fleet sizes.

Term	Definition
MCMIS	Motor Carrier Management Information System - the FMCSA's central database containing inspection, crash, and registration data for all motor carriers.
DOT-Recordable Accident	An accident as defined under 49 CFR 390.5 involving a CMV on a public roadway that results in a fatality, injury requiring immediate off-scene medical treatment, or vehicle disablement requiring towing.

4. The Seven CSA BASICs - Monitoring and Targets

4.1 BASIC Overview - SMS Scoring Methodology

The FMCSA Safety Measurement System evaluates carrier safety performance through seven Behavior Analysis and Safety Improvement Categories (BASICs). Each BASIC aggregates violation and crash data from roadside inspections and is scored using a peer group percentile methodology. Understanding this scoring structure is essential to proactive compliance management.

Severity Weighting

Each violation detected during a roadside inspection is assigned a severity weight on a scale of 1 to 10, with 10 representing the most serious safety risk. Severity weights are established by the FMCSA based on statistical correlation between specific violations and crash risk. The weighted value of each violation contributes to the carrier's BASIC score.

Time Weighting

Violations are weighted based on how recently they occurred within the 24-month SMS measurement window:

Time Period	Time Weight Multiplier	Effect on Score
0 to 6 months prior	×3 (Full Weight)	Maximum impact on BASIC score
6 to 12 months prior	×2 (33% Reduction)	Moderate impact on BASIC score
12 to 24 months prior	×1 (67% Reduction)	Minimum impact on BASIC score

Peer Group Percentile Ranking

After severity and time weighting are applied, the carrier's total score within each BASIC is compared against all other carriers with a similar number of inspections (peer group). The result is a percentile ranking from 0 to 100. A higher percentile indicates worse relative performance compared to peer carriers. Intervention thresholds are expressed as peer group percentile values.

4.2 BASIC Monitoring Table

The following table outlines all seven CSA BASICs, their intervention thresholds, data sources, business impact, and BOF internal performance targets. Internal targets are set below intervention thresholds to provide a management buffer and early corrective action window.

BASIC Category	What It Measures	Intervention Threshold (Non-Passenger)	Data Sources	Business Impact of Breach	BOF Internal Target
Unsafe Driving	Speeding, reckless driving, improper lane change, failure to use seat belt, texting while driving, and other moving violations	65%	Roadside inspection violations; moving violation convictions	Warning letters; targeted inspections; compliance review; insurance premium increase; shipper disqualification	<50%
HOS Compliance	Hours of Service violations including log falsification, form and manner errors, and ELD malfunctions	65%	Roadside inspection violations; ELD data; driver log audits	Warning letters; targeted inspections; driver OOS; compliance review; shipper freight loss	<50%
Driver Fitness	Operating without a valid CDL, incorrect CDL class/endorsements, expired or absent medical certificate, disqualified driver	80%	Roadside inspection violations; licensing records	Warning letters; authority revocation risk; serious insurance and liability exposure	<60%
Controlled Substances and Alcohol	Alcohol and drug violations discovered during roadside inspections; operating under the influence	80%	Roadside inspection violations; drug/alcohol test results reported to FMCSA	Immediate authority jeopardy; severe insurance impact; catastrophic reputational and liability risk	0 violations
Vehicle Maintenance	Brake defects, lighting violations, tire defects, coupling issues, cargo securement deficiencies, and other equipment defects	80%	Roadside inspection violations; DVIR records; maintenance records	Warning letters; targeted vehicle inspections; OOS events; freight delays; insurance surcharges	<60%
Hazardous Materials	HazMat placarding, shipping papers, packaging, labeling, and loading violations for carriers transporting regulated materials	60%	Roadside inspection violations; HazMat incident reports	Warning letters; HazMat permit revocation; significant fine exposure; emergency response liability	<40%

BASIC Category	What It Measures	Intervention Threshold (Non-Passenger)	Data Sources	Business Impact of Breach	BOF Internal Target
Crash Indicator	Frequency and severity of DOT-reportable crashes; crash history relative to peer carriers	65%	State-reported crash records; FMCSA Crash Register; DOT Accident Register	Warning letters; comprehensive compliance review; catastrophic insurance exposure; potential authority action	<50%

NOTE - Controlled Substances and Alcohol Zero Tolerance The company's internal target for the Controlled Substances and Alcohol BASIC is zero violations. Any violation in this BASIC will trigger immediate response procedures including mandatory post-incident testing, driver removal from service, and Safety Director review, irrespective of the percentile impact.

4.3 Score Monitoring Protocol

The following monitoring protocol governs how the company tracks, evaluates, and responds to its BASIC percentile scores on an ongoing basis:

Monthly Review

The Director of Safety and Compliance shall review all seven BASIC scores on a monthly basis, no later than the 10th calendar day of each month. The Safety Coordinator shall maintain configured dashboard access to the FMCSA SMS portal and shall notify the Director of Safety of any score changes exceeding five percentile points within any single month.

Alert Protocol - Three-Tier Escalation

Alert Level	Trigger Condition	Required Action	Notified Parties
Early Warning	BASIC score reaches 50% of intervention threshold	Safety Coordinator documents score; begins review of contributing violations; identifies DataQ candidates	Director of Safety
Escalation	BASIC score reaches 75% of intervention threshold	Formal review meeting scheduled within 5 business days; corrective action planning initiated; violation trend analysis completed	Director of Safety; Operations Manager
Critical - Above Threshold	BASIC score exceeds intervention threshold	Immediate written Corrective Action Plan (CAP) required within 5 business days; implementation begins immediately; FMCSA intervention anticipated	Director of Safety; Operations Manager; COO

5. Roadside Inspection Management

Roadside inspections are the primary data source for six of the seven CSA BASICs. The company's approach to inspection management emphasizes driver preparedness, rapid internal processing of inspection results, timely corrective action, and aggressive pursuit of DataQ challenges where violations are incorrect.

5.1 Driver Obligations at Inspection

When selected for a roadside inspection, all drivers operating under company authority shall:

- ? Cooperate fully and professionally with the inspecting officer at all times; no hostile, argumentative, or obstructive conduct
- ? Present all required documentation promptly upon request, including but not limited to:

Required Document	Issued By / Source
Commercial Driver's License (CDL) with applicable endorsements	State licensing authority
Current DOT Medical Examiner's Certificate	FMCSA-registered medical examiner
Vehicle Registration / Cab Card	IRP registration authority
Insurance ID / MCS-90 or evidence of insurance	Company insurance provider
Bill of Lading and/or manifest for current load	Shipper / company dispatch
ELD and HOS logs for current and preceding 7 days	Company-issued ELD device
IFTA Decals (where applicable)	State IFTA authority
IRP Cab Card	Base state registration
Hazardous Materials shipping papers and emergency response information (if applicable)	Shipper

- ? Receive and retain the completed inspection report (Form MCSA-5 or state equivalent)
- ? Provide a copy of the completed inspection report to the Safety Coordinator within 24 hours of the inspection, via company-designated reporting method (electronic upload, email, or fax)
- ? Not alter, deface, or destroy any inspection report
- ? If an OOS order is issued, comply immediately and contact dispatch and the Safety Coordinator before resuming operations

WARNING - Out-of-Service Orders No driver may resume operation of a CMV under an active OOS order. Violation of an OOS order is a federal offense subject to severe civil penalties, OOS driver disqualification, and may constitute grounds for immediate termination.

5.2 Inspection Report Processing

Upon receipt of an inspection report, the Safety Coordinator shall:

- ? Log the inspection into the safety management system within one business day, recording: inspection date, location, inspecting agency, inspection level, driver, unit number, and all violations cited
- ? Classify each cited violation using the following three-category framework:

Classification	Criteria	Required Action
(a) Valid - Correctable	Violation reflects a genuine equipment or documentation deficiency that can be remedied	Issue repair or corrective action; document completion; file against unit record
(b) Valid - Driver Behavior	Violation reflects a driver behavior, action, or omission that was within the driver's control	Conduct coaching session; document discussion; file against driver record

Classification	Criteria	Required Action
(c) Potentially Incorrect - DataQ Candidate	Violation appears to be incorrectly coded, misidentified, or attributable to error	Escalate to Director of Safety for DataQ evaluation per Section 6

5.3 Corrective Action Timeline

Violation Type	Required Corrective Action	Timeline	Documentation Required
Mechanical / Equipment Defect	Unit inspected; defect repaired and verified by qualified mechanic (cross-reference BOF-POL-009)	Within 24 hours of report receipt	Work order; repair invoice; mechanic certification of repair
Driver Behavior Violation	One-on-one coaching session with driver; review of applicable regulation; corrective behavior plan if applicable	Within 48 hours of report receipt	Coaching session record signed by driver and supervisor
Systemic / Pattern Violation	Root cause analysis (RCA) conducted; systemic process or training gap identified and remediated	RCA initiated within 5 business days; remediation plan within 10 business days	RCA report; remediation plan; training records or process change documentation

5.4 OOS Rate Monitoring

The Safety Coordinator shall calculate the company's OOS rates on a monthly basis using the following formulas:

? Vehicle OOS Rate: $\text{Total vehicle OOS orders} \div \text{Total roadside inspections} \times 100$

? Driver OOS Rate: $\text{Total driver OOS orders} \div \text{Total roadside inspections} \times 100$

Metric	BOF Internal Target	Trigger for Fleet Audit
Vehicle OOS Rate	Below 10%	Rate meets or exceeds 10% in any calendar month
Driver OOS Rate	Below 5%	Rate meets or exceeds 5% in any calendar month

When either OOS rate target is exceeded, the Director of Safety shall authorize a fleet-wide inspection audit within 10 business days, reviewing all active units and driver qualification files for compliance deficiencies. Findings shall be documented and presented to the Operations Manager within 5 business days of audit completion.

5.5 Inspection Documentation Retention

All roadside inspection reports shall be retained in the company safety management system for a minimum of 12 months from the date of inspection. Each inspection record shall be filed against both the applicable driver record and the applicable vehicle unit record to enable pattern analysis. Retained records shall be made available to authorized enforcement personnel upon request.

6. DataQ Challenge Procedure

6.1 What DataQ Is

The FMCSA DataQ system (Data Quality Challenge system) is the official mechanism through which motor carriers and drivers may request a review of inspection or crash records they believe to be inaccurate, incomplete, or entered in error in the FMCSA Motor Carrier Management Information System (MCMIS). A successful DataQ challenge can result in the removal or correction of an inaccurate record, directly improving the carrier's SMS BASIC percentile scores and reducing intervention exposure. The DataQ process is a critical component of the company's SMS management strategy.

6.2 Eligibility Criteria

An inspection record or individual violation may be eligible for a DataQ challenge under the following circumstances:

- ? Vehicle identification error (incorrect unit number, license plate, or VIN attributed to carrier)
- ? Violation coded incorrectly (wrong CFR citation, incorrect section, or inapplicable regulation)
- ? Violation subsequently dismissed, adjudicated not guilty, or vacated in a court of jurisdiction
- ? Inspection occurred while the vehicle was not under company dispatch or was not in commercial motor vehicle service
- ? Driver was not employed by, or leased to, the company at the time of the inspection
- ? State or enforcement agency data entry error (transposition, duplicate entry, incorrect carrier assignment)
- ? Inspection conducted at a location or date inconsistent with company records (GPS/ELD contradiction)

IMPORTANT - DataQ Is Not for Disputing Valid Violations The DataQ system is designed to correct factual errors in the government's records. It is not a mechanism to dispute valid violations with which the carrier disagrees on policy grounds. Misuse of the DataQ system may result in challenge denials and damage to the company's relationship with the responding enforcement agency.

6.3 Challenge Submission Process

- ? Safety Coordinator identifies a potentially eligible inspection or violation during the 5-business-day post-receipt review period
- ? Safety Coordinator prepares a challenge summary including the basis for the challenge and all supporting documentation
- ? Challenge summary submitted to Director of Safety for review and approval
- ? Upon Director of Safety approval, Safety Coordinator submits the challenge via the FMCSA DataQ portal (safer.fmcsa.dot.gov/dataq)
- ? Challenge submission logged in the safety management system with submission date, responding agency, and challenged items
- ? Projected BASIC score improvement calculated and recorded by the Safety Coordinator

6.4 Documentation Requirements

Supporting documentation shall be assembled prior to challenge submission and retained in the safety management system. Required documentation varies by challenge basis:

Challenge Basis	Required Supporting Documentation
Court dismissal of violation	Certified court dismissal record; case number; court jurisdiction
Vehicle not under company dispatch	GPS data; ELD records; dispatch log; lease termination documentation

Challenge Basis	Required Supporting Documentation
Driver not employed/leased by carrier	Termination date records; lease termination documentation; HR employment verification
Incorrect CFR citation	Applicable regulation text; explanation of correct citation; inspection report with cited violation
State data entry error	Corrected inspection form; agency correspondence; carrier safety management system records confirming correct data
Incorrect vehicle identification	Vehicle registration; VIN records; fleet inventory confirming vehicle was not operated by carrier

6.5 Tracking and Resolution

The Safety Coordinator shall maintain an active DataQ tracking log within the safety management system that records:

- ? Challenge submission date and DataQ case number
- ? Responding enforcement agency
- ? Violated items challenged and corresponding BASIC categories
- ? Projected BASIC score improvement if challenge succeeds
- ? Expected resolution date (30-90 days from submission)
- ? Outcome of the challenge (accepted, rejected, partially accepted)
- ? Actual BASIC score change following resolution

All DataQ outcomes shall be included in the monthly safety report to the Director of Safety (Section 9.1).

6.6 DataQ Challenge Timeline Standards

Activity	Required Timeline
Initial review of all inspections for DataQ eligibility	Within 5 business days of inspection report receipt
Submission of eligible DataQ challenges	Within 30 calendar days of inspection report receipt
Resolution monitoring and follow-up with responding agency	30-90 calendar days following submission; follow up at 45 days if no response
BASIC score monitoring post-resolution	Verified in next monthly SMS review cycle following resolution

7. Accident Investigation and Preventability Determination

7.1 DOT-Recordable Accident Definition

For the purposes of this policy, a DOT-recordable accident is defined per 49 CFR 390.5 as an occurrence involving a commercial motor vehicle operating on a public roadway that results in one or more of the following:

- ? A fatality (death of any person, including the driver, occupants, or third parties)
- ? Bodily injury to a person who, as a result of the injury, immediately receives medical treatment away from the scene of the accident
- ? Disablement of one or more motor vehicles requiring tow-away from the scene

This definition applies regardless of whether the company driver was at fault. All DOT-recordable accidents must be reported, recorded, and investigated per this policy.

7.2 Immediate Response Requirements

Upon occurrence of any accident or incident involving a company CMV, the driver and operations personnel shall follow the complete incident response procedure established under BOF-POL-005, Section 4 (Claims and Incident Response Policy), which governs all immediate response actions including:

- ? Scene safety and emergency services notification
- ? Driver obligation to remain at the scene
- ? Notification to dispatch and Safety Director
- ? Post-accident drug and alcohol testing requirements and mandatory testing timelines per 49 CFR Part 382
- ? Evidence preservation obligations
- ? Prohibition on admissions of liability
- ? Insurance and claims notification

WARNING - Post-Accident Drug and Alcohol Testing Post-accident drug and alcohol testing is mandatory for DOT-recordable accidents and must be completed within the timeframes specified under 49 CFR 382.303. A driver who cannot be tested or who refuses testing shall be removed from safety-sensitive functions. Reference BOF-POL-005 for complete testing protocol.

7.3 Investigation Procedure

For all DOT-recordable accidents, and for significant non-recordable accidents at the Safety Director's discretion, a formal accident investigation shall be conducted by the Director of Safety or designated investigator. The investigation shall include:

- ? Scene evidence collection: Photographs, measurements, road and weather conditions, traffic control devices, skid marks, vehicle positions, and physical evidence documented at or as soon as possible following the scene
- ? Driver statement: Recorded driver account obtained within 4 hours of the accident, consistent with post-accident testing protocols
- ? ELD data pull: Complete HOS and location data from the driver's ELD device for the 24-hour period preceding the accident preserved immediately
- ? Dashcam footage retrieval: All available forward- and driver-facing dashcam footage retrieved, preserved, and secured within 24 hours
- ? GPS data preservation: Vehicle telematics data including speed, hard braking events, and location history preserved from company GPS provider
- ? Witness statements: Statements from available witnesses obtained as soon as practicable; contact information documented
- ? Police report: Official law enforcement accident report obtained when available
- ? Toxicology results: Post-accident drug and alcohol test results obtained and filed upon availability

7.4 Preventability Determination

Following completion of the accident investigation, the Director of Safety shall make a formal preventability determination for each DOT-recordable accident.

Preventability Standard

An accident is classified as Preventable if the driver, exercising reasonable care and foresight consistent with applicable training, regulations, and industry standards, could have taken actions that would have avoided the collision. Preventability is assessed independently of legal fault assignment. An accident may be legally assigned to a third party but still be classified as preventable if the driver failed to take evasive action available to them.

An accident is classified as Non-Preventable if the driver exercised all reasonable care and foresight and the accident could not have been avoided through any action within the driver's control.

Determination Process

Step	Action	Timeline
1	Investigation completed and all evidence assembled	Within 10 business days of accident
2	Director of Safety conducts evidence review and issues written preventability determination	Within 14 calendar days of investigation completion
3	Driver notified of determination in writing; copy filed in driver safety record	Within 3 business days of determination
4	Driver appeal period (if driver disputes determination)	Within 10 calendar days of notification
5	Appeal reviewed by Director of Safety and Operations Manager; final determination issued	Within 10 business days of appeal receipt

7.5 DOT Accident Register

The company shall maintain a DOT Accident Register as required by 49 CFR 390.15. The register shall include the following data elements for each DOT-recordable accident:

- ? Date of accident
- ? City or town, and state in which the accident occurred (or most near)
- ? Driver's name and driver number
- ? Number of injuries
- ? Number of fatalities
- ? Whether a hazardous materials spill occurred

All DOT-recordable accidents shall be recorded in the register within 24 hours of the accident being reported to the company. The register shall be retained for a minimum of 3 years from the date of each accident and shall be made available to authorized FMCSA personnel upon request. See Appendix G for the DOT Accident Register template.

7.6 Corrective Action for Preventable Accidents

All accidents determined to be preventable shall result in the following:

- ? Root cause analysis (RCA) conducted by the Director of Safety to identify contributing factors including driver behavior, training gaps, route characteristics, equipment issues, or systemic management failures
- ? Written Corrective Action Plan (CAP) issued within 30 calendar days of the preventability determination
- ? CAP specifies required actions, responsible parties, and completion deadlines
- ? CAP implementation tracked by the Safety Coordinator; open items reviewed monthly

- ? Driver required to complete defensive driving refresher training (Section 8.3) as a condition of remaining on active dispatch
- ? Second preventable accident within a 12-month period triggers enhanced corrective action review and potential suspension from driving duties pending full safety evaluation

8. Safety Training Program

The company's safety training program is designed to ensure that all drivers possess the knowledge, skills, and competency required to operate commercial motor vehicles safely and in full regulatory compliance. Training is a condition of employment and continued dispatch authorization.

8.1 New Driver Orientation

All newly hired or newly leased drivers must complete company new driver orientation prior to their first dispatch under company authority. Orientation shall not be waived or abbreviated for any reason.

- ? Minimum Duration: 4 hours
- ? Delivery Method: In-person, virtual, or hybrid as approved by Director of Safety

Required Topics:

- ? Company safety policies and culture (including this policy - BOF-POL-010)
- ? Hours of Service regulations and ELD device operation
- ? Pre-trip and post-trip inspection procedures and DVIR completion (cross-reference BOF-POL-002)
- ? Cargo securement regulations (49 CFR Part 393 Subpart I)
- ? Accident and incident reporting procedures (cross-reference BOF-POL-005)
- ? Drug and alcohol policy and testing program (49 CFR Part 382)
- ? Emergency procedures and breakdown protocols
- ? Documentation requirements and record-keeping obligations
- ? CSA and SMS overview - how violations affect the company
- ? Roadside inspection procedure and driver obligations (Section 5.1)

Documentation Required: Orientation sign-in sheet recording date, topics covered, instructor name and signature, and driver acknowledgment signature. Retained per Section 8.6.

8.2 Annual Safety Training

All active drivers shall complete annual safety training within each calendar year. Annual training may be conducted in group safety meetings or completed individually with documented review and acknowledgment. Topics shall be updated annually by the Director of Safety based on current violation trends, BASIC score analysis, regulatory updates, and accident investigation findings.

- ? Completion tracked in the safety management system by the Safety Coordinator
- ? Drivers who have not completed annual training by the established deadline shall be placed on a dispatch hold until training is documented as complete
- ? Training content review and approval by Director of Safety required before delivery each year

8.3 Defensive Driving Training

All drivers shall complete an approved defensive driving course (Smith System or FMCSA-recognized equivalent) within 90 days of hire. Additionally, defensive driving refresher training is required for any driver involved in a preventable accident, to be completed within 30 days of the preventability determination as a condition of return to full dispatch status.

- ? Completion documented in the driver's training record
- ? Provider and course name recorded along with completion date and any test results

8.4 Cargo Securement Training

Cargo securement training, based on the requirements of 49 CFR Part 393 Subparts F, G, H, I, and J, shall be completed by all drivers during new driver orientation and on an as-needed basis when a driver incurs a cargo securement violation during a roadside inspection or is assigned to loads requiring specific securement knowledge. Documentation of completion and content covered is required.

8.5 Supervisor Reasonable Suspicion Training

All supervisors authorized to make reasonable suspicion determinations for drug and alcohol testing shall complete training as required by 49 CFR 382.603. Requirements:

- ? Controlled Substances: Minimum 60 minutes of training on the physical, behavioral, speech, and performance indicators of probable drug use
- ? Alcohol Misuse: Minimum 60 minutes of training on the physical, behavioral, speech, and performance indicators of probable alcohol misuse
- ? Frequency: One-time requirement; no periodic refresher required by regulation; refresher at Director of Safety's discretion
- ? Documentation: Training completion certificate retained in supervisor's training file and in HR records

8.6 Training Records Retention

All safety training records, including orientation acknowledgments, annual training sign-ins, defensive driving completion certificates, cargo securement records, and reasonable suspicion training certificates, shall be retained per BOF-POL-007, Section 4 for a minimum of 3 years from the date of training completion or the end of the individual's employment or lease, whichever is later. Records shall be maintained in the designated HR and safety management systems and made available for compliance review upon request.

9. Safety Metrics and Reporting

9.1 Monthly Safety Report

The Safety Coordinator shall prepare, and the Director of Safety shall review and distribute, a Monthly Safety Report no later than the 15th calendar day of each month covering the preceding calendar month. The Monthly Safety Report shall include the following contents:

- ? Total roadside inspections conducted during the period
- ? OOS events (vehicle and driver separately) and calculated OOS rates
- ? Violation count categorized by CSA BASIC category
- ? DataQ challenges submitted, pending, and resolved during the period
- ? Current BASIC percentile score for all seven BASICs with month-over-month trend
- ? All DOT-recordable accidents and significant non-recordable accidents

- ? Preventability determinations issued during the period
- ? Open and closed corrective action plans (CAPs) with status
- ? Training completions and any open training obligations
- ? Any FMCSA communications received (warning letters, requests for information, inspection notices)

See Appendix F for the Monthly Safety Report template.

9.2 Report Distribution

Recipient	Report	Frequency
Director of Safety and Compliance	Full Monthly Safety Report	Monthly
Operations Manager	Full Monthly Safety Report	Monthly
Chief Operating Officer	Monthly Safety Report (executive summary) + Full Quarterly Trend Analysis	Monthly summary; Quarterly full report

9.3 Key Performance Indicators and Targets

KPI	Measurement Method	BOF Internal Target	Trigger for Action
Vehicle OOS Rate	Vehicle OOS orders ÷ total inspections × 100	<10%	≥10% triggers fleet-wide audit
Driver OOS Rate	Driver OOS orders ÷ total inspections × 100	<5%	≥5% triggers fleet-wide audit
Inspection Rate per 100,000 Miles	Total inspections ÷ total miles × 100,000	Monitor; track trend quarterly	Significant increase triggers route/behavior review
BASIC Scores - All Categories	Monthly SMS portal review	All BASICs below intervention threshold; see BOF targets in Section 4.2	75% of threshold triggers escalation; above threshold triggers CAP
DOT-Recordable Accident Rate per Million Miles	DOT accidents ÷ total miles × 1,000,000	Monitor and reduce year-over-year	Year-over-year increase triggers safety program review
DataQ Challenge Success Rate	Accepted challenges ÷ total submitted challenges × 100	Track and improve; target >70% acceptance	Low success rate triggers DataQ process review and documentation quality improvement
Annual Safety Training Completion Rate	Drivers completed training ÷ total active drivers × 100	100% by established annual deadline	Any incomplete training triggers dispatch hold per Section 8.2

9.4 Quarterly Trend Analysis

The Director of Safety shall prepare and present to the COO a Quarterly Safety Trend Analysis covering the four most recent calendar quarters. The quarterly analysis shall include:

- ? Four-quarter rolling trend for all seven BASIC scores displayed in tabular format
- ? Year-over-year comparison for all key metrics
- ? Benchmarking of company BASIC scores and OOS rates against available FMCSA industry SMS data

- ? Assessment of open corrective actions and their projected impact on future BASIC scores
- ? Recommendations for safety program improvements or resource allocation changes

10. Safety Program Documentation Requirements

10.1 Driver Safety Files

The Safety Coordinator, in coordination with HR, shall maintain an individual safety file for each driver that includes:

- ? New driver orientation acknowledgment and sign-in records
- ? All safety training completion records (annual, defensive driving, cargo securement, other)
- ? Disciplinary records issued for safety violations
- ? All corrective action plans (CAPs) applicable to the driver
- ? Complete record of all accidents involving the driver, including preventability determination
- ? Coaching session documentation related to roadside inspection violations
- ? Any FMCSA or state enforcement communications naming the driver

10.2 Unit (Vehicle) Safety Files

A safety file shall be maintained for each vehicle unit under company authority, including:

- ? Complete inspection history (all roadside inspection reports for the unit)
- ? OOS events involving the unit, including cause and corrective action documentation
- ? Violation pattern analysis (recurring violation types for the unit)
- ? Cross-reference to maintenance records per BOF-POL-009

10.3 Annual Safety Review

The Director of Safety shall conduct a comprehensive annual safety review, to be completed in conjunction with the annual policy review (Section 15), that includes:

- ? Review of all open corrective action items across all drivers and units
- ? Escalation of unresolved corrective action items (open more than 90 days) to the Director of Operations for resolution
- ? Assessment of driver and unit safety file completeness
- ? Training record audit to verify all required training is current
- ? Recommendations for program improvements incorporated into the updated policy

11. Roles and Responsibilities

Role	Primary Safety Responsibilities Under This Policy
Driver	Report all accidents and roadside inspections to Safety within 24 hours Provide inspection report copy to Safety within 24 hours Complete all required safety training on schedule Cooperate fully with accident investigations and roadside inspections Operate in full compliance with all applicable FMCSRs and company policies at all times Comply immediately with OOS orders Submit to post-accident drug and alcohol testing within required timeframes
Dispatch	Monitor driver HOS status in real time per BOF-POL-003; escalate near-violations Under no circumstances coerce, threaten, or incentivize a driver to violate Hours of Service regulations, speed limits, or any safety regulation Report all driver-reported accidents and inspections to Safety Coordinator immediately Ensure drivers are not dispatched if under a training hold or dispatch restriction
Safety Coordinator	Receive, log, classify, and process all roadside inspection reports Evaluate all inspections for DataQ eligibility within 5 business days Manage DataQ challenge submissions and tracking log Maintain safety training calendar and track completion for all drivers Compile and distribute the Monthly Safety Report Monitor BASIC scores via SMS portal; alert Director of Safety of threshold activity Maintain driver and unit safety files
Director of Safety and Compliance	Own and administer this policy; ensure regulatory compliance of the safety program Approve all DataQ challenge submissions Issue all preventability determinations within required timelines Authorize corrective action plans for accidents and inspection patterns Lead compliance review responses; coordinate with legal counsel Oversee all seven BASIC score monitoring and escalation actions Approve annual safety training content Present quarterly trend analysis to COO
Operations Manager	Ensure corrective action plan implementation within dispatch and operations Enforce prohibition on dispatcher coercion of drivers Support driver coaching efforts in coordination with Safety Coordinator Escalate operational patterns contributing to BASIC score increases to Director of Safety Resolve unresolved corrective action items escalated by Director of Safety at annual review
Human Resources (HR)	Maintain training completion records per BOF-POL-007 retention standards Maintain disciplinary files for safety violations in coordination with Safety Administer disciplinary process for safety policy violations per Section 14 Provide employment verification documentation for DataQ challenges as needed Retain reasonable suspicion training records for supervisors
Chief Operating Officer (COO)	Approve this policy and all revisions Review quarterly safety trend analysis; provide strategic direction Receive immediate notification when any BASIC score exceeds intervention threshold Authorize resource allocation for significant corrective action programs Monitor authority and insurance implications of safety performance Receive notification of all compliance review initiations

12. Regulatory Interaction - Compliance Reviews

12.1 Types of Compliance Reviews

Type	Description
Focused	Targets specific regulatory areas of concern; typically initiated by elevated BASIC scores in specific categories
Comprehensive	Full examination of all aspects of the carrier's safety management; may result in a formal Safety Fitness Determination
Offsite	Record review conducted without an on-site visit; carrier submits documents electronically or by mail
New Entrant	Mandatory examination of new carrier authorities within 12-18 months of registration; evaluates basic safety management controls

12.2 Trigger Events

- ? BASIC score(s) above intervention threshold
- ? Complaint-based investigation (driver, shipper, or public complaint)
- ? Random carrier selection by FMCSA or state enforcement
- ? Targeted enforcement initiative (e.g., FMCSA national campaigns)
- ? Crash involving fatality or serious injury
- ? Safety Fitness Determination that is Conditional or Unsatisfactory

12.3 Response Protocol

- ? Immediate notification: Upon receipt of any compliance review notice, the Director of Safety shall immediately notify the COO and coordinate notification of company legal counsel
- ? Document production: Director of Safety coordinates the assembly of all requested records; Safety Coordinator prepares applicable files from the safety management system
- ? No obstruction: All personnel shall cooperate fully with the compliance officer; no documents shall be altered, destroyed, or withheld; no personnel shall interfere with the review process
- ? Legal counsel involvement: Legal counsel shall be involved in all communications with the compliance officer regarding potential regulatory interpretations or disputed findings
- ? Post-review corrective action: If the compliance review results in identified deficiencies, a corrective action plan shall be developed by the Director of Safety within 30 days of the final report and submitted to the COO for approval
- ? Safety Fitness Determination response: A Conditional or Unsatisfactory Safety Fitness Determination shall trigger an immediate comprehensive corrective action program and COO-level review of operational and insurance implications

WARNING - No Obstruction of FMCSA Review Interference with, obstruction of, or failure to cooperate with an FMCSA compliance review is a federal offense subject to significant civil penalties, potential suspension or revocation of operating authority, and criminal referral. All personnel are required to cooperate fully.

13. Cross-References

Referenced Policy	Title	Relationship to BOF-POL-010	Applicable BASIC
BOF-POL-001	Driver Qualification Policy	Governs CDL validity, medical certificate currency, driver qualification file standards, and driver disqualification procedures	Driver Fitness BASIC
BOF-POL-002	Pre-Trip Inspection Policy	Establishes pre-trip and post-trip inspection procedures and DVIR completion standards that directly affect vehicle defect detection	Vehicle Maintenance BASIC
BOF-POL-003	HOS Escalation Policy	Governs real-time monitoring of driver HOS compliance, escalation protocols for approaching violations, and dispatch prohibitions on coercion	HOS Compliance BASIC
BOF-POL-005	Claims and Incident Response Policy	Governs the complete accident and incident response procedure referenced in Section 7.2, including post-accident testing requirements and timelines	Crash Indicator BASIC
BOF-POL-007	Records Retention Policy	Establishes minimum retention periods for all safety-related records referenced throughout this policy	All BASICs
BOF-POL-009	Fleet Maintenance Policy	Governs vehicle inspection, repair authorization, and maintenance documentation standards cross-referenced in Sections 5.3 and 5.4	Vehicle Maintenance BASIC

14. Non-Compliance and Enforcement

Violations of this policy shall be addressed through the company's progressive disciplinary process. The following table sets forth the minimum disciplinary consequences for specified violations. The company reserves the right to impose greater disciplinary action, including immediate termination, based on the severity of the violation, history of the employee, or the safety risk created.

Violation	First Occurrence	Repeat Occurrence	Aggravated / Willful Violation
Failure to report a roadside inspection within 24 hours	Written warning; mandatory coaching session	Suspension from driving duties pending review	Termination of employment or lease
Failure to report an accident or incident within 24 hours	Written warning; mandatory coaching session	Suspension from driving duties pending review	Termination of employment or lease
Falsification of inspection report, accident report, or any safety record	Immediate termination	N/A	N/A - zero tolerance

Violation	First Occurrence	Repeat Occurrence	Aggravated / Willful Violation
Dispatcher coercion of a driver to violate HOS or any safety regulation	Immediate investigation; disciplinary action up to and including termination	Termination	Termination; review of all dispatched loads for the period in question
Operating a CMV under an active OOS order	Immediate suspension; written warning; corrective action	Termination of employment or lease	Termination; legal referral if applicable
Failure to complete required safety training by established deadline	Dispatch hold placed; no loads until training is documented as complete	Dispatch hold; written warning	Termination of employment or lease if pattern persists
Refusal of post-accident drug/alcohol testing	Immediate removal from safety-sensitive function; treated as positive test result per 49 CFR Part 40	N/A	N/A - federal regulatory consequence applies

Nothing in this policy limits the company's authority to take immediate disciplinary action, up to and including termination, where the safety of the public, other drivers, or company personnel is at risk.

15. Policy Review and Amendment

15.1 Scheduled Review

This policy shall be reviewed by the Director of Safety and Compliance on an annual basis, with the annual review completed no later than 60 days prior to the policy's anniversary date. The review shall assess the policy's effectiveness, incorporate any regulatory changes affecting its provisions, and update internal targets and procedures based on the prior year's safety performance data.

15.2 Trigger Reviews

In addition to the annual review, an unscheduled policy review shall be initiated upon the occurrence of any of the following trigger events:

- ? Any BASIC score exceeding its intervention threshold for two consecutive months
- ? Initiation of an FMCSA compliance review (Focused or Comprehensive)
- ? Any accident resulting in a fatality
- ? Receipt of a Safety Fitness Determination of Conditional or Unsatisfactory
- ? Significant change in applicable federal regulation (49 CFR Parts 382, 390-396)
- ? Change in company operating authority scope or fleet composition

15.3 Version Control and Distribution

All revisions to this policy shall be assigned an incremented version number and a new effective date. Superseded versions shall be archived and retained for a minimum of 5 years. The Director of Safety is responsible for ensuring that the current version of this policy is distributed to all applicable personnel and that acknowledgment of receipt and review is obtained and documented for each new version. Distribution shall occur within 10 business days of the effective date of any revision.

Policy Approval and Certification

This policy has been reviewed, approved, and is effective as of the date indicated. By approving this policy, the signatories below certify that the contents are accurate, reflect current regulatory requirements and company operational standards, and commit to the resource allocation necessary to implement and sustain this safety management program.

Role	Name	Signature	Date
Director of Safety and Compliance			July 20, 2026
Operations Manager			July 20, 2026
Chief Operating Officer			July 20, 2026

APPENDIX A - Seven BASICS Quick Reference Card

This quick reference summarizes all seven CSA BASICS, their intervention thresholds, key data sources, business impacts, and BOF internal targets for field and operational use.

BASIC	Non-Passenger Threshold	Key Violations Measured	Primary Data Source	BOF Target	Business Impact of Breach
Unsafe Driving	65%	Speeding; reckless driving; seatbelt; texting; improper lane change	Roadside inspections; moving violation convictions	<50%	Warning letter; targeted inspections; compliance review; insurance impact
HOS Compliance	65%	HOS violations; ELD malfunction; log falsification; form and manner errors	Roadside inspections; ELD data; log audits	<50%	Warning letter; driver OOS; targeted inspections; freight delay risk
Driver Fitness	80%	Invalid CDL; wrong class/endorsement; expired medical certificate; disqualified driver	Roadside inspections; licensing records	<60%	Warning letter; authority revocation risk; serious liability exposure
Controlled Substances & Alcohol	80%	Operating under the influence; drug/alcohol violations at roadside	Roadside inspections; FMCSA testing reports	Zero Violations	Immediate authority jeopardy; catastrophic liability and reputational risk
Vehicle Maintenance	80%	Brake defects; lighting; tire defects; coupling; cargo securement deficiencies	Roadside inspections; DVIRs; maintenance records	<60%	Warning letter; targeted vehicle inspections; OOS; freight delays
Hazardous Materials	60%	Placarding; shipping papers; labeling; packaging; loading violations	Roadside inspections; HazMat incident reports	<40%	Warning letter; permit revocation; significant fine exposure; emergency liability

BASIC	Non-Passenger Threshold	Key Violations Measured	Primary Data Source	BOF Target	Business Impact of Breach
Crash Indicator	65%	Frequency and severity of DOT-reportable crash history	State crash reports; FMCSA Crash Register; DOT Accident Register	<50%	Warning letter; comprehensive compliance review; catastrophic insurance exposure

Severity Weight Scale: 1-10 (higher = greater crash risk). Time Weights: 0-6 months ×3; 6-12 months ×2; 12-24 months ×1. Scores expressed as peer group percentile (0-100; higher = worse).

APPENDIX B - Roadside Inspection Response Checklist

This checklist is to be completed by the Safety Coordinator upon receipt of each roadside inspection report. A completed checklist shall be filed with the inspection record.

Step	Action Required	Responsible Party	Deadline	Completed (Date/Initials)
1	Receive inspection report from driver	Safety Coordinator	Within 24 hrs of inspection	
2	Log inspection in safety management system (date, location, officer, driver, unit, violations)	Safety Coordinator	Within 1 business day of receipt	
3	Classify each violation: (a) Valid-Correctable, (b) Valid-Driver Behavior, (c) DataQ Candidate	Safety Coordinator	Within 2 business days	
4	If OOS order issued: confirm unit/driver cleared before return to service; document clearance	Safety Coordinator / Dispatch	Before resuming operations	
5	Mechanical violations: initiate repair work order; cross-reference BOF-POL-009	Safety Coordinator / Maintenance	Within 24 hrs of receipt	
6	Driver behavior violations: schedule and conduct coaching session; document	Safety Coordinator / Supervisor	Within 48 hrs of receipt	
7	Evaluate all violations for DataQ eligibility	Safety Coordinator	Within 5 business days	
8	If DataQ eligible: prepare challenge package; submit to Director of Safety for approval	Safety Coordinator	Within 30 calendar days of inspection	

Step	Action Required	Responsible Party	Deadline	Completed (Date/Initials)
9	File inspection report in driver record and unit record	Safety Coordinator	Within 5 business days	
10	Include inspection data in monthly safety report	Safety Coordinator	Next monthly report cycle	

APPENDIX C - DataQ Challenge Submission Guide

The following guide outlines the step-by-step process for preparing and submitting a DataQ challenge through the FMCSA DataQ portal.

- ? Access the portal: Navigate to the FMCSA DataQ system. Log in using company credentials maintained by the Safety Coordinator.
- ? Locate the inspection record: Search by inspection date, driver name, or inspection report number to locate the record to be challenged.
- ? Identify contested items: Select the specific violation(s) or crash record element(s) to be challenged. For each contested item, document the basis for the challenge.
- ? Assemble supporting documentation: Gather all documentation required per Section 6.4 of this policy for the specific challenge basis.
- ? Prepare the challenge narrative: Write a clear, factual, and concise explanation of why the violation is incorrect. Reference the applicable CFR citation if the challenge is based on improper coding.
- ? Submit the challenge: Upload all supporting documentation through the DataQ portal; submit the challenge and record the DataQ case number assigned by the system.
- ? Log the challenge: Enter the challenge into the safety management system DataQ tracking log per Section 6.5.
- ? Monitor for response: Check the DataQ portal for agency response at 30-day intervals; follow up with the responding agency at 45 days if no response has been received.
- ? Record outcome: Upon resolution, record the outcome in the tracking log; verify BASIC score change in the next monthly SMS review cycle.

Challenge Basis	Responding Agency	Typical Resolution Time
State data entry or coding error	State agency where inspection occurred	30-60 days
Incorrect CFR citation	State agency where inspection occurred	30-60 days
Court dismissal of violation	State agency; FMCSA if federal violation	30-90 days
Vehicle/driver not under carrier control	State agency; FMCSA	45-90 days
Crash record inaccuracy	State crash reporting agency	60-90 days

APPENDIX D - Accident Investigation Checklist

To be initiated immediately upon notification of a DOT-recordable accident or significant incident. Complete all applicable items and file in the accident investigation file.

Phase	Action Item	Responsible	Timeline	Completed
Immediate (0-4 Hours)	Confirm scene safety and emergency services notified	Driver / Dispatch	Immediately	
Notify Director of Safety and Operations Manager	Dispatch	Within 1 hour		
Initiate post-accident drug and alcohol testing per BOF-POL-005	Safety Director / Dispatch	Per 49 CFR 382.303 timelines		
Obtain driver statement	Director of Safety	Within 4 hours		
Evidence Preservation (0-24 Hours)	Pull and preserve ELD data for preceding 24-hour period	Safety Coordinator	Within 12 hours	
Retrieve and secure dashcam footage	Safety Coordinator	Within 24 hours		
Preserve GPS/telematics data	Safety Coordinator	Within 24 hours		
Record accident in DOT Accident Register (Appendix G)	Safety Coordinator	Within 24 hours		
Investigation (1-10 Business Days)	Obtain police report when available	Safety Coordinator	As available	
Obtain witness statements	Director of Safety / Investigator	As available		
Complete scene evidence documentation (photos, measurements, conditions)	Director of Safety / Investigator	As soon as possible		
Determination and Action (14-44 Days)	Issue preventability determination in writing	Director of Safety	Within 14 days of investigation completion	
Notify driver of determination; begin appeal window if applicable	Director of Safety	Within 3 business days of determination		
Issue Corrective Action Plan (preventable accidents)	Director of Safety	Within 30 days of determination		

APPENDIX E - Safety Training Completion Tracking Template

This template shall be maintained in the safety management system and updated upon completion of each training event. A separate record shall be maintained per driver.

Driver Name	Driver ID / CDL #	Training Type	Date Completed	Instructor / Provider	Duration (Hours)	Driver Signature on File	Next Due Date
		New Driver Orientation			Min. 4 hrs	■ Yes ■ No	N/A (one-time)
		Annual Safety Training				■ Yes ■ No	Annual
		Defensive Driving (Initial)				■ Yes ■ No	As needed (p ost-accident)
		Defensive Driving (Refresher)				■ Yes ■ No	As triggered by preventable accident
		Cargo Securement				■ Yes ■ No	As needed
		Reasonable Suspicion (Supervisor)			2 hrs min.	■ Yes ■ No	N/A (one-time per 49 CFR 382.603)

APPENDIX F - Monthly Safety Report Template

This template shall be completed by the Safety Coordinator and reviewed by the Director of Safety no later than the 15th of each month for the preceding calendar month.

MONTHLY SAFETY REPORT - BOF-POL-010	MONTHLY SAFETY REPORT - BOF-POL-010	MONTHLY SAFETY REPORT - BOF-POL-010	MONTHLY SAFETY REPORT - BOF-POL-010
Report Period		Prepared By	
Date Prepared		Reviewed By (Director of Safety)	

Section 1 - Inspections and OOS	Section 1 - Inspections and OOS	Section 1 - Inspections and OOS	Section 1 - Inspections and OOS
Metric	This Month	Prior Month	YTD Total
Total Roadside Inspections			
Vehicle OOS Orders			
Vehicle OOS Rate (%)			
Driver OOS Orders			
Driver OOS Rate (%)			

Section 2 - BASIC Scores (Current Month)	Section 2 - BASIC Scores (Current Month)	Section 2 - BASIC Scores (Current Month)	Section 2 - BASIC Scores (Current Month)
BASIC Category	Current Percentile	Prior Month Percentile	Threshold / Status
Unsafe Driving			Threshold: 65%
HOS Compliance			Threshold: 65%

Section 2 - BASIC Scores (Current Month)	Section 2 - BASIC Scores (Current Month)	Section 2 - BASIC Scores (Current Month)	Section 2 - BASIC Scores (Current Month)
Driver Fitness			Threshold: 80%
Controlled Substances and Alcohol			Threshold: 80%
Vehicle Maintenance			Threshold: 80%
Hazardous Materials			Threshold: 60%
Crash Indicator			Threshold: 65%

Section 3 - Accidents and Preventability	Section 3 - Accidents and Preventability	Section 3 - Accidents and Preventability	Section 3 - Accidents and Preventability
Metric	This Month	Prior Month	YTD Total
DOT-Recordable Accidents			
Non-Recordable Significant Incidents			
Determinations Issued: Preventable			
Determinations Issued: Non-Preventable			
Determinations Pending			

Section 4 - DataQ Challenges	Section 4 - DataQ Challenges	Section 4 - DataQ Challenges
Metric	This Month	YTD Total
Challenges Submitted		
Challenges Resolved - Accepted		
Challenges Resolved - Rejected		
Challenges Pending		

Section 5 - Training and Corrective Actions	Section 5 - Training and Corrective Actions	Section 5 - Training and Corrective Actions
Metric	This Month	Notes
Training Completions This Month		
Drivers on Training/Dispatch Hold		
Open Corrective Action Plans		
Corrective Action Plans Closed This Month		
FMCSA Communications Received		

APPENDIX G - DOT Accident Register Template

This register is maintained per 49 CFR 390.15. All DOT-recordable accidents must be entered within 24 hours. Retain minimum 3 years. Available for FMCSA inspection upon request.

Accident Date	City/Town and State	Driver Name	Driver ID / CDL #	Unit # / VIN	Number of Injuries	Number of Fatalities	HazMat Spill? (Y/N)	Preventability	Date Entered	Entered By
---------------	---------------------	-------------	-------------------	--------------	--------------------	----------------------	---------------------	----------------	--------------	------------

Per 49 CFR 390.15, this register must be retained for three years from the date of each accident and must be made available to authorized federal, state, or local enforcement officials upon request.

BOF-POL-010 Safety Management and SMS Compliance Policy	Version 1.0 Effective: July 20, 2026	Internal - Controlled Document
---	--	--------------------------------