

Delta Advanced Trucking, Inc.

Disaster Recovery & Business Continuity Policy

■ **CONFIDENTIAL — RESTRICTED DISTRIBUTION** ■

Policy Number: DAT-IT-013	Version: 2.0
Effective Date: December 12, 2025	Classification: Confidential
Document Owner: IT Director / CISO	Executive Sponsor: Chief Executive Officer
Review Cycle: Annual (or upon significant change)	Next Review Due: December 12, 2026

Table of Contents

1.	Purpose
2.	Scope
3.	Definitions
4.	Policy Objectives
5.	Business Impact Analysis (BIA)
6.	Disaster Scenarios
7.	Recovery Strategies
8.	DR/BCP Organization & Roles
9.	Plan Activation
10.	Communication During Disaster
11.	Testing & Maintenance
12.	Vendor & Supplier Continuity

1.	Purpose
13.	Regulatory Compliance During Disruption
14.	Plan Documentation & Access
15.	Related Documents
App. A	Recovery Team Contact List (Confidential — Maintained Separately)
App. B	System Recovery Runbooks (IT Reference)
App. C	Paper Dispatch & HOS Fallback Procedures

1. Purpose

This policy establishes a comprehensive Disaster Recovery and Business Continuity framework for **Delta Advanced Trucking, Inc.** (hereinafter "the Company" or "DAT"). Its purpose is to ensure that the Company can sustain critical business operations and rapidly recover IT systems and data following any disruptive event — whether technological, environmental, or operational in nature.

This framework is designed to protect the Company's revenue streams, customer commitments, driver safety, cargo integrity, and ongoing adherence to all applicable regulatory requirements including those imposed by the Department of Transportation (DOT) and the Federal Motor Carrier Safety Administration (FMCSA). The policies and procedures contained herein represent the minimum acceptable standard of preparedness for all Delta Advanced Trucking, Inc. personnel, systems, and facilities.

This document supersedes all prior versions of the DAT Disaster Recovery and Business Continuity Policy and shall serve as the authoritative reference for all recovery planning activities.

2. Scope

This policy applies broadly across all Delta Advanced Trucking, Inc. operations and infrastructure. Specifically, scope encompasses:

- All DAT physical facilities, terminals, dispatch centers, and administrative offices
- All IT systems, servers, cloud environments, networking infrastructure, and endpoint devices owned or operated by or on behalf of DAT
- Fleet operations systems, including telematics, GPS tracking, and fleet management platforms
- Electronic Logging Device (ELD) infrastructure and Hours of Service (HOS) tracking systems subject to FMCSA mandate
- Customer-facing services including the customer portal, load tracking platforms, and all customer communication channels
- Employee support systems including payroll, HR platforms, and internal communications
- All third-party vendors and managed service providers with access to or hosting of DAT systems or data

This policy applies to **all Delta Advanced Trucking, Inc. employees, contractors, and third-party personnel** who hold any role in disaster recovery, business continuity, or the operation of systems covered by this policy. Non-compliance with this policy constitutes a violation of DAT's IT governance standards and may result in disciplinary action.

3. Definitions

The following terms are used throughout this policy and shall be interpreted as defined below:

Term	Definition
Business Continuity Plan (BCP)	A documented set of procedures and information developed, compiled, and maintained to ensure that an organization can continue to operate its critical business functions during and immediately following a disruptive incident.
Disaster Recovery Plan (DRP)	A documented, structured approach that describes how an organization can resume IT operations quickly following an unplanned incident. The DRP is a subset of the broader BCP focused specifically on IT systems and data restoration.
Recovery Time Objective (RTO)	The maximum acceptable duration of time following a disaster within which a business process or IT system must be restored to avoid unacceptable consequences to the business.
Recovery Point Objective (RPO)	The maximum acceptable amount of data loss measured in time. The RPO defines how far back in time recovery must reach — i.e., the age of the most recent backup or replication snapshot that must be recoverable.
Business Impact Analysis (BIA)	A systematic process to determine and evaluate the potential effects of an interruption to critical business operations. The BIA identifies critical business functions and establishes RTO and RPO requirements for each.
Critical Business Function	Any business activity, process, or IT system whose prolonged unavailability would cause severe operational, financial, regulatory, or reputational harm to Delta Advanced Trucking, Inc.
Failover	The process of switching operations automatically or manually to a redundant or standby system, server, or network upon the failure or abnormal termination of the previously active system.
Failback	The process of restoring operations to the original primary system or location after it has been repaired or restored to full operational capacity following a failover event.
Hot Site	A fully operational, duplicate data center or processing facility equipped with all hardware, software, network connectivity, and data replication needed to assume operations with minimal transition time

Term	Definition
	(typically minutes to hours).
Warm Site	A recovery facility that is partially configured with hardware and connectivity but requires some preparation (typically several hours) before it can assume full production operations.
Cold Site	A basic recovery facility with power, connectivity, and physical space, but requiring significant setup time (typically days) before operations can resume. Generally used for lower-priority workloads.
Maximum Tolerable Downtime (MTD)	The total duration of time a business process can be interrupted before the disruption threatens the organization's survival, causes irreparable harm to customer relationships, or results in regulatory non-compliance. MTD is always greater than or equal to the RTO.

4. Policy Objectives

The Delta Advanced Trucking, Inc. Disaster Recovery and Business Continuity Policy is guided by the following core objectives:

1. **Minimize Downtime and Data Loss** — Ensure that all critical business systems are recoverable within defined RTO and RPO targets, and that data loss is limited to the maximum extent technically achievable.
2. **Ensure Safety of Drivers, Staff, and Cargo** — Prioritize the safety and welfare of all DAT drivers and personnel during any disruptive event; maintain communications with drivers in the field at all times.
3. **Maintain DOT/FMCSA Compliance During Disruption** — Ensure that all hours-of-service tracking, driver logging, and regulatory reporting obligations continue to be met regardless of the status of IT systems, using paper fallback methods where necessary.
4. **Protect Company Reputation and Customer Relationships** — Communicate proactively and transparently with customers during

disruptions; minimize the impact on service delivery and honor contractual commitments to the greatest extent possible.

5. **Meet All Contractual and Legal Obligations** — Identify and protect all activities necessary to satisfy existing contracts, service-level agreements, and applicable laws during and following a disaster event.
6. **Enable Rapid and Orderly Recovery** — Provide clear, tested, role-based recovery procedures so that all recovery team members can act decisively and without ambiguity during a high-stress incident.

5. Business Impact Analysis (BIA)

The Business Impact Analysis identifies all critical business functions, assesses the consequences of their disruption, and establishes the Recovery Time Objective (RTO) and Recovery Point Objective (RPO) required to maintain acceptable operations. The following table represents DAT's current BIA findings and approved recovery targets.

Important Note on RTO/RPO Targets

RTO and RPO targets represent the **maximum acceptable** downtime and data loss, not design goals. Recovery efforts must aim to meet or exceed these targets in all scenarios. Targets are reviewed annually and updated following any significant change to IT infrastructure or business operations.

Critical Business Function	RTO Target	RPO Target	Priority	Notes / Fallback
Fleet Dispatch & Load Assignment	1 hour	4 hours	Critical	Paper-based dispatch fallback procedures activated; see Appendix C

Critical Business Function	RTO Target	RPO Target	Priority	Notes / Fallback
ELD Connectivity & HOS Tracking	4 hours	1 hour	Critical	FMCSA-compliant paper HOS logs activated immediately upon ELD outage; available at all terminals
Driver Communication Systems	2 hours	4 hours	Critical	Cellular and satellite backup channels available; driver safety communications are highest priority
Payroll Processing	24 hours	24 hours	High	Manual payroll calculation fallback; coordination with payroll provider required
Customer Portal & Load Tracking	8 hours	4 hours	High	Manual status updates via email/phone during outage; customer communications team activated
Financial Systems (AP/AR)	24 hours	24 hours	High	Manual invoicing and payment tracking procedures available; accounting team notified
Email & Internal Communications	4 hours	2 hours	High	Cellular and personal email as last resort; backup communication tree activated
HR Systems	48 hours	24 hours	Medium	Paper-based HR processes for time-

Critical Business Function	RTO Target	RPO Target	Priority	Notes / Fallback
				sensitive functions; manual records available
Internal File Sharing	48 hours	24 hours	Medium	Locally cached copies and email attachments as interim file-sharing fallback

6. Disaster Scenarios

This policy and its associated recovery plans are designed to address the following categories of disaster scenario. Each scenario type may require activation of one or more components of the BCP or DRP depending on scope and severity.

Scenario	Primary Impact	Key Response Considerations
Ransomware / Cyberattack	IT / Data	Isolate affected systems immediately; activate incident response (DAT-IT-012); restore from immutable backups; notify legal and law enforcement as required
Primary Data Center Failure	IT / Operations	Initiate cloud failover; activate IT Recovery Team; verify secondary region availability; communicate system status to all staff
Cloud Provider Outage	IT / Operations	Monitor provider status; activate manual fallback procedures; assess secondary cloud region options; document impact for SLA claims
Severe Weather — Tornado / Ice Storm	Physical / Operations	Relevant to Midwest operations; activate alternate terminal operations; ensure driver

Scenario	Primary Impact	Key Response Considerations
		safety communications; assess facility damage before re-entry
Fire or Flooding at Facility	Physical / IT	Evacuate per life safety procedures first; activate alternate work site; assess IT equipment damage; initiate cloud-based recovery
ISP / Connectivity Failure	Connectivity	Activate cellular backup connectivity; contact ISP for estimated restoration time; enable satellite backup for critical driver communications
Key Personnel Unavailability	Operational	Activate designated backup personnel per recovery team matrix; cross-training program ensures coverage for all critical roles
Fuel Supply Disruption	Fleet Operations	Secondary operational BCP; activate alternate fuel supplier agreements; prioritize highest-value loads; coordinate with operations management
Pandemic / Mass Illness	Personnel	Activate remote work capabilities for eligible staff; implement health and safety protocols; cross-train and redistribute critical functions; coordinate with HR

7. Recovery Strategies

7.1 IT Infrastructure Recovery

Delta Advanced Trucking, Inc. employs a **cloud-first disaster recovery strategy**. Primary production systems are hosted in cloud environments with built-in geographic redundancy. This approach enables automated failover, eliminates single points of failure, and reduces dependence on any single physical facility.

- Primary systems deployed in cloud with geographic redundancy across at least two data center regions
- Automated failover configured for all Critical-priority systems; manual failover procedures documented for High-priority systems
- All data replicated to a secondary geographic region in real time or near-real time for critical workloads
- Infrastructure-as-code (IaC) templates maintained for rapid environment rebuild where automated failover is not available
- Regular capacity review ensures secondary region can sustain full production load

7.2 Data Backup Standards

All DAT systems and data must meet the following minimum backup standards. IT is responsible for verifying compliance. Exceptions require written approval from the IT Director.

Data Category	Backup Method	Retention	Encryption
Critical Data <i>(Dispatch, ELD, Payroll)</i>	Real-time replication to secondary site; daily verified full backup; offsite encrypted backup copy maintained	90 days minimum	AES-256; immutable backup copies maintained for ransomware protection
Standard Data <i>(All other systems)</i>	Daily incremental backup; weekly full backup; offsite encrypted backup copy	30 days minimum	AES-256

Backup Integrity Requirement	Frequency	Responsible Party
Backup restore test (sample restore)	Monthly	IT Recovery Team
Full DR test including failover	Quarterly	IT Director / CISO

Backup Integrity Requirement	Frequency	Responsible Party
Immutable backup copy verification	Monthly	IT Recovery Team
Offsite backup integrity check	Monthly	IT Recovery Team

7.3 Fleet Operations Continuity

Given that fleet dispatch and driver communication are the most operationally sensitive functions at Delta Advanced Trucking, Inc., dedicated non-IT fallback procedures are maintained and distributed:

- **Paper-based dispatch fallback procedures** are documented, printed, and physically available at all dispatch centers and terminal locations. See Appendix C for full procedures.
- **FMCSA-compliant paper HOS logs** are stocked at all DAT terminals and driver kits. Upon confirmed ELD outage, paper logs are activated immediately without awaiting IT restoration.
- **Offline driver communication** is maintained via cellular devices and direct phone contact with drivers. All dispatchers maintain current driver cellular contact lists.
- **Satellite communication backup** is available for driver communication in the event of regional cellular outage or connectivity failure affecting primary channels.

7.4 Alternate Work Locations

- Dispatch operations can be transferred to an alternate DAT terminal within **2 hours** of a facility becoming unavailable
- Non-dispatch staff (finance, HR, IT, customer communications) have **remote work capability** via cloud-based systems accessible from any internet-connected location

- Remote access is pre-provisioned for all eligible roles; VPN credentials and multi-factor authentication are maintained in current status at all times
- Cloud-hosted systems are accessible from any geographic location, supporting distributed recovery operations without dependence on any single facility

8. DR/BCP Organization & Roles

8.1 Leadership Structure

Role	Title / Position	Primary Responsibility
Executive Sponsor	Chief Executive Officer	Ultimate decision authority; disaster declaration approval; external stakeholder communication; regulatory liaison
Business Continuity Coordinator (BCC)	IT Director	Overall coordination of BCP/DRP activation; recovery team oversight; progress monitoring; declaration of recovery complete

8.2 Recovery Teams & Responsibilities

Recovery Team	Team Lead	Key Responsibilities
IT Recovery Team	CISO	Restore all IT systems per priority order Execute cloud failover and failback procedures Verify backup integrity and initiate restores Maintain system status communications to BCC Coordinate with third-party IT vendors Document all recovery actions for post-incident

Recovery Team	Team Lead	Key Responsibilities
		review
Fleet Operations Recovery Team	VP of Operations	Activate paper dispatch and HOS fallback procedures Maintain driver safety communications Coordinate load reassignment during disruption Manage alternate terminal activation Ensure FMCSA compliance is maintained throughout Coordinate fuel supply continuity if impacted
HR / Payroll Recovery Team	HR Director	Ensure continuity of payroll processing Maintain employee communication during event Coordinate remote work activation for eligible staff Track personnel availability and alternate staffing Manage pandemic or mass illness response protocols
Customer Communications Team	VP of Sales / Account Management	Notify customers within 2 hours of confirmed operational impact Provide regular status updates throughout the event Manage customer expectations and service commitments Escalate media or press inquiries to CEO/Legal Document all customer communications for review

9. Plan Activation

9.1 Declaration Authority

The authority to formally declare a disaster and activate this plan rests with the **Chief Executive Officer** or, in the CEO's absence or incapacitation, the **IT Director** acting as Business Continuity Coordinator. In all cases where the IT Director exercises declaration authority, the CEO must be notified by the fastest available means as soon as practicable.

9.2 Activation Triggers

Any of the following conditions shall be considered sufficient grounds for plan activation:

- A Critical or High-priority system outage that has persisted or is projected to persist for more than **30 minutes**
- A confirmed cybersecurity breach or ransomware infection affecting operational systems or data
- A physical disaster (fire, flood, severe weather, structural damage) affecting a primary DAT facility
- The Maximum Tolerable Downtime (MTD) threshold for any Critical business function has been reached or is imminently at risk of being exceeded
- Any event — at the judgment of the CEO or IT Director — that poses a significant and immediate risk to DAT operations, personnel safety, customer commitments, or regulatory compliance

9.3 Activation Process

Upon determination that a triggering event has occurred, the following process shall be executed in sequence:

7. **Assess Situation** — IT Director and on-call IT staff assess scope, severity, and likely duration of the disruption
8. **Notify Business Continuity Coordinator** — BCC (IT Director) is formally notified and takes operational command of the recovery effort

9. **Executive Notification** — CEO is notified; disaster declaration is issued (by CEO or BCC per Section 9.1)
10. **Activate Recovery Teams** — All relevant recovery team leads are notified per the emergency contact tree; teams are mobilized
11. **Initiate Recovery by Priority Order** — Teams begin recovery of Critical systems first, then High, then Medium, per BIA priorities in Section 5
12. **Activate Fallback Procedures** — Paper-based dispatch, paper HOS logs, and alternate communication channels activated as applicable
13. **Communicate to Staff and Stakeholders** — All staff notified of situation and interim procedures; customers notified within 2 hours of confirmed operational impact
14. **Monitor Recovery Progress** — BCC monitors progress against RTO/RPO targets; recovery teams report status at defined intervals (minimum every 60 minutes)
15. **Declare Recovery Complete** — BCC formally declares recovery complete once all Critical and High systems are restored and validated; normal operations resume
16. **Post-Incident Debrief** — Full debrief conducted within 5 business days of recovery; lessons learned documented and incorporated into plan

 Critical: ELD Outage — Immediate Action Required

In the event of any ELD system outage, **FMCSA paper HOS logs must be activated immediately** — before any other recovery action is taken for this system. Do not wait for RTO window to expire. Paper logs are a federally mandated fallback and drivers must not operate in violation of HOS rules under any circumstances. Refer to Appendix C for activation procedures.

10. Communication During Disaster

Effective communication is critical to a successful recovery. Delta Advanced Trucking, Inc. maintains the following communications framework for use during all disaster events:

10.1 Internal Communications

- An **Emergency Contact Tree** is maintained by the IT Director and HR Director, tested at minimum semi-annually, and updated quarterly (see Appendix A)
- Primary internal communication is via corporate email and phone; backup channels include cellular, personal email (last resort), and satellite communication for field operations
- Recovery team leads provide status updates to the BCC at minimum every **60 minutes** until recovery is declared complete
- All employees with recovery responsibilities are expected to be reachable within **30 minutes** of initial contact during a declared disaster

10.2 External Communications

Audience	Timeline	Responsible Party
Customers (confirmed operational impact)	Within 2 hours	Customer Communications Team / VP of Sales
Drivers in field (safety priority)	Immediately upon activation	Fleet Operations Recovery Team / Dispatch
Regulatory bodies (as required)	Per regulatory requirement	CEO / Legal Counsel
Media / Press inquiries	As needed	CEO / Legal Counsel only
Insurance provider	Within 24 hours of significant event	CEO / CFO
Critical vendors	As applicable to recovery	IT Director / BCC

① Media Policy

No employee other than the CEO or designated Legal Counsel is authorized to speak to media representatives or issue public statements during or following a disaster event. All media inquiries must be immediately directed to the CEO's office.

11. Testing & Maintenance

The effectiveness of this policy and its associated plans can only be assured through regular, documented testing. The following testing and maintenance schedule is mandatory for all recovery teams.

Activity	Frequency	Responsible Party	Description
Full DR Test	Annual	IT Director / CISO	Simulate primary system outage; execute full failover to secondary region; validate all Critical and High RTO/RPO targets are achievable; document results and remediate gaps
BCP Tabletop Exercise	Semi-Annual	IT Director / BCC	Walk all recovery team leads through one or more disaster scenario simulations; test decision-making, escalation procedures, and inter-team coordination without live system impact
Backup Restore Test	Monthly	IT Recovery Team	Perform sample restores from backup copies for each Critical system; verify backup integrity, restore capability,

Activity	Frequency	Responsible Party	Description
			and actual restoration time; document results
Contact List & Vendor Review	Quarterly	IT Director / HR Director	Verify accuracy of all emergency contact lists; confirm vendor contact information; validate escalation paths; update as needed
Plan Document Review & Update	Annual (minimum)	IT Director	Comprehensive review and update of all BCP/DRP documentation; mandatory review also triggered by any significant incident, organizational change, or technology change
Paper Fallback Procedure Drill	Annual	VP of Operations	Conduct a live drill of paper dispatch and paper HOS log activation procedures at at least one terminal; verify all materials are current and accessible

All test results, exercise outcomes, and after-action reports must be retained for a minimum of **three years** and made available to the IT Director, CEO, and external auditors upon request. Test results showing failure to meet RTO/RPO targets must result in a documented remediation plan within 30 days.

12. Vendor & Supplier Continuity

Delta Advanced Trucking, Inc. depends on a range of third-party vendors for critical IT services, fuel supply, and equipment maintenance. Vendor resilience is a key element of DAT's overall continuity posture.

12.1 Vendor BCP Requirements

- All contracts for Critical-rated IT and operational services must include provisions requiring the vendor to maintain and make available upon request a current Business Continuity Plan
- Vendor RTO commitments must be documented and aligned with DAT's own RTO requirements for the services they support
- Vendors supporting Critical systems must demonstrate DR capability at contract inception and upon each annual renewal

12.2 Critical Vendor Management

Vendor Category	Criticality	Continuity Requirement
Cloud / Hosting Provider	Critical	Geographic redundancy required; alternate cloud region or provider identified; SLA with defined RTO commitments in contract
ELD Provider	Critical	Paper HOS fallback serves as primary continuity measure; vendor must provide incident notifications within 30 minutes of confirmed outage
Payroll Provider	High	Manual payroll procedures documented as fallback; vendor BCP reviewed annually
ISP / Connectivity Provider	High	Secondary ISP or cellular backup provisioned; redundant circuits at primary facilities recommended
Fuel Supplier	High	Alternate fuel supplier agreements in place; supplier continuity plans reviewed annually by VP of Operations
Fleet Maintenance / Equipment Vendors	Medium	Alternate vendor identified for highest-criticality equipment categories;

Vendor Category	Criticality	Continuity Requirement
		vendor continuity plans reviewed annually

The IT Director maintains a current register of all critical IT vendors including their primary and emergency contact information, contractual RTO commitments, and the date of last BCP review. This register is included in Appendix A and reviewed quarterly.

13. Regulatory Compliance During Disruption

Compliance Obligations Do Not Pause During a Disaster

All legal and regulatory obligations remain in full force regardless of the status of DAT's IT systems or the nature of the disrupting event. No disaster declaration suspends any DOT, FMCSA, or other regulatory requirement unless a formal regulatory waiver has been issued by the applicable authority.

Delta Advanced Trucking, Inc. is subject to federal transportation regulations, including those administered by the DOT and FMCSA. The following principles govern regulatory compliance during any disruptive event:

- **ELD Fallback — Immediate Activation:** Upon any ELD system outage, FMCSA-compliant paper HOS logs are activated immediately. Drivers must record hours on paper logs and submit them in accordance with standard HOS rules. Refer to Appendix C for the step-by-step activation procedure.
- **DOT Compliance Maintained:** All DOT compliance obligations — including vehicle inspection records, driver qualification files, drug and alcohol program administration, and cargo documentation — are maintained in paper form at all DAT terminals as a standing requirement, ensuring availability regardless of IT system status.

- **Regulatory Notification:** DAT will notify applicable regulatory authorities as required by law in the event of any incident that triggers a mandatory reporting obligation. Notification is the responsibility of the CEO and Legal Counsel and must occur within the timeframe prescribed by the applicable regulation.
- **Regulatory Waivers:** In the event of a significant regional disaster (e.g., declared natural disaster), Legal Counsel will monitor for and pursue any available regulatory waivers or emergency relief from regulatory agencies. Waivers must be received in writing before operations depart from normal compliance procedures.
- **Documentation Integrity:** All compliance documentation generated during a disaster event (paper logs, manual records, incident reports) must be preserved and retained per the same standards as normal operational records. These records may be subject to regulatory audit.

14. Plan Documentation & Access

14.1 Storage Locations

BCP and DRP documentation is maintained in the following locations to ensure availability regardless of the nature of the disruptive event:

Storage Location	Description	Accessibility
Secure Cloud Storage	Primary digital repository; all current BCP/DRP documentation, runbooks, contact lists, and related materials stored in access-controlled cloud environment	Remotely accessible; requires MFA authentication
Printed Copies at Each Terminal	Physical printed copies of the BCP, DRP, fallback procedures (Appendix C), and emergency contact lists maintained in sealed binders at each DAT	No IT systems required; immediately accessible during IT or connectivity outage

Storage Location	Description	Accessibility
	terminal	
IT Director Personal Encrypted Drive	Encrypted offline copy of all current BCP/DRP documentation maintained on the IT Director's personal encrypted storage device	Accessible without internet or corporate systems

14.2 Access Controls

- Digital access to BCP/DRP documentation in cloud storage is restricted to **recovery team leads and executives**
- Physical printed copies at terminals are accessible to terminal managers and designated alternates
- The IT Director is responsible for ensuring all storage locations contain the current approved version of all documents
- Document version control is maintained; all versions are archived with effective dates

14.3 Review and Update Schedule

- All BCP/DRP documentation is reviewed and updated on an **annual basis** as a minimum
- An unscheduled review and update is mandatory following any of the following: a significant disaster event, a material organizational change (restructuring, acquisition, leadership change), or a significant technology change (new systems, migrations, infrastructure changes)
- All updates require sign-off by the IT Director and CEO before becoming effective

15. Related Documents

Policy Number	Document Title	Relationship
DAT-IT-002	Cybersecurity Policy	Parent security policy governing all IT security controls that underpin DR capabilities
DAT-IT-012	Incident Response Plan	Primary reference for cybersecurity incident handling; activated in conjunction with this policy for cyber-related disasters

Appendices

Appendix A: Recovery Team Contact List

This appendix contains the complete emergency contact tree for all recovery team members, executive personnel, critical vendors, and regulatory contacts. This appendix is classified **Confidential** and is maintained as a separate controlled document. It is not distributed with the main policy document. Current copies are maintained by the IT Director and HR Director and are updated quarterly. Physical copies are secured at each terminal location in sealed envelopes within the BCP binder. Digital copies are stored in the secure cloud repository with restricted access.

Appendix B: System Recovery Runbooks

This appendix contains detailed, step-by-step technical recovery runbooks for each Critical and High-priority IT system maintained by Delta Advanced Trucking, Inc. Runbooks are intended for use by the IT Recovery Team and include system architecture diagrams, failover procedures, credential access procedures (referenced from secure vault), estimated recovery time benchmarks, and verification checklists. Runbooks are maintained by the CISO, reviewed quarterly, and updated following any infrastructure change. Access is

restricted to IT Recovery Team members.

Appendix C: Paper Dispatch & HOS Fallback Procedures

This appendix provides complete, step-by-step instructions for activating and operating paper-based dispatch procedures and FMCSA-compliant paper Hours of Service (HOS) logs in the event of an IT system outage. It includes: activation checklist, paper log templates, dispatch coordination procedures, load assignment recording format, driver communication log format, and instructions for transitioning back to electronic systems upon restoration. Physical copies are printed and maintained in sealed plastic sleeves at all DAT dispatch centers and terminals, and in the cab kit of all Company vehicles. This appendix is reviewed and updated annually and following any change to FMCSA HOS regulations.

Policy Authorization

This policy has been reviewed, approved, and authorized by the Executive Sponsor of Delta Advanced Trucking, Inc. This signature represents formal organizational commitment to the standards, procedures, and obligations set forth in this document.

L. Thomas Marchland

L. Thomas Marchland

Chief Executive Officer, Delta Advanced Trucking, Inc.

Date: December 12, 2025

| **CONFIDENTIAL**

Delta Advanced Trucking, Inc. — Unauthorized distribution of this document is prohibited.