ETH zürich

Mobile Computing

Emerging Technologies
5G Cellular Networks

Stefan Mangold
stefan.mangold@inf.ethz.ch

Course Outline

Introduction

1. Data and Signals
2. Data Communication
3. Mobile Systems
4. Mobile Algorithms
5. Mobile AI
6. Cloud Computing

Tournament

Introduction



Sources

- This document contains illustrations and charts from Swisscom, Ericsson, Huawei, and Qualcomm
- Standards Body 3GPP










operator co-location
(tower in FL, USA)


ROSS
SKYTRAK



History of 3GPP Cellular Standards

- 2G = GSM (Mobile Voice Calls)
- 3G = UMTS (Mobile Internet)
- 4G = Long Term Evolution (4G LTE)
  - All IP Core Network
- 4G LTE Advanced
  - Higher data rate with reduced latency
  - Efficient & flexible spectrum
  - increased network capacity and coverage
- 5G improves all of this




Essentials of LTE and LTE-A. Amitabha Ghosh, Rapeepat Ratasuk. Book DOI: [dx.doi.org/10.1017/CBO9780511997082](dx.doi.org/10.1017/CBO9780511997082)

Cellular Networking

Cellular Network Architecture


- Multiple low power transmitters, 10 Watt or less
- Coverage area is divided into cells
  - Each with own antenna
  - Each with own range of frequencies
  - Served by base station: Transceiver, control unit
- Adjacent cells use different frequencies to reduce interference

Infrastructure



Multi-Access Edge Computing (MEC)
Network Function Virtualization (NFV)
Software Define Networking (SDN)
Self-Organizing Networks (SON)
Baseband Unit (BBU)
Device to Device (D2D)
Vehicle to Any (V2X)
Remote Radio Head (RRH)

Radio Cell Coverage



Cellular Network Planning




Cellular Network Planning

$$d_{\text{coverage}} = f(P_{\text{TX}}, P_{\text{RX, min}}, L_{\text{path}})$$

$$d_{\text{capacity}} \propto \sqrt{\frac{C}{D_{\text{cell}}}}$$

$$d_{\text{cell}} = \min(d_{\text{coverage}}, d_{\text{capacity}})$$

Realistic Cell Shapes




Reuse of Radio Resources (Frequency Channels)

- Use the same frequency channel at different locations
  - Communication in one cell on a given frequency channel
  - Reuse of this frequency channel in a nearby cell
- Typically, 10 - 50 frequency channels per base station
  - For example: N = number of cells in one cluster (for example clusters of 3 frequencies for reuse)
  - K = total number of frequencies used in the network (nationwide) -> Each cell operates with K/N frequency channels


Reuse Pattern, Clusters

- Larger clusters improve signal quality S/(N+I)
- Less channels are available per cell with larger clusters




Increasing the Network Capacity ($b/s/m^2$)

- Add frequency channels, new radio spectrum
- Increase number of cells per area, more antennas
  - smaller cell sizes
  - microcells, one antenna site per room
- Sectorize a cell
  - 3 – 6 sectors per cell
  - Sectorized (directional) antennas
- Dynamic frequency borrowing
  - Take frequencies from other cells
  - Also from other network operators



Cell Splitting with Micro Cells





In-House Micro Cell

Exercise: Cellular Networking


- Open in your course folder: 02_Notebooks/03_Mobile_Systems/03.2_Cellular_Networking.ipynb
- Run the cells and answer the questions.
- Save the completed notebook and upload it to Moodle.

5G

3GPP Applications

Market	Mobile Application	QoS Requirement
Mobile Broadband	fast broadband, cloud-based storage	hoher thrp (10 Gb/s), low latency
VR/AR/Hologram	live broadcast, design, games	high thrp, low latency
Smart City	IoT connected devices, cloud computing, traffic mgmt.	low latency
Automotive	autonomous driving, massive sensor, edge computing	low latency
Smart Manufacturing	edge computing, logistics, cameras	high thrp, low latency
Drones	network planning	low latency
Wearables	body cameras, personal safety monitoring	low latency
eHealth	remote patient monitoring, diagnostics	low latency
Retail / Payment	interactive displays, e-kiosks	high thrp
Energy	intelligent power distribution, smart meters	high thrp

New Applications (QUALCOMM)




New Applications (QUALCOMM)



2018, Gartner: Three Key Drivers for 5G


- eMBB: enhanced Mobile Broadband
- URLLC: Ultra Reliable Low Latency Comm.
- mMTC: massive Machine Type Communications



3GPP Releases

Jahr	Release	Main Objectives
2018	Rel-15	5G Basic: eMBB, Basic URLLC
2019	Rel-16	5G Evolution: V2X, NR-U, IIoT/TSN, IAB, Positioning
2021	Rel-17	5G Evolution: eMBB, URLLC, mMTC Features
2023	Rel-18	5G Advanced: RedCap, Non Terrestrial Networks
2025	Rel-19	5G Advanced
2026	Rel-20	5G Advanced
2028	Rel-21	6G Basic: Terahertz Communication, Intelligent Surfaces


5G “New Radio” Air Interface



Source: Qualcomm

- Pretty much the same as Wi-Fi, but now using licensed AND unlicensed radio spectrum

5G “New Radio” Air Interface



refarmed terrestrial television (<1GHz) and 3G & 4G at ~2GHz

new spectrum

Wi-Fi

unused microwave and radar spectrum


5G “New Radio” Air Interface - RedCap

- Reduced Capability (Source: Ericsson)
- Simplifies a lot, for example:
  - Reduced Bandwidth, 20 MHz (example)
  - Only one Transceiver, Half Duplex FDD
  - 2x2 MIMO
  - 2 … 6 GHz
- Similar to Wi-Fi 4 IEEE 802.11n, 2003

5G “New Radio” Air Interface - RedCap

5G RedCap

5G




(Source: Ericsson)


NFV and SDN


- Network Functionality Virtualization (NFV)
  - Defines network elements such as IP packet routers
- Software Defined Networking (SDN)
  - Manages large parts of the network
- NFV and SDN separate infrastructure from operation
- Low entry level for newcomers
- More MVNOs (Mobile Virtual Network Operator)


5G Coverage (Nov 2022)





5G Coverage (Nov 2023)






Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra
In Zusammenarbeit mit den Kantonen
Ort suchen oder Karte hinzufügen:
z.B. Bundesplatz 1 Bern, 46.7 7.5, Lärmkarte ...
Vollbild
Problem melden
Hilfe
Mobile Version
DE FR IT EN RM
https://map.geo.admin.ch/?topic=funksender
Teilen
Erweiterte Werkzeuge
Funksender
Thema wechseln
Antennenstandort
Antennenstandorte 4G (LTE)
Antennenstandorte 3G (UMTS)
Antennenstandorte GSM
Radio- und Fernsehsender
Richtfunkstrecken
Versorgungsgebiet
Versorgungsgebiete Radio
Versorgungsgebiete TV
Hintergrund Daten
swissALTI3D Reliefschattierung
CadastralWebMap
Dargestellte Karten
Menü schliessen
Glattbrugg
Wallisellen
Zürich
3D
N
Hintergrund
Wichtiger Hinweis: 2D-Daten in 3D.
© Daten:swisstopo, BAKOM
CH1903+ / LV95
Koordinaten (m): 2'683'532.0, 1'252'780.5, 458.5
info@bakom.admin.ch
Copyright & Datenschutzerklärung


Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra
In Zusammenarbeit mit den Kantonen
Ort suchen oder Karte hinzufügen:
z.B. Bundesplatz 1 Bern, 46.7 7.5, Lärmkarte ...
Vollbild
Problem melden
Hilfe
Mobile Version
DE FR IT EN RM
Teilen
Erweiterte Werkzeuge
Funksender
Thema wechseln
Antennenstandort
Antennenstandorte 4G (LTE)
Antennenstandorte 3G (UMTS)
Antennenstandorte GSM
Radio- und Fernsehsender
Richtfunkstrecken
Versorgungsgebiet
Versorgungsgebiete Radio
Versorgungsgebiete TV
Hintergrund Daten
swissALTI3D Reliefschattierung
CadastralWebMap
Dargestellte Karten
Menü schliessen
Zürich
Wallisellen
3D
N
Hintergrund
Wichtiger Hinweis: 2D-Daten in 3D.
© Daten:swisstopo, BAKOM
CH1903+ / LV95
Koordinaten (m): 2'684'082.0, 1'250'879.1, 457.7
info@bakom.admin.ch
Copyright & Datenschutzerklärung


Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra
In Zusammenarbeit mit den Kantonen
Ort suchen oder Karte hinzufügen:
2'683'775.000, 1'247'990.000
Vollbild
Problem melden
Hilfe
Mobile Version
DE FR IT EN RM
Teilen
Drucken
Zeichnen & Messen auf der Karte
Erweiterte Werkzeuge
Funksender
Thema wechseln
Dargestellte Karten
Antennenstandorte 4G (LTE)
Antennenstandorte 3G (UMTS)
Antennenstandorte GSM
Radio- und Fernsehsender
Nach weiteren Karten suchen?
Menü schliessen
Landesmuseum
Zürich HB
Universitätsspital
Privatklinik
Fluntern
Hochschulen
Rathaus
Lindenhof
Schanzen
Kinderspital
Waldhaus
Hottingen
Römerhof
Hintergrund
© Daten swisstopo, BAKOM
info@bakom.admin.ch
Copyright & Datenschutzerklärung
https://map.geo.admin.ch/?topic=funksender&lang=de



Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra
In Zusammenarbeit mit den Kantonen
Ort suchen oder Karte hinzufügen:
2'683'775.000, 1'247'990.000
Vollbild
Problem melden
Hilfe
Mobile Version
DE FR IT EN RM
Teilen
Drucken
Zeichnen & Messen auf der Karte
Erweiterte Werkzeuge
Funksender
Thema wechseln
Dargestellte Karten
Antennenstandorte 4G (LTE)
Antennenstandorte 3G (UMTS)
Antennenstandorte GSM
Radio- und Fernsehsender
Nach weiteren Karten suchen?
Menü schliessen
Landesmuseum
Zürich HB
Universitätsspital
Privatklinik
Fluntern
Hochschulen
Lindenhof
Rathaus
Waldhaus
Hottingen
Römerhof
Hintergrund
© Daten swisstopo, BAKOM
info@bakom.admin.ch
Copyright & Datenschutzerklärung
https://map.geo.admin.ch/?topic=funksender&lang=de


Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra
In Zusammenarbeit mit den Kantonen
Ort suchen oder Karte hinzufügen:
2'683'775.000, 1'247'990.000
Vollbild
Problem melden
Hilfe
Mobile Version
DE FR IT EN RM
Teilen
Drucken
Zeichnen & Messen auf der Karte
Erweiterte Werkzeuge
Funksender
Thema wechseln
Dargestellte Karten
Antennenstandorte 4G (LTE)
Antennenstandorte 3G (UMTS)
Antennenstandorte GSM
Radio- und Fernsehsender
Nach weiteren Karten suchen?
Menü schliessen
Landesmuseum
Zürich HB
Universitätsspital
Privatklinik
Fluntern
Hochschulen
Lindenhof
Rathaus
Waldhaus
Hottingen
Römerhof
Hintergrund
200 m
CH1903+ / LV95
© Daten swisstopo, BAKOM
info@bakom.admin.ch
Copyright & Datenschutzerklärung


Teilen
Drucken
Zeichnen & Messen auf der Karte
Erweiterte Werkzeuge
Funksender
Thema wechseln
Antennenstandort
Antennenstandorte 5G (NR)
Antennenstandorte 4G (LTE)
Antennenstandorte 3G (UMTS)
Antennenstandorte 2G (GSM)
Radio- und Fernsehsender
Richtfunkstrecken
Versorgungsgebiet
Versorgungsgebiete Radio
Dargestellte Karten
Menü schliessen


6G

Reconfigurable Intelligent Surfaces



6G and Visible Light Spectrum


- VLC might be considered in the future (6G)
  - WRC = World Radiocommunication Conferences




3GPP Release 18 (2024)

- Called “5G-Advanced”, improved generic enablers
  - Network Slicing, Edge Computing, Proximity Services

https://www.3gpp.org/ftp/Inbox/Marcoms/3GPP_Poster%20v2.pdf





Exercise: 5G Mobile Communication

- Open in your course folder: 02_Notebooks/03_Mobile_Systems/ 03.1_5G_Mobile_Communication.ipynb
- Run the cells and answer the questions.
- Save the completed notebook and upload it to Moodle.

