Test pandoc → tufte-style-article

Sylvain Kern ·

Contents

1 Markdown Kitchen Sink 2

1.1 Headers 3

2 H1 3

2.1 H2 3

3 Alt-H1 4

3.1 Alt-H2 4
3.2 Emphasis 4
3.3 Lists 4
3.4 Links 5
3.5 Images 6
3.6 Code and Syntax Highlighting 6
3.7 Tables 7
3.8 Blockquotes 8
3.9 Inline HTML 8
3.10 Horizontal Rule 8
3.11 Line Breaks 9
3.12 YouTube Videos 10

Abstract 10

Acknowledgements 10

4 H1: chapter title 11

4.1 All headings (this is level two) 11
4.2 Harmony & counterpoint (paragraph flow & balance) 11
Unnumbered section 13
4.3 Markdown features 13
4.4 Notes 14
4.5 Wide content 15
4.6 Pictures 15
4.7 Tables 17
4.8 Code 19
4.9 Math 21
4.10 Margin 22
4.11 Content with citations 23
4.12 Cross-references 24
4.13 Abbreviations (not yet working) 24
4.14 Smart typography 24
4.15 Esoteric (but not that much ?) 24

5 Rippledoc example 25

5.1 An h2 header 25
5.2 Test links 29

1 Markdown Kitchen Sink

This file is https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet plus a few fixes and additions. Used by obedm503/bootmark to demonstrate it's styling features.

This is intended as a quick reference and showcase. For more complete info, see John Gruber's original spec and the Github-flavored Markdown info page.

Note that there is also a Cheatsheet specific to Markdown Here if that's what you're looking for. You can also check out more Markdown tools.

1.1 Headers

```
# H1
## H2
### H3
#### H4
##### H5
###### H6

Alternatively, for H1 and H2, an underline-ish style:

Alt-H1
======

Alt-H2
------
```

2 H1

2.1 H2

2.1.1 H3 ·

H4

H5 H6

Alternatively, for H1 and H2, an underline-ish style:

3 Alt-H1

3.1 Alt-H2

3.2 Emphasis

```
Emphasis, aka italics, with *asterisks* or _underscores_.

Strong emphasis, aka bold, with **asterisks** or __underscores__.

Combined emphasis with **asterisks and _underscores_**.

Strikethrough uses two tildes. ~~Scratch this.~~
```

Emphasis, aka italics, with *asterisks* or *underscores*.

Strong emphasis, aka bold, with **asterisks** or **underscores**.

Combined emphasis with **asterisks and *underscores***.

Strikethrough uses two tildes. ~~Scratch this.~~

3.3 Lists

(In this example, leading and trailing spaces are shown with with dots:)

```
1. First ordered list item
2. Another item
  * Unordered sub-list.
1. Actual numbers don't matter, just that it's a number
  1. Ordered sub-list
4. And another item.

   You can have properly indented paragraphs within list items. Notice the blank line above, and the

   To have a line break without a paragraph, you will need to use two trailing spaces.
   Note that this line is separate, but within the same paragraph.
   (This is contrary to the typical GFM line break behaviour, where trailing spaces are not required

* Unordered list can use asterisks
- Or minuses
+ Or pluses
```

1. First ordered list item
2. Another item

- Unordered sub-list.

1. Actual numbers don't matter, just that it's a number
2. Ordered sub-list
3. And another item.
   You can have properly indented paragraphs within list items. Notice the blank line above, and the leading spaces (at least one, but we'll use three here to also align the raw Markdown).
   To have a line break without a paragraph, you will need to use two trailing spaces. Note that this line is separate, but within the same paragraph. (This is contrary to the typical GFM line break behaviour, where trailing spaces are not required.)

- Unordered list can use asterisks
- Or minuses
- Or pluses

3.4 Links

There are two ways to create links.

```
[I'm an inline-style link](https://www.google.com)

[I'm an inline-style link with title](https://www.google.com "Google's Homepage")

[I'm a reference-style link][Arbitrary case-insensitive reference text]

[I'm a relative reference to a repository file](../blob/master/LICENSE)

[You can use numbers for reference-style link definitions][1]

Or leave it empty and use the [link text itself].

URLs and URLs in angle brackets will automatically get turned into links.
http://www.example.com or <http://www.example.com> and sometimes
example.com (but not on Github, for example).

Some text to show that the reference links can follow later.

[arbitrary case-insensitive reference text]: https://www.mozilla.org
[1]: http://slashdot.org
[link text itself]: http://www.reddit.com
```

I'm an inline-style link

I'm an inline-style link with title

I'm a reference-style link

I'm a relative reference to a repository file

You can use numbers for reference-style link definitions

Or leave it empty and use the link text itself.

URLs and URLs in angle brackets will automatically get turned into links. http://www.example.com or http://www.example.com and sometimes example.com (but not on Github, for example).

Some text to show that the reference links can follow later.

3.5 Images

```
Here's our logo (hover to see the title text):

Inline-style:
![alt text](https://github.com/adam-p/markdown-here/raw/master/src/common/images/icon48.png "Logo Ti

Reference-style:
![alt text][logo]

[logo]: https://github.com/adam-p/markdown-here/raw/master/src/common/images/icon48.png "Logo Title
```

Here's our logo (hover to see the title text):

3.6 Code and Syntax Highlighting

Code blocks are part of the Markdown spec, but syntax highlighting isn't. However, many renderers – like Github's and *Markdown Here* – support syntax highlighting. Which languages are supported and how those language names should be written will vary from renderer to renderer. *Markdown Here* supports highlighting for dozens of languages (and not-really-languages, like diffs and HTTP headers); to see the complete list, and how to write the language names, see the highlight.js demo page.

```
Inline `code` has `back-ticks around` it.
```

Inline `code` has `back-ticks around` it.

Blocks of code are either fenced by lines with three back-ticks "‘, or are indented with four spaces. I recommend only using the fenced code blocks – they're easier and only they support syntax highlighting.

```javascript
var s = "JavaScript syntax highlighting";
alert(s);
```

```python
s = "Python syntax highlighting"
print s
```

```
No language indicated, so no syntax highlighting in Markdown Here (varies on Github).
But let's throw in a <b>tag</b>.
```

3.7 Tables

Tables aren't part of the core Markdown spec, but they are part of GFM and *Markdown Here* supports them. They are an easy way of adding tables to your email – a task that would otherwise require copy-pasting from another application.

```
Colons can be used to align columns.

| Tables        | Are           | Cool  |
| ------------- |:-------------:| -----:|
| col 3 is      | right-aligned | $1600 |
| col 2 is      | centered      |   $12 |
| zebra stripes | are neat      |    $1 |

There must be at least 3 dashes separating each header cell.
The outer pipes (|) are optional, and you don't need to make the
raw Markdown line up prettily. You can also use inline Markdown.

Markdown | Less | Pretty
--- | --- | ---
*Still* | `renders` | **nicely**
1 | 2 | 3
```

Colons can be used to align columns.

Tables	Are	Cool
col 3 is	right-aligned	$1600
col 2 is	centered	$12
zebra stripes	are neat	$1

There must be at least 3 dashes separating each header cell. The outer pipes (|) are optional, and you don't need to make the raw Markdown line up prettily. You can also use inline Markdown.

Markdown	Less	Pretty
Still	`renders`	**nicely**
1	2	3

3.8 Blockquotes

```
> Blockquotes are very handy in email to emulate reply text.
> This line is part of the same quote.

Quote break.

> This is a very long line that will still be quoted properly when it wraps. Oh boy let's keep writi
```

> Blockquotes are very handy in email to emulate reply text. This line is part of the same quote.

Quote break.

> This is a very long line that will still be quoted properly when it wraps. Oh boy let's keep writing to make sure this is long enough to actually wrap for everyone. Oh, you can *put* **Markdown** into a blockquote.

3.9 Inline HTML

You can also use raw HTML in your Markdown, and it'll mostly work pretty well.

```
<dl>
  <dt>Definition list</dt>
  <dd>Is something people use sometimes.</dd>

  <dt>Markdown in HTML</dt>
  <dd>Does *not* work **very** well. Use HTML <em>tags</em>.</dd>
</dl>
```

<dl>
  <dt>Definition list</dt>
  <dd>Is something people use sometimes.</dd>

  <dt>Markdown in HTML</dt>
  <dd>Does *not* work **very** well. Use HTML tags.</dd>
</dl>

3.10 Horizontal Rule

```
Three or more...
```

```
---

Hyphens

***

Asterisks

___

Underscores
```

Three or more…

Hyphens

Asterisks

Underscores

3.11 Line Breaks

My basic recommendation for learning how line breaks work is to experiment and discover – hit <Enter> once (i.e., insert one newline), then hit it twice (i.e., insert two newlines), see what happens. You'll soon learn to get what you want. "Markdown Toggle" is your friend.

Here are some things to try out:

```
Here's a line for us to start with.

This line is separated from the one above by two newlines, so it will be a *separate paragraph*.

This line is also a separate paragraph, but...
This line is only separated by a single newline, so it's a separate line in the *same paragraph*.
```

Here's a line for us to start with.

This line is separated from the one above by two newlines, so it will be a *separate paragraph*.

This line is also begins a separate paragraph, but… This line is only separated by a single newline, so it's a separate line in the *same paragraph*.

(Technical note: *Markdown Here* uses GFM line breaks, so there's no need to use MD's two-space line breaks.)

3.12 YouTube Videos

They can't be added directly but you can add an image with a link to the video like this:

```
<a href="http://www.youtube.com/watch?feature=player_embedded&v=YOUTUBE_VIDEO_ID_HERE
" target="_blank"><img src="http://img.youtube.com/vi/YOUTUBE_VIDEO_ID_HERE/0.jpg"
alt="IMAGE ALT TEXT HERE" width="240" height="180" border="10" /></a>
```

Or, in pure Markdown, but losing the image sizing and border:

```
[![IMAGE ALT TEXT HERE](http://img.youtube.com/vi/YOUTUBE_VIDEO_ID_HERE/0.jpg)](http://www.youtube.c
```

Abstract

At vero eos et accusamus et iusto odio dignissimos ducimus qui blanditiis praesentium voluptatum deleniti atque corrupti quos dolores et quas molestias excepturi sint occaecati cupiditate non provident, similique sunt in culpa qui officia deserunt mollitia animi, id est laborum et dolorum fuga. Et harum quidem rerum facZilis est et expedita distinctio. Nam libero tempore, cum soluta nobis est eligendi optio cumque nihil impedit quo minus id quod maxime placeat facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus maiores alias consequatur aut perferendis doloribus asperiores repellat.

Acknowledgements

My man

The family

The hood

4 H1: chapter title

header ·

4.1 All headings (this is level two)

4.1.1 Level three ·

Level four

Level five (unnumbered) Level six

4.2 Harmony & counterpoint (paragraph flow & balance)

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Eget lorem dolor sed viverra ipsum nunc aliquet bibendum enim. Felis imperdiet proin fermentum leo vel orci porta non pulvinar. Phasellus egestas tellus rutrum tellus pellentesque eu tincidunt tortor. Congue eu consequat ac felis donec et odio pellentesque diam. Sit amet nulla facilisi morbi tempus iaculis urna id. Eget dolor morbi non arcu risus. Nulla facilisi etiam dignissim diam quis enim lobortis. Mattis ullamcorper velit sed ullamcorper. Diam volutpat commodo sed egestas egestas fringilla phasellus. Non nisi est sit amet facilisis.

Aliquet nibh praesent tristique magna sit. Ullamcorper a lacus vestibulum sed arcu non. Sed risus pretium quam vulputate. In aliquam sem fringilla ut. Volutpat blandit aliquam etiam erat velit scelerisque in dictum non. Nec ultrices dui sapien eget mi. Massa placerat duis ultricies lacus sed turpis. Nulla facilisi etiam dignissim diam quis enim lobortis scelerisque. Tempus iaculis urna id volutpat lacus. Nulla facilisi cras fermentum odio eu.

Dignissim diam quis enim lobortis scelerisque fermentum dui faucibus. Diam quam nulla porttitor massa id. Ultrices mi tempus imperdiet nulla malesuada pellentesque. Quam lacus suspendisse faucibus interdum posuere lorem ipsum. Lorem dolor sed viverra ipsum nunc aliquet bibendum enim facilisis. Blandit cursus risus at ultrices mi. Justo laoreet sit amet cursus sit amet. Senectus et netus et malesuada fames ac. Faucibus scelerisque eleifend donec pretium vulputate. Rutrum quisque non tellus orci ac auctor augue. Mi tempus imperdiet nulla malesuada pellentesque elit eget gravida. Praesent tristique magna sit amet purus gravida quis blandit.

Amet purus gravida quis blandit. Tincidunt dui ut ornare lectus sit amet. Duis ultricies lacus sed turpis tincidunt id aliquet risus feugiat. Tortor vitae purus faucibus ornare suspendisse sed nisi lacus sed. Fringilla ut morbi tincidunt augue interdum. Id diam maecenas ultricies mi eget mauris pharetra et. Pellentesque nec nam aliquam sem et.

Eleifend mi in nulla posuere. Et netus et malesuada fames ac turpis egestas. Platea dictumst vestibulum rhoncus est pellentesque elit ullamcorper. Quis risus sed vulputate odio ut.

Urna neque viverra justo nec ultrices. Pulvinar proin gravida hendrerit lectus a. Velit ut tortor pretium viverra suspendisse potenti nullam. Eget gravida cum sociis natoque penatibus et. Aliquet sagittis id consectetur purus ut. Sagittis eu volutpat odio facilisis mauris. Eget dolor morbi non arcu. Eget velit aliquet sagittis id consectetur purus ut faucibus. Urna porttitor rhoncus dolor purus non enim praesent elementum. Senectus et netus et malesuada fames ac turpis egestas.

Tempus iaculis urna id volutpat lacus laoreet. Senectus et netus et malesuada fames ac turpis egestas maecenas. Nisi est sit amet facilisis magna etiam tempor orci eu. Nibh praesent tristique magna sit amet. Eget egestas purus viverra accumsan in nisl. Ullamcorper eget nulla facilisi etiam dignissim diam quis. Ipsum suspendisse ultrices gravida dictum. Pellentesque dignissim enim sit amet venenatis urna cursus eget. Nec tincidunt praesent semper feugiat. Elementum nisi quis eleifend quam adipiscing. Sed risus pretium quam vulputate dignissim suspendisse in est ante. Massa ultricies mi quis hendrerit dolor magna eget est lorem. Condimentum lacinia quis vel eros donec ac odio tempor orci. Sagittis purus sit amet volutpat consequat mauris. Interdum consectetur libero id faucibus nisl tincidunt eget. Feugiat nibh sed pulvinar proin gravida hendrerit. Congue eu consequat ac felis donec et odio. Bibendum arcu vitae elementum curabitur vitae. Elit scelerisque mauris pellentesque pulvinar pellentesque habitant morbi tristique.

Eleifend donec pretium vulputate sapien nec. Nunc sed id semper risus in hendrerit gravida. A diam maecenas sed enim ut. Tempor orci dapibus ultrices in iaculis nunc sed augue. At consectetur lorem donec massa sapien faucibus et molestie ac. Natoque penatibus et magnis dis parturient montes. Tellus in hac habitasse platea dictumst vestibulum rhoncus. Risus viverra adipiscing at in tellus. Dignissim sodales ut eu sem integer vitae justo eget. Metus aliquam eleifend mi in nulla posuere. Turpis nunc eget lorem dolor sed viverra ipsum. Sed velit dignissim sodales ut eu sem. Vitae purus faucibus ornare suspendisse sed nisi. Id ornare arcu odio ut sem. Ut venenatis tellus in metus vulputate eu scelerisque felis. Cursus metus aliquam eleifend mi in. Donec adipiscing tristique risus nec feugiat. Nibh nisl condimentum id venenatis a condimentum vitae sapien pellentesque.

Cras fermentum odio eu feugiat pretium. Sed id semper risus in hendrerit gravida. Dolor sed viverra ipsum nunc. Non blandit massa enim nec dui nunc mattis. Nunc consequat interdum varius sit amet mattis. Vulputate dignissim suspendisse in est ante in nibh. Habitant morbi tristique senectus et netus et malesuada. Venenatis lectus magna fringilla urna porttitor rhoncus. Lobortis elementum nibh tellus molestie nunc non blandit massa enim. Volutpat lacus laoreet non curabitur gravida arcu ac. Amet

consectetur adipiscing elit pellentesque habitant. Sed tempus urna et pharetra pharetra. Quam pellentesque nec nam aliquam. Id velit ut tortor pretium viverra suspendisse potenti nullam ac.

4.2.1 Line length test · azertyuiopqsdfghjklmwxcvbnazertyuiopqsdfghjklmwxcvbnazertyuiopqsdfghjklmwxcvbnazertyuiopqsdfghjklmwxcvbn

Unnumbered section

Eleifend donec pretium vulputate sapien nec. Nunc sed id semper risus in hendrerit gravida. A diam maecenas sed enim ut. Tempor orci dapibus ultrices in iaculis nunc sed augue. At consectetur lorem donec massa sapien faucibus et molestie ac. Natoque penatibus et magnis dis parturient montes. Tellus in hac habitasse platea dictumst vestibulum rhoncus. Risus viverra adipiscing at in tellus. Dignissim sodales ut eu sem integer vitae justo eget. Metus aliquam eleifend mi in nulla posuere. Turpis nunc eget lorem dolor sed viverra ipsum. Sed velit dignissim sodales ut eu sem. Vitae purus faucibus ornare suspendisse sed nisi. Id ornare arcu odio ut sem. Ut venenatis tellus in metus vulputate eu scelerisque felis. Cursus metus aliquam eleifend mi in. Donec adipiscing tristique risus nec feugiat. Nibh nisl condimentum id venenatis a condimentum vitae sapien pellentesque.

Cras fermentum odio eu feugiat pretium. Sed id semper risus in hendrerit gravida. Dolor sed viverra ipsum nunc. Non blandit massa enim nec dui nunc mattis. Nunc consequat interdum varius sit amet mattis. Vulputate dignissim suspendisse in est ante in nibh. Habitant morbi tristique senectus et netus et malesuada. Venenatis lectus magna fringilla urna porttitor rhoncus. Lobortis elementum nibh tellus molestie nunc non blandit massa enim. Volutpat lacus laoreet non curabitur gravida arcu ac. Amet consectetur adipiscing elit pellentesque habitant. Sed tempus urna et pharetra pharetra. Quam pellentesque nec nam aliquam. Id velit ut tortor pretium viverra suspendisse potenti nullam ac.

4.3 Markdown features

Lorem markdownum Niobe, in quae peracta, matrem ubi vates, blanditiis? **Dabitur omnia aper** cacumina sensisse in idque passim datum, lupis terrent Aurora Maia.

```
association_ascii_domain(hoverHibernateMatrix);
left_memory(design, ideReciprocalAtm);
var kilohertzHost = type_requirements_slashdot;
```

Aestus virgo cur languore **laudamus doluisse** tempora canis, ausorum habent ab quoque dextra. Cum fecissem excussit patriosque quodque, et etiam subtemen **quoque**, papyriferi ululasse, erat arida ab maerentes: Lichan.

> Inspiratque undas; feroxque seges graviore, tradidit et umero mandere: exuere atram magis *auctor excita*, o. Virque in in discedentem haec deceptus nec inconcessaeque perosus flammas exarsit.

4.3.1 Tectis praemonuisse plura · Dixerat hoc turbida mento nostri dolet fessos. Arcu sedit dumque. Amor campus posco. Dilapsa est aquarum coimus cecidit et classis nos, regia nec erat lavit undis ratis demugitaeque laetaque.

- Parente dixit
- Marem vix virides nihil cornua navis vultus
- Si non
- Fixit quas dilapsum iunctum imitata satis

Par armat fuit nomen in Aegides lingua colatur, non humani, anser ab **sibi** Munychiosque *summa.* Dixit Mavortis auratum se frequens haerenti exosae: quam et aequore, tuli ira omnis Neptunus florentia calido tacti.

1. Flammas trepidosque variabant terrae nisi ablatum cessit
2. Cinyra Herculeos in Pelasgi vultu adfixa
3. Telamonius adhuc questuque non Erysicthone deus permulcet
4. Quem mentisque

Quodsi rosarum gaudere quoque frigore timido cognoverat, insurgere esse: septem. Ianigenam in **vestros** mihi tot fecit, qui freta conferat, **penates** nomen quo Telamon fenestris, duae. Relinquitur voce graviore, me **puto**, discedit in sumpta corpore.

Rule:

Quodsi rosarum gaudere quoque frigore timido cognoverat, insurgere esse: septem. Ianigenam in **vestros** mihi tot fecit, qui freta conferat, **penates** nomen quo Telamon fenestris, duae. Relinquitur voce graviore, me **puto**, discedit in sumpta corpore.

Wide rule:

Quodsi rosarum gaudere quoque frigore timido cognoverat, insurgere esse: septem. Ianigenam in **vestros** mihi tot fecit, qui freta conferat, **penates** nomen quo Telamon fenestris, duae. Relinquitur voce graviore, me **puto**, discedit in sumpta corpore.

4.4 Notes

For example this is a side note*. Side notes are numbered, and the number shows at the anchor point in the body text at all screen widths.

*This is the text in the side note. It is smaller and only supports inline elements, like **bold** or links, but not lists or code blocks.

On the other hand, margin notes are not numbered. Instead, they hang to the left and are only vaguely connected to the text, like this.*

*{-} pandoc-sidenote detects margin notes when the note starts with the text {-}. This is inspired by the syntax Pandoc uses for unnumbered headings.

4.4.1 Side note symbols · † ‡ § ¶ ‖ ** †† ‡‡ §§ ¶¶ *** †††

†this is a note.

‡this is a note.

§this is a note.

¶this is a note.

‖this is a note.

**this is a note.

††this is a note.

‡‡this is a note.

§§this is a note.

¶¶this is a note.

***this is a note.

†††this is a note.

4.5 Wide content

Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam. Postquam superi desiluit, flentibus posuerunt ferum! Fratremque derepta habet aquarum. Lacertis horrentia Mavortius sanguineae silentia, num Caesarea mollia candidus. Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam.

```
> zsh -c "$(curl -fsSL https://raw.githubusercontent.com/robbyrussell/oh-my-zsh/master/tools/install
```

4.6 Pictures

A reference to the image, and another reference.



Figure 1. Caption

See [@fig:label1;@fig:label2]

@Fig:label1.

4.6.1 Subfigures ? ·



Figure 2. This is a second image



Figure 3. This is a reduced image



Figure 4. This is (meant to be) a margin image



4.6.2 Uncaptioned ·

4.7 Tables

Text before. I can reference the following table with its label : see @tbl:label3.

Table 3. Caption of table. {#tbl:label3}

Header 1	Header 2	Header 3
bold style	`code block`	3.73
|escape pipe	‘backtick	220.34

Text after. Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam. Postquam superi desiluit, flentibus posuerunt ferum! Fratremque derepta habet aquarum. Lacertis horrentia Mavortius sanguineae silentia, num Caesarea mollia candidus. Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam.

4.7.1 Wide table test

Check the stats @tbl:label4.

Table 4. La météo. {#tbl:label4}

Mois	jan.	fév.	mars	avril	mai	juin	jui.	août	sep.	oct.	nov.	déc.	année
Temp. minimale moyenne (°C)	– 0.8	– 0.6	2.5	5.2	9.8	12.8	14.5	14.1	10.6	7.1	2.8	0.3	6.6
Temp. moyenne (°C)	1.9	2.9	7	10.5	15	18.1	20.1	19.8	15.8	11.2	5.8	2.8	10.9
Temp. maximale moyenne (°C)	4.5	6.4	11.1	15.7	20.2	23.4	25.7	25.4	21	15.3	8.8	5.2	15.3
Record de froid (°C)	– 23.6	– 22.3	– 16.7	– 5.6	– 2.4	1.1	4.9	4.8	– 1.3	– 7.6	– 10.8	– 23.4	– 23.6
Record de chaleur (°C)	17.5	21.1	25.7	30	33.8	38.8	38.9	38.7	33.4	29.1	22.1	18.3	38.9
Nb. de jours avec gel	16.4	15.1	9	2.2	0.1	0	0	0	0	1.7	7.5	13.8	65.8
Ensoleillement (h)	58.1	83.8	134.8	180	202.5	223.8	228.6	219.6	164.5	98.7	55.3	43.1	1692.7
Précipitations (mm)	32.2	34.5	42.8	45.9	81.9	71.6	72.7	61.4	63.5	61.5	47	50	664.6
Nb. de jours avec précipitations	8.4	8.1	9.1	9.2	11.5	10.8	9.9	10.2	8.6	9.5	9.3	9.8	114.9
Humidité relative (%)	86	82	76	72	73	74	72	76	80	85	86	86	79

Mois	jan.	fév.	mars	avril	mai	juin	jui.	août	sep.	oct.	nov.	déc.	année
Nb. de jours avec neige	7.8	6.7	4	1.5	0.1	0	0	0	0	0	3.4	6.3	29.8
Nb. de jours d'orage	0.1	0.2	0.5	1.5	5	6.1	6.2	5.5	2.7	0.5	0.2	0.2	28.7
Nb. de jours avec brouillard	9.1	5.7	3.4	1.9	2	1.4	1	2.6	6.7	12.4	10	8.8	65

4.7.2 Merge cells ? ·

a	b
1	2
^	4

Nope.

4.7.3 Margin tables ? ·

Table 6. Margin table test. {#tbl:margin}

Header 1	Header 2	Header 3
bold style	`code block`	3.73
|escape pipe	‘backtick	220.34

Yeah baby

4.8 Code

```
int main() {
  printf("Hello world!");
  return 0;
}
```

Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam. Postquam superi desiluit, flentibus posuerunt ferum! Fratremque derepta habet aquarum. Lacertis horrentia Mavortius sanguineae silentia, num Caesarea mollia candidus. Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam.

```
@media (max-width: 1350px) {

  header, main, footer {
    width: 50%;
  }

  .sidenote,
  .marginnote,
  figcaption {
    margin-right: -55%;
    width: 50%;
  }

  .wide {
    width: 155%;
  }

}

/* intermédiaire : le main text est collé à gauche (burger ?) mais quand même les sidenotes */
@media (max-width: 1000px) {

  header, main, footer {
    margin-left: 20pt;
    width: 65%;
    margin-right: auto;
  }

  .sidenote, .marginnote, figcaption {
    margin-right: -45%;
    width: 40%;
  }

  .wide {
    width: 145%;
  }

}
```

Python:

```
def factorial(n):
        return int(n==0) or n*factorial(n-1)
```

Wide code:

```
> zsh -c "$(curl -fsSL https://raw.githubusercontent.com/robbyrussell/oh-my-zsh/master/tools/install
```

4.9 Math

Inline : $y = ax + b$. Block:

$$e^{i\pi} + 1 = 0$$

Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam. Postquam superi desiluit, flentibus posuerunt ferum! Fratremque derepta habet aquarum. Lacertis horrentia Mavortius sanguineae silentia, num Caesarea mollia candidus. Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam. This is inline in the flow: $e^x = \frac{\sum_{n=0}^{\infty} \frac{x^n}{n!}}{\sum_{n=0}^{\infty} 0}$. Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam. Postquam superi desiluit, flentibus posuerunt ferum! Fratremque derepta habet aquarum. Lacertis horrentia Mavortius sanguineae silentia, num Caesarea mollia candidus.

$$e^x = \sum_{n=0}^{\infty} \frac{x^n}{n!}.$$

$$\tau_{\mathrm{w}}(\omega) = -\frac{1}{c}\sqrt{j\omega\nu}\tanh\left(a\sqrt{\frac{j\omega}{\nu}}\right)\frac{e^{jkd_s} - Re^{-jkd_s}}{1+R}p'e^{j\omega t}$$

4.9.1 Chonky formulae ·

$$\frac{J_p^{\mathrm{diff}}(Xn)}{J_g(Xn)} = \frac{\frac{\alpha Ln}{(\alpha Ln+1)}e^{-\alpha Xn}}{(e^{-\alpha Xn} - 1)} = \frac{\frac{50000*0{,}0001}{50000*0{,}0001+1}e^{-50000*0{,}0001}}{(e^{-500000000001} - 1)} = -1{,}6 * 10^{-22} \ll 1$$

4.9.2 Labelled · Here's a reference to @eq:description:

$$M = N\mu_0\pi\frac{\pi R_2^2}{2R_1}$$

{#eq:description}

4.9.3 Margin math ? · Math displayed in the margin!

$$e^{i\pi} + 1 = 0$$

{#eq:margin}

Yeah baby!

4.9.4 Math in note · For example this is a side note*. Side notes are numbered, and the number shows at the anchor point in the body text at all screen widths.

*This is the text in the side note. It is smaller and only supports inline elements, like **bold** or links, or math: $e^{i\pi} + 1 = 0$!

4.10 Margin

Margin environment:

Unreferenced, unformatted margin stuff, uncaptioned image :



Dixerat hoc turbida mento nostri dolet fessos. Arcu sedit dumque. Amor campus posco. Dilapsa est aquarum coimus cecidit et classis nos, regia nec erat lavit undis ratis demugitaeque laetaque.

Also works with class :



- Parente dixit
- Marem vix virides nihil cornua navis vultus
- Si non
- Fixit quas dilapsum iunctum imitata satis

Par armat fuit nomen in Aegides lingua colatur, non humani, anser ab **sibi** Munychiosque *summa*. Dixit Mavortis auratum se frequens haerenti exosae: quam et aequore, tuli ira omnis Neptunus florentia calido tacti.

1. Flammas trepidosque variabant terrae nisi ablatum cessit
2. Cinyra Herculeos in Pelasgi vultu adfixa
3. Telamonius adhuc questuque non Erysicthone deus permulcet
4. Quem mentisque

Quodsi rosarum gaudere quoque frigore timido cognoverat, insurgere esse: septem. Ianigenam in **vestros** mihi tot fecit, qui freta conferat, **penates** nomen quo Telamon fenestris, duae. Relinquitur voce graviore, me **puto**, discedit in sumpta corpore.

4.11 Content with citations

This is a citation @chandrasekharanMicroscaleDifferentialCapacitive2011 [postnote], @ghouila-houriDeveloppementMicrocapteursFrottement2018 with `pandoc-citeproc`.

This is a citation @ghouila-houriDeveloppementMicrocapteursFrottement2018 with `pandoc-citeproc`.

@strakaGenerationDetectionCharacterization2019

Note [*] [*]yooo

Note [†] [†]yooo

Lorem markdownum quod laboribus fecit, gravis aures supplex Pallas proxima iam. Postquam superi desiluit, flentibus posuerunt ferum! Fratremque derepta habet aquarum. Lacertis horrentia Mavortius sanguineae silentia, num Caesarea mollia candidus. Lorem markdownum quod labooribus fecit, gravis aures supplex Pallas proxima iam.

Another citation,[@10/dfwrxt] this time with the filter

```
--filter pandoc-manubot-cite
```

4.12 Cross-references

4.12.1 To headers using `pandoc-secnos` filter · See section: @sec:chonky-formulae

eyop

4.13 Abbreviations (not yet working)

This is HTML! (not in glossary ?)

This is +html (in glossary)!

This is a test using the `[pandoc-acronyms](https://pypi.org/project/pandoc-acronyms/)` filter.

- [!html>] inserts the long form ("beer brewing attitude").
- [!html<] inserts the short form ("BBA").
- [!html!] inserts the explained form ("beer brewing attitude (BBA)").

4.14 Smart typography

En: –

Em: —

Ellipse… text again

"Curly quotes" ?

4.15 Esoteric (but not that much ?)

4.15.1 Plots : · `pandoc-plot`

```
import matplotlib.pyplot as plt
```

```
plt.figure()
plt.plot([0,1,2,3,4], [1,2,3,4,5])
```

4.15.2 Mermaid ? · Using `mermaid-filter`

```
sequenceDiagram
    Alice->>John: Hello John, how are you?
    John-->>Alice: Great!
```

5 Rippledoc example

Paragraphs are separated by a blank line.

2nd paragraph. *Italic*, **bold**, and `monospace`. Itemized lists look like:

- this one
- that one
- the other one

Note that — not considering the asterisk — the actual text content starts at 4-columns in.

> Block quotes are written like so.
>
> They can span multiple paragraphs, if you like.

Use 3 dashes for an em-dash. Use 2 dashes for ranges (ex., "it's all in chapters 12–14"). Three dots … will be converted to an ellipsis. Unicode is supported.

Table 7. table in just a chapter section {#tbl:chaptab}

a	b
c	d

5.1 An h2 header

Here's a numbered list:

1. first item
2. second item
3. third item

Note again how the actual text starts at 4 columns in (4 characters from the left side). Here's a code sample:

```
# Let me re-iterate ...
for i in 1 .. 10 { do-something(i) }
```

As you probably guessed, indented 4 spaces. By the way, instead of indenting the block, you can use delimited blocks, if you like:

```
define foobar() {
    print "Welcome to flavor country!";
}
```

(which makes copying & pasting easier). You can optionally mark the delimited block for Pandoc to syntax highlight it:

```python
import time
# Quick, count to ten!
for i in range(10):
    # (but not *too* quick)
    time.sleep(0.5)
    print(i)
```

5.1.1 An h3 header

Now a nested list:

1. First, get these ingredients:
    - carrots
    - celery
    - lentils
2. Boil some water.
3. Dump everything in the pot and follow this algorithm:

    ```
    find wooden spoon
    uncover pot
    stir
    cover pot
    balance wooden spoon precariously on pot handle
    wait 10 minutes
    goto first step (or shut off burner when done)
    ```

    Do not bump wooden spoon or it will fall.

Notice again how text always lines up on 4-space indents (including that last line which continues item 3 above).

Here's a link to a website, to a local doc, and to a section heading in the current doc. Here's a footnote [*].

[*] Some footnote text.

Tables can look like this:

Table 8. Shoes sizes, materials, and colors. {#tbl:table2}

Name	Size	Material	Color
All Business	9	leather	brown
Roundabout	10	hemp canvas	natural
Cinderella	11	glass	transparent

(The above is the caption for the table.) Pandoc also supports multi-line tables:

Keyword	Text
red	Sunsets, apples, and other red or reddish things.
green	Leaves, grass, frogs and other things it's not easy being.

A horizontal rule follows.

Here's a definition list:

apples Good for making applesauce.
oranges Citrus!
tomatoes There's no "e" in tomatoe.

Again, text is indented 4 spaces. (Put a blank line between each term and its definition to spread things out more.)

Here's a "line block" (note how whitespace is honored):

Line one
  Line too
Line tree

and images can be specified like so:

Inline math equation: $\omega = d\varphi/dt$. Display math should get its own line like so:

$$I = \int \rho R^2 dV$$

And note that you can backslash-escape any punctuation characters which you wish to be displayed literally, ex.: ‘foo‘, *bar*, etc.



Figure 5. example image

5.2 Test links

See section: @sec:chonky-formulae

Figure: @fig:label

Figure: @fig:label2

Figure: @fig:label3

Figure: @fig:example-image

Table: @tbl:table2

@tbl:label4

@tbl:chaptab

@eq:description

link