Build time of packages

Legend:
- download
- extract
- patch
- configure
- build
- install-target
- install-staging
- install-images
- install-host

Y-axis: Time (seconds) — 0, 100, 200, 300, 400, 500, 600, 700

X-axis labels: busybox, glibc, host-acl, host-attr, host-autoconf, host-automake, host-autoconf-archive, host-binutils, host-bison, host-dtc, host-e2fsprogs, host-expat, host-fakeroot, host-flex, host-gawk, host-gcc-final, host-gcc-initial, host-gettext, host-gettext-tiny, host-gmp, host-kmod, host-libffi, host-libglib2, host-libopenssl, host-libtool, host-libzlib, host-m4, host-makedevs, host-meson, host-mpc, host-mpfr, host-ninja, host-openssl, host-patchelf, host-pcre2, host-pixman, host-pkgconf, host-python-flit-c..., host-python-installer, host-python-pack..., host-python-pypa..., host-python-pypr..., host-python-setup..., host-python-whee..., host-python3, host-qemu, host-skeleton, host-slirp, host-util-linux, host-zlib, ifupdown-scripts, initscripts, linux, linux-headers, skeleton, skeleton-init-common, skeleton-init-sysv, toolchain, toolchain-buildroot, urandom-scripts