

DefaultConsumer

```
classDiagram
    class DefaultConsumer
    class eu_h2020_symbiote_messaging_ResourceCreationRequestConsumer {
        + ResourceCreationRequestConsumer()
        + handleDelivery()
    }
    eu_h2020_symbiote_messaging_ResourceCreationRequestConsumer --|> DefaultConsumer
```

The diagram illustrates a class hierarchy. At the top is the 'DefaultConsumer' class, represented by a rectangle with three horizontal compartments. The top compartment contains the class name. Below it are two empty compartments. At the bottom is the 'eu.h2020.symbiote.messaging.ResourceCreationRequestConsumer' class, represented by a rectangle with three horizontal compartments. The top compartment contains the fully qualified class name. The middle compartment is empty. The bottom compartment contains two public methods: '+ ResourceCreationRequestConsumer()' and '+ handleDelivery()'. A blue arrow with an open triangular head points from the bottom of the 'eu.h2020.symbiote.messaging.ResourceCreationRequestConsumer' class to the bottom of the 'DefaultConsumer' class, indicating that 'eu.h2020.symbiote.messaging.ResourceCreationRequestConsumer' inherits from 'DefaultConsumer'.

eu.h2020.symbiote.messaging.
ResourceCreationRequestConsumer

+ ResourceCreationRequestConsumer()
+ handleDelivery()