# P1 DROPPER SERUM BOTTLE - OWNER VISUAL REVIEW BOARD (V3)

V3 REVISION - V1 + V2 owner-rejected (shoulder + material); V1/V2 preserved | owner approval: PENDING_VISUAL_REVIEW | GATE_2: BLOCKED | manufacturing authority: NOT_ESTABLISHED
sections: OWNER PHOTOGRAPHY | OWNER-MEASURED DIMENSIONS | OWNER-CONFIRMED MATERIALS | ONLINE-ANALOGOUS EVIDENCE | CALCULATED | VISUALLY ESTIMATED | NEUTRAL GEOMETRY | MATERIAL VALIDATION | VISUALIZATION-ONLY INNER GLASS | OMITTED DETAILS
photographs are perspective + uncalibrated - NO calibrated overlay accuracy claimed | THREAD_GEOMETRY_NOT_MODELLED | masks = unlit alpha authority (never thresholded shaded RGB)

OWNER PHOTOGRAPH



IMG_3120 (crop, lossless rotation)

MATERIAL VALIDATION



V3 material front (hollow glass + absorption)

MATERIAL VALIDATION

V3 material three-quarter

NEUTRAL GEOMETRY VALIDATION



V3 neutral front (clay)

OWNER PHOTOGRAPH

IMG_3123 dropper (pipette hidden inte

NEUTRAL GEOMETRY VALIDATION

neutral side

NEUTRAL GEOMETRY VALIDATION



neutral top

NEUTRAL GEOMETRY VALIDATION

neutral three-quarter

NEUTRAL GEOMETRY VALIDATION

closure detail

NEUTRAL GEOMETRY VALIDATION


THREAD_GEOMETRY_NOT_MODELLED
GL18 / DIN 18 CLASS INFERRED FROM ANALOGOUS SOURCES (ONLINE_ANALOGOUS_REFERENCE, MEDIUM)
NOT_MANUFACTURING_AUTHORITATIVE - outer-form validation only

neck detail (thread statement)

NEUTRAL GEOMETRY VALIDATION



shoulder detail (V3)

NEUTRAL GEOMETRY VALIDATION

bulb detail (V3)

NEUTRAL GEOMETRY VALIDATION

base detail (V3)

VISUALLY ESTIMATED

## P1 SHOULDER PROFILE DIAGNOSTIC - V1 / V2 / V3

V1 + V2 owner-rejected; V3 = authored clamped cubic spline through VISUAL_ESTIMATE_FROM_OWNER_PHOTO control points (LOW/MEDIUM) - NOT_MANUFACTURING_AUTHORITATIVE



continuity at authored knots (V3, finite differences):
z= 66.00 r= 18.70 dr/dz= -0.000 d2r/dz2= -0.05
z= 69.00 r= 17.90 dr/dz= -0.633 d2r/dz2= -0.29
z= 71.60 r= 14.30 dr/dz= -2.272 d2r/dz2= -0.58
z= 73.10 r= 9.45 dr/dz= -5.562 d2r/dz2= -7.58
z= 73.49 r= 7.80 dr/dz= -0.179 d2r/dz2= 17.89
clamped tangents: dr/dz = 0 at the wall (66) and at the neck base (73.49) - no ridge, no kink

shoulder profile diagnostic (V1/V2/V3 + control points)

MATERIAL VALIDATION

## MATERIAL DIAGNOSTIC - TRANSPARENT MATTE ORANGE GLASS

proves: transparent + orange-tinted + frosted exterior + background visible through the body (diffused) + base optically denser than the neck | hollow glass is VISUALIZATION_ONLY_GEOMETRY



1. white background
2. mid-grey background
3. B/W calibration card behind
6. stripe object behind the bottle
4. neck + shoulder transmission
5. glass base close-up
7. side-lit edge transmission

glass-transmission diagnostic - transparent matte orange glass (VISUALIZATION-ONLY inner glass)

CALCULATED

## P1 V1 / V2 / V3 SILHOUETTES - deterministic mask authority (unlit alpha pass; NO thresholded shaded RGB; same pinned camera)

changed: shoulder region (fuller V3 curve) + bulb (V3 narrowed collar entry, fuller dome) | unchanged: body wall, base, collar bounds, all accepted owner dimensions | combined: red=V1-only, amber=V2-only, blue=V3-only, dark=common



V1 - OWNER REJECTED
V2 - OWNER REJECTED
V3 - CURRENT REVISION
V1/V2 overlay
V2/V3 overlay
V1/V2/V3 combined

V1/V2/V3 silhouettes - deterministic mask authority

## DIMENSION RECONCILIATION (mask authority)

| | | |
|---|---|---|
| assembled height | 114.3 OWNER | 114.28 mask |
| body diameter | 37.4 OWNER | 37.47 mask |
| front centred | - | 0.0006 offset |
| closure centred | - | 0.0006 offset |
| internal holes | 0 required | 0 |
| V2 OFF_CENTER warning | - | RGB_SEGMENTATION_ARTIFACT |

## OMITTED MANUFACTURING DETAILS

GL18-class thread (stamped on views) | collar ribs | base embossing 50ml/46 | label artwork | pipette in renders
inner glass = VISUALIZATION_ONLY (never manufacturing)

CALCULATED

## V2 vs V3 SHOULDER (close-up)

mask authority (unlit alpha) | red=V2 only, blue=V3 only, dark=agreement



V2
V3
overlay

V2 vs V3 shoulder close-up

CALCULATED

## V2 vs V3 BULB (close-up)

mask authority (unlit alpha) | red=V2 only, blue=V3 only, dark=agreement



V2
V3
overlay

V2 vs V3 bulb close-up

OWNER PHOTOGRAPH

## P1 OWNER PHOTO vs V3 - QUALITATIVE ONLY

OWNER PHOTOGRAPH IS PERSPECTIVE AND UNCALIBRATED | NO ACCURATE PHOTOGRAPHIC OVERLAY IS CLAIMED | COMPARISON IS QUALITATIVE ONLY | photos never stretched/warped



OWNER PHOTO IMG_3120 (crop, lossless rotation)
OWNER PHOTO closure region
V3 material front
V3 neutral front
V3 shoulder close-up
V3 bulb close-up
V3 neck/collar close-up
V3 base close-up

owner photo vs V3 (qualitative only - uncalibrated)