
Index

χ^2 566

A

- absolute conic 5–6, 9, 16–18, 78, 80–84, 195, 209–210, 224, 272–277, 340, 458, 461, 464, 471, 475, 485, 487, 500
 - relation to orthogonality 83
- absolute dual quadric 83–85, 458, 462, 466–467, 469, 472–473, 475, 477
- absolute dual quadric 83–84, 463
- absolute dual quadric
 - extracting the rectifying transform 463
 - properties 462
 - simple properties 462
- adjoint matrix 31, 581
- affine camera 14, 166, 169, 172–174, 176, 184–185, 271, 344, 347, 355, 413, 425, 432, 436–437, 440–441, 520
- affine camera
 - counting arguments 425
 - decomposition 169
 - definition 166
 - error in employing 168
 - estimation of 184
 - hierarchy of 170
 - more properties 172
- affine fundamental matrix 298, 308, 345, 347–349, 351–353, 360–361, 390, 413, 439
- affine fundamental matrix
 - algebraic derivation 347
 - derivation 345
 - geometric derivation 345
 - geometric interpretation 349
 - Gold Standard algorithm 349
 - linear algorithm 348
 - minimal configuration 352
 - properties 347
 - singularity constraint 349
- affine geometry. 3
- affine imaging 169
- affine imaging conditions 346
- affine imaging model 169
- affine matrix 40, 98, 347
- affine matrix 62
- affine multiple view tensors
 - computation 439
- affine properties 43, 49–50, 55, 62, 79–81, 220, 223
- affine properties of reconstruction 81
- affine properties
 - recovery from image 49
- affine reconstruction 10, 261, 266, 268–272, 274, 277, 339, 351, 355–356, 360, 434, 436–437, 439–440, 456, 459, 473, 475–476, 479, 487, 489, 496, 498, 515, 521, 525, 528
- affine reconstruction by alternation 440
- affine transformation 39
- algebraic distance 93–94, 96–97, 186, 279, 308
- algebraic distance
 - comparison with geometric distance 95
- algebraic error
 - minimizing 186
- algebraic minimization 107, 289, 400
- algebraic solution
 - limitations 468
- ambiguities
 - auto-calibration 478
- ambiguity 480
- ambiguity
 - affine 438–439, 442, 444
 - auto-calibration 473
 - bas-relief 356–359, 633
 - examples 543
 - for 2D cameras 535
 - for 3D cameras 536
 - for three views 554
 - Necker reversal 356
 - of auto-calibration 473, 479–480
 - of auto-calibration
 - for a sequence 480
 - projective 265, 387
 - single view 549
 - two views 552
- angle
 - between two lines in image 215
 - between two planes 83, 85, 218, 236
 - between two rays 9, 195, 209–210, 213, 215, 223, 265
 - between two scene lines 215
 - of rotation 204–205, 628
- angle-axis parametrization 584–585, 624–625
- augmentation 601
- auto-calibration – see also reconstruction metric, 18, 58, 86, 205, 210, 253, 340, 439, 453, 456, 458–459, 461–465, 469, 473–474, 476–479, 481, 483, 485–486, 490, 496–500
- auto-calibration 274
- auto-calibration
 - ambiguities 478
 - critical motion sequences 497
 - finding plane at infinity 473
 - from planar motion 496
 - implementation 485
 - iterative methods 467
 - limitations of absolute dual quadric method 468

- metric from affine 475
 - numbers of views needed 467
 - of stereo rig 494
 - problems if Q_{∞}^* not positive-definite 469
 - removing ambiguity 479
 - removing the ambiguity 479
 - solving for Q_{∞}^*
 - linear 464
 - non-linear 466
 - solving for Q_{∞}^*
 - non-linear 466
 - typical ambiguities 480
 - using Q_{∞}^* 463
 - varying parameters 477
 - auto-epipolar 249, 260
 - axis planes of camera 160, 199
- B**
- back-projection
 - of conics 199
 - of lines 197
 - of points to rays 161
 - banded data 614
 - bas-relief ambiguity 356
 - bias 109, 150, 184, 302, 321, 568, 570–577
 - dependency on parametrization 571
 - lessons 572
 - bundle adjustment 14, 397, 434–435, 444, 452–453, 461, 467, 498, 611
 - bundle adjustment 434
 - bundle adjustment
 - banded structure 614
 - incremental 453
 - initial solution 435
 - sparse methods 435
 - with missing data 611
- C**
- calibrating conic 195
 - orthogonality 231
 - calibration constraints 477
 - calibration constraints
 - known internal parameters 273
 - same camera in all images 273
 - calibration matrix 157, 163–165, 167–168, 170, 190, 204, 209, 212, 215, 224, 226, 231, 257, 264, 273, 275, 459–460, 463–464, 469, 485, 489
 - calibration
 - internal 176, 185, 210, 220, 233, 239, 355, 486, 489–490
 - what does it give? 208
 - camera anatomy 158
 - camera calibration 6, 17, 21, 155, 185, 191, 195, 208, 212, 216, 219, 222, 224, 228–230, 233, 235, 262, 268, 278, 293, 340, 355, 444, 458–459, 473, 482, 511, 595
 - camera centre 163
 - camera centre
 - finding it 163
 - moving 207
 - camera matrices
 - compatible with two fundamental matrices 386
 - computation from F 263
 - computed from three fundamental matrices 386
 - defined by three fundamental matrices
 - uniqueness 385
 - camera matrix
 - canonical form 254
 - computation 263
 - decomposition 163
 - in projective space 165
 - reduced – see reduced camera matrix
 - camera motion
 - recovering it 444
 - camera orientation 156, 205, 210, 623
 - finding it 163
 - camera parameters 147, 156, 164, 170, 182, 185–188, 193, 232, 399, 435, 444, 458, 467, 602, 610–611, 627
 - camera resectioning
 - covariance 188
 - degenerate configurations 179
 - from five points 549
 - minimal solution 179
 - over-determined solution 179
 - camera rotation 155
 - camera translation 204, 249–250
 - camera translation 155
 - camera
 - affine – see affine camera
 - affine 172
 - at infinity 173
 - basic pinhole model 153
 - calibrated 193, 209, 231, 234
 - CCD 156
 - centre 158
 - finite 170
 - finite projective 157
 - general projective 157
 - known orientation 448
 - line 175
 - pinhole model 153
 - projective 7, 153, 157–159, 161, 165–166, 173–176, 184–185, 193, 208, 213, 253, 361, 459, 509, 518
 - projective
 - action on points 161
 - pushbroom 174
 - resection ambiguity 550
 - rotation 195, 204, 207, 215, 250, 489
 - rotation and translation 155
 - cameras
 - as points 533
 - Carlsson–Weinshall duality 505, 513, 546
 - Carlsson–Weinshall map 546–547, 549
 - Carlsson–Weinshall map
 - definition 546
 - caution 227
 - central projection 6–7, 34, 37, 153–154, 165, 175, 200, 632
 - central projection 154
 - change of coordinates 2, 106, 137, 299, 472, 566, 577
 - change of coordinates 566
 - Chasles’ theorem 535
 - cheiral inequalities
 - solving 526
 - Cholesky factorization 211, 225–226, 272–273, 275, 277, 469, 582
 - choosing the depths 445
 - circular points 5–6, 18, 25, 44, 48, 52–57, 61–63, 79, 82, 85, 211, 226, 229, 235, 341, 485–491, 495, 500–501, 628
 - circular points 52
 - cofactor matrix 581
 - collineation – see also projective transformation, 32–33, 65, 631
 - column vector 26, 143, 154, 158, 448, 578, 581, 603
 - column vector 159
 - compatibility conditions 385
 - computing a plane
 - from point and line correspondence 332
 - from three point correspondences 330
 - computing vanishing lines 218
 - concurrent lines 45–46
 - concurrent lines 45
 - condition number 108, 439

- conic 30
 - conic fitting 127, 229, 297
 - conic
 - affine classification 60
 - analog for fundamental matrix 97
 - classification 59
 - defined by 5 points 30
 - degenerate 32
 - dual – see also dual conic
 - dual 31
 - dual to circular points 53
 - projective normal form 59
 - projective normal form of 59
 - tangent lines 31
 - transformations of 36
 - conjugacy 59, 83, 212–213, 228–229, 494, 628
 - conjugacy relation 494
 - conjugate configurations – definition 540
 - consistency conditions 331
 - constraints
 - from internal parameters 273
 - from same camera 273
 - from scene orthogonality 273
 - contour 200–201, 234, 300, 322
 - contour generator 200–202, 233–234, 295
 - contour generator – definition 200
 - contour
 - apparent 200–202, 233–234, 236
 - occluding 200
 - convex hull 515
 - coordinate orientation 164
 - coordinates. 2
 - coplanarity constraint 276, 422
 - correlation 59, 124, 148, 242, 246, 388, 447, 455, 486
 - correlation – definition 59
 - correspondence
 - of curves and surfaces 295
 - of lines 294
 - correspondences
 - determining 124
 - corridor scene 289
 - corridor scene 302
 - cosine formula 209
 - cost function 88, 90, 93–95, 98–99, 101–104, 110–114, 121–123, 125, 129, 134, 187, 191, 284, 287–289, 291, 308, 310, 312, 314–315, 318–319, 349–351, 386, 397–399, 404, 435, 462, 467, 485, 496, 498, 513, 597, 599–602, 607, 616–624, 626
 - cost function 88, 102, 110, 112, 279, 285, 602, 619, 621
 - cost function
 - heuristic 618
 - Huber 617, 619–622
 - least squares 621
 - non-convex 619
 - performance 620
 - properties 619
 - robust 122
 - squared error 619
 - statistically based 618
 - cost functions
 - asymptotically linear 619
 - linear 100
 - robust 122
 - summary 620
 - counting argument 18, 43, 63, 255, 383, 387, 411, 425, 427–428, 451, 461
 - counting argument 427
 - covariance estimation 608
 - covariance estimation
 - camera resectioning 188
 - covariance
 - backward propagation 141
 - backward propagation
 - over-parametrized case 142
 - estimation 188
 - forward propagation 139
 - matrix 103, 111, 129, 137, 139–146, 148, 150, 188–189, 282, 298–301, 565–566, 573, 576–577, 598, 603–607, 609–611, 623
 - of epipolar lines 301
 - use in point transfer 148
 - Cramér-Rao lower bound 573
 - critical configurations 11, 179, 533–534, 538, 544, 554, 559
 - examples 544
 - critical motion sequences 497
 - critical set 537
 - for 2d camera
 - definition 536
 - for 2D cameras 535
 - critical surface
 - for three views 553
 - cross product 581
 - cross ratio 42, 44–46, 49, 51, 63, 534–535, 629–631
 - cross ratio 44
- D**
- deficient-rank systems. 589
 - degeneracy 92, 226, 228, 293, 295–296, 323, 342, 381–383, 499, 546, 559
 - degeneracy 225, 234, 295–296, 329–330, 352, 456, 498
 - degeneracy
 - of triangulation 323
 - transfer 383
 - degenerate configuration
 - for resectioning 179
 - for transfer 382
 - degenerate configurations – see also camera resectioning, transfer, homography 2D estimation
 - degenerate configurations 127, 179, 341, 352, 443, 468, 545, 559
 - degenerate configurations
 - 2D homography 91
 - degenerate homographies 334
 - degrees of freedom (dof) 27
 - degrees of freedom (dof)
 - of trifocal tensor 368
 - degrees of freedom
 - trifocal 368
 - depth of points 162
 - derivative matrix
 - computation 145
 - determining the correct convergence of an algorithm 138
 - determining the intersection 27
 - DIAC – see dual image of the absolute conic
 - direct metric reconstruction using ω 275
 - direct motion estimation 450
 - direct solution for structure and translation 448
 - distance ratio 270
 - distance ratios
 - on a line 270
 - distortion correction 191
 - distortion function 191
 - choice 191
 - computing 191
 - distortion
 - correction 191
 - DLT – see also homography computation, transformation invariance, triangulation
 - DLT 90–91, 93, 96, 104–110, 116, 127, 150, 179–184, 187, 193–194, 276, 312, 424, 510–511, 573, 587, 595

- DLT algorithm
 - non-invariance 105
 - using line correspondences 180
 - dual absolute quadric
 - computing
 - assuming zero skew 466
 - limitations 468
 - with constrained parameters 466
 - equivalence to calibration 463
 - linear solution 465
 - specifying linear constraints 464
 - dual circular points 52
 - dual conic 31–32, 37, 53–55, 64, 475
 - dual conic 30
 - dual image of the absolute conic 464–466, 477
 - dual image of the absolute conic
 - definition 210
 - dual quadric 73
 - dual reconstruction algorithm 504–506
 - dual reconstruction algorithm 503
 - dual reconstruction algorithm
 - justification 507
 - dual
 - of absolute conic – see absolute dual quadric
 - of circular points 53
 - duality 29–31, 66, 207, 456, 503, 507, 514, 546, 548–550, 552
 - duality 29
 - duality principle 548
- E**
- eigenvalue extraction
 - Jacobi's method 581
 - elation 43, 62, 341, 631–633
 - elliptic quartic 556–558, 560
 - epipolar distance 288
 - epipolar envelope 301–303
 - epipolar line – see also epipolar lines, 46, 208, 240–249, 251–253, 263, 269, 288, 291, 295, 298–299, 301–306, 308, 311, 315–318, 324, 328, 332, 334–335, 340, 344–348, 352–353, 358–360, 372–374, 380–385, 400, 406, 443, 470
 - epipolar line 347
 - epipolar line correspondence 251
 - epipolar line homography 246
 - epipolar line
 - affine 344
 - epipolar lines 240–243, 245–247, 249, 280, 298, 300–303, 305, 307, 315–316, 328, 342, 345–347, 358–360, 371, 373–374, 380, 384–385, 392, 470
 - affine cameras 344
 - epipolar transfer
 - degeneracies 380
 - epipoles 240–242, 244, 251–252, 260, 264–266, 280, 286–287, 289, 307, 317–318, 320, 322, 328, 347, 361, 366, 371, 373, 375, 380–382, 384–385, 395–396, 404, 413, 471, 487–490
 - epipoles
 - as parameters 286
 - as tensors 413
 - for affine cameras 344
 - retrieval from trifocal tensor 395
 - retrieving 395
 - error
 - algebraic 88, 93–95, 98, 100, 106, 134, 179, 183–187, 229, 283–284, 288, 391, 395–396, 399–400, 467
 - algebraic
 - camera resectioning 186
 - geometric interpretation 183
 - geometric 98, 100–101, 103, 105, 107, 114, 130, 134, 181–182, 184, 186, 287, 318, 391, 398–399, 436, 438
 - in both images 101, 103, 134, 137, 147
 - in one image 94, 102, 112–113, 133, 136, 145
 - minimizing algebraic 129, 186, 288, 290
 - minimizing geometric 106–107, 130, 181, 290, 400
 - reproduction 112
 - reprojection 95–97, 103, 112–113, 130, 291, 312, 314, 343, 355, 401, 406, 434–435, 437
 - residual 115–116, 133–139, 150, 188, 288, 290, 400, 513
 - transfer 94–96, 98, 342
 - essential matrix 257–262, 275, 294, 356
 - computation of 294
 - definition 257
 - extraction of cameras from 258
 - four solutions 259
 - properties 257
 - estimation error 135–139
 - estimation problem 568
 - estimator 109, 117, 122, 135–136, 145, 303, 310, 568–575, 577
 - Euclidean and affine interpretations 165
 - euclidean geometry. 4
 - Euclidean transformation
 - fixed points 495
 - extending the baseline 452
 - exterior orientation 187
 - exterior orientation of camera 187
 - extracting the fundamental matrices 374
- F**
- factorization 14, 211, 258–259, 351, 355, 406, 434–437, 439–446, 449, 456, 463, 579, 583, 585, 615
 - non-rigid 442–443, 456
 - feature detection 192
 - Fisher information matrix 573, 577
 - fixed points 487, 491
 - fixed points of a Euclidean transformation 495
 - fixed points
 - of Euclidean transformation 495
 - focal length 16, 21, 36, 157, 166–167, 169, 183–184, 189–190, 192–194, 203, 227–228, 231, 234, 265, 466–469, 472, 484, 486, 497, 499–500, 568
 - forward projection 197
 - forward projection 161
 - forward projection
 - of lines 196
 - of quadrics 201
 - Frobenius norm 108, 259, 280–281, 294, 467
 - fundamental matrix
 - affine – see affine fundamental matrix
 - algebraic derivation 243
 - algorithm results and recommendations 400
 - both epipoles as parameters 286
 - computation 263
 - computation from seven points
 - connection to quadrics 545
 - computation
 - from seven points 281
 - from two planes 337
 - Gold Standard algorithm 284
 - Maximum likelihood 284
 - condition for point correspondence 245
 - consistency conditions 331
 - covariance 610
 - definition 245
 - degeneracies
 - no translation 297
 - points on a plane 553
 - points on a ruled quadric 296
 - derivation from four planes 422
 - epipolar parametrization 286

- extraction of canonical cameras 255
 - for planar motion
 - computation of 14, 78, 86, 247, 250, 252–253, 260–261, 293, 341, 389, 457–458, 486–490, 495, 497, 499
 - form of 250, 252
 - for translation
 - computation of 247
 - form of 247
 - geometric derivation 242–243
 - geometric derivation 242
 - iterative estimation 283
 - over-parametrization 286
 - parametrization of 285
 - parametrization of
 - over-parametrization 286
 - projective ambiguity given F 254
 - projective invariance of 253
 - properties 245
 - reduced 433, 508–512
 - reduced
 - computation of 509
 - Sampson method for estimation 287, 398
 - singularity constraint 280
 - symmetric part 251
- G**
- gauge freedom 623
- Gaussian
- distribution 102–103, 135, 137, 143–144, 299–301, 565, 569–570, 572, 598, 618
 - distribution
 - isotropic 134–136
 - error 100, 102, 111, 116, 122, 150, 314
 - noise 109, 132–133, 136, 145, 289, 301, 303, 315, 320–321, 399–400, 436, 571, 575, 616
- general motion 204, 239, 249–250, 252–253, 293, 406, 467–469, 473, 491, 494, 496, 498–499
- general position 31–32, 35, 44, 63, 66–67, 73, 76, 92–93, 131, 296, 326, 336, 341, 349, 352, 384, 393, 406, 411, 425, 533, 539, 545
- general position 352
- generator
- of quadric 75
- geometric distance 94
- geometric error – see also error geometric
- camera resectioning 186
 - invariance to coordinate transforms 106
- geometric interpretation 63, 72, 98, 234, 461, 464, 476
- geometric interpretation 334, 349
- geometric interpretation
- of estimation 101
- geometric minimization 114, 187–188
- geometric representation 80, 82–84, 213, 246, 250, 252–253, 463
- Givens rotation 579
- Gold Standard algorithm 88, 114–116, 130, 181–182, 185, 284–285, 287–289, 293, 303, 310, 344, 349, 351, 397, 399–401
- Gold Standard algorithm
- for affine fundamental matrix 349
 - for affine homography 130
 - for fundamental matrix 284
 - for homography 114
 - for trifocal tensor 396
- gradient descent 599
- ground truth 223, 228, 320, 360
- groups of projectivities 39
- guided matching 125, 401
- H**
- Hessian 599–600
 - hierarchical merging 453
 - homogeneity. 2
 - homogeneous representation 27, 30, 33, 65–66, 159, 163, 175, 446, 516, 518
 - of lines 26
 - of points 27
 - homogeneous scaling 115, 224
 - homogeneous vector 2, 27–28, 51, 65, 88, 90, 144, 154, 249, 317, 447, 623, 625
 - homographies
 - what do they say about the camera matrices? 448
 - homography estimation
 - approximate solution 88
 - conic analogue 97
 - degenerate configurations 91
 - DLT 90
 - error in both images 134, 147
 - error in one image 94, 102, 112–113, 133, 145
 - errors in world points 182
 - experimental evaluation 187
 - from noisy points 332
 - function specification 111
 - Gold Standard algorithm 88
 - inhomogeneous solution 90
 - initialization 14, 110, 113–114, 400, 435, 621
 - iterative methods 114
 - linear cost function 100
 - over-determined solution 90
 - parametrization 110
 - symmetric transfer error 94, 112
 - using RANSAC 124
 - homography
 - 2D 91, 93, 99–101, 105, 109, 114, 123, 129, 133, 142, 145, 148, 180–181, 183, 188, 243, 270, 297, 602, 607, 609–610
 - 3D 423, 508
 - compatible with epipolar geometry 327
 - degenerate 334
 - induced by a plane 368
 - homology
 - parametrization of 630
 - planar harmonic 631
 - horopter 77, 251–253, 343, 487–488, 550–551
 - horopter 550
 - Householder matrix 128, 147, 268, 431, 580, 625–626
 - Huber cost function 617, 619–622
 - hyperboloid – see quadric, 74–75, 86, 296, 543–545, 548, 552–553, 559
- I**
- IAC – see image of the absolute conic
 - IAC
 - advantage over DIAC 477
 - ideal point 28
 - image of the absolute conic 9, 17–18, 210, 215, 231, 233, 236, 272–273, 275, 461, 469, 473, 475–479, 487
 - image of the absolute conic
 - connection to calibration 209
 - image plane
 - moving it 203
 - image-equivalent configurations
 - definition 535
 - incidence relations 66, 367, 370–372, 376–377, 379, 422
 - incidence relations
 - for lines 365
 - independently moving objects. 442
 - infinite homography 205, 250, 270–271, 274, 276, 325, 338–339, 341, 473, 475, 479–483, 496, 498, 500
 - infinite homography 270, 475

- infinite homography constraint
 - relationship to Kruppa equations 481
 - infinite homography
 - definition 338
 - inhomogeneous method 313
 - initialization
 - for camera resectioning 187
 - interest points 123–125, 290–291, 400–401, 403, 452–453, 468
 - internal parameters 163, 167, 178, 187, 195, 204, 210, 228, 239, 247–248, 250, 264, 269, 273–274, 276, 339, 365, 439, 444, 458–459, 461–462, 464, 466, 468–469, 471–473, 475–479, 481–486, 489–490, 492–493, 495–500
 - of camera
 - finding them 163
 - intersection
 - of lines 27, 253, 269, 373
 - of parallel lines 28
 - invariance to image coordinate transformations 104
 - invariants 38–39, 41, 43–44, 63, 77, 176, 266, 489–490, 532, 628
 - invariants 38–40, 42
 - invariants
 - of a transformation 38–40, 42
 - isometries 38
 - iteration
 - weighted 598
 - iterative algorithms 533
 - iterative methods 114, 461, 485
 - iterative minimization 110–113, 121–122, 128, 181, 186–187, 191, 193, 406, 462, 469
- J**
- Jacobi's method 581
 - Jacobian 132, 140, 142, 144–145, 147–148, 188, 299, 301, 305, 315, 523, 598, 602–604, 606–607, 610–612, 626
- K**
- Klein
 - Erlangen Program 32
 - known principal point 467, 472, 477
 - Kruppa equations 458, 469–474, 481, 498, 500
 - Kruppa equations
 - relationship to infinite homography 481
- L**
- least squares 110
 - least squares solution 589, 597
 - least-squares problems 592
 - least-squares solution 589, 597
 - least-squares solution
 - of constrained systems 594–595
 - using normal equations 591
 - weighted 592
 - least-squares solutions
 - full rank case 588
 - length ratios 6, 41, 43, 51, 54–56, 221–222, 270
 - Levenberg-Marquardt 111, 186, 285, 398, 600–604, 606–609, 616, 621
 - Levenberg-Marquardt
 - covariance 604
 - implementation 602
 - justification 601
 - sparse 603, 606
 - line at infinity 2–6, 10, 25, 28–29, 43–44, 48–50, 62, 79, 81, 91, 160, 218, 518, 632
 - line at infinity 28, 48
 - line correspondences 92, 131, 180, 391–392, 394, 396, 398, 406, 411, 424, 428, 432, 447, 450, 532
 - line estimation 117, 233
 - line projection matrix
 - definition 198
 - line reconstruction 323
 - line transfer 377
 - line transfer 382
 - linear equations
 - systems of unknown rank 589
 - linear solution 465
 - lines
 - concurrent 45
 - parallel 269
 - representation 68, 393
 - transformations of 36
- M**
- Mahalanobis
 - distance 103, 112, 137, 141, 183, 282, 398, 565–566, 598, 603
 - norm 100, 129, 143
 - matching
 - using trifocal tensor 123, 126–127, 291–292, 401–403, 455
 - matrix
 - Euclidean 62
 - orthogonal
 - norm-preserving properties 578
 - skew-symmetric part 251
 - symmetric 590
 - symmetric part 251
 - Maximum likelihood estimate 114, 127, 134, 144, 181, 184–185, 216, 279, 284–285, 291, 312, 323, 332, 349–351, 353, 397, 403, 437, 439, 456, 569, 616, 620
 - Maximum likelihood estimate
 - robust 121, 125
 - Maximum likelihood estimate
 - robust 125
 - measurement matrix
 - reduced 186
 - metric calibration 495
 - metric properties 25, 48, 53, 55, 79, 82–84, 266, 458
 - metric properties of reconstruction 82
 - metric properties
 - recovery from images 55
 - metric reconstruction
 - via the infinite homography 475
 - metric rectification 55–57, 236, 479
 - metric rectification 55
 - metric structure 39
 - metric structure : structure
 - metric 39
 - metric-calibration
 - of a stereo rig 495
 - minimal solution 91–92, 113, 181, 193–194, 279, 348, 352, 406
 - minimization
 - iterative 435
 - MLE – see Maximum likelihood estimate
 - modulus constraint 473–474, 499
 - modulus constraint 473
 - multiview tensor
 - affine 439
- N**
- Necker reversal 356
 - Necker reversal ambiguity 356
 - Newton iteration 111, 114, 597, 599–601, 616, 621
 - newton's method and the hessian. 598
 - non-collinearity conditions 386
 - non-isotropic scaling – see scaling – non-isotropic
 - non-rigid factorization 442–443, 456

- non-zero skew 164
- norm
 - in vector space 592
- normal equations 440, 591, 598–604, 611–612, 614, 623
- normalization 91, 94, 97, 107–110, 127, 129, 146, 179–181, 185, 259, 281–282, 284, 313, 391–392, 394, 396, 446, 513, 618, 624
 - for camera resectioning 180
 - for trifocal tensor 394
 - why is it essential? 107
- normalized coordinates 257
- normalized coordinates
 - for calibrated camera 257
- normalizing transformation 105, 107, 282, 394
- note. 574
- null-space 67–70, 72, 76, 90, 144, 158, 175, 179, 198–199, 234, 258, 280–281, 283, 296, 299, 309, 348, 367, 374, 405, 451, 471, 480, 538, 582, 591
- numbers of equations generated. 451
- O**
 - orientation – see also camera orientation
 - orientation 11, 30, 37–39, 41–42, 47–48, 105, 156, 163–165, 167, 174, 186–187, 193, 210, 215–216, 218, 230–231, 262, 264, 273, 301–302, 358, 427, 448, 486, 490, 493, 496, 523, 531
 - orthogonal matrices
 - norm-preserving properties 578
 - orthogonal regression 351, 489
 - orthogonal regression 406
 - orthogonality and ω 212
 - orthogonality in the image 213
 - orthogonality relationships 219
 - orthographic projection 170–172, 174, 177, 456
 - over-parametrization 142
 - over-parametrization 70, 141–143, 177, 286, 435, 597, 605
- P**
 - parallax 204, 207–208, 325, 334–337, 339–340, 352–353, 388, 404, 407
 - induced by a plane 335
 - parallel lines 1–2, 4, 9, 25, 28–29, 34, 39, 41, 44, 49–50, 65, 86, 174, 176, 215, 217–219, 226, 247–248, 269–270, 293–294, 496
 - parallel projection 153, 170, 172–173, 200, 344, 346, 356–357, 361
 - parameter minimization 620
 - parameter space 113, 134, 141–143, 145, 475, 498, 568, 570, 572, 574, 577, 623–624
 - parameters
 - constant internal 466
 - limit range 570
 - parametrization 76, 100, 110–111, 113–114, 127, 134, 141, 164, 181, 186, 284–286, 293–294, 316, 392, 398, 406, 467, 491, 499, 512, 568–569, 572, 574, 576, 579, 597, 610, 623–626, 633
 - epipolar 286
 - of 3D rotations 624
 - of homogeneous vectors 624
 - of homology 630
 - of the n -sphere 625
 - what makes a good one? 623
 - Plücker
 - coordinates 72–73, 86, 197
 - line coordinates 72, 198–199, 233
 - line representation 197
 - matrix 70, 198
 - planar harmonic homology 64, 631
 - planar harmonic homology 631
 - planar homology
 - parametrization 630
 - planar motion
 - fixed image points 487
 - planar projective transformation
 - definition 33
 - plane at infinity 2–4, 6, 9, 16–18, 78, 80, 82–85, 160–162, 166, 172–173, 175, 195, 209, 214, 268–272, 274–277, 313, 338, 347, 353, 425–426, 448–449, 458, 460–461, 463, 471, 473–475, 481, 487, 489, 494–496, 500, 515, 517, 519, 521–522, 527–528, 530
 - computation 495
 - methods of finding 474
 - plane induced parallax 335–336
 - plane induced parallax 335
 - plane plus parallax 404
 - plane plus parallax reconstruction
 - counting arguments 425
 - plane
 - defined by three points 66
 - homogeneous vector representation 66
 - point equations
 - recommended method 431
 - point transfer
 - using fundamental matrix 380
 - using trifocal tensor 381
 - point
 - defined by three planes 67
 - points on a plane 296
 - polarity 83
 - pole–polar relationship 58
 - positive definite matrix 598
 - positive-definite matrix
 - symmetric 582
 - preserve the convex hull – definition 515
 - principal axis vector 158
 - principal axis vector 161
 - principal plane 154, 158, 160–163, 165, 173, 183, 199, 215, 271, 323, 414, 418, 425, 456–457, 518–519, 530
 - principal plane 160
 - principal plane
 - of camera 160
 - principal point 16, 21, 154–155, 157–158, 160–161, 163, 168, 170, 185, 191, 203–204, 226–228, 231–232, 235–236, 260, 464–467, 469, 475, 477–478, 480, 484, 486, 492, 498–499
 - principal point 160
 - principal point offset 155
 - probability density function 569
 - profile
 - of a surface 200
 - programming hint 129, 399
 - projection
 - orthographic 171
 - parallel 170
 - scaled orthographic 171
 - weak perspective 171
 - projective ambiguity 265
 - projective camera
 - action on conics 199
 - action on lines 196
 - action on planes 196
 - definition 157
 - projective depth 407, 444–447
 - projective depth 336
 - projective factorization
 - normalizing image coordinates 446
 - normalizing the weights 446
 - what is being minimized 446
 - projective plane model 29, 47
 - projective plane

- model 29
- topology 47
- projective realization – see realization – projective
- projective reconstruction
 - dual algorithm 504
 - from reduced cameras matrices 509
 - from seven points in n views 512
 - from six points 510
 - from six points in n views 511
- projective transformation 68
- projective transformation
 - decomposition of 42
- projectivity
 - definition 32
- pseudo-inverse 144–145, 147, 161, 185, 244, 246, 347–348, 440, 566, 590–592, 595, 598, 605, 610, 626

Q

- QR decomposition 186, 578–580
- quadric 6, 72–76, 83–85, 97, 176, 195, 199–202, 234, 267, 295–298, 309, 340, 462–464, 473, 499, 541–549, 552–560
 - dual – see dual quadric
 - ruled 543, 549, 557
 - ruled
 - definition 75
- quadrics 73
- quadrics
 - classification of 74
- quadrifocal tensor 13, 411, 421, 423, 426, 432–433, 450
- quadrifocal tensor
 - derivation from four planes 421
- quartic 97, 474, 559
- quasi-affine mapping
 - definition 517
 - two-dimensional 518
- quasi-affine reconstruction
 - algorithm 527
 - bounds on π_∞ 527
- quaternions 585
- quaternions 585, 624–625

R

- radial distortion 188–193, 223
 - estimating 191
- RANSAC 88, 114, 117–118, 121–124, 126–128, 193, 290–292, 352, 391, 400–403, 620
- RANSAC
 - adaptive 120
 - application domain 125
 - distance threshold 118
 - for 2D homography 124
 - for homography 124
 - number of samples 119
 - run details 125
 - size of consensus set 120
- realizable points
 - definition 503
- realization 503
- realization
 - definition 503
 - strong 524
- realizations
 - equivalent
 - definition 540
 - non-equivalent 541
 - oppositely oriented 526
- recommendations 289
- reconstruction
 - affine – see affine reconstruction

- affine 339
- affine properties 81
- affine
 - from affine camera 271
 - from scene constraints 269
 - from translation 268
- Euclidean 19, 266–267, 526
- metric – see also auto-calibration
- metric 268, 272–277, 339, 439, 454, 458–461, 463–464, 467–468, 473, 476, 479, 481, 488–490, 492, 497–499, 520, 532
- metric properties 82
- projective 13, 16–18, 150, 239, 266–268, 270–271, 275–277, 310–312, 320, 330, 339, 387, 398, 434, 445–446, 448, 453, 456, 458–464, 467, 475, 479, 485, 489, 491, 495–496, 502–503, 506, 508, 511, 514–515, 519–521, 525–531, 535, 539–540, 602, 627
- quasi-affine 475, 515, 517–521, 523, 525–528, 530, 532
- rectifying homography 463
- reduced camera matrix 207
- reduced camera matrix
 - definition 502
- reduced fundamental matrix – see fundamental matrix – reduced
- reduced measurement matrix 186
- reduced measurement matrix 186
- reduced trifocal tensor – see trifocal tensor – reduced
- relation
 - bilinear 419
 - quadrilinear 420
 - trilinear 391, 397, 414–417
- reprojection error 401
- reprojection error
 - both images 95
 - geometric interpretation 96
- resection 276, 424, 435, 453, 533–534, 536–539, 549–550, 553, 558, 587
- resectioning – see camera resectioning, 77, 178, 453, 536–537, 559
 - covariance estimation 188
 - degenerate configuration 179
 - initialization 187
 - normalization 180
- residuals 187, 192, 194, 216, 298, 472
- retrieving the camera matrices 374
- robust algorithms 122
- robust methods 88, 113, 117–118, 121–123, 125, 128, 281, 291, 352, 391, 393, 401, 455, 514, 597, 617, 619, 622
- Rodrigues formula 585
- rotations
 - in n dimensions 583
 - in 3 dimensions 583
- row vector 26, 521, 578
- row vector 159

S

- Sampson approximation 99, 113–114, 287, 291, 308, 314, 349, 391, 398, 401
- Sampson distance 287
- Sampson error 98
- scaled orthographic projection 171
- scaling
 - isotropic 62, 107, 445
 - non-isotropic 109
 - with points near infinity 110
- scene constraints
 - distance ratios
 - on a line 270
 - parallel lines 269
 - scene orthogonality 273

- screw axis 78–79, 86, 253, 487–488, 490, 500
 - screw decomposition of a rigid motion 77–79
 - similarity matrix 62
 - similarity transformation 39, 43, 53, 107, 184
 - Singular Value Decomposition 40, 55, 70, 91, 108, 163, 186, 225, 258, 280–282, 294, 308, 344, 430, 437–439, 442, 444–445, 469, 471, 585–590, 592–596
 - Singular Value Decomposition
 - computational complexity 586
 - implementation 439, 586
 - singular values
 - relation to eigenvalues 586
 - singularity constraint 281–282, 288, 349
 - singularity constraint 349
 - skew-symmetric part 250–252
 - skyline structure 615–616
 - solution
 - over-determined 179
 - space curve 295
 - span representation 70, 322
 - sparse linear systems
 - solution 615
 - special points 5
 - stability 469
 - stereo correspondence 240
 - stereo correspondence 340
 - stereo rectification 47, 49–50, 228–230, 249, 279, 302–303, 308–309, 339, 479
 - stereo rectification
 - affine 308
 - algorithm outline 307
 - mapping the epipole to infinity 303
 - matching transforms 305
 - stereo-rig
 - metric calibration 495
 - stratification 276–277
 - stratification 57
 - stratified reconstruction
 - affine 268
 - metric 272
 - structure
 - affine 9, 356, 481, 570, 573
 - metric 233, 276, 461, 491, 611
 - projective 19, 386, 423, 426, 448, 494, 535
 - subspaces and tensors 442
 - SVD – see Singular Value Decomposition
 - symmetric epipolar distance 287
 - symmetric linear equations 614
 - symmetric linear equations
 - sparse 615
 - symmetric matrices 590
 - symmetric part 250–252, 261, 293, 489, 541
 - symmetric transfer error 94, 112
 - synthetic data 132, 138, 399, 572
- T**
- tangent line
 - to conic 31
 - tensor notation 376
 - tensor
 - pictorial representation 564
 - terminology 172, 240, 445
 - topology of \mathbb{P}^1 47
 - total least squares 110
 - transfer 14, 16, 94–98, 109, 113, 123–124, 131, 143, 147–150, 221–222, 242–243, 270, 274, 299, 318, 325, 336, 338, 340, 346, 365, 368–369, 374, 377, 379–383, 385, 388, 392, 398, 462, 473, 476, 485
 - transfer
 - degenerate configurations 382–383
 - transformation invariance 129
 - transformation invariance 184
 - transformation invariance
 - of DLT 184
 - transformation rule 36–37, 53–54, 63, 231, 394, 406, 475, 563–564
 - transformation
 - of conic 36
 - of conics 36
 - of lines 36
 - projective 1, 3–4, 7–9, 11–13, 16, 25, 30, 33–37, 41–49, 51–55, 57, 59, 61–65, 74, 76–77, 80–84, 86–88, 91–92, 94, 101, 103–105, 115, 132–133, 137, 165, 177–178, 195–196, 201–202, 204, 210, 222, 239, 249–250, 253–255, 265–268, 271–272, 296, 303, 305–308, 310, 313, 320, 366, 374–375, 387, 389, 404, 420, 423, 434, 445, 463, 475, 482, 491, 494, 502, 508, 511, 513, 516–517, 519–522, 524, 527, 529, 531, 533–534, 539–540, 557, 559, 628–631
 - similarity 39, 43, 53, 107, 184
 - translational motion 293
 - triangulation 12, 263, 267, 276–277, 285, 291, 293, 310–315, 318, 320, 323–324, 332, 344, 380, 385, 397, 406, 435, 439–440, 442, 453–454, 456, 491, 568, 575
 - triangulation 263
 - triangulation
 - DLT method 312
 - evaluation on real images 320
 - for affine cameras 353
 - for affine cameras 439–440, 442
 - inhomogenous method 313
 - local minima 319
 - minimizing the cost function 316
 - problem formulation 315
 - trifocal tensor 12–13, 16, 87, 108, 119, 123, 164, 365, 367–378, 381–383, 386–407, 411, 414–419, 422–423, 426, 431, 439, 443, 446, 452, 456, 488–489, 508, 510, 512, 514, 533, 563–564, 594, 611
 - trifocal tensor
 - affine 390, 406, 418
 - algebraic properties 373
 - computation from camera matrices 377
 - computation
 - from 6 points 393
 - Gold Standard algorithm 396
 - iterative 396
 - reprojection error 401
 - results and recommendations 400
 - Sampson distance 287, 398
 - specifying lines 404
 - using algebraic minimization 395
 - constraints 392
 - definition 367
 - definition 377
 - derivation from four planes 421
 - geometrically valid 392
 - line relations 416
 - parametrization 398
 - picture 564
 - point and line relations 369
 - point relations 414
 - reduced 433, 512
 - relation to two views 418
 - transformation rule 563
 - trilinearities – see also relations – trilinear
 - trilinearities 378
 - twisted cubic 75–77, 179–180, 251, 253, 343, 487, 536–537, 539–540, 547, 549–553, 558–559
 - properties 76
 - twisted pair 259, 275

V

vanishing lines 176, 213, 216, 218–219, 230, 236, 270

vanishing lines 339

vanishing points 9, 42, 51, 110, 158–159, 161, 176, 180, 195,
208, 212–213, 215, 217–219, 222–224, 226–230,
232–233, 236, 269–271, 273, 278, 294, 339, 341, 448,
458, 497

vanishing points 339

vanishing points

computing 215

variance 102, 109, 122, 132–137, 139–141, 143–145,
147–148, 150, 188, 300–301, 321–322, 565, 568–569,
573–574, 576–577, 605, 623, 627

vector geometry 67

vector space norms 592

W

weak perspective 170–172, 357

Z

zero skew 164, 193, 224–226, 228–229, 231, 235, 273,
465–466, 472, 477–479, 484, 497–499

zero skew 466