

CARDIAC CATHETERISATION REPORT

| | | | | | |
|--------------|---------------|-------------|------------|--------------------|------------|
| Name: | CLARK, Nelson | Sex: | MALE | Proc. Date: | 22/07/2025 |
| MRN | 66-62-54 | DOB: | 22/02/1947 | Age: | 78 |
| Ht: | 170 cm | Wt: | 64 kg | Study ID: | 2-949/25 |

GP: Y. Kalra

Referring Dr: William, Maged Dr

cc report to:

PROCEDURES

(High Risk) Angiogram

OPERATORS

Physician: Kull, Tony Dr, Ciofani, Jonathan Dr

Nursing Staff: Rowe, Emily-Kate RN, Demir, Bianca RN Banks, Tamie RN Macnamara, Avia RN

Radiographer: Robson-Boyd, Lucy Rad Lillioja, River Rad

INDICATIONS

High Risk Group. Symptoms: Dyspnea. ACS - NSTEMI Troponin 1396. Symptoms: Diaphoretic

Patient Verification: After the risks of the procedure were explained, informed consent was obtained.

Access: Terumo 6 Fr Glidesheath Slender. right radial artery number of punctures: 1

RESULTS

LEFT MAIN:

Distal 60% stenosis.

LEFT ANTERIOR DESCENDING ARTERY:

Mild disease.

LEFT CIRCUMFLEX ARTERY:

Mild disease.

RIGHT CORONARY ARTERY:

Proximal 50% stenosis. Mild distal disease.

COMPLICATIONS

Nil complications

CONCLUSIONS

Significant distal left main disease.

RECOMMENDATIONS

Referral to CTSx for consideration of CABG. May need TOE to further evaluate valve disease.

Kull, Tony Dr

HEMODYNAMICS:**Heart Rate: 63****AO: 81/41 Mean Arterial Pressure: 58****LV: 120/0 LVEDP:3****Equipment:****Catheters:** MEDRAD MEDRAD Avanta Single patient Disposable set, Bayer Bayer Hand Controller Sheath, Medline Radial Angio Pack, Terumo 1.5mm angled Glidewire 180cm, Terumo 5F Radial TIG ,**Contrast:** Omnipaque350 48 ml**Medications:**

Midazolam mg IV

Fentanyl 25 mcg IV

Lignocaine (Lidocaine) 20 mg SC

Glyceral Trinitrate (GTN) 200 mcg IA

Heparin 5000 units IA