

```
** (gedit:501): WARNING **: 04:13:02.475: Could not load PeasGtk repository:
  Typelib file for namespace 'PeasGtk', version '1.0' not found
^C
tarun@LAPTOP-BRD2JBFC:~$ gcc history.c -o history
tarun@LAPTOP-BRD2JBFC:~$ ./history
Simple Command History Program
Type commands. Type 'history' to display history.
Type 'exit' to quit.

myshell> |
```

```
tarun@LAPTOP-BRD2JBFC:~$ gedit history.c

** (gedit:501): WARNING **: 04:13:02.475: Could not load Peas repository: Ty
pelib file for namespace 'Peas', version '1.0' not found

** (gedit:501): WARNING **: 04:13:02.475: Could not load PeasGtk repository:
  Typelib file for namespace 'PeasGtk', version '1.0' not found
^C
tarun@LAPTOP-BRD2JBFC:~$ gcc history.c -o history
tarun@LAPTOP-BRD2JBFC:~$ ./history
Simple Command History Program
Type commands. Type 'history' to display history.
Type 'exit' to quit.

myshell> ls
Command stored: ls
myshell> pwd
Command stored: pwd
myshell> date
Command stored: date
myshell> history

--- Command History ---
1: ls
2: pwd
3: date
myshell> |
```

```
tarun@LAPTOP-BRD2JBFC:~$ gcc escape.c -o escape
tarun@LAPTOP-BRD2JBFC:~$ ./escape
Normal Text
Cursor moved up by 2 lines.
Line 2

Cursor moved down by 2 lines.
tarun@LAPTOP-BRD2JBFC:~$
```

```
tarun@LAPTOP-BRD2JBFC:~$ gcc history.c -o history
tarun@LAPTOP-BRD2JBFC:~$ ./history
Simple Command History Program
Use UP/DOWN arrows to navigate history.
Press Ctrl+C to exit.

myshell> ls
Command stored: ls
myshell> pwd
Command stored: pwd
myshell> date
Command stored: date
myshell>
```

```
tarun@LAPTOP-BRD2JBFC:~$ gcc -Wall -Wextra memory.c -o memory
tarun@LAPTOP-BRD2JBFC:~$ ./memory
Dynamic Memory Allocation Demo

Enter initial buffer size: 20
Memory allocated for 20 characters.
Enter a string: Operating System
Stored string: Operating System

Enter new buffer size: 50
Buffer resized from 20 to 50 characters.

Linked List:
10 -> 20 -> 30 -> NULL

All dynamically allocated memory released.
tarun@LAPTOP-BRD2JBFC:~$ |
```

```
tarun@LAPTOP-BRD2JBFC:~$ valgrind --leak-check=full ./memory
==10177== Memcheck, a memory error detector
==10177== Copyright (C) 2002-2024, and GNU GPL'd, by Julian Seward et al.
==10177== Using Valgrind-3.26.0 and LibVEX; rerun with -h for copyright info
==10177== Command: ./memory
==10177==
Dynamic Memory Allocation Demo

Enter initial buffer size: 20
Memory allocated for 20 characters.
Enter a string: Operating System
Stored string: Operating System

Enter new buffer size: 50
Buffer resized from 20 to 50 characters.

Linked List:
10 -> 20 -> 30 -> NULL

All dynamically allocated memory released.
==10177==
==10177== HEAP SUMMARY:
==10177==     in use at exit: 0 bytes in 0 blocks
==10177==   total heap usage: 7 allocs, 7 frees, 2,166 bytes allocated
==10177==
==10177== All heap blocks were freed -- no leaks are possible
==10177==
==10177== For lists of detected and suppressed errors, rerun with: -s
==10177== ERROR SUMMARY: 0 errors from 0 contexts (suppressed: 0 from 0)
```