

Query 1SQL File 6"

Limit to 1000 rows

64

(10008,108,'Savings',35000,'Pune'),

65

(10009,109,'Savings',85000,'Hyderabad'),

66

(10010,110,'Current',110000,'Vijayawada');

67

68

• INSERT INTO Bank_Transaction

69

(Account_No, Transaction_Type, Amount)

70

VALUES

71

(10001,'DEPOSIT',10000),

72

(10001,'WITHDRAW',5000),

73

(10002,'DEPOSIT',15000),

74

(10003,'WITHDRAW',20000),

75

(10004,'DEPOSIT',5000),

76

(10005,'WITHDRAW',10000),

77

(10006,'DEPOSIT',12000),

78

(10007,'DEPOSIT',25000),

79

(10008,'WITHDRAW',5000),

80

(10009,'DEPOSIT',20000),

81

(10010,'WITHDRAW',15000);

82

83

• INSERT INTO Loan

84

(Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)

--

.....

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	12:04:31	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(20))	0 row(s) affected	0.032 sec
6	12:04:36	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, Transaction_Type VARCHAR(20), Amount INT)	0 row(s) affected	0.047 sec
7	12:04:41	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), Loan_Amount INT, Interest_Rate DECIMAL(5,2))	0 row(s) affected	0.031 sec
8	12:04:47	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101,'Ravi Kumar','9876543210','ravi.kumar@gmail.com','Pune')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
9	12:10:54	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001,101,'Savings',10000,'Pune')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
10	12:11:00	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001,DEPOSIT,10000), (10001,WITHDRAW,5000), (10002,DEPOSIT,15000), (10003,WITHDRAW,20000), (10004,DEPOSIT,5000), (10005,WITHDRAW,10000), (10006,DEPOSIT,12000), (10007,DEPOSIT,25000), (10008,WITHDRAW,5000), (10009,DEPOSIT,20000), (10010,WITHDRAW,15000);	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec

Query 1SQL File 6"

Limit to 1000 rows

64

(10008,108,'Savings',35000,'Pune'),

65

(10009,109,'Savings',85000,'Hyderabad'),

66

(10010,110,'Current',110000,'Vijayawada');

67

68

• INSERT INTO Bank_Transaction

69

(Account_No, Transaction_Type, Amount)

70

VALUES

71

(10001,'DEPOSIT',10000),

72

(10001,'WITHDRAW',5000),

73

(10002,'DEPOSIT',15000),

74

(10003,'WITHDRAW',20000),

75

(10004,'DEPOSIT',5000),

76

(10005,'WITHDRAW',10000),

77

(10006,'DEPOSIT',12000),

78

(10007,'DEPOSIT',25000),

79

(10008,'WITHDRAW',5000),

80

(10009,'DEPOSIT',20000),

81

(10010,'WITHDRAW',15000);

82

83

• INSERT INTO Loan

84

(Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)

--

.....

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	12:04:21	DROP DATABASE IF EXISTS BankDB	4 row(s) affected	0.062 sec
2	12:04:21	CREATE DATABASE BankDB	1 row(s) affected	0.000 sec
3	12:04:21	USE BankDB	0 row(s) affected	0.000 sec
4	12:04:26	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL, Phone VARCHAR(15), Email VARCHAR(50), City VARCHAR(50))	0 row(s) affected	0.032 sec
5	12:04:31	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(20), Balance INT, Branch VARCHAR(50))	0 row(s) affected	0.032 sec
6	12:04:36	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, Transaction_Type VARCHAR(20), Amount INT)	0 row(s) affected	0.047 sec
7	12:04:41	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), Loan_Amount INT, Interest_Rate DECIMAL(5,2))	0 row(s) affected	0.031 sec

Query 1 SQL File 6" x

Limit to 1000 rows

```

79 (10008,'WITHDRAW',5000),
80 (10009,'DEPOSIT',20000),
81 (10010,'WITHDRAW',15000);
82
83 • INSERT INTO Loan
84 (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)
85 VALUES
86 (501,101,'Home Loan',5000000,7.5),
87 (502,102,'Education Loan',1000000,6.5),
88 (503,103,'Car Loan',800000,8.2),
89 (504,104,'Personal Loan',500000,10.5),
90 (505,105,'Home Loan',4000000,7.2),
91 (506,106,'Car Loan',900000,8.5),
92 (507,107,'Business Loan',300000,9.0),
93 (508,109,'Personal Loan',600000,10.0);
94
95 • SELECT * FROM Customer;
96 • SELECT * FROM Account;
97 • SELECT * FROM Bank_Transaction;
98 • SELECT * FROM Loan;
99

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	12:04:36	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, Transaction_Type VARCHAR(20), Amount DECIMAL(10,2))	0 row(s) affected	0.047 sec
7	12:04:41	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	0 row(s) affected	0.031 sec
8	12:04:47	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101,'Ravi Kumar','9876543210','ravi@gmail.com','Hyderabad')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
9	12:10:54	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001,101,'Savings',1000000,'Hyderabad')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
10	12:11:00	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001,'DEPOSIT',10000)	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec
11	12:13:13	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate) VALUES (501,101,'Home Loan',5000000,7.5)	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.015 sec

Query 1 SQL File 6" x

Limit to 1000 rows

```

87 (502,102,'Education Loan',1000000,6.5),
88 (503,103,'Car Loan',800000,8.2),
89 (504,104,'Personal Loan',500000,10.5),
90 (505,105,'Home Loan',4000000,7.2),
91 (506,106,'Car Loan',900000,8.5),
92 (507,107,'Business Loan',300000,9.0),
93 (508,109,'Personal Loan',600000,10.0);
94
95 • SELECT * FROM Customer;
96 • SELECT * FROM Account;

```

Result Grid

Customer_ID	Customer_Name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Priya Sharma	9876543211	priya@gmail.com	Vijayawada
103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalore
104	Sneha Rao	9876543213	sneha@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad
106	Anil Kumar	9876543215	anil@gmail.com	Delhi
107	Meena Reddy	9876543216	meena@gmail.com	Mumbai
108	Rahul Sharma	9876543217	rahul@gmail.com	Pune
109	Lakshmi Devi	9876543218	lakshmi@gmail.com	Hyderabad
110	Suresh Babu	9876543219	suresh@gmail.com	Vijayawada

Customer 1 x

Apply Revert

Output

Action Output

#	Time	Action	Message
6	12:04:36	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, Transaction_Type VARCHAR(20), Amount DECIMAL(10,2))	0 row(s) affected
7	12:04:41	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	0 row(s) affected
8	12:04:47	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, Email, City) VALUES (101,'Ravi Kumar','9876543210','ravi@gmail.com','Hyderabad')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
9	12:10:54	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VALUES (10001,101,'Savings',1000000,'Hyderabad')	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0
10	12:11:00	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001,'DEPOSIT',10000)	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0
11	12:13:13	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate) VALUES (501,101,'Home Loan',5000000,7.5)	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0
12	12:13:35	SELECT * FROM Customer LIMIT 0, 1000	10 row(s) returned

Query 1

SQL File 6* x

Limit to 1000 rows

```

264 Loan_ID, Customer_ID, Loan_Type,
265 Loan_Amount, Interest_Rate,
266 (Loan_Amount*Interest_Rate/100) AS Annual_Interest
267 FROM Loan;
268
269 • CREATE VIEW Loan_Total_Amount_View AS
270 SELECT
271 Loan_ID, Customer_ID, Loan_Type,
272 Loan_Amount, Interest_Rate,
273 Loan_Amount+(Loan_Amount*Interest_Rate/100)
274 AS Total_Amount
275 FROM Loan;
276
277 • CREATE VIEW Simple_Account_View AS
278 SELECT
279 Account_No, Customer_ID, Account_Type, Balance, Branch
280 FROM Account;
281
282 • SELECT * FROM Customer_View;
283 • SELECT * FROM Customer_Basic_View;
284 • SELECT * FROM Account_View;

```

Output

Action Output

#	Time	Action	Message
✓ 41	12:18:54	CREATE VIEW Customer_Transaction_View AS SELECT C.Customer_Name, A.Account_No, A.Account_Type, ...	0 row(s) affected
✓ 42	12:18:57	CREATE VIEW High_Value_Transaction_View AS SELECT * FROM Bank_Transaction WHERE Amount>10000	0 row(s) affected
✓ 43	12:19:02	CREATE VIEW Balance_Ranking_View AS SELECT Account_No, Customer_ID, Account_Type, Balance FROM ...	0 row(s) affected
✓ 44	12:19:06	CREATE VIEW Customer_Name_View AS SELECT Customer_ID, Customer_Name, City FROM Customer ORDER...	0 row(s) affected
✓ 45	12:19:10	CREATE VIEW Loan_Interest_View AS SELECT Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rat...	0 row(s) affected
✓ 46	12:19:14	CREATE VIEW Loan_Total_Amount_View AS SELECT Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interes...	0 row(s) affected
✓ 47	12:19:18	CREATE VIEW Simple_Account_View AS SELECT Account_No, Customer_ID, Account_Type, Balance, Branch F...	0 row(s) affected

```

96 • SELECT * FROM Account;
97 • SELECT * FROM Bank_Transaction;
98 • SELECT * FROM Loan;
99
100 • CREATE VIEW Customer_View AS
101 SELECT * FROM Customer;
102
103 • CREATE VIEW Customer_Basic_View AS
104 SELECT Customer_ID, Customer_Name, City
105 FROM Customer;

```

Result Grid			Filter Rows:	Edit:			Export/Import:	
	Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate			
▶	501	101	Home Loan	5000000.00	7.50			
	502	102	Education Loan	100 1000000.00	,50			
	503	103	Car Loan	800000.00	8.20			
	504	104	Personal Loan	500000.00	10.50			
	505	105	Home Loan	4000000.00	7.20			
	506	106	Car Loan	900000.00	8.50			
	507	107	Business Loan	3000000.00	9.00			
	508	109	Personal Loan	600000.00	10.00			
•	NULL	NULL	NULL	NULL	NULL			

Query 1 SQL File 6*

Limit to 1000 rows

```

275 FROM Loan;
276
277 • CREATE VIEW Simple_Account_View AS
278 SELECT
279 Account_No, Customer_ID, Account_Type, Balance, Branch
280 FROM Account;
281
282 • SELECT * FROM Customer_View;
283 • SELECT * FROM Customer_Basic_View;
284 • SELECT * FROM Account_View;

```

Result Grid Filter Rows: Export: Wrap Cell Content:

Customer_ID	Customer_Name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Priya Sharma	9876543211	priya@gmail.com	Vijayawada
103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalore
104	Sneha Rao	9876543213	sneha@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad
106	Anil Kumar	9876543215	anil@gmail.com	Delhi
107	Meena Reddy	9876543216	meena@gmail.com	Mumbai
108	Rahul Sharma	9876543217	rahul@gmail.com	Pune
109	Lakshmi Devi	9876543218	lakshmi@gmail.com	Hyderabad
110	Suresh Babu	9876543219	suresh@gmail.com	Vijayawada

Customer_View 5 x

```

277 Account_No, Customer_ID, Account_Type, Balance, Branch
280 FROM Account;
281
282 • SELECT * FROM Customer_View;
283 • SELECT * FROM Customer_Basic_View;
284 • SELECT * FROM Account_View;
285 • SELECT * FROM Savings_Account_View;

```

Result Grid Filter Rows: Export: Wrap Cell Content:

Customer_ID	Customer_Name	City
101	Ravi Kumar	Hyderabad
102	Priya Sharma	Vijayawada
103	Arjun Reddy	Bangalore
104	Sneha Rao	Chennai
105	Kiran Kumar	Hyderabad
106	Anil Kumar	Delhi
107	Meena Reddy	Mumbai
108	Rahul Sharma	Pune
109	Lakshmi Devi	Hyderabad
110	Suresh Babu	Vijayawada

Query 1SQL File 6" x

Limit to 1000 rows

```
277 • CREATE VIEW Simple_Account_View AS
278     SELECT
279     Account_No, Customer_ID, Account_Type, Balance, Branch
280     FROM Account;
281
282 • SELECT * FROM Customer_View;
283 • SELECT * FROM Customer_Basic_View;
284 • SELECT * FROM Account_View;
285 • SELECT * FROM Savings_Account_View;
286 • SELECT * FROM Current_Account_View;
```

Result GridFilter Rows:Export: Wrap Cell Content: 

	Account_No	Account_Type	Balance	Branch
▶	10001	Savings	50000.00	Hyderabad
	10002	Savings	75000.00	Vijayawada
	10003	Current	120000.00	Bangalore
	10004	Savings	45000.00	Chennai
	10005	Current	90000.00	Hyderabad
	10006	Savings	65000.00	Delhi
	10007	Current	150000.00	Mumbai
	10008	Savings	35000.00	Pune
	10009	Savings	85000.00	Hyderabad
	10010	Current	110000.00	Vijayawada

Limit to 1000 rows

```

278      SELECT
279      Account_No, Customer_ID, Account_Type, Balance, Branch
280      FROM Account;
281
282 •    SELECT * FROM Customer_View;
283 •    SELECT * FROM Customer_Basic_View;
284 •    SELECT * FROM Account_View;
285 •    SELECT * FROM Savings_Account_View;
286 •    SELECT * FROM Current_Account_View;
287 •    SELECT * FROM High_Balance_View;

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	50000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10004	104	Savings	45000.00	Chennai
10006	106	Savings	65000.00	Delhi
10008	108	Savings	35000.00	Pune
10009	109	Savings	85000.00	Hyderabad

Query 1 SQL File 6*

Limit to 1000 rows

279 Account_No, Customer_ID, Account_Type, Balance, Branch
280 Execute the selected portion of the script or everything, if there is no selection
281
282 • SELECT * FROM Customer_View;
283 • SELECT * FROM Customer_Basic_View;
284 • SELECT * FROM Account_View;
285 • SELECT * FROM Savings_Account_View;
286 • SELECT * FROM Current_Account_View;
287 • SELECT * FROM High_Balance_View;
288 • SELECT * FROM Hyderabad_Account_View;

Result Grid Filter Rows: Export: Wrap Cell Content:

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10003	103	Current	120000.00	Bangalore
	10005	105	Current	90000.00	Hyderabad
	10007	107	Current	150000.00	Mumbai
	10010	110	Current	110000.00	Vijayawada


```
Query 1 SQL File 6 x
Limit to 1000 rows
96 • SELECT * FROM Account;
97 • SELECT * FROM Bank_Transaction;
98 • SELECT * FROM Loan;
99
100 • CREATE VIEW Customer_View AS
101 SELECT * FROM Customer;
102
103 • CREATE VIEW Customer_Basic_View AS
104 SELECT Customer_ID, Customer_Name, City
105 FROM Customer;
```

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	50000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10003	103	Current	120000.00	Bangalore
10004	104	Savings	45000.00	Chennai
10005	105	Current	90000.00	Hyderabad
10006	106	Savings	65000.00	Delhi
10007	107	Current	150000.00	Mumbai
10008	108	Savings	35000.00	Pune
10009	109	Savings	85000.00	Hyderabad
10010	110	Current	110000.00	Vijayawada

```
Query 1 Account 2 x
96 • SELECT * FROM Account;
97 • SELECT * FROM Bank_Transaction;
98 • SELECT * FROM Loan;
99
100 • CREATE VIEW Customer_View AS
101 SELECT * FROM Customer;
102
103 • CREATE VIEW Customer_Basic_View AS
104 SELECT Customer_ID, Customer_Name, City
105 FROM Customer;
```

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
1	10001	DEPOSIT	10000.00	2026-08-14 12:11:00
2	10001	WITHDRAW	5000.00	2026-08-14 12:11:00
3	10002	DEPOSIT	15000.00	2026-08-14 12:11:00
4	10003	WITHDRAW	20000.00	2026-08-14 12:11:00
5	10004	DEPOSIT	5000.00	2026-08-14 12:11:00
6	10005	WITHDRAW	10000.00	2026-08-14 12:11:00
7	10006	DEPOSIT	12000.00	2026-08-14 12:11:00
8	10007	DEPOSIT	25000.00	2026-08-14 12:11:00
9	10008	WITHDRAW	5000.00	2026-08-14 12:11:00
10	10009	DEPOSIT	20000.00	2026-08-14 12:11:00

```
Query 1 SQL File 6 x
Limit to 1000 rows
279 Account No, Customer ID, Account Type, Balance, Branch
280 Fl. Execute the selected portion of the script or everything, if there is no selection
281
282 • SELECT * FROM Customer_View;
283 • SELECT * FROM Customer_Basic_View;
284 • SELECT * FROM Account_View;
285 • SELECT * FROM Savings_Account_View;
286 • SELECT * FROM Current_Account_View;
287 • SELECT * FROM High_Balance_View;
288 • SELECT * FROM Hyderabad_Account_View;
```

Account_No	Customer_ID	Account_Type	Balance	Branch
10003	103	Current	120000.00	Bangalore
10005	105	Current	90000.00	Hyderabad
10007	107	Current	150000.00	Mumbai
10010	110	Current	110000.00	Vijayawada

```
Query 1 SQL File 6 x
Limit to 1000 rows
309 • SELECT * FROM Balance_Ranking_View;
310 • SELECT * FROM Customer_Name_View;
311 • SELECT * FROM Loan_Interest_View;
```