

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

No object selected

Query 1SQL File 6*SQL File 4* xSQLAdditions

Limit to 1000 rows

Jump to

51 (10001, 'DEPOSIT', 10000),
52 (10002, 'DEPOSIT', 15000),
53 (10003, 'WITHDRAW', 20000),
54 (10004, 'DEPOSIT', 5000),
55 (10005, 'WITHDRAW', 10000);
56
57 • SELECT * FROM Customer;
58 • SELECT * FROM Account;
59 • SELECT * FROM Bank_Transaction;

Result Grid

Filter Rows:

Edit:

Export/Import:

	Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
▶	1	10001	DEPOSIT	10000.00	2026-08-14 13:54:26
	2	10002	DEPOSIT	15000.00	2026-08-14 13:54:26
	3	10003	WITHDRAW	20000.00	2026-08-14 13:54:26
	4	10004	DEPOSIT	5000.00	2026-08-14 13:54:26
	5	10005	WITHDRAW	10000.00	2026-08-14 13:54:26
*	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

Customer 17Account 18Bank_Transaction 19 x

ApplyRevertContext HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetc
✓ 60	13:54:26	INSERT INTO Customer (Customer_ID, Customer_N...	5 row(s) affected Records: 5 Duplicates: 0 Warning...	0.015 sec
✓ 61	13:54:26	INSERT INTO Account (Account_No, Customer_ID,...	5 row(s) affected Records: 5 Duplicates: 0 Warning...	0.016 sec
✓ 62	13:54:26	INSERT INTO Bank_Transaction (Account_No, Tra...	5 row(s) affected Records: 5 Duplicates: 0 Warning...	0.015 sec
✓ 63	13:54:26	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.
✓ 64	13:54:26	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.
✓ 65	13:54:26	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.

Automatic context disabled. Use the t manually get help current caret positi toggle automatic

The screenshot shows a database management tool interface. At the top, there are tabs for 'Query 1', 'SQL File 6*', and 'SQL File 4*'. Below the tabs is a toolbar with various icons for file operations, execution, and search. The main area displays a SQL query:

```

52 SET Balance = Balance + 10000
53 WHERE Account_No = 10003;
54
55 ROLLBACK TO SAVEPOINT Withdrawal1;
56
57 COMMIT;
58
59 SELECT Account_No, Balance
60 FROM Account;

```

Below the query, there is a 'Result Grid' section. It includes a 'Filter Rows:' input field and an 'Edit:' button. The 'Result Grid' itself shows the following data:

	Account_No	Balance
▶	10001	55000.00
*	NULL	NULL

On the right side of the interface, there is a vertical toolbar with icons for 'Result Grid', 'Form Editor', and 'Field Types'. At the bottom, there are tabs for 'Account 20', 'Account 21', 'Account 22', 'Account 23', 'Account 24', 'Apply', and 'Revert'.

Database Server Tools Scripting Help

Query 1 SQL File 6* SQL File 4* x

Limit to 1000 rows

```
30 • UPDATE Account
31   SET Balance = Balance + 20000
32   WHERE Account_No = 10002;
33
34 • ROLLBACK;
35
36 • SELECT Account_No, Balance
37   FROM Account
38   WHERE Account_No IN (10001,10002);
```

Result Grid

Filter Rows:

Edit:

Export/Import:

	Account_No	Balance
▶	10001	50000.00
	10002	82000.00
*	NULL	NULL

Result Grid

Form Editor

Field Types

Account 25 Account 26 Account 27 x

Apply Revert

Output

Action Output

	#	Time	Action	Message
✓	92	13:57:29	SELECT Account_No, Balance FROM Account WH...	2 row(s) returned
✓	93	13:57:30	START TRANSACTION	0 row(s) affected
✓	94	13:57:30	UPDATE Account SET Balance = Balance - 20000 ...	1 row(s) affected Rows matched: 1 Chang
✓	95	13:57:30	UPDATE Account SET Balance = Balance + 20000 ...	1 row(s) affected Rows matched: 1 Chang
✓	96	13:57:30	ROLLBACK	0 row(s) affected
✓	97	13:57:30	SELECT Account_No, Balance FROM Account WH...	2 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SCHEMAS

Filter objects

- bank_db
- bookflow_db
- saraswati
- sys

Query 1 SQL File 5* SQL File 4* x

```
52
53 • START TRANSACTION;
54
55 • SELECT Account_No,Balance
56 FROM Account
57 WHERE Account_No = 10001;
58
59 • COMMIT;
60
61 • SELECT @@SESSION.transaction_isolation;
```

Result Grid

@@SESSION.transaction_isolation

REPEATABLE-READ

Administration Schemas

Information

No object selected


Result 28 x Account 29 Account 30 Account 31 Account 32 Account 33 Result 34

Output

Action Output

#	Time	Action	Message
✓ 115	13:58:11	COMMIT	0 row(s) affected
✓ 116	13:58:11	SET SESSION TRANSACTION ISOLATION LEVEL SERIALIZABLE	0 row(s) affected
✓ 117	13:58:11	START TRANSACTION	0 row(s) affected
✓ 118	13:58:11	SELECT Account_No,Balance FROM Account WHERE Account_No = 10001 LIMIT 0, 1000	1 row(s) returned
✓ 119	13:58:11	COMMIT	0 row(s) affected
✓ 120	13:58:11	SELECT @@SESSION.transaction_isolation LIMIT 0, 1000	1 row(s) returned

Object Info Session



Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bank_db
- bookflow_db
- saraswati
- sys

Query 1 SQL File 6* SQL File 4* x

Limit to 1000 rows

```
52
53 • START TRANSACTION;
54
55 • SELECT Account_No,Balance
56 FROM Account
57 WHERE Account_No = 10001;
58
59 • COMMIT;
60
61 • SELECT @@SESSION.transaction_isolation;
```

Result Grid

@@SESSION.transaction_isolation
SERIALIZABLE

Export: Wrap Cell Content: Result Grid Form Editor Field Types

Administration Schemas

Information

Account 29 Account 30 Account 31 Account 32 Account 33 Result Read Only Context Help Snippets

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 115	13:58:11	COMMIT	0 row(s) affected	0.000 sec
✓ 116	13:58:11	SET SESSION TRANSACTION ISOLATION LEVEL...	0 row(s) affected	0.000 sec
✓ 117	13:58:11	START TRANSACTION	0 row(s) affected	0.000 sec
✓ 118	13:58:11	SELECT Account_No,Balance FROM Account WH...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 119	13:58:11	COMMIT	0 row(s) affected	0.000 sec
✓ 120	13:58:11	SELECT @@SESSION.transaction_isolation LIMIT ...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help

mysql workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bank_db
- bookflow_db
- saraswati
- sys

Query 1 SQL File 6* SQL File 4*

Limit to 1000 rows

```
1 • USE Bank_ACID_DB;
2
3 SET SESSION TRANSACTION ISOLATION LEVEL READ UNCOMMITTED;
4
5 START TRANSACTION;
6
7 • SELECT Account_No,Balance
8 FROM Account
9 WHERE Account_No = 10001;
```

Result Grid

Account_No	Balance
10001	75000.00

Form Editor

Field Types

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

No object selected

Account 1

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 124	13:59:43	UPDATE Account SET Balance = Balance + 20000 ...	1 row(s) affected Rows matched: 1 Changed: 1 Wa...	0.016 sec
✓ 125	13:59:43	SELECT Account_No,Balance FROM Account WH...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 126	13:59:55	USE Bank_ACID_DB	0 row(s) affected	0.000 sec
✓ 127	13:59:55	SET SESSION TRANSACTION ISOLATION LEVEL...	0 row(s) affected	0.000 sec
✓ 128	13:59:55	START TRANSACTION	0 row(s) affected	0.015 sec
✓ 129	13:59:55	SELECT Account_No,Balance FROM Account WH...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

