

CSE 4644/4476 Lab Mid Group 1

Student ID:

Duration: 15 Minutes

Marks: 20

Set: A

Please mark carefully, double marking will automatically considers your answer invalid.

* Indicates required question

1. What is not an appropriate value for justifyContent prop? *

1 point

Mark only one oval.

- ☐ flex-start
- ☐ center
- ☒ flex-center
- ☐ flex-end

2. If width and height of a component is both 50, then what should be the border radius so that it would be circle? * 1 point

Mark only one oval.

- ☐ 10
- ☒ 25
- ☐ 30
- ☐ 50

3. If we want to have 10 pixels distance from other components what should we choose from the following? * 1 point

Mark only one oval.

- ☐ borderRadius: 10
- ☐ paddingLeft: 10
- ☐ padding: 10
- ☒ margin: 10

4. If we want to have 10 pixels distance between us and our children what should we choose from the following? * 1 point

Mark only one oval.

- ☐ borderRadius: 10
- ☐ paddingLeft: 10
- ☒ padding: 10
- ☐ margin: 10

5. If you want to show a picture in the background, which component from the following will be best suited? * 1 point

Mark only one oval.

- ☐ ImageView
- ☐ Image
- ☒ ImageBackground
- ☐ View

6. Do await and async operators come in pair? *

1 point

Mark only one oval.

☒ Yes

☐ No

7. What is the valid way to concatenate multiple style object for a single component?

* 1 point

Mark only one oval.

☒ style={{[styles.textStyle,styles.largeText]}}

☐ style={{(styles.textStyle,styles.largeText)}}

☐ style={{[styles.textStyle,styles.largeText]}}

☐ style=[styles.textStyle,styles.largeText]

8.

```
const fn_1 = () => {  
  10*2+5  
}
```

*

1 point

what does the fn_1 returns when called?

Mark only one oval.

☐ None

☒ Undefined

☐ 70

☐ 25

9. Which React Hook is used to create state variables? *

1 point

Mark only one oval.

- ☒ useState
- ☐ useEffect
- ☐ useHook
- ☐ useContext

10. Which React Hook is used to perform side effects such as API calls? *

1 point

Mark only one oval.

- ☐ useState
- ☒ useEffect
- ☐ useHook
- ☐ useContext

11. Let's say we want to increase the value inside the state variable 'count' by 1. Which of the following is the appropriate way to do that? *

1 point

Mark only one oval.

- ☐ setCount(1)
- ☐ updateCount(count++)
- ☐ setCount(() => {count+1})
- ☒ setCount(count+1)

12. What happens when a state variable is updated using its setter function?

* 1 point

Mark only one oval.

- ☐ The application refreshes
- ☒ The component re-renders
- ☐ The component is destroyed
- ☐ Nothing happens

13. In React Native, how are props primarily used? *

1 point

Mark only one oval.

- ☐ To pass data from children to parent component
- ☒ To pass data from parent to children component
- ☐ To create styles
- ☐ To fetch data from APIs

14. Do we always need a root container in React Native? *

1 point

Mark only one oval.

- ☒ Yes
- ☐ No

15. Which property is used to vertically align child components when flexDirection is column?

* 1 point

Mark only one oval.

☒ justifyContent

☐ alignItems

☐ padding

☐ margin

16. `const [name] = useState("10");`
`<Text> {name === 10 ? "City" : "Village"} </Text>`

*

1 point

What is the output of the above code?

Mark only one oval.

☐ "City"

☒ "Village"

☐ Error Occured

☐ ""

17. How many times do we see the output 'GOAL!!!!'? *

1 point

```
useEffect(() => { console.log("GOAL!!!!"); }, [ ] );
```

Mark only one oval.

☐ Every render

☐ Never

☒ Only once after mounting

☐ Every state change

18. Which statement is correct regarding React Native? *

1 point

Mark only one oval.

- ☐ It uses HTML elements like <div>
- ☒ It uses native components like <View> and <Text>
- ☐ It only supports Android
- ☐ CSS files are mandatory

19. Which React Native component allows scrolling through a list of messages?

* 1 point

Mark only one oval.

- ☐ ScrollBackground
- ☐ ViewList
- ☒ ScrollView
- ☐ FlatView

20. `setMessages( (prev) => [ ...prev, userMessage, ] )` *

1 point

What does the above code do?

Mark only one oval.

- ☐ Removes all previous messages
- ☒ Adds a new message while preserving existing messages
- ☐ Replaces the array with the latest message
- ☐ Adds a new message at the starting of all the existing messages

Google Forms

