
RED HAT CONFIDENTIAL


iPaaS - Salesforce Object ^{06/28/17} SJ Cox

Interaction Design • Red Hat UXD • mojo.redhat.com/groups/uxd



Choose Connection


1. In this case, user chooses Salesforce



| | | 👤 Brian Johnson 🗸 |
|---------------------|-------|-------------------|
| wed today at 1:20pm | Cance | Save as Template |

Choose Action

- 1. For the Saleforce connection, there are 5 actions OOTB
- 2. Since Salesforce was selected, an additional substep was added for choosing an object



| Object Name | Object Description |
|----------------|--|
| ajp | Lorem ipsum do, or sit amet, consectetur adipisicing elit, sec |
| http | Lorem ipsum nostrud exercitation ullamco laboris nisi ut ali |
| https | |
| jacorb | |
| jacorb-ssl | |
| jgroups-mping | Lorem ipsum aute irure dolor in reprehenderit in voluptate |
| jgroups-tcp | Lorem ipsum cillum dolore eu fugiat nulla pariatur. Excepte |
| jgroups-tcp-fd | |
| jgroups-tcp | Lorem ipsum perspiciatis unde omnis iste natus error sit vo |
| jacorb | |
| jacorb-ssl | |
| jgroups-mping | Lorem ipsum rem aperiam, eaque ipsa quae ab illo invento |
| jgroups-tcp | Lorem ipsum quia voluptas sit aspernatur aut odit aut fugit, |
| jgroups-tcp-fd | |
| 512 fields | |


| | | 👤 Brian Joh | nson 🗸 |
|--|----------------|---------------|--------|
| Cancel Save as Te | mplate | < Back | Next > |
| | | | |
| | | | |
| | | | |
| A | for such | | |
| A Z | Search | | Q |
| | | | |
| it, sed do eiusmod tempo | r incididunt u | t | |
| ut aliquip ex ea commodo | o consequatu | is | |
| | | | |
| | | | |
| | | | |
| ptate velit esse cillum dolo | re eu fugiatu | lla | |
| cepteur sint occaecat cupi | datat non pro | pident | |
| | | | |
| sit voluptatem accusantiu | m doloremqu | ue laudantium | |
| | | | |
| | | | |
| ventore veritatis et quasi a | rchitecto bea | tae vitae | |
| fugit, sed quia perspiciatis unde omnis iste natus error sit | | | |

↓A

Name 🗸

Choose Object

- 1. Once object is selected from the table, it will appear here so you can review before selecting the next button
- 2. Table to show list of all available objects. User can filter and search to find desired object. Can only choose one. Scrolling only within table, not page. List of total items shown at bottom of table as "#of items"




| | | 👤 B | rian Johnson | ~ | |
|---------------------|--------|-----|--------------|----|--|
| ved today at 1:20pm | Cancel | Sav | e as Templa | te | |

Configure Action

 User must choose a unique ID. Text box has typeahead feature which allows text completion based on the known set of data fileds.

| Browse |
|--------|
| |
| |
| ~ |
| |
| |
| |



| | | 👤 Brian Johnson 🗸 | |
|---------------------|--------|-------------------|--|
| ved today at 1:20pm | Cancel | Save as Template | |

Configure Action

- Upon clicking on the button, users can interact with a popover window with a visual list of available unique fields to choose a desired data field. Search within the popover window is also available. (see data mapper implementation)
- 2. Clicking on a desired data filed in the visual list would auto populate the text box with the chosen field.

| × | | | |
|-----------|-------------|--|--|
| Q | 1 Browse | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 08 fields | | | |
| | | | |