

Fecha de generacion: 2026-06-05

Workspace local analizado: /Users/leeroy/dev-projects/fitpilot

Archivo workspace detectado: fitpilot.code-workspace

Repositorio donde se guardo este informe: Fitpilot_mobile/docs

Nota de privacidad: se omitieron valores de .env y secretos. El informe solo menciona nombres de variables desde plantillas versionadas cuando existen.

Resumen Ejecutivo

FitPilot es una plataforma fitness/nutricion multi-aplicacion. El workspace contiene siete repositorios que juntos cubren adquisicion publica, onboarding, experiencia cliente, experiencia profesional, administracion interna y dos dominios backend separados: Nutrition y Training.

La separacion principal es por experiencia y dominio:

- Landing page publica para marketing y captacion.
- Web profesional para nutriologos/entrenadores.
- App movil y portal web para clientes.
- Panel admin para operacion interna.
- Nutrition Backend como identidad/plataforma/nutricion/comunicacion/billing.
- Training Backend como entrenamiento/programacion/logs/analitica/generacion AI.

En conjunto el producto permite: registrar usuarios, verificar telefono/email, configurar profesionales, captar prospectos, gestionar clientes, crear menus y recetas, generar listas de compra, manejar mediciones y salud conectada, construir programas de entrenamiento, ejecutar workouts, analizar progreso, chatear, enviar notificaciones, cobrar suscripciones y observar reportes administrativos.

Apps y Repositorios del Workspace

FitPilot Frontend Profesional (FitPilot-frontend)

Rol: Aplicacion web principal para profesionales. Une flujos de nutricion, entrenamiento, clientes, chat, agenda, suscripciones y perfil profesional.

Ruta local: /Users/leeroy/dev-projects/fitpilot/FitPilot-frontend

Remoto: <https://github.com/fitpilot-team/FitPilot-frontend.git>

Branch local: feature/session-packages-v1

Creado segun primer commit local: af415cf | 2025-12-04 22:19:19 -0600 | Ale-mtz-2 | Initial commit:

FitPilot Frontend

Ultimo commit local: 030b32c | 2026-06-02 13:26:47 -0600 | Leeroy Uziel Garcia Gonzalez | Merge pull

request #64 from fitpilot-team/wip/chat-main-sync-2026-05-28

Total commits locales: 274

Contribuidores por commits: 130 Ale-mtz-2; 90 Leeroy Garcia; 53 Leeroy Uziel Garcia Gonzalez; 1 Codex

Archivos analizados aprox.: 511 totales, 457 fuente, 69 tests/specs.

Extensiones principales: .ts=274, .tsx=180, .json=20, [sin extension]=8, .svg=7, .md=5, .txt=3, .yaml=3

Package: fit-pilot-frontend@1.0.0

Docker/deploy files: Dockerfile, docker-compose.coolify.yml, docker-compose.yml

Estado git local: M src/features/professional-profiles/api.ts; M src/features/professional-profiles/queries.ts; M src/features/professional-profiles/types.ts; M src/pages/ProfilePage.tsx

Resumen funcional:

- Web app React + Vite + TypeScript para profesionales de nutricion y entrenamiento.
- Rutas protegidas por sesion y por acceso a productos, con i18n por prefijo de idioma.
- Incluye editor de programas, generador AI de training, clientes, historial clinico, menus, recetas, consulta, chat, anuncios, perfil y suscripciones.
- Consume Nutrition API y Training API mediante variables Vite separadas.

FitPilot Mobile (Fitpilot_mobile)

Rol: Aplicacion movil para clientes/pacientes en Expo React Native. Es la experiencia diaria de entrenamientos, dieta, mediciones, chat, salud conectada y perfil.
Ruta local: /Users/leeroy/dev-projects/fitpilot/Fitpilot_mobile
Remoto: https://github.com/fitpilot-team/Fitpilot_mobile.git
Branch local: feature/session-packages-v1
Creado segun primer commit local: 3c243e8 | 2026-02-18 15:12:08 -0600 | Ale-mtz-2 | feat(mobile): initialize fitpilot mobile app
Ultimo commit local: 7b06c4c | 2026-06-01 18:31:25 -0600 | Leeroy Uziel Garcia Gonzalez | Merge pull request #31 from fitpilot-team/wip/chat-main-sync-2026-05-28
Total commits locales: 117
Contribuidores por commits: 81 Ale-mtz-2; 26 Leeroy Garcia; 10 Leeroy Uziel Garcia Gonzalez
Archivos analizados aprox.: 294 totales, 214 fuente, 3 tests/specs.
Extensiones principales: .tsx=115, .ts=87, .json=12, .xml=12, [sin extension]=8, .js=7, .properties=7, .bin=7
Package: fitpilot-mobile@1.0.0
Estado git local: M app/professionals/[username].tsx; M src/services/professionalDiscovery.ts; ?? FitPilot-production.aab
Resumen funcional:
- App Expo Router con tabs principales: Inicio, Entrenamientos, Dieta, Mediciones y Chat.
- Gestiona login/registro, onboarding, perfil, configuracion de tema/notificaciones, salud conectada, profesionales, recetas y sesiones de workout.
- Usa Zustand para estado, Secure Store para sesion, Expo Notifications, Expo Print, Expo Video y Socket.IO.
- Contiene proyectos nativos iOS y Android generados/configurados para builds de tienda.

FitPilot Training Backend (Fitpilot_training_backend)

Rol: API Python/FastAPI de entrenamiento: ejercicios, programas, mesociclos, microciclos, logs, analitica y generacion AI de rutinas.
Ruta local: /Users/leeroy/dev-projects/fitpilot/Fitpilot_training_backend
Remoto: https://github.com/fitpilot-team/Fitpilot_training_backend.git
Branch local: main
Creado segun primer commit local: 6c34157 | 2025-11-20 19:21:00 -0600 | Ale-mtz-2 | feat: Initial Fit Pilot project setup
Ultimo commit local: 2353ee7 | 2026-05-27 12:21:03 -0600 | Ale-mtz-2 | feat(workout-log): add mesocycle and microcycle fields to program context
Total commits locales: 170
Contribuidores por commits: 127 Ale-mtz-2; 31 Leeroy Garcia; 6 Codex Automation; 6 Leeroy Uziel Garcia Gonzalez
Archivos analizados aprox.: 278 totales, 248 fuente, 74 tests/specs.
Extensiones principales: .py=248, .json=8, .md=6, [sin extension]=4, .yml=4, .example=3, .txt=1, .ini=1
Docker/deploy files: docker-compose.coolify.yml, docker-compose.development.yml, docker-compose.yml
Estado git local: M backend/Dockerfile; M docker-compose.development.yml
Resumen funcional:
- FastAPI con SQLAlchemy/Alembic, PostgreSQL remoto obligatorio, Redis y storage R2 para media.
- Responsable del dominio de entrenamiento: catalogo de ejercicios, musculos, programas, mesociclos, microciclos, dias, ejercicios por dia, workout logs y analitica.
- Valida JWT emitidos por Nutrition usando secretos compartidos; /api/auth/login queda deprecado para operacion real segun README.
- Incluye generacion AI de programas y Coach Engine con scoring, reparacion y retrieval semantico.

FitPilot Admin (fitpilot-admin)

Rol: Panel interno administrativo para monitorear usuarios, reportes, notificaciones, uso de AI y codigos de acceso.
Ruta local: /Users/leeroy/dev-projects/fitpilot/fitpilot-admin
Remoto: <https://github.com/fitpilot-team/fitpilot-admin.git>
Branch local: main
Creado segun primer commit local: becb981 | 2026-05-09 17:48:26 -0600 | Leeroy Garcia | first commit

Ultimo commit local: 2c61d78 | 2026-05-15 03:26:18 -0600 | Leeroy Uziel Garcia Gonzalez | Merge pull request #2 from fitpilot-team/fix/admin-pnpm-lockfile
Total commits locales: 12
Contribuidores por commits: 10 Leeroy Garcia; 2 Leeroy Uziel Garcia Gonzalez
Archivos analizados aprox.: 162 totales, 22 fuente, 1 tests/specs.
Extensiones principales: .md=115, .tsx=13, .ts=8, .json=7, [sin extension]=6, .svg=4, .yaml=2, .html=1
Package: fitpilot-admin@0.0.0
Docker/deploy files: Dockerfile, docker-compose.coolify.yml
Estado git local: clean
Resumen funcional:
- Vite React con TanStack Router para administracion interna.
- Modulos: dashboard, usuarios, reportes, notificaciones, uso de AI y codigos beta/de acceso.
- Autenticacion de administrador local via adminAuth y guardas de ruta.
- Consume Nutrition API y Turnstile.

FitPilot Frontend Client (fitpilot-frontend-client)

Rol: Portal web para clientes. Cubre registro/login, onboarding, dashboard, menus/dietas, composicion corporal, perfil y baja de cuenta.
Ruta local: /Users/leeroy/dev-projects/fitpilot/fitpilot-frontend-client
Remoto: <https://github.com/fitpilot-team/fitpilot-frontend-client.git>
Branch local: main
Creado segun primer commit local: d93d6cb | 2026-01-27 15:21:26 -0600 | Leeroy Garcia | client app creation
Ultimo commit local: cdbbc7d | 2026-05-29 09:22:33 -0600 | Ale-mtz-2 | Refactor color scheme to use primary color variables across components
Total commits locales: 31
Contribuidores por commits: 22 Leeroy Garcia; 6 Leeroy Uziel Garcia Gonzalez; 3 Ale-mtz-2
Archivos analizados aprox.: 86 totales, 55 fuente, 0 tests/specs.
Extensiones principales: .tsx=30, .ts=24, [sin extension]=8, .svg=7, .json=6, .yaml=2, .yml=2, .md=2
Package: fitpilot-frontend-client@0.0.0
Docker/deploy files: Dockerfile, docker-compose.coolify.yml, docker-compose.yml
Estado git local: clean
Resumen funcional:
- Portal web React + Vite + TanStack Router para clientes.
- Flujos de auth, registro por link, onboarding, dashboard, composicion, menus/dietas, perfil y eliminacion de cuenta.
- Tiene i18n ES/EN y prefetch/loaders para rutas.
- Complementa la app movil como experiencia web para clientes.

FitPilot Landing Page (fitpilot-landingpage)

Rol: Sitio publico/marketing en Astro con paginas bilingues para explorar FitPilot, profesionales, app y contacto.
Ruta local: /Users/leeroy/dev-projects/fitpilot/fitpilot-landingpage
Remoto: <https://github.com/fitpilot-team/fitpilot-landingpage.git>
Branch local: main
Creado segun primer commit local: af5a3c0 | 2025-12-13 18:07:14 -0600 | houston[bot] | Initial commit from Astro
Ultimo commit local: 836e0bf | 2026-05-28 00:46:16 -0600 | Leeroy Uziel Garcia Gonzalez | Merge pull request #5 from fitpilot-team/feature/professional-discovery-v1
Total commits locales: 22
Contribuidores por commits: 14 Leeroy Garcia; 4 Ale-mtz-2; 3 Leeroy Uziel Garcia Gonzalez; 1 houston[bot]
Archivos analizados aprox.: 60 totales, 36 fuente, 0 tests/specs.
Extensiones principales: .astro=31, [sin extension]=6, .svg=5, .json=4, .yaml=3, .tsx=3, .md=2, .ts=2
Package: fitpilot-landingpage@0.0.1
Docker/deploy files: Dockerfile, compose.yaml, docker-compose.coolify.yml
Estado git local: clean
Resumen funcional:

- Sitio Astro estatico con React embebido para componentes interactivos.
- Paginas publicas en raiz, /es y /en: home, app, platform, trainers, nutritionists, explore, contact, help-center y success.
- Build servido por Nginx via Docker/Coolify.
- Funciona como entrada comercial y catalogo publico de profesionales.

FitPilot Nutrition Backend (fitpilot-nutrition-backend)

Rol: API NestJS/Prisma de nutricion y plataforma: auth, usuarios, profesionales, menus, recetas, alimentos, billing, chat, notificaciones y salud conectada.
 Ruta local: /Users/leeroy/dev-projects/fitpilot/fitpilot-nutrition-backend
 Remoto: <https://github.com/fitpilot-team/fitpilot-nutrition-backend.git>
 Branch local: feature/session-packages-v1
 Creado segun primer commit local: 99db273 | 2025-12-16 18:47:45 -0600 | Leeroy Garcia | add prisma config
 Ultimo commit local: 1241e84 | 2026-06-02 09:23:35 -0600 | Codex | Merge branch 'main' of <https://github.com/fitpilot-team/fitpilot-nutrition-backend>
 Total commits locales: 278
 Contribuidores por commits: 118 Leeroy Garcia; 86 Codex; 51 Leeroy Uziel Garcia Gonzalez; 16 Ale-mtz-2; 7 Codex Automation
 Archivos analizados aprox.: 736 totales, 517 fuente, 101 tests/specs.
 Extensiones principales: .ts=513, .md=101, .sql=53, .txt=21, .json=12, [sin extension]=9, .yml=8, .example=4
 Package: fitpilot-nutrition-backend@0.0.1
 Docker/deploy files: Dockerfile, docker-compose.coolify.yml, docker-compose.development.yml, docker-compose.release.yml, docker-compose.yml
 Estado git local: M prisma/schema.prisma; M src/notifications/notifications.service.ts; M src/professional-profiles/dto/create-professional-contact-request.dto.ts; M src/professional-profiles/professional-profiles.controller.ts; M src/professional-profiles/professional-profiles.service.spec.ts; M src/professional-profiles/professional-profiles.service.ts; ?? prisma/migrations/20260602_add_professional_session_packages/; ?? prisma/migrations/20260604_add_professional_monthly_plans/; ?? src/professional-profiles/dto/monthly-plan.dto.ts; ?? src/professional-profiles/dto/session-package.dto.ts
 Resumen funcional:

- NestJS + Prisma + PostgreSQL, con Redis, Socket.IO, Stripe, Twilio, R2 y proveedores AI.
- Centro de auth y plataforma: emite JWT, maneja usuarios, perfiles profesionales, clientes, planes, billing, chat y notificaciones.
- Dominio nutricional amplio: alimentos, SMAE/import, equivalentes, recetas, menus, listas de compra, mediciones, metas y targets diarios.
- Expone endpoints publicos de directorio profesional y contacto, mas APIs admin/reporting.

Linea de Tiempo de Creacion

Fechas tomadas del primer commit disponible en cada repositorio local:

- Fitpilot_mobile: 3c243e8 | 2026-02-18 15:12:08 -0600 | Ale-mtz-2 | feat(mobile): initialize fitpilot mobile app
- Fitpilot_training_backend: 6c34157 | 2025-11-20 19:21:00 -0600 | Ale-mtz-2 | feat: Initial Fit Pilot project setup
- fitpilot-nutrition-backend: 99db273 | 2025-12-16 18:47:45 -0600 | Leeroy Garcia | add prisma config
- FitPilot-frontend: af415cf | 2025-12-04 22:19:19 -0600 | Ale-mtz-2 | Initial commit: FitPilot Frontend
- fitpilot-landingpage: af5a3c0 | 2025-12-13 18:07:14 -0600 | houston[bot] | Initial commit from Astro
- fitpilot-admin: becb981 | 2026-05-09 17:48:26 -0600 | Leeroy Garcia | first commit
- fitpilot-frontend-client: d93d6cb | 2026-01-27 15:21:26 -0600 | Leeroy Garcia | client app creation

Lectura rapida: el backend de training aparece primero en noviembre de 2025; el frontend profesional y landing nacen en diciembre de 2025; nutrition backend arranca tambien en diciembre de 2025; el portal cliente llega en enero de 2026; mobile en febrero de 2026; admin en mayo de 2026.

Arquitectura y Relaciones

- Nutrition Backend es el centro de identidad: emite access/refresh tokens y Training Backend acepta esos JWT mediante NUTRITION_JWT_SECRETS.
- FitPilot Frontend Profesional habla con Nutrition API para auth, nutrición, profesionales, billing, chat y reportes; y con Training API para programas, ejercicios, logs y analítica.
- FitPilot Mobile usa EXPO_PUBLIC_NUTRITION_API_URL y EXPO_PUBLIC_TRAINING_API_URL para combinar dieta, mediciones, profesionales, chat y entrenamientos.
- Admin consume principalmente Nutrition API para operación interna: usuarios, reportes, notificaciones, AI usage y códigos de acceso.
- Client Frontend consume Nutrition API para auth/onboarding, menús, composición y perfil.
- Landing Page es pública y sirve como captación; enlaza al ecosistema de app/profesionales.
- Ambos backends tienen guardrail de base de datos remote-only; el desarrollo/deploy espera PostgreSQL remoto y Redis compartido.
- R2/Cloudflare se usa para almacenamiento público de media, especialmente avatares y media de ejercicios.

Mapa mental simplificado:

Landing -> captación pública -> profesional/cliente

Profesional Web -> Nutrition API + Training API

Mobile Cliente -> Nutrition API + Training API

Client Web -> Nutrition API

Admin -> Nutrition API

Nutrition API -> Postgres remoto + Redis + R2 + Stripe + Twilio + AI providers + Socket.IO

Training API -> Postgres remoto + Redis + R2 + OpenAI/Anthropic/Voyage/Ollama + pgvector

Stacks Técnicos

FitPilot-frontend

Dependencias runtime destacadas: @dnd-kit/core, @dnd-kit/modifiers, @dnd-kit/sortable, @dnd-kit/utilities, @headlessui/react, @heroicons/react, @hookform/resolvers, @tailwindcss/vite, @tanstack/react-query, @tanstack/react-query-devtools, @tiptap/core, @tiptap/react, @tiptap/starter-kit, @toon-format/toon, axios, date-fns, framer-motion, i18next, i18next-browser-languagedetector, jsPDF, jsPDF-autotable, lucide-react, motion-utils, react, react-dom, react-hook-form, react-hot-toast, react-i18next, react-router-dom, recharts, socket.io-client, use-sync-external-store, ...

Dependencias dev destacadas: @playwright/test, @tailwindcss/forms, @types/node, @types/react, @types/react-dom, @typescript-eslint/eslint-plugin, @typescript-eslint/parser, @vitejs/plugin-react, autoprefixer, eslint, eslint-plugin-react-hooks, eslint-plugin-react-refresh, postcss, prettier, tailwindcss, typescript, vite, vite-plugin-svgr, vitest

Scripts principales:

- dev: vite --mode development
- build: tsc && vite build
- lint: eslint . --ext ts,tsx --report-unused-disable-directives --max-warnings 0
- preview: vite preview
- test: vitest

FitPilot_mobile

Dependencias runtime destacadas: @expo/vector-icons, @react-native-masked-view/masked-view, @react-navigation/bottom-tabs, @react-navigation/native, @react-navigation/native-stack, axios, expo, expo-asset, expo-audio, expo-blur, expo-constants, expo-dev-client, expo-device, expo-document-picker, expo-font, expo-image-picker, expo-linear-gradient, expo-linking, expo-navigation-bar, expo-notifications, expo-print, expo-router, expo-screen-orientation, expo-secure-store, expo-splash-screen, expo-status-bar, expo-video, lucide-react-native, react, react-dom, react-native, react-native-country-codes-picker, ...

Dependencias dev destacadas: @babel/core, @types/react, babel-plugin-module-resolver, eslint, eslint-config-expo, react-native-svg-transformer, typescript

Scripts principales:

- start: expo start
- android: expo run:android

- ios: expo run:ios
- web: expo start --web
- build:android:production:local: npm dlx eas-cli@19.1.0 build --platform android --profile production --local
- validate:android:host: powershell -ExecutionPolicy Bypass -File ./scripts/validate-android-host.ps1
- lint: eslint .
- typescript: tsc --noEmit
- check:text-encoding: node scripts/check-mojibake.mjs

Fitpilot_training_backend

Stack principal desde requirements.txt: FastAPI, Uvicorn, SQLAlchemy, Alembic, psycopg, pgvector, Pydantic, python-jose, Redis, Celery, httpx/requests, OpenAI, Anthropic, boto3, Pillow, pytest, pandas y numpy.

fitpilot-admin

Dependencias runtime destacadas: @tailwindcss/vite, @tanstack/react-query, @tanstack/react-query-devtools, @tanstack/react-router, @tanstack/router-devtools, @tiptap/core, @tiptap/react, @tiptap/starter-kit, framer-motion, lucide-react, react, react-dom, recharts, tailwindcss

Dependencias dev destacadas: @eslint/js, @types/node, @types/react, @types/react-dom, @vitejs/plugin-react, eslint, eslint-plugin-react-hooks, eslint-plugin-react-refresh, globals, typescript, typescript-eslint, vite

Scripts principales:

- dev: vite
- build: tsc -b && vite build
- lint: eslint .
- preview: vite preview

fitpilot-frontend-client

Dependencias runtime destacadas: @tailwindcss/vite, @tanstack/react-query, @tanstack/react-router, axios, framer-motion, i18next, i18next-browser-languagedetector, jwt-decode, lucide-react, react, react-dom, react-i18next, recharts, tailwindcss

Dependencias dev destacadas: @eslint/js, @tanstack/react-query-devtools, @tanstack/router-devtools, @tanstack/router-plugin, @types/node, @types/react, @types/react-dom, @vitejs/plugin-react-swc, eslint, eslint-plugin-react-hooks, eslint-plugin-react-refresh, globals, typescript, typescript-eslint, vite

Scripts principales:

- dev: vite
- build: tsc -b && vite build
- lint: eslint .
- preview: vite preview

fitpilot-landingpage

Dependencias runtime destacadas: @astrojs/react, @tailwindcss/vite, @types/aos, aos, astro, framer-motion, react, react-dom, tailwindcss

Dependencias dev destacadas: @types/react, @types/react-dom

Scripts principales:

- dev: astro dev
- build: astro build
- preview: astro preview
- astro: astro

fitpilot-nutrition-backend

Dependencias runtime destacadas: @aws-sdk/client-s3, @aws-sdk/s3-request-presigner, @google/generative-ai, @nestjs/common, @nestjs/config, @nestjs/core, @nestjs/jwt, @nestjs/mapped-types, @nestjs/passport, @nestjs/platform-express, @nestjs/platform-socket.io, @nestjs/schedule, @nestjs/swagger, @nestjs/websockets, @prisma/adapters, @prisma/client, @toon-format/toon, axios, bcrypt, class-

transformer, class-validator, expo-server-sdk, jsonwebtoken, libphonenumber-js, nanoid, openai, passport, passport-jwt, pdfkit, pg, redis, reflect-metadata, ...

Dependencias dev destacadas: @eslint/eslintrc, @eslint/js, @nestjs/cli, @nestjs/schematics, @nestjs/testing, @types/bcrypt, @types/express, @types/jest, @types/multer, @types/node, @types/passport-jwt, @types/pdfkit, @types/supertest, dotenv-cli, env-cmd, eslint, eslint-config-prettier, eslint-plugin-prettier, globals, jest, prettier, prisma, source-map-support, supertest, ...

Scripts principales:

- build: node ./node_modules/@nestjs/cli/bin/nest.js build
- format: node ./node_modules/prettier/bin/prettier.cjs --write "src/**/*.ts" "test/**/*.ts"
- start: node ./node_modules/@nestjs/cli/bin/nest.js start
- start:dev: node ./node_modules/dotenv-cli/cli.js -e .env.development.local -v NODE_ENV=development
- v FITPILOT_ENV_CONTEXT=development -- node ./node_modules/@nestjs/cli/bin/nest.js start --watch
- start:debug: node ./node_modules/dotenv-cli/cli.js -e .env.development.local -v NODE_ENV=development
- v FITPILOT_ENV_CONTEXT=development -- node ./node_modules/@nestjs/cli/bin/nest.js start --debug --watch
- start:prod: node dist/src/main.js
- start:dev:prod-env: node ./node_modules/dotenv-cli/cli.js -e .env.production -v NODE_ENV=development
- v FITPILOT_ENV_CONTEXT=production -- node ./node_modules/@nestjs/cli/bin/nest.js start --watch
- lint: node ./node_modules/eslint/bin/eslint.js "{src,apps,libs,test}/**/*.ts" --fix
- test: node ./node_modules/jest/bin/jest.js
- test:watch: node ./node_modules/jest/bin/jest.js --watch
- test:cov: node ./node_modules/jest/bin/jest.js --coverage
- test:debug: node --inspect-brk -r tsconfig-paths/register -r ts-node/register ./node_modules/jest/bin/jest.js --runInBand
- test:e2e: node ./node_modules/env-cmd/bin/env-cmd.js -f .env.test.local -- node ./node_modules/jest/bin/jest.js --config ./test/jest-e2e.json --runInBand
- db:seed: node ./node_modules/prisma/build/index.js db seed
- db:migrations:validate: node scripts/validate-prisma-migrations.js
- db:schema:guard: node scripts/check-prisma-schema-change.js
- db:migrate:dev: node ./node_modules/dotenv-cli/cli.js -e .env.development.local -v FITPILOT_ENV_CONTEXT=development -- node ./node_modules/prisma/build/index.js migrate deploy
- db:migrate:deploy: node scripts/validate-prisma-migrations.js && node ./node_modules/prisma/build/index.js migrate deploy
- menus:drafts:clean-placeholders: node ./node_modules/ts-node/dist/bin.js scripts/clean-menu-draft-placeholders.ts
- menus:backfill-exchange-systems: node ./node_modules/ts-node/dist/bin.js scripts/backfill-menu-exchange-systems.ts
- foods:smae:reset-import: node ./node_modules/ts-node/dist/bin.js scripts/reset-food-domain-and-import-smae.ts
- foods:smae:backfill-weights: node ./node_modules/ts-node/dist/bin.js scripts/backfill-food-nutrition-weight-fields.ts
- foods:search-index:backfill: node ./node_modules/ts-node/dist/bin.js scripts/backfill-food-search-index.ts
- foods:search:golden-report: node ./node_modules/ts-node/dist/bin.js scripts/report-food-search-golden-queries.ts
- db:push:dev: node ./node_modules/dotenv-cli/cli.js -e .env.development.local -v FITPILOT_ENV_CONTEXT=development -- node ./node_modules/prisma/build/index.js db push
- db:push:prod: node ./node_modules/dotenv-cli/cli.js -e .env.production.local -v FITPILOT_ENV_CONTEXT=production -- node ./node_modules/prisma/build/index.js db push
- studio: node ./node_modules/dotenv-cli/cli.js -e .env.development.local -v FITPILOT_ENV_CONTEXT=development -- node ./node_modules/prisma/build/index.js studio
- studio:prod: node ./node_modules/dotenv-cli/cli.js -e .env.production.local -v FITPILOT_ENV_CONTEXT=production -- node ./node_modules/prisma/build/index.js studio

Funcionalidades por Producto

Experiencia Profesional Web - FitPilot-frontend

- Autenticacion: login, registro, forgot/reset password, Turnstile y rutas legales publicas.
- Onboarding profesional y perfil publico/profesional, incluida actividad de perfil y disponibilidad de

username.

- Training: catalogo de ejercicios, plantillas/programas, editor de mesociclos, generador AI, logs y planes de clientes.
- Nutrition: dashboard, agenda, clientes, intake, historial medico, mediciones, alimentos, recetas, consulta, meal plans, builder, menus reutilizables, weekly view y drafts.
- Cliente/profesional: clientes, historial clinico, contexto, suscripciones, chat, anuncios, command palette y ajustes profesionales.
- Reportes/exports: dependencias como jsPDF, jsPDF AutoTable y Recharts sugieren generacion/visualizacion de reportes y graficas.

Experiencia Mobile - Fitpilot_mobile

- Tabs principales: Home, Workouts, Diet, Measurements y Chat.
- Login, registro, onboarding y health setup.
- Home/dashboard con plan del dia, calendario, actividad, tips cientificos, metricas y timeline de microciclo.
- Workouts: ejecucion de sesion, timers, descanso, cardio, movimientos, sets, abandono, detalle de ejercicio y analitica.
- Diet: plan semanal, comidas, ingredientes, intercambios, shopping list imprimible, recetas y rich text.
- Measurements/health metrics: peso, progreso por metrica, glucosa, preferencias de unidades y resúmenes.
- Connected health: setup, resumen, detalle, feedback y sharing.
- Professional discovery/care team: listado de profesionales, perfil publico, profesionales asignados y contacto.
- Perfil: datos personales, cambio de password, ayuda, soporte, tema, notificaciones, legales y profesionales.

Training Backend - Fitpilot_training_backend

- Catalogos: musculos y ejercicios con busqueda, carga de imagen, fetch/generacion de imagen anatomica y traduccion.
- Programacion: macro/meso/microciclos, dias de entrenamiento, ejercicios por dia, duplicado, reordenamiento y transferencia.
- Clientes y contexto: clientes, interviews, patient context y resumen trainer-facing.
- Workout logs: proximo entrenamiento, hoy, missed, progreso semanal/microciclo, sets, cardio blocks, movement blocks y reopening.
- Analytics: dashboards, history, modules, preferencias y tendencias por ejercicio tanto para cliente propio como clientes profesionales.
- AI generator: questionnaire config, validacion de interview, preview/generate/save, debug artifacts y bloques adaptativos.
- Coach Engine: scoring de calidad, composer v2, reparaciones, reglas de dias/volumen y pruebas extensas.

Nutrition Backend - fitpilot-nutrition-backend

- Auth/identidad: signup, login, refresh, logout, sesiones, verification phone/email, forgot/reset password y user activation tokens.
- Usuarios/profesionales: perfiles profesionales, directorio publico, contact requests, paquetes de sesiones, planes mensuales, onboarding profesional y clientes profesionales.
- Nutricion: alimentos, categorias, valores nutricionales, micronutrientes, grupos/sistemas de equivalentes, recetas, recipe foods, menus, drafts, weekly planning, shopping lists y swaps del cliente.
- Salud y medidas: client metrics, health metrics, metabolic profiles, measurements, connected health sync/summary/detail/sharing/setup.
- Comunicacion: chat, announcements, notifications push, SMS/Twilio, email y consulta/transcripcion.
- Comercial/admin: billing Stripe, subscriptions, affiliate codes, signup access codes, admin reports y AI usage/pricing/feedback.
- Infra: Prisma, Redis cache, R2 storage, Swagger, guards de suscripcion y scripts de validacion/migracion.

Admin - fitpilot-admin

- Login admin y layout protegido.
- Dashboard operativo.
- Usuarios.
- Reportes: overview, users, subscriptions, professionals, appointments y operations desde Nutrition Backend.
- Notificaciones.
- AI usage.
- Signup access codes/beta.

Client Web - fitpilot-frontend-client

- Auth: sign-in, sign-up, forgot/reset password y complete registration.
- Onboarding protegido por estado de usuario.
- Dashboard, composicion, menus/dietas y perfil.
- Account deletion publica para cumplimiento.
- i18n ES/EN y Axios con access token store.

Landing - fitpilot-landingpage

- Home publica con Hero, features, management, visuales, CTA y footer.
- Paginas app, platform, trainers, nutritionists, explore, contact, help-center, success y 404.
- Versiones /es y /en para principales paginas.
- Catalogo/descubrimiento de profesionales mediante componente ProfessionalsCatalog.

Rutas Frontend

FitPilot-frontend

- /terms
- /privacy
- /turnstile/mobile
- /auth
- login
- register
- forgot-password
- reset-password
- /onboarding
- /
- /training
- exercises
- programs
- programs/new
- programs/:id
- ai-generator
- logs
- logs/:workoutLogId
- /client-plans
- /training/client-plans
- /nutrition/meal-plans/clients-menus
- /exercises
- /templates
- /templates/new
- /templates/:id
- /mesocycles/:id
- /clients
- /clients/:clientId/*
- /announcements

- /chat
- /profile-activity
- /profile
- /subscriptions/plans
- /subscriptions/success
- /subscriptions/cancel
- /ai-generator
- /nutrition
- agenda
- clients
- clients/new
- foods
- recipes
- recipes/new
- recipes/:recipeId/edit
- clients/:clientId/intake
- clients/:clientId/medical-history
- clients/:clientId/measurements
- clients/:clientId
- consultation/:id
- meal-plans
- builder
- templates
- create-menu
- reusable-menus
- clients-menus/weekly-view/:clientId
- drafts
- *

Fitpilot_mobile

- /(tabs)/_layout
- /(tabs)/chat
- /(tabs)/diet
- /(tabs)
- /(tabs)/measurements
- /(tabs)/workouts
- /_layout
- /diet/_layout
- /diet/shopping-list
- /diet/weekly-plan
- /health-setup
-
- /login
- /measurements/_layout
- /measurements/progress/[metric]
- /measurements/weight-progress
- /onboarding
- /professionals/[username]
- /professionals/_layout
- /professionals
- /profile/_layout
- /profile/change-password
- /profile/connected-health
- /profile/contact-support
- /profile/help
- /profile
- /profile/legal/[document]
- /profile/notifications-settings
- /profile/personal-info

- /profile/professionals
- /profile/theme-settings
- /recipes/[recipeId]
- /recipes/_layout
- /recommendations/[tipId]
- /register
- /workout/[id]
- /workout/_layout
- /workouts/_layout
- /workouts/exercises/[exerciseId]

fitpilot-admin

- /
- /auth
- /login
- /dashboard
- /users
- /reports
- /notifications
- /ai-usage
- /signup-access-codes

fitpilot-frontend-client

- /onboarding
- /account-deletion
- /
- /diets
- /dashboard
- /composition
- /menus
- /profile
- /auth
- /sign-in
- /sign-up
- /forgot-password
- /reset-password
- /complete-registration

fitpilot-landingpage

- /404
- /app
- /contact
- /en/
- /es/app
- /es/contact
- /es/explore
- /es/help-center
- /es/
- /es/nutritionists
- /es/platform
- /es/success
- /es/trainers
- /explore
- /help-center
- /
- /nutritionists
- /platform

- /success
- /trainers

API Training - Endpoints Detectados

api/routers/auth.py

- POST /api/auth/register
- POST /api/auth/login
- GET /api/auth/me
- PATCH /api/auth/me
- POST /api/auth/change-password
- POST /api/auth/me/upload-photo
- DELETE /api/auth/me/photo

api/routers/muscles.py

- GET /api/muscles/
- GET /api/muscles/categories/list
- GET /api/muscles/regions/list
- GET /api/muscles/by-name/{muscle_name}
- GET /api/muscles/{muscle_id}

api/routers/exercises.py

- GET /api/exercises/
- GET /api/exercises/palette-search
- GET /api/exercises/{exercise_id}
- POST /api/exercises/
- PUT /api/exercises/{exercise_id}
- DELETE /api/exercises/{exercise_id}
- POST /api/exercises/{exercise_id}/upload-image
- DELETE /api/exercises/{exercise_id}/image
- POST /api/exercises/{exercise_id}/fetch-movement-image
- POST /api/exercises/{exercise_id}/generate-anatomy-image

api/routers/clients.py

- GET /api/clients/
- GET /api/clients/palette-search
- POST /api/clients/
- GET /api/clients/{client_id}
- PUT /api/clients/{client_id}
- DELETE /api/clients/{client_id}

api/routers/mesocycles.py

- GET /api/mesocycles/
- GET /api/mesocycles/palette-search
- GET /api/mesocycles/{macrocycle_id}
- POST /api/mesocycles/
- PUT /api/mesocycles/{macrocycle_id}
- POST /api/mesocycles/{macrocycle_id}/save-as-template
- POST /api/mesocycles/{macrocycle_id}/activate
- DELETE /api/mesocycles/{macrocycle_id}
- GET /api/mesocycles/{macrocycle_id}/mesocycles
- POST /api/mesocycles/{macrocycle_id}/mesocycles
- GET /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}
- PUT /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}

- DELETE /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}
- POST /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles
- PUT /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}
- DELETE /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}
- POST /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/duplicate
- POST
- /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/days/reorder
- POST /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/days
- PUT
- /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/days/{day_id}
- DELETE
- /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/days/{day_id}
- POST
- /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/days/{day_id}/exercises
- PUT
- /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/days/{day_id}/exercises/{exercise_id}
- DELETE
- /api/mesocycles/{macrocycle_id}/mesocycles/{mesocycle_id}/microcycles/{microcycle_id}/days/{day_id}/exercises/{exercise_id}

api/routers/microcycles.py

- GET /api/microcycles/macrocycle/{macrocycle_id}
- GET /api/microcycles/{microcycle_id}
- POST /api/microcycles/macrocycle/{macrocycle_id}
- PUT /api/microcycles/{microcycle_id}
- DELETE /api/microcycles/{microcycle_id}

api/routers/training_days.py

- GET /api/training-days/microcycle/{microcycle_id}
- GET /api/training-days/{training_day_id}/muscle-volume
- GET /api/training-days/{training_day_id}
- POST /api/training-days/microcycle/{microcycle_id}
- PUT /api/training-days/{training_day_id}
- DELETE /api/training-days/{training_day_id}
- POST /api/training-days/{training_day_id}/duplicate
- PATCH /api/training-days/{training_day_id}/reorder

api/routers/day_exercises.py

- GET /api/day-exercises/training-day/{training_day_id}
- GET /api/day-exercises/{day_exercise_id}
- POST /api/day-exercises/training-day/{training_day_id}
- PUT /api/day-exercises/{day_exercise_id}
- DELETE /api/day-exercises/{day_exercise_id}
- POST /api/day-exercises/training-day/{training_day_id}/reorder
- POST /api/day-exercises/{day_exercise_id}/duplicate
- POST /api/day-exercises/{day_exercise_id}/transfer
- PATCH /api/day-exercises/{day_exercise_id}/move

api/routers/client_interviews.py

- GET /api/client-interviews/{client_id}
- POST /api/client-interviews/{client_id}
- PUT /api/client-interviews/{client_id}
- DELETE /api/client-interviews/{client_id}

api/routers/client_app.py

- GET /api/client-app/dashboard-bootstrap

- GET /api/client-app/training-professional-summary

api/routers/patient_context.py

- GET /api/patients/{client_id}/context
- POST /api/patients/{client_id}/context
- GET /api/patients/me/context

api/routers/ai_generator.py

- GET /api/ai/questionnaire-config
- GET /api/ai/validate-interview/{client_id}
- GET /api/ai/interview-data/{client_id}
- POST /api/ai/test-generate
- POST /api/ai/generate
- POST /api/ai/preview
- GET /api/ai/metrics/structure-quality
- GET /api/ai/attempts/debug
- GET /api/ai/attempts/{attempt_id}/debug-artifacts
- POST /api/ai/save
- POST /api/ai/generate-next-adaptive-block/{macrocycle_id}

api/routers/translation.py

- GET /api/translation/status
- POST /api/translation/translate
- POST /api/translation/exercises/{exercise_id}/translate
- POST /api/translation/exercises/translate-all
- DELETE /api/translation/cache

api/routers/workout_logs.py

- GET /api/workout-logs/next
- GET /api/workout-logs/progress/microcycle/current
- POST /api/workout-logs/
- GET /api/workout-logs/client/{client_id}
- GET /api/workout-logs/progress/weekly
- GET /api/workout-logs/today
- GET /api/workout-logs/misssed
- GET /api/workout-logs/{workout_log_id}
- GET /api/workout-logs/{workout_log_id}/state
- PATCH /api/workout-logs/{workout_log_id}
- POST /api/workout-logs/{workout_log_id}/reopen
- POST /api/workout-logs/{workout_log_id}/sets
- POST /api/workout-logs/{workout_log_id}/cardio-blocks
- PATCH /api/workout-logs/{workout_log_id}/cardio-blocks/{cardio_log_id}
- DELETE /api/workout-logs/{workout_log_id}/cardio-blocks/{cardio_log_id}
- POST /api/workout-logs/{workout_log_id}/movement-blocks
- PATCH /api/workout-logs/{workout_log_id}/movement-blocks/{movement_log_id}
- DELETE /api/workout-logs/{workout_log_id}/movement-blocks/{movement_log_id}
- PATCH /api/workout-logs/{workout_log_id}/sets/{set_log_id}
- DELETE /api/workout-logs/{workout_log_id}/sets/{set_log_id}
- DELETE /api/workout-logs/{workout_log_id}/day-exercises/{day_exercise_id}/sets/{set_number}

api/routers/workout_analytics.py

- GET /api/workout-analytics/me/preferences
- PUT /api/workout-analytics/me/preferences
- GET /api/workout-analytics/me/modules
- GET /api/workout-analytics/me/dashboard

- GET /api/workout-analytics/me/history
- GET /api/workout-analytics/me/exercises/{exercise_id}
- GET /api/workout-analytics/clients/{client_id}/preferences
- GET /api/workout-analytics/clients/{client_id}/dashboard
- GET /api/workout-analytics/clients/{client_id}/history
- GET /api/workout-analytics/clients/{client_id}/modules
- GET /api/workout-analytics/clients/{client_id}/workout-logs/{workout_log_id}
- GET /api/workout-analytics/clients/{client_id}/exercises/{exercise_id}

api/routers/trainer.py

- GET /api/trainer/clients/summary

API Nutrition - Controladores y Endpoints Detectados

src/admin-reports/admin-reports.controller.ts

- GET /admin/reports/overview
- GET /admin/reports/users
- GET /admin/reports/subscriptions
- GET /admin/reports/professionals
- GET /admin/reports/appointments
- GET /admin/reports/operations

src/affiliate-codes/affiliate-codes.controller.ts

- GET /affiliate-codes/
- GET /affiliate-codes/stripe/coupons
- POST /affiliate-codes/
- POST /affiliate-codes/coupon/sync
- POST /affiliate-codes/coupon/delete

src/ai-usage/ai-usage.controller.ts

- GET /ai-usage/attempts
- GET /ai-usage/summary
- POST /ai-usage/feedback
- GET /ai-usage/pricing
- POST /ai-usage/pricing
- PATCH /ai-usage/pricing/:id

src/allergens/allergens.controller.ts

- POST /allergens/
- GET /allergens/
- GET /allergens/:id
- PATCH /allergens/:id
- DELETE /allergens/:id

src/announcements/announcements.controller.ts

- POST /announcements/
- GET /announcements/professional
- GET /announcements/client
- GET /announcements/unread-count
- GET /announcements/professional-feed
- GET /announcements/professional-unread-count
- POST /announcements/system
- GET /announcements/system

- PATCH /announcements/:id/read
- POST /announcements/read-all
- DELETE /announcements/:id

src/app.controller.ts

- GET //
- GET //health

src/appointments/appointments.controller.ts

- POST /appointments/
- GET /appointments/
- GET /appointments/:id
- GET /appointments/professional/:id
- PATCH /appointments/:id
- POST /appointments/:id/draft
- GET /appointments/:id/draft
- PATCH /appointments/:id/draft
- DELETE /appointments/:id

src/auth/auth.controller.ts

- POST /auth/signup
- POST /auth/login
- POST /auth/forgot-password
- POST /auth/reset-password/validate
- POST /auth/reset-password
- POST /auth/check-phone-availability
- POST /auth/send-email-verification
- POST /auth/verify-email
- POST /auth/email-verification-session/restore
- POST /auth/send-verification
- POST /auth/verify-phone
- POST /auth/verification-session/restore
- POST /auth/hash-password
- POST /auth/refresh
- GET /auth/profile
- POST /auth/change-password
- POST /auth/logout
- POST /auth/logout-all
- GET /auth/sessions
- DELETE /auth/sessions/:id
- GET /auth/me

src/availability-slots/availability-slots.controller.ts

- POST /availability-slots/
- GET /availability-slots/
- GET /availability-slots/professional/:professionalId
- GET /availability-slots/:id
- PATCH /availability-slots/:id
- DELETE /availability-slots/:id

src/billing/billing.controller.ts

- POST /billing/checkout-session
- GET /billing/checkout-session
- POST /billing/portal-session
- POST /billing/subscription/cancel

- POST /billing/subscription/resume
- GET /billing/checkout-session/:id
- POST /billing/webhook/stripe

src/chat/chat.controller.ts

- GET /chat/conversations
- POST /chat/conversations
- GET /chat/conversations/:id/messages
- POST /chat/conversations/:id/messages
- PATCH /chat/conversations/:id/delivered
- PATCH /chat/conversations/:id/read
- DELETE /chat/conversations/:conversationId/messages/:messageId

src/client-context/client-context.controller.ts

- GET /client-context/config
- GET /client-context/:clientId
- PUT /client-context/:clientId

src/client-health-metrics/client-health-metrics.controller.ts

- POST /client-health-metrics/me
- GET /client-health-metrics/me
- GET /client-health-metrics/me/:id
- PATCH /client-health-metrics/me/:id
- DELETE /client-health-metrics/me/:id
- POST /client-health-metrics/
- GET /client-health-metrics/
- GET /client-health-metrics/:id
- PATCH /client-health-metrics/:id
- DELETE /client-health-metrics/:id

src/client-metabolic-profiles/client-metabolic-profiles.controller.ts

- GET /client-metabolic-profiles/:userId
- PUT /client-metabolic-profiles/:userId

src/client-metrics/client-metrics.controller.ts

- POST /client-metrics/
- GET /client-metrics/
- GET /client-metrics/:id
- PATCH /client-metrics/:id
- DELETE /client-metrics/:id

src/connected-health/connected-health.controller.ts

- POST /connected-health/sync
- GET /connected-health/me/summary
- GET /connected-health/clients/:clientId/detail
- PATCH /connected-health/me/sharing
- PATCH /connected-health/me/setup

src/consultation/consultation.controller.ts

- POST /consultation/transcribe

src/daily-targets/daily-targets.controller.ts

- POST /daily-targets/
- GET /daily-targets/
- GET /daily-targets/:id
- PATCH /daily-targets/:id
- DELETE /daily-targets/:id

src/data-sources/data-sources.controller.ts

- POST /data-sources/
- GET /data-sources/
- GET /data-sources/:id
- PATCH /data-sources/:id
- DELETE /data-sources/:id

src/exchange-groups/exchange-groups.controller.ts

- POST /exchange-groups/
- GET /exchange-groups/
- GET /exchange-groups/:id
- PATCH /exchange-groups/:id
- DELETE /exchange-groups/:id

src/exchange-subgroups/exchange-subgroups.controller.ts

- POST /exchange-subgroups/
- GET /exchange-subgroups/
- GET /exchange-subgroups/:id
- PATCH /exchange-subgroups/:id
- DELETE /exchange-subgroups/:id

src/exchange-systems/exchange-systems.controller.ts

- POST /exchange-systems/
- GET /exchange-systems/
- GET /exchange-systems/:id
- PATCH /exchange-systems/:id
- DELETE /exchange-systems/:id

src/food-categories/food-categories.controller.ts

- POST /food-categories/
- GET /food-categories/
- GET /food-categories/:id
- PATCH /food-categories/:id
- DELETE /food-categories/:id

src/food-logs/food-logs.controller.ts

- POST /food-logs/
- GET /food-logs/
- GET /food-logs/:id
- PATCH /food-logs/:id
- DELETE /food-logs/:id

src/food-nutrition-values/food-nutrition-values.controller.ts

- POST /food-nutrition-values/
- GET /food-nutrition-values/
- GET /food-nutrition-values/food/:foodId
- GET /food-nutrition-values/:id

- PATCH /food-nutrition-values/:id
- DELETE /food-nutrition-values/:id

src/foods/foods.controller.ts

- POST /foods/
- GET /foods/
- GET /foods/search
- GET /foods/exchange-group/:id
- GET /foods/custom
- POST /foods/custom
- PATCH /foods/custom/:id
- DELETE /foods/custom/:id
- GET /foods/:id
- PATCH /foods/:id
- DELETE /foods/:id

src/goals/goals.controller.ts

- POST /goals/
- GET /goals/
- GET /goals/:id
- PATCH /goals/:id
- DELETE /goals/:id

src/meal-plans/meal-plans.controller.ts

- POST /meal-plans/
- GET /meal-plans/
- GET /meal-plans/:id
- PATCH /meal-plans/:id
- DELETE /meal-plans/:id

src/measurements/measurements.controller.ts

- POST /measurements/me
- POST /measurements/
- GET /measurements/me
- GET /measurements/me/:id
- PATCH /measurements/me/:id
- GET /measurements/:id
- PATCH /measurements/:id
- DELETE /measurements/:id
- POST /measurements/:id/recalculate

src/menus/menus.controller.ts

- GET /menus/palette-search
- POST /menus/draft
- PATCH /menus/draft/:id
- GET /menus/draft/:id
- GET /menus/draft
- POST /menus/
- GET /menus/
- GET /menus/reusable/summary
- GET /menus/daily
- GET /menus/daily/batch
- GET /menus/client-professional-summary
- GET /menus/weekly-planning
- POST /menus/weekly-planning/assignments

- POST /menus/weekly-planning/range-assignments
- PATCH /menus/weekly-planning/assignments/:id
- DELETE /menus/weekly-planning/assignments/:id
- POST /menus/weekly-planning/pdf
- GET /menus/pool
- GET /menus/pool/summary
- GET /menus/pool/calendar
- GET /menus/pool/calendar/summary
- PUT /menus/:id/items/:itemId/client-swap
- DELETE /menus/:id/items/:itemId/client-swap
- PATCH /menus/daily/primary-selection
- GET /menus/:id
- PATCH /menus/:id
- DELETE /menus/:id
- POST /menus/ai-generate

src/micronutrients/micronutrients.controller.ts

- GET /micronutrients/
- GET /micronutrients/:id

src/notifications/notifications.controller.ts

- POST /users/push-token
- POST /users/send
- POST /users/assignment-notifications
- GET /users/notification-preferences
- POST /users/notification-preferences

src/plans/plans.controller.ts

- POST /plans/
- GET /plans/
- GET /plans/:id
- PATCH /plans/:id
- DELETE /plans/:id

src/professional-clients/professional-clients.controller.ts

- GET /professional-clients/palette-search
- POST /professional-clients/
- POST /professional-clients/onboarding
- PATCH /professional-clients/:id/nutrition-profile
- GET /professional-clients/history-client/:id
- GET /professional-clients/:id
- GET /professional-clients/
- GET /professional-clients/professional/:professional_id
- PATCH /professional-clients/:id
- DELETE /professional-clients/:id

src/professional-profiles/professional-profiles.controller.ts

- POST /professional-profiles/onboarding
- GET /professional-profiles/me
- PATCH /professional-profiles/me
- GET /professional-profiles/profile-activity
- GET /professional-profiles/me/session-packages
- POST /professional-profiles/me/session-packages
- PATCH /professional-profiles/me/session-packages/:id
- DELETE /professional-profiles/me/session-packages/:id

- GET /professional-profiles/me/monthly-plans
- POST /professional-profiles/me/monthly-plans
- PATCH /professional-profiles/me/monthly-plans/:id
- DELETE /professional-profiles/me/monthly-plans/:id
- GET /professional-profiles/contact-requests/unread-count
- GET /professional-profiles/contact-requests
- PATCH /professional-profiles/contact-requests/:id
- POST /professional-profiles/contact-requests/:id/propose-schedule
- POST /professional-profiles/contact-requests/:id/schedule
- POST /professional-profiles/contact-requests/:id/confirm-schedule
- POST /professional-profiles/contact-requests/:id/convert
- GET /professional-profiles/public
- GET /professional-profiles/client-directory
- POST /professional-profiles/client-directory/:username/appointments
- GET /professional-profiles/client-directory/:username
- POST /professional-profiles/public/:username/view
- POST /professional-profiles/public/:username/contact-requests
- POST /professional-profiles/:username/contact
- GET /professional-profiles/public/:username/availability
- GET /professional-profiles/public/:username

src/professional-settings/professional-settings.controller.ts

- POST /professional-settings/
- GET /professional-settings/
- GET /professional-settings/:professional_id
- PATCH /professional-settings/:professional_id
- DELETE /professional-settings/:professional_id

src/recipe-foods/recipe-foods.controller.ts

- POST /recipe-foods/
- GET /recipe-foods/
- GET /recipe-foods/recipe/:recipe_id
- GET /recipe-foods/:id
- PATCH /recipe-foods/:id
- DELETE /recipe-foods/:id

src/recipes/recipes.controller.ts

- GET /recipes/palette-search
- POST /recipes/ai-generate
- POST /recipes/
- GET /recipes/
- GET /recipes/:id
- PUT /recipes/:id/ingredients/:ingredientId/client-swap
- DELETE /recipes/:id/ingredients/:ingredientId/client-swap
- GET /recipes/:id/image-content
- PATCH /recipes/:id
- POST /recipes/:id/duplicate
- PATCH /recipes/:id/image
- DELETE /recipes/:id/image
- DELETE /recipes/:id

src/refresh-tokens/refresh-tokens.controller.ts

- POST /refresh-tokens/
- GET /refresh-tokens/
- GET /refresh-tokens/:id
- PATCH /refresh-tokens/:id

- DELETE /refresh-tokens/:id

src/serving-units/serving-units.controller.ts

- POST /serving-units/
- GET /serving-units/
- GET /serving-units/:id
- PATCH /serving-units/:id
- DELETE /serving-units/:id

src/shopping-lists/shopping-lists.controller.ts

- POST /shopping-lists/generate
- GET /shopping-lists/current
- GET /shopping-lists/:id
- POST /shopping-lists/:id/items
- PATCH /shopping-lists/:id/items/:itemId
- DELETE /shopping-lists/:id/items/:itemId

src/signup-access-codes/signup-access-codes.controller.ts

- GET /signup-access-codes/
- POST /signup-access-codes/beta

src/storage/storage.controller.ts

- POST /storage/upload
- GET /storage/:key
- DELETE /storage/:key

src/subscriptions/subscriptions.controller.ts

- POST /subscriptions/
- GET /subscriptions/
- GET /subscriptions/:id
- PATCH /subscriptions/:id
- DELETE /subscriptions/:id

src/user-activation-tokens/user-activation-tokens.controller.ts

- GET /user-activation-tokens/:token
- POST /user-activation-tokens/:token/send-email-verification
- POST /user-activation-tokens/:token/verify-email
- POST /user-activation-tokens/:token/activate

src/users/users.controller.ts

- POST /users/professional-client
- POST /users/professional-client/:id/reissue-activation
- GET /users/
- GET /users/me/account-deletion
- POST /users/me/account-deletion
- DELETE /users/me/account-deletion
- GET /users/:id
- PATCH /users/me
- POST /users/me/phone/verify
- PATCH /users/:id
- PATCH /users/me/profile-picture
- DELETE /users/:id
- POST /users/phone/validate

- POST /users/check-username

Modelos de Datos

Nutrition Prisma Models

Total modelos detectados: 101

- client_menu_calendar, shopping_lists, shopping_list_days, shopping_list_items, client_records, client_metabolic_profiles, ai_model_pricing, ai_generation_attempts
- ai_generation_feedback, ai_user_generation_preferences, connected_health_connections, connected_health_records, connected_health_daily_summaries, connected_health_sync_runs, daily_targets, data_sources
- exchange_groups, exchange_subgroups, exchange_systems, exchange_system_citations, food_categories, food_logs, food_micronutrient_values, food_nutrition_values
- foods, food_search_index, meal_plan_exchanges, meal_plan_meals, meal_plans, menu_drafts, menu_items, menu_meals
- menus, micronutrients, professional_settings, recipe_exchanges, recipe_foods, client_recipe_food_swaps, client_menu_item_food_swaps, recipes
- serving_units, affiliate_codes, allergens, appointment_drafts, appointments, availability_slots, client_allergens, client_goals
- client_health_metrics, client_injuries, client_metrics, measurement_calculation_results, measurement_calculation_runs, frisancho_cama_reference_percentiles, goals, influencer_profiles
- intake_submissions, phone_verification_codes, phone_verification_sessions, signup_email_verification_sessions, password_reset_tokens, plans, professional_clients, professional_onboarding_submissions
- professional_profiles, professional_session_packages, professional_monthly_plans, professional_contact_requests, professional_profile_views, refresh_tokens, sms_rate_limits, sms_ip_phone_attempts
- signup_access_codes, subscriptions, subscription_invoices, subscription_events, user_activation_tokens, user_professional_roles, users, notification_preferences
- announcements, announcement_receipts, chat_conversations, chat_conversation_participants, chat_messages, chat_message_attachments, equiv_exchange_systems, equiv_exchange_bucket_profiles
- equiv_food_geo_weights, equiv_food_profile_tags, equiv_generated_plan_recommendations, equiv_generated_plans, equiv_subgroup_classification_rules, equiv_subgroup_selection_policies, country_states, exchange_source_priorities
- kcal_formulas, kcal_selection_policies, leads, tracking_events, device_tokens

Training SQLAlchemy Tables

Total tablas/modelos detectados por __tablename__: 25

- ai_generation_attempts, ai_generation_debug_artifacts, client_interviews, client_metrics, exercises, exercise_coach_metadata, exercise_mechanics, exercise_muscles
- exercise_search_documents, macrocycle_ai_save_validation, macrocycles, mesocycles, microcycles, training_days, day_exercises, muscles
- patient_context_snapshots, professional_clients, users, user_professional_roles, client_workout_analytics_preferences, workout_logs, exercise_set_logs, exercise_cardio_logs
- exercise_movement_logs

Variables de Entorno Documentadas

Solo se listan nombres de variables desde plantillas versionadas. Valores reales omitidos.

FitPilot-frontend

- VITE_NUTRITION_API_URL, VITE_TRAINING_API_URL, VITE_TURNSTILE_SITE_KEY

Fitpilot_mobile

- APP_ENV, EXPO_PUBLIC_NUTRITION_API_URL, EXPO_PUBLIC_TRAINING_API_URL,

EXPO_PUBLIC_TURNSTILE_BRIDGE_URL, EXPO_PUBLIC_TERMS_URL, EXPO_PUBLIC_PRIVACY_URL
- EXPO_PUBLIC_CLIENT_FORGOT_PASSWORD_URL, EXPO_PUBLIC_ACCOUNT_DELETION_URL

Fitpilot_training_backend

- DATABASE_URL, DATABASE_POOL_SIZE, DATABASE_MAX_OVERFLOW, DATABASE_POOL_TIMEOUT_SECONDS,
DATABASE_POOL_RECYCLE_SECONDS, REDIS_URL
- FRONTEND_URL, CORS_ALLOWED_ORIGINS, NUTRITION_API_URL, NUTRITION_JWT_SECRETS, NUTRITION_JWT_ALGORITHM,
SECRET_KEY
- ALGORITHM, ACCESS_TOKEN_EXPIRE_MINUTES, OPENAI_API_KEY, ANTHROPIC_API_KEY, ANTHROPIC_MODEL,
VOYAGE_API_KEY
- EXERCISE_SEARCH_EMBEDDING_MODEL, EXERCISE_SEARCH_EMBEDDING_DIM, AI_USE_PROMPT_CACHING,
AI_USE_COMPRESSED_OUTPUT, AI_FILTER_CATALOG, AI_USE_PHASED_GENERATION
- AI_USE_SEMANTIC_EXERCISE_RETRIEVAL_GENERATE, AI_USE_SEMANTIC_EXERCISE_RETRIEVAL_PREVIEW,
AI_SEMANTIC_EXERCISE_RETRIEVAL_TOP_K_GENERATE, AI_SEMANTIC_EXERCISE_RETRIEVAL_TOP_K_PREVIEW,
AI_SEMANTIC_EXERCISE_RETRIEVAL_FINAL_K_GENERATE, AI_SEMANTIC_EXERCISE_RETRIEVAL_FINAL_K_PREVIEW
- AI_SEMANTIC_EXERCISE_RETRIEVAL_MIN_RESULTS_GENERATE,
AI_SEMANTIC_EXERCISE_RETRIEVAL_MIN_RESULTS_PREVIEW, AI_SEMANTIC_EXERCISE_RETRIEVAL_FALLBACK_MODE,
ENABLE_COACH_ENGINE_COMPOSER_V2, ENABLE_COACH_ENGINE_CAUSAL_REPAIR, OLLAMA_HOST
- OLLAMA_MODEL, R2_ENDPOINT, R2_REGION, R2_BUCKET, R2_ACCESS_KEY_ID, R2_SECRET_ACCESS_KEY
- R2_PUBLIC_BASE_URL, AI_MAX_MICROCYCLE_SPAN_DAYS, AI_DEBUG_CAPTURE_ENABLED,
AI_DEBUG_CAPTURE_INCLUDE_PASSED, AI_DEBUG_CAPTURE_RETENTION_DAYS, AI_DEBUG_CAPTURE_MAX_RAW_CHARS

fitpilot-admin

- VITE_NUTRITION_API_URL, VITE_TURNSTILE_SITE_KEY

fitpilot-frontend-client

Sin plantillas .env.example detectadas.

fitpilot-landingpage

Sin plantillas .env.example detectadas.

fitpilot-nutrition-backend

- DATABASE_URL, DIRECT_URL, DATABASE_POOL_MAX, DATABASE_POOL_IDLE_TIMEOUT_MS,
DATABASE_POOL_CONNECTION_TIMEOUT_MS, NODE_ENV
- PORT, REDIS_URL, REDIS_CONNECT_TIMEOUT_MS, REDIS_FOODS_CACHE_TTL_SECONDS, TRAINING_API_URL, JWT_SECRET
- JWT_REFRESH_SECRET, JWT_ACCESS_EXPIRES_IN, JWT_REFRESH_EXPIRES_IN, AUTH_REFRESH_COOKIE_NAME,
AUTH_REFRESH_COOKIE_SAMESITE, AUTH_REFRESH_COOKIE_SECURE
- AUTH_REFRESH_COOKIE_PATH, AUTH_REFRESH_COOKIE_DOMAIN, CLIENT_COMPLETE_REGISTRATION_URL,
FITPILOT_CLIENT_APP_URL, FITPILOT_PROFESSIONAL_APP_URL, PASSWORD_RESET_TTL_MINUTES
- RESEND_API_KEY, RESEND_FROM_EMAIL, R2_ENDPOINT, R2_ACCESS_KEY_ID, R2_SECRET_ACCESS_KEY, R2_BUCKET_NAME
- R2_PUBLIC_BASE_URL, STRIPE_SECRET_KEY, STRIPE_WEBHOOK_SECRET, STRIPE_WEBHOOK_SECRETS,
STRIPE_CHECKOUT_SUCCESS_URL, STRIPE_CHECKOUT_CANCEL_URL
- STRIPE_PORTAL_RETURN_URL, STRIPE_REQUEST_TIMEOUT_MS, TWILIO_ACCOUNT_SID, TWILIO_AUTH_TOKEN,
TWILIO_VERIFICATION_SERVICE_SID, TWILIO_VERIFY_RISK_CHECK_ENABLED
- TWILIO_VERIFY_RATE_LIMITS_ENABLED, SMS_VERIFY_ALLOWED_COUNTRIES, TURNSTILE_SECRET_KEY, OPENAI_API_KEY,
GEMINI_API_KEY, XAI_API_KEY
- DEEPSEEK_API_KEY, GROQ_API_KEY, FOOD_SEARCH_DEFAULT_MODE, FOOD_SEARCH_EMBEDDINGS_ENABLED,
FOOD_SEARCH_EMBEDDING_MODEL, FOOD_SEARCH_HYBRID_ALPHA
- SMAE_BASE_URL, SMAE_CONCURRENCY, SMAE_EMAIL, SMAE_PASSWORD

Estado Local y Riesgos de Workspace

FitPilot-frontend

- M src/features/professional-profiles/api.ts
- M src/features/professional-profiles/queries.ts
- M src/features/professional-profiles/types.ts
- M src/pages/ProfilePage.tsx

Fitpilot_mobile

- M app/professionals/[username].tsx
- M src/services/professionalDiscovery.ts
- ?? FitPilot-production.aab

Fitpilot_training_backend

- M backend/Dockerfile
- M docker-compose.development.yml

fitpilot-nutrition-backend

- M prisma/schema.prisma
- M src/notifications/notifications.service.ts
- M src/professional-profiles/dto/create-professional-contact-request.dto.ts
- M src/professional-profiles/professional-profiles.controller.ts
- M src/professional-profiles/professional-profiles.service.spec.ts
- M src/professional-profiles/professional-profiles.service.ts
- ?? prisma/migrations/20260602_add_professional_session_packages/
- ?? prisma/migrations/20260604_add_professional_monthly_plans/
- ?? src/professional-profiles/dto/monthly-plan.dto.ts
- ?? src/professional-profiles/dto/session-package.dto.ts

- No se leyeron ni copiaron valores secretos de .env al reporte. Solo se listan nombres de variables desde plantillas .env.example cuando existen.
- Hay archivos .env locales y artefactos de build en algunos repos. Conviene mantenerlos fuera del PDF y revisar .gitignore si alguno aparece como tracked o untracked.
- Nutrition Backend contiene integraciones sensibles: JWT, Stripe, Twilio, R2, Redis y proveedores AI. Training Backend contiene JWT shared secrets, R2 y claves AI.
- Mobile contiene google-services.json y builds AAB; para notas se documenta su existencia funcional, no su contenido.

Observacion: el reporte se genero leyendo el estado actual del workspace. Si estos cambios locales se modifican, la lectura historica/funcional podria cambiar.

Pruebas y Calidad

- FitPilot-frontend contiene tests unitarios/flujo con Vitest y Playwright config, incluyendo mediciones, nutrition profile, command palette, recetas, menus, subscriptions, clinical summary y training templates.
- Fitpilot_mobile tiene scripts de TypeScript, lint y check de mojobake; no se detecto suite extensa de tests en la muestra de archivos.
- Training Backend tiene una suite amplia de pytest para AI generator, coach engine, analytics, client scope, schemas, exercises, CORS, media storage y mas.
- Nutrition Backend tiene Jest/e2e specs para auth/app, users, billing, foods, food logs, health metrics, daily targets, exchange systems/groups, professional profiles y professional-client activation.
- Admin, Client Frontend y Landing tienen scripts build/lint/preview; sus README en admin/client parecen aun basados en template Vite y podrian enriquecerse.

Deploy y Operacion

- La mayoría de repos web/backend incluyen Dockerfile y/o docker-compose.coolify.yml para deploy en Coolify o VPS.
- Landing compila Astro a dist y se sirve con Nginx.

- Frontends Vite suelen compilar con tsc/vite build y servirse con Nginx.
- Nutrition Backend usa Prisma migrations/validate, scripts de schema guard y variantes de compose development/coolify/release.
- Training Backend usa Alembic/scripts Python de schema upgrade y backup, con compose standalone y compose Coolify.
- Ambos backends documentan base de datos remota obligatoria y checks de esquema antes de arrancar en flujos compose.

Sugerencias para NotebookLM

- Sube este PDF como fuente principal para preguntas de arquitectura y mapa funcional.
- Si NotebookLM necesita citar detalles de código, sube también los README de Training Backend y Nutrition Backend, mas package.json de cada app.
- Para preguntas de API, las secciones de endpoints de Training y Nutrition sirven como índice.
- Para preguntas de producto, usa las secciones Funcionalidades por Producto y Arquitectura y Relaciones.
- Para planeación técnica, usa Estado Local, Variables de Entorno, Deploy y Pruebas.

Fuentes Locales Consultadas

- fitpilot.code-workspace
- package.json de apps Node/React/Astro/Nest
- requirements.txt de Training Backend
- README.md disponibles en backends/admin/client/landing
- Git log/status/remote/shortlog de cada repositorio
- src/App.tsx y router.tsx de frontends
- app/ de Expo Router en mobile
- api/main.py y api/routers/*.py de Training Backend
- src/**/*.controller.ts, src/app.module.ts y prisma/schema.prisma de Nutrition Backend
- Plantillas .env.example para nombres de variables, sin valores secretos