

MariaDB [elite_movieco]> drop database elite_movieco;

Query OK, 6 rows affected (0.121 sec)

MariaDB [(none)]> show databases;

```
+-----+
| Database      |
+-----+
| contact_info  |
| information_schema |
| mydb          |
| mysql         |
| performance_schema |
| sys           |
| test          |
+-----+
```

7 rows in set (0.028 sec)

MariaDB [(none)]> create database elite_movieco;

Query OK, 1 row affected (0.005 sec)

MariaDB [(none)]> use elite_movieco;

Database changed

MariaDB [elite_movieco]> --QUESTION 1: CREATE TABLES

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> CREATE TABLE MEMBERSHIP (

```
-> MEM_NUM INT PRIMARY KEY,  
-> MEM_FNAME VARCHAR(30),  
-> MEM_LNAME VARCHAR(30),  
-> MEM_STREET VARCHAR(50),  
-> MEM_CITY VARCHAR(30),  
-> MEM_STATE CHAR(2),  
-> MEM_ZIP CHAR(10),  
-> MEM_BALANCE DECIMAL(8,2)  
-> );
```

Query OK, 0 rows affected (0.050 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> CREATE TABLE RENTAL (

```
-> RENT_NUM INT PRIMARY KEY,  
-> RENT_DATE DATE,  
-> MEM_NUM INT,  
-> CONSTRAINT fk_rental_mem FOREIGN KEY (MEM_NUM) REFERENCES  
MEMBERSHIP(MEM_NUM)  
-> );
```

Query OK, 0 rows affected (0.024 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> CREATE TABLE PRICE(

```
-> PRICE_CODE INT PRIMARY KEY,  
-> PRICE_DESCRIPTION VARCHAR(30),  
-> PRICE_RENTFEE DECIMAL(6,2),
```

-> PRICE_DAILYLATEFEE DECIMAL(6,2)

->);

Query OK, 0 rows affected (0.015 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> CREATE TABLE MOVIE(

-> MOVIE_NUM INT PRIMARY KEY,

-> MOVIE_TITLE VARCHAR(60),

-> MOVIE_YEAR INT,

-> MOVIE_COST DECIMAL(8,2),

-> MOVIE_GENRE VARCHAR(20),

-> PRICE_CODE INT,

-> CONSTRAINT fk_movie_price FOREIGN KEY(PRICE_CODE) REFERENCES
PRICE(PRICE_CODE)

->);

Query OK, 0 rows affected (0.016 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> CREATE TABLE VIDEO(

-> VID_NUM INT PRIMARY KEY,

-> VID_INDATE DATE,

-> MOVIE_NUM INT,

-> CONSTRAINT fk_video_movie FOREIGN KEY(MOVIE_NUM) REFERENCES
MOVIE(MOVIE_NUM)

->);

Query OK, 0 rows affected (0.017 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

```
MariaDB [elite_movieco]> CREATE TABLE DETAILRENTAL(
->
->     RENT_NUM INT,
->     VID_NUM INT,
->     DETAIL_FEE DECIMAL(6,2),
->     DETAIL_DUEDATE DATE,
->     DETAIL_RETURNDATE DATE,
->     DETAIL_DAILYLATEFEE DECIMAL(6,2),
->     PRIMARY KEY(RENT_NUM, VID_NUM),
->     CONSTRAINT fk_dr_rent FOREIGN KEY(RENT_NUM) REFERENCES
RENTAL(RENT_NUM),
->     CONSTRAINT fk_dr_vid FOREIGN KEY(VID_NUM) REFERENCES VIDEO(VID_NUM)
-> );
```

Query OK, 0 rows affected (0.019 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 2: INSERT DATA

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --MEMBERSHIP

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> INSERT INTO MEMBERSHIP VALUES
(102,'Tami','Dawson','2632 Takli Circle','Norene','TN','37136',11);

Query OK, 1 row affected (0.013 sec)

MariaDB [elite_movieco]> INSERT INTO MEMBERSHIP VALUES (103,'Curt','Knight','4025
Cornell Court','Flatgap','KY','41219',6);

Query OK, 1 row affected (0.003 sec)

MariaDB [elite_movieco]> INSERT INTO MEMBERSHIP VALUES
(104,'Jamal','Melendez','788 East 145th Avenue','Quebeck','TN','38579',0);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO MEMBERSHIP VALUES (105,'Iva','Mcclain','6045
Musket Ball Circle','Summit','KY','42783',15);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO MEMBERSHIP VALUES
(106,'Miranda','Parks','4469 Maxwell Place','Germantown','TN','38183',0);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO MEMBERSHIP VALUES
(107,'Rosario','Elliott','7578 Danner Avenue','Columbia','TN','38402',5);

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MEMBERSHIP VALUES (108,'Mattie','Guy','4390  
Evergreen Street','Lily','KY','40740',0);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO MEMBERSHIP VALUES (109,'Clint','Ochoa','1711  
Elm Street','Greeneville','TN','37745',10);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO MEMBERSHIP VALUES  
(110,'Lewis','Rosales','4524 Southwind Circle','Counce','TN','38326',0);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO MEMBERSHIP VALUES (111,'Stacy','Mann','2789  
East Cook Avenue','Murfreesboro','TN','37132',8);
```

```
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO MEMBERSHIP VALUES (112,'Luis','Trujillo','7267  
Melvin Avenue','Heiskell','TN','37754',3);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO MEMBERSHIP VALUES  
(113,'Minnie','Gonzales','6430 Vasili Drive','Williston','TN','38076',0);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>  -- RENTAL
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1001,'2016-03-01',103);
Query OK, 1 row affected (0.005 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1002,'2016-03-01',105);
Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1003,'2016-03-02',102);
Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1004,'2016-03-02',110);
Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1005,'2016-03-02',111);
Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1006,'2016-03-02',107);
Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1007,'2016-03-02',104);
Query OK, 1 row affected (0.003 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1008,'2016-03-03',105);
Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO RENTAL VALUES (1009,'2016-03-03',111);
Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> -- PRICE

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> INSERT INTO PRICE VALUES (1,'Standard',2.00,1.00);

Query OK, 1 row affected (0.003 sec)

MariaDB [elite_movieco]> INSERT INTO PRICE VALUES (2,'New Release',3.50,3.00);

Query OK, 1 row affected (0.003 sec)

MariaDB [elite_movieco]> INSERT INTO PRICE VALUES (3,'Discount',1.50,1.00);

Query OK, 1 row affected (0.001 sec)

MariaDB [elite_movieco]> INSERT INTO PRICE VALUES (4,'Weekly Special',1.00,0.50);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> -- MOVIE

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>


```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1234,'The Cesar Family  
Christmas',2014,39.95,'FAMILY',2);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1235,'Smokey Mountain  
Wildlife',2011,59.95,'ACTION',1);
```

Query OK, 1 row affected (0.001 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1236,'Richard  
Goodhope',2015,59.95,'DRAMA',2);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1237,'Beatnik  
Fever',2014,29.95,'COMEDY',2);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1238,'Constant  
Companion',2015,89.95,'DRAMA',NULL);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1239,'Where Hope  
Dies',2005,25.49,'DRAMA',3);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1245,'Time to  
Burn',2012,45.49,'ACTION',1);
```

Query OK, 1 row affected (0.001 sec)

```
MariaDB [elite_movieco]>          INSERT INTO MOVIE VALUES (1246,'What He Doesn\'t  
Know',2013,58.29,'COMEDY',1);
```

```
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>    -- VIDEO
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (54321,'2015-06-18',1234);
```

```
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (54324,'2015-06-18',1234);
```

```
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (54325,'2015-06-18',1234);
```

```
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (34341,'2014-01-22',1235);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (34342,'2014-01-22',1235);
```

```
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (34366,'2016-03-02',1236);
```

Query OK, 1 row affected (0.001 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (34367,'2016-03-02',1236);

Query OK, 1 row affected (0.001 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (34368,'2016-03-02',1236);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (34369,'2016-03-02',1236);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (44392,'2015-10-21',1237);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (44397,'2015-10-21',1237);

Query OK, 1 row affected (0.003 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (59237,'2016-02-14',1237);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (61388,'2014-01-25',1239);

Query OK, 1 row affected (0.002 sec)

MariaDB [elite_movieco]> INSERT INTO VIDEO VALUES (61353,'2013-01-28',1245);

Query OK, 1 row affected (0.003 sec)

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (61354,'2013-01-28',1245);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (61367,'2015-07-30',1246);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO VIDEO VALUES (61369,'2015-07-30',1246);
```

```
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>  -- DETAILRENTAL
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1001,34342,2.00,'2016-03-04','2016-03-02',NULL);
```

```
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1001,61353,2.00,'2016-03-04','2016-03-03',1.00);
```

```
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1002,59237,3.50,'2016-03-04','2016-03-04',3.00);
```

```
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1003,54325,3.50,'2016-03-04','2016-03-09',3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1003,61369,2.00,'2016-03-06','2016-03-09',1.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1003,61388,0.00,'2016-03-06','2016-03-09',1.00);
```

Query OK, 1 row affected (0.001 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1004,44392,3.50,'2016-03-05','2016-03-07',3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1004,34367,3.50,'2016-03-05','2016-03-07',3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1004,34341,2.00,'2016-03-07','2016-03-07',1.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1005,34342,2.00,'2016-03-07','2016-03-05',1.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1005,44397,3.50,'2016-03-05','2016-03-05',3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1006,34366,3.50,'2016-03-05','2016-03-04',3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1006,61367,2.00,'2016-03-07',NULL,1.00);
```

Query OK, 1 row affected (0.001 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1007,34368,3.50,'2016-03-05',NULL,3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1008,34369,3.50,'2016-03-05','2016-03-05',3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1009,54324,3.50,'2016-03-05',NULL,3.00);
```

Query OK, 1 row affected (0.002 sec)

```
MariaDB [elite_movieco]>          INSERT INTO DETAILRENTAL VALUES (1001,34366,3.50,'2016-03-04','2016-03-02',3.00);
```

Query OK, 1 row affected (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 3: UPDATE MOVIE YEAR FOR MOVIE 1245 TO 2010

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --BEFORE:

MariaDB [elite_movieco]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_YEAR FROM
MOVIE WHERE MOVIE_NUM =1245;

+-----+-----+-----+

| MOVIE_NUM | MOVIE_TITLE | MOVIE_YEAR |

+-----+-----+-----+

| 1245 | Time to Burn | 2012 |

+-----+-----+-----+

1 row in set (0.006 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> UPDATE MOVIE SET MOVIE_YEAR = 2010 WHERE
MOVIE_NUM = 1245;

Query OK, 1 row affected (0.005 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --AFTER:

```
MariaDB [elite_movieco]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_YEAR FROM
MOVIE WHERE MOVIE_NUM = 1245;
```

```
+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE | MOVIE_YEAR |
+-----+-----+-----+
| 1245 | Time to Burn | 2010 |
+-----+-----+-----+
```

1 row in set (0.000 sec)

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]> --QUESTION 4: CHANGE PRICE CODE FOR ALL ACTION MOVIES TO 3
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]> --BEFORE:
```

```
MariaDB [elite_movieco]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_GENRE,
PRICE_CODE FROM MOVIE WHERE MOVIE_GENRE = 'ACTION';
```

```
+-----+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE          | MOVIE_GENRE | PRICE_CODE |
+-----+-----+-----+-----+
| 1235 | Smokey Mountain Wildlife | ACTION      | 1 |
| 1245 | Time to Burn          | ACTION      | 1 |
+-----+-----+-----+-----+
```

2 rows in set (0.002 sec)

```
MariaDB [elite_movieco]> UPDATE MOVIE SET PRICE_CODE = 3 WHERE MOVIE_GENRE
= 'ACTION';
```

Query OK, 2 rows affected (0.001 sec)

Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --AFTER: SELECT MOVIE_NUM, MOVIE_TITLE,
MOVIE_GENRE, PRICE_CODE FROM MOVIE WHERE MOVIE_GENRE = 'ACTION';

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 5: INCREASE ALL PRICE_RENTFEE BY \$0.50

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> -- BEFORE:

MariaDB [elite_movieco]> SELECT * FROM PRICE;

```
+-----+-----+-----+-----+
| PRICE_CODE | PRICE_DESCRIPTION | PRICE_RENTFEE | PRICE_DAILYLATEFEE |
+-----+-----+-----+-----+
| 1 | Standard | 2.00 | 1.00 |
| 2 | New Release | 3.50 | 3.00 |
| 3 | Discount | 1.50 | 1.00 |
| 4 | Weekly Special | 1.00 | 0.50 |
+-----+-----+-----+-----+
```

4 rows in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> UPDATE PRICE SET PRICE_RENTFEE = PRICE_RENTFEE + 0.50;

Query OK, 4 rows affected (0.004 sec)

Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> -- AFTER:

MariaDB [elite_movieco]> SELECT * FROM PRICE;

```
+-----+-----+-----+-----+
| PRICE_CODE | PRICE_DESCRIPTION | PRICE_RENTFEE | PRICE_DAILYLATEFEE |
+-----+-----+-----+-----+
| 1 | Standard | 2.50 | 1.00 |
| 2 | New Release | 4.00 | 3.00 |
| 3 | Discount | 2.00 | 1.00 |
| 4 | Weekly Special | 1.50 | 0.50 |
+-----+-----+-----+-----+
```

4 rows in set (0.000 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 6: MOVIE TITLE, YEAR, GENRE FOR ALL MOVIES

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE
-> FROM MOVIE;

```
+-----+-----+-----+
| MOVIE_TITLE | MOVIE_YEAR | MOVIE_GENRE |
+-----+-----+-----+
| The Cesar Family Christmas | 2014 | FAMILY |
| Smokey Mountain Wildlife | 2011 | ACTION |
| Richard Goodhope | 2015 | DRAMA |
| Beatnik Fever | 2014 | COMEDY |
```

Constant Companion		2015	DRAMA	
Where Hope Dies		2005	DRAMA	
Time to Burn		2010	ACTION	
What He Doesn't Know		2013	COMEDY	

+-----+-----+-----+

8 rows in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 7: MOVIE YEAR, TITLE, COST SORTED BY YEAR DESC

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_YEAR, MOVIE_TITLE, MOVIE_COST

-> FROM MOVIE

-> ORDER BY MOVIE_YEAR DESC;

+-----+-----+-----+

MOVIE_YEAR	MOVIE_TITLE	MOVIE_COST	
------------	-------------	------------	--

+-----+-----+-----+

2015	Richard Goodhope	59.95	
2015	Constant Companion	89.95	
2014	The Cesar Family Christmas	39.95	
2014	Beatnik Fever	29.95	
2013	What He Doesn't Know	58.29	
2011	Smokey Mountain Wildlife	59.95	
2010	Time to Burn	45.49	
2005	Where Hope Dies	25.49	

+-----+-----+-----+

8 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 8: TITLE, YEAR, GENRE SORTED BY GENRE ASC, YEAR
DESC

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE

-> FROM MOVIE

-> ORDER BY MOVIE_GENRE ASC, MOVIE_YEAR DESC;

```
+-----+-----+-----+
| MOVIE_TITLE      | MOVIE_YEAR | MOVIE_GENRE |
+-----+-----+-----+
| Smokey Mountain Wildlife | 2011 | ACTION |
| Time to Burn      | 2010 | ACTION |
| Beatnik Fever     | 2014 | COMEDY |
| What He Doesn't Know | 2013 | COMEDY |
| Richard Goodhope  | 2015 | DRAMA |
| Constant Companion | 2015 | DRAMA |
| Where Hope Dies   | 2005 | DRAMA |
| The Cesar Family Christmas | 2014 | FAMILY |
+-----+-----+-----+
```

8 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 9: Movies with title starting with 'R'

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_NUM, MOVIE_TITLE, PRICE_CODE

-> FROM MOVIE

-> WHERE MOVIE_TITLE LIKE 'R%';

```
+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE | PRICE_CODE |
+-----+-----+-----+
| 1236 | Richard Goodhope | 2 |
+-----+-----+-----+
```

1 row in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 10: Movies containing 'hope' in title, sorted ASC

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_COST

-> FROM MOVIE

-> WHERE MOVIE_TITLE LIKE '%hope%'

-> ORDER BY MOVIE_TITLE ASC;

```
+-----+-----+-----+
| MOVIE_TITLE | MOVIE_YEAR | MOVIE_COST |
+-----+-----+-----+
| Richard Goodhope | 2015 | 59.95 |
| Where Hope Dies | 2005 | 25.49 |
+-----+-----+-----+
```

2 rows in set (0.000 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 11: Action movies

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE

-> FROM MOVIE

-> WHERE MOVIE_GENRE = 'ACTION';

```
+-----+-----+-----+
| MOVIE_TITLE      | MOVIE_YEAR | MOVIE_GENRE |
+-----+-----+-----+
| Smokey Mountain Wildlife | 2011 | ACTION      |
| Time to Burn      | 2010 | ACTION      |
+-----+-----+-----+
```

2 rows in set (0.000 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 12: Movies with cost > \$40

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_COST

-> FROM MOVIE

-> WHERE MOVIE_COST > 40;

```
+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE      | MOVIE_COST |
+-----+-----+-----+
| 1235 | Smokey Mountain Wildlife | 59.95 |
```

	1236	Richard Goodhope		59.95	
	1238	Constant Companion		89.95	
	1245	Time to Burn		45.49	
	1246	What He Doesn't Know		58.29	

+-----+-----+-----+

5 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 13: Action or Comedy movies costing < \$50, sorted by genre ASC

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_COST,
MOVIE_GENRE

-> FROM MOVIE

-> WHERE (MOVIE_GENRE = 'ACTION' OR MOVIE_GENRE = 'COMEDY')

-> AND MOVIE_COST < 50

-> ORDER BY MOVIE_GENRE ASC;

+-----+-----+-----+

	MOVIE_NUM		MOVIE_TITLE		MOVIE_COST		MOVIE_GENRE	
--	-----------	--	-------------	--	------------	--	-------------	--

+-----+-----+-----+

	1245		Time to Burn		45.49		ACTION	
--	------	--	--------------	--	-------	--	--------	--

	1237		Beatnik Fever		29.95		COMEDY	
--	------	--	---------------	--	-------	--	--------	--

+-----+-----+-----+

2 rows in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 14: TN members, balance < 5, street ends in 'Avenue'

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MEM_NUM, MEM_FNAME, MEM_LNAME,
MEM_STREET, MEM_STATE, MEM_BALANCE

-> FROM MEMBERSHIP

-> WHERE MEM_STATE = 'TN'

-> AND MEM_BALANCE < 5

-> AND MEM_STREET LIKE '%Avenue';

```
+-----+-----+-----+-----+-----+-----+
| MEM_NUM | MEM_FNAME | MEM_LNAME | MEM_STREET | MEM_STATE |
MEM_BALANCE |
```

```
+-----+-----+-----+-----+-----+-----+
| 104 | Jamal | Melendez | 788 East 145th Avenue | TN | 0.00 |
| 112 | Luis | Trujillo | 7267 Melvin Avenue | TN | 3.00 |
```

```
+-----+-----+-----+-----+-----+-----+
```

2 rows in set (0.003 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 15: Movie genre and count per genre

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_GENRE, COUNT(*) AS 'Number of Movies'

-> FROM MOVIE

-> GROUP BY MOVIE_GENRE;

```
+-----+
| MOVIE_GENRE | Number of Movies |
```



```

+-----+-----+
| ACTION  |      2 |
| COMEDY  |      2 |
| DRAMA   |      3 |
| FAMILY  |      1 |
+-----+-----+

```

4 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 16: Average cost of all movies

MariaDB [elite_movieco]>

```

MariaDB [elite_movieco]>          SELECT AVG(MOVIE_COST) AS 'Average Movie Cost'
->          FROM MOVIE;

```

```

+-----+
| Average Movie Cost |
+-----+
|      51.127500 |
+-----+

```

1 row in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 17: Average cost per genre

MariaDB [elite_movieco]>

```
MariaDB [elite_movieco]> SELECT MOVIE_GENRE, ROUND(AVG(MOVIE_COST), 2) AS  
'Average Cost'
```

```
-> FROM MOVIE
```

```
-> GROUP BY MOVIE_GENRE;
```

```
+-----+-----+  
| MOVIE_GENRE | Average Cost |
```

```
+-----+-----+  
| ACTION    | 52.72 |  
| COMEDY    | 44.12 |  
| DRAMA     | 58.46 |  
| FAMILY    | 39.95 |
```

```
+-----+-----+  
4 rows in set (0.003 sec)
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]> --QUESTION 18: Movie title, genre, price description, rental fee  
(movies with price code)
```

```
MariaDB [elite_movieco]>
```

```
MariaDB [elite_movieco]> SELECT M.MOVIE_TITLE, M.MOVIE_GENRE,  
P.PRICE_DESCRIPTION, P.PRICE_RENTFEE
```

```
-> FROM MOVIE M
```

```
-> JOIN PRICE P ON M.PRICE_CODE = P.PRICE_CODE;
```

```
+-----+-----+-----+-----+  
| MOVIE_TITLE          | MOVIE_GENRE | PRICE_DESCRIPTION | PRICE_RENTFEE |  
+-----+-----+-----+-----+  
| The Cesar Family Christmas | FAMILY    | New Release      | 4.00 |
```

Smokey Mountain Wildlife	ACTION	Discount	2.00	
Richard Goodhope	DRAMA	New Release	4.00	
Beatnik Fever	COMEDY	New Release	4.00	
Where Hope Dies	DRAMA	Discount	2.00	
Time to Burn	ACTION	Discount	2.00	
What He Doesn't Know	COMEDY	Standard	2.50	

+-----+-----+-----+-----+

7 rows in set (0.003 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 19: Genre and average rental fee per genre (movies with price)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT M.MOVIE_GENRE, AVG(P.PRICE_RENTFEE) AS
'Average Rental Fee'

-> FROM MOVIE M

-> JOIN PRICE P ON M.PRICE_CODE = P.PRICE_CODE

-> GROUP BY M.MOVIE_GENRE;

+-----+-----+

MOVIE_GENRE	Average Rental Fee	
-------------	--------------------	--

+-----+-----+

ACTION	2.000000	
--------	----------	--

COMEDY	3.250000	
--------	----------	--

DRAMA	3.000000	
-------	----------	--

FAMILY	4.000000	
--------	----------	--

+-----+-----+

4 rows in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 20: Breakeven rentals (movie cost / rental fee)

MariaDB [elite_movieco]>

```
MariaDB [elite_movieco]>          SELECT M.MOVIE_TITLE,
->          ROUND(M.MOVIE_COST / P.PRICE_RENTFEE, 2) AS 'Breakeven Rentals'
->    FROM MOVIE M
->   JOIN PRICE P ON M.PRICE_CODE = P.PRICE_CODE;
```

```
+-----+-----+
| MOVIE_TITLE          | Breakeven Rentals |
+-----+-----+
| The Cesar Family Christmas |      9.99 |
| Smokey Mountain Wildlife  |     29.98 |
| Richard Goodhope         |     14.99 |
| Beatnik Fever            |      7.49 |
| Where Hope Dies          |     12.75 |
| Time to Burn             |     22.75 |
| What He Doesn't Know     |     23.32 |
+-----+-----+
```

7 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 21: Movies that have a price code

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_TITLE, MOVIE_YEAR

-> FROM MOVIE

-> WHERE PRICE_CODE IS NOT NULL;

```
+-----+-----+
| MOVIE_TITLE      | MOVIE_YEAR |
+-----+-----+
| What He Doesn't Know | 2013 |
| The Cesar Family Christmas | 2014 |
| Richard Goodhope    | 2015 |
| Beatnik Fever       | 2014 |
| Smokey Mountain Wildlife | 2011 |
| Where Hope Dies      | 2005 |
| Time to Burn         | 2010 |
+-----+-----+
```

7 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 22: Movies with cost between \$44.99 and \$49.99

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MOVIE_TITLE, MOVIE_GENRE, MOVIE_COST

-> FROM MOVIE

-> WHERE MOVIE_COST BETWEEN 44.99 AND 49.99;

```
+-----+-----+-----+
| MOVIE_TITLE | MOVIE_GENRE | MOVIE_COST |
```

```
+-----+-----+-----+
| Time to Burn | ACTION   | 45.49 |
```

```
+-----+-----+-----+
```

1 row in set (0.000 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 23: Family, Comedy, or Drama movies with price description and rental fee

MariaDB [elite_movieco]>

```
MariaDB [elite_movieco]>          SELECT M.MOVIE_TITLE, P.PRICE_DESCRIPTION,
P.PRICE_RENTFEE, M.MOVIE_GENRE
```

```
->      FROM MOVIE M
```

```
->      JOIN PRICE P ON M.PRICE_CODE = P.PRICE_CODE
```

```
->      WHERE M.MOVIE_GENRE IN ('FAMILY', 'COMEDY', 'DRAMA');
```

```
+-----+-----+-----+-----+
```

```
| MOVIE_TITLE          | PRICE_DESCRIPTION | PRICE_RENTFEE | MOVIE_GENRE |
```

```
+-----+-----+-----+-----+
```

```
| The Cesar Family Christmas | New Release      | 4.00 | FAMILY   |
```

```
| Richard Goodhope          | New Release      | 4.00 | DRAMA    |
```

```
| Beatnik Fever             | New Release      | 4.00 | COMEDY   |
```

```
| Where Hope Dies           | Discount         | 2.00 | DRAMA    |
```

```
| What He Doesn't Know      | Standard         | 2.50 | COMEDY   |
```

```
+-----+-----+-----+-----+
```

5 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 24: Members with a rental (num, fname, lname, balance)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT DISTINCT M.MEM_NUM, M.MEM_FNAME, M.MEM_LNAME, M.MEM_BALANCE

-> FROM MEMBERSHIP M

-> JOIN RENTAL R ON M.MEM_NUM = R.MEM_NUM;

```
+-----+-----+-----+-----+
| MEM_NUM | MEM_FNAME | MEM_LNAME | MEM_BALANCE |
+-----+-----+-----+-----+
| 102 | Tami | Dawson | 11.00 |
| 103 | Curt | Knight | 6.00 |
| 104 | Jamal | Melendez | 0.00 |
| 105 | Iva | McClain | 15.00 |
| 107 | Rosario | Elliott | 5.00 |
| 110 | Lewis | Rosales | 0.00 |
| 111 | Stacy | Mann | 8.00 |
+-----+-----+-----+-----+
```

7 rows in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 25: Min, max, avg balance for members with a rental

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> SELECT MIN(M.MEM_BALANCE) AS 'Minimum Balance',

-> MAX(M.MEM_BALANCE) AS 'Maximum Balance',

```
->          ROUND(AVG(M.MEM_BALANCE), 2) AS 'Average Balance'
->    FROM MEMBERSHIP M
->    JOIN RENTAL R ON M.MEM_NUM = R.MEM_NUM;
```

```
+-----+-----+-----+
| Minimum Balance | Maximum Balance | Average Balance |
+-----+-----+-----+
|      0.00 |      15.00 |      7.56 |
+-----+-----+-----+
```

1 row in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 26: Videos returned after due date

MariaDB [elite_movieco]>

```
MariaDB [elite_movieco]>          SELECT DR.RENT_NUM, R.RENT_DATE, DR.VID_NUM,
->          M.MOVIE_TITLE, DR.DETAIL_DUEDATE, DR.DETAIL_RETURNDATE
->    FROM DETAILRENTAL DR
->    JOIN RENTAL R ON DR.RENT_NUM = R.RENT_NUM
->    JOIN VIDEO V ON DR.VID_NUM = V.VID_NUM
->    JOIN MOVIE M ON V.MOVIE_NUM = M.MOVIE_NUM
->    WHERE DR.DETAIL_RETURNDATE > DR.DETAIL_DUEDATE
->    ORDER BY DR.RENT_NUM, M.MOVIE_TITLE;
```

```
+-----+-----+-----+-----+-----+-----+
| RENT_NUM | RENT_DATE | VID_NUM | MOVIE_TITLE | DETAIL_DUEDATE |
| DETAIL_RETURNDATE |
+-----+-----+-----+-----+-----+-----+
```


1003	2016-03-02	54325	The Cesar Family Christmas	2016-03-04	2016-03-09
1003	2016-03-02	61369	What He Doesn't Know	2016-03-06	2016-03-09
1003	2016-03-02	61388	Where Hope Dies	2016-03-06	2016-03-09
1004	2016-03-02	44392	Beatnik Fever	2016-03-05	2016-03-07
1004	2016-03-02	34367	Richard Goodhope	2016-03-05	2016-03-07

```

+-----+-----+-----+-----+-----+

```

5 rows in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 27: Movies returned on or before due date

MariaDB [elite_movieco]>

```

MariaDB [elite_movieco]>          SELECT DR.RENT_NUM, R.RENT_DATE, M.MOVIE_TITLE,
DR.DETAIL_FEE

```

```

->    FROM DETAILRENTAL DR
->    JOIN RENTAL  R ON DR.RENT_NUM = R.RENT_NUM
->    JOIN VIDEO   V ON DR.VID_NUM  = V.VID_NUM
->    JOIN MOVIE   M ON V.MOVIE_NUM = M.MOVIE_NUM
->    WHERE DR.DETAIL_RETURNDATE <= DR.DETAIL_DUEDATE;

```

```

+-----+-----+-----+-----+
| RENT_NUM | RENT_DATE | MOVIE_TITLE          | DETAIL_FEE |
+-----+-----+-----+-----+
| 1001 | 2016-03-01 | Smokey Mountain Wildlife | 2.00 |
| 1001 | 2016-03-01 | Richard Goodhope        | 3.50 |
| 1001 | 2016-03-01 | Time to Burn            | 2.00 |

```

1002	2016-03-01	Beatnik Fever	3.50
1004	2016-03-02	Smokey Mountain Wildlife	2.00
1005	2016-03-02	Smokey Mountain Wildlife	2.00
1005	2016-03-02	Beatnik Fever	3.50
1006	2016-03-02	Richard Goodhope	3.50
1008	2016-03-03	Richard Goodhope	3.50

+-----+-----+-----+-----+

9 rows in set (0.001 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]> --QUESTION 28: Movie cost vs genre average (percentage difference)

MariaDB [elite_movieco]>

```

MariaDB [elite_movieco]>          SELECT M.MOVIE_NUM,
->          M.MOVIE_GENRE,
->          ROUND(AVG_TABLE.AVG_COST, 2)                AS 'Average Cost',
->          M.MOVIE_COST                                AS 'Movie Cost',
->          ROUND((M.MOVIE_COST - AVG_TABLE.AVG_COST) / AVG_TABLE.AVG_COST *
100, 2) AS 'Percent Difference'
->          FROM MOVIE M
->          JOIN (
->          SELECT MOVIE_GENRE, AVG(MOVIE_COST) AS AVG_COST
->          FROM MOVIE
->          GROUP BY MOVIE_GENRE
->          ) AS AVG_TABLE ON M.MOVIE_GENRE = AVG_TABLE.MOVIE_GENRE
->          ORDER BY M.MOVIE_NUM;

```

+-----+-----+-----+-----+-----+				
MOVIE_NUM MOVIE_GENRE Average Cost Movie Cost Percent Difference				
+-----+-----+-----+-----+-----+				
1234	FAMILY	39.95	39.95	0.00
1235	ACTION	52.72	59.95	13.71
1236	DRAMA	58.46	59.95	2.54
1237	COMEDY	44.12	29.95	-32.12
1238	DRAMA	58.46	89.95	53.86
1239	DRAMA	58.46	25.49	-56.40
1245	ACTION	52.72	45.49	-13.71
1246	COMEDY	44.12	58.29	32.12
+-----+-----+-----+-----+-----+				

8 rows in set (0.002 sec)

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>

MariaDB [elite_movieco]>