

Salvador Duenas, Billy Taylor, Gregory England, Abraham Molina

Professor Beckman

ISYS 464

10 May 2026

Semester Project Write-Up

Our group consisted of Billy Taylor, Abraham Molina, Gregory England, and Salvador Duenas. Billy assisted with the ER diagram discussion and design as well as the logical schema. He also contributed to the SQL portion of the project by creating the first prototype BUILD file. Abraham set the overall foundation of the ER diagram, assisted the other members in producing the finalized version, and assisted with the logical schema. He also cleaned and finalized the BUILD file for creating the database, the table's PK AND FK constraints, and developed and finalized the LOAD file. Salvador assisted in the discussion and design of the ER diagram as well as the logical schema. He also collaborated with groupmates on what the SQL portion of the project would look like and contributed to the write up. Gregory assisted with the ER diagram and the schema. He also assisted with the BUILD file and helped Salvador with the write up

Our semester project is based on Starbird, a fast casual restaurant chain in the San Francisco Bay Area with 9 locations that specializes in chicken based meals. The purpose of our database is to help manage important day-to-day business operations such as customer orders, menu items, employees, member rewards, menu items, and payments. The database was designed to simulate how a real restaurant company could organize and store data efficiently across multiple restaurant locations. Our project focuses on creating a structured relational database that allows the company to track transactions, manage relationships

between different business entities, and generate useful business queries for decision making and daily operations.

The Starbird database is composed of seven interconnected tables designed to capture the core operations of a fast-food restaurant chain. The **Customer** table stores customer information which includes name, phone number, and the customers membership details, like Member_ID which includes rewards points and the customers join date. The Customer_ID serves as the primary key. The **Employee** table keeps the records of each staff member's personal information, hire date, position, job title, hourly rate and employment status by using Employee_ID as its primary key.

The **Menu_Item** table maintains every item that is available for customers to order such as category, price, calorie count, promotional status, loyalty points, limited availability and the platform through which the item can be ordered either online or in store. The **Orders** table tracks each transaction by keeping track of the date, time, status, subtotal, tax, total amount and order type like whether the customer wants to dine-in or do takeout. The Orders table is linked to the Customer table because Customer is a foreign key due to the Customer placing an Order.

Being that a single order can include multiple menu items. The **Order_Line** table serves as a transaction and an intersection table that separates each order into line items, storing the quantity, the unit price, subtotal, any applicable discount, and item-level notes and status. The **Prepared_By** table is the table that captures the relationship between employees and which order they prepared, by tracking the employee, the order, the employees position at the time the order was made, and also the amount of time spent on the preparation of the order. With this process we can see how many employees were involved in a single order.

Lastly, the **Payment_By** table records all of the customers payment details for each order. Payment details include payment method, amount, tip change given, transaction ID and


payment status. Payment_By is dually linked to both Orders and Customer tables by foreign keys.

Our group constructed four SQL queries that were designed to extract business insights that are meaningful and relevant from the Starbird database. The way we accomplished this was by applying a range of techniques covered throughout the semester by the professor. The first query uses SELECT with WHERE and ORDER BY to find all menu items that are priced at \$13.00 or more. The query also sorted price by descending the line items. This returns ten items which includes sandwiches, tender boxes, salads and wings.

The second query incorporates LEFT OUTER JOIN with the Menu_Item and the Order_Line tables. It also uses the GROUP BY and the COUNT function. The output not only shows which items are higher priced on the menu but it shows how many times each item was ordered. It shows that the 12pc Crispy Wings was ordered most frequently. The third query shows us which customers have completed the highest number of orders by using JOIN between the Customer and Order tables, combined with GROUP BY, HAVING, and a subquery that finds the maximum order count across all customers. This query resulted in showing five customers with each of them placing three orders a piece.

The fourth and final query decides which menu item generated the most total revenue by joining Menu_Item with Order_Line and by applying SUM which aggregates the quantity sold and the item subtotal. It also groups them by item. The query also sorts the total revenue with the LIMIT 1 which returns only the top result. Which was the 12pc Crispy Wings by generating \$174.79 in total revenue from across seven orders.

ENTITY RELATIONSHIP DIAGRAM



LOGICAL SCHEMA

CUSTOMER

Customer_ID (PK)	First_Name	Last_Name	Member_ID (Unique)	Phone
Rewards	Join_Date			

EMPLOYEE

Employee_ID (PK)	First_Name	Last_Name	Hire_Date
Position	Hourly_Rate	Job_Title	Employ_Status

MENU_ITEM

Menu_Item_ID (PK)	Menu_Item_Name	Category	Menu_Item_Price	Description
Promotion	LimitedProd	Platform_Type	Calories	

ORDERS

Order_ID (PK)	Order_Date	Order_Time	Order_Type	Order_Status
Order_Subtotal	Tax_Amount	Order_Total	Points_Earned	Customer_ID (FK)

ORDER_LINE

Order_Line_ID (PK)	Quantity	Unit_Price	Item_Subtotal	Notes
Line_Number	Item_Discount	Order_Line_Status	Order_ID (FK)	Menu_Item_ID (FK)

PREPARED_BY

Employee_ID (PK)	Order_ID (PK)	Prep_timestamp	Position	Time_Spent
-------------------------	----------------------	----------------	----------	------------

PAYMENT

Payment_ID (PK)	Payment_Method	Payment_Date	Tip_Amount	Payment_Status
Transasction_ID	Change_Given	Customer_ID (FK)	Order_ID (FK)	

BUILD FILE

```
CREATE DATABASE starbird;
```

```
USE starbird;
```

```
SET FOREIGN_KEY_CHECKS = 0;
```

```
DROP TABLE IF EXISTS Payment;  
DROP TABLE IF EXISTS Prepared_by;  
DROP TABLE IF EXISTS Order_Line;  
DROP TABLE IF EXISTS Orders;  
DROP TABLE IF EXISTS Menu_Item;  
DROP TABLE IF EXISTS Employee;  
DROP TABLE IF EXISTS Customer;
```

```
CREATE TABLE Customer  
(Customer_ID      INT          NOT NULL,  
First_Name        VARCHAR(25),  
Last_Name         VARCHAR(25),  
Member_ID         INT,  
Phone             CHAR(10),  
Rewards           INT,  
Join_Date         DATE,  
CONSTRAINT Customer_PK PRIMARY KEY (Customer_ID),  
CONSTRAINT Member_UK UNIQUE (Member_ID));
```

```
CREATE TABLE Employee  
(Employee_ID      INT          NOT NULL,  
First_Name        VARCHAR(25),  
Last_Name         VARCHAR(25),  
Hire_Date         DATE          NOT NULL,  
Position          VARCHAR(25),  
Hourly_Rate       DECIMAL(10,2),  
Job_Title         VARCHAR(25),  
Employ_Status     VARCHAR(25),  
CONSTRAINT Employee_PK PRIMARY KEY (Employee_ID));
```

```
CREATE TABLE Menu_Item  
(Menu_Item_ID     INT          NOT NULL,  
Menu_Item_Name    VARCHAR(25),  
Category          VARCHAR(25),  
Menu_Item_Price   DECIMAL(10,2),  
Description        VARCHAR(255),  
Promotion         VARCHAR(25),  
LimitedProd       VARCHAR(3),  
Platform_Type     VARCHAR(25),  
Calories          INT,  
CONSTRAINT Menu_Item_PK PRIMARY KEY (Menu_Item_ID));
```

```
CREATE TABLE Orders  
(Order_ID         INT          NOT NULL,  
Order_Date        DATE,  
Order_Time        TIME,  
Order_Type        VARCHAR(15),  
Order_Status      VARCHAR(20)  DEFAULT 'Pending',  
Order_Subtotal    DECIMAL(10,2),  
Tax_Amount        DECIMAL(10,2),
```

```

Order_Total          DECIMAL(10,2),
Points_Earned        INT,
Customer_ID          INT,
CONSTRAINT Order_PK PRIMARY KEY (Order_ID),
CONSTRAINT Orders_Customer_FK FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID));

CREATE TABLE Order_Line
(Order_Line_ID        INT            NOT NULL,
Order_ID              INT            NOT NULL,
Menu_Item_ID          INT            NOT NULL,
Quantity              INT,
Unit_Price            DECIMAL(10,2),
Item_Subtotal         DECIMAL(10,2),
Notes                 VARCHAR(255),
Line_Number           INT,
Item_Discount         DECIMAL(10,2)  DEFAULT 0.00,
Order_Line_Status     VARCHAR(20)    DEFAULT 'Pending',
CONSTRAINT Order_Line_PK PRIMARY KEY (Order_Line_ID),
CONSTRAINT OrderLine_Order_FK FOREIGN KEY (Order_ID) REFERENCES Orders(Order_ID),
CONSTRAINT OrderLine_MenuItem_FK FOREIGN KEY (Menu_Item_ID) REFERENCES Menu_Item(Menu_Item_ID));

CREATE TABLE Prepared_by
(Employee_ID          INT            NOT NULL,
Order_ID              INT            NOT NULL,
Prep_Timestamp        TIME,
Position              VARCHAR(25),
Time_Spent            TIME,
CONSTRAINT Prepared_by_PK PRIMARY KEY (Employee_ID, Order_ID),
CONSTRAINT Preparedby_Employee_FK FOREIGN KEY (Employee_ID) REFERENCES Employee(Employee_ID),
CONSTRAINT Preparedby_Order_FK FOREIGN KEY (Order_ID) REFERENCES Orders(Order_ID));

CREATE TABLE Payment
(Payment_ID           INT            NOT NULL,
Customer_ID           INT            NOT NULL,
Order_ID              INT            NOT NULL,
Payment_Method         VARCHAR(20),
Payment_Date           DATETIME,
Tip_Amount             DECIMAL(10,2),
Payment_Status         VARCHAR(12),
Transaction_ID         VARCHAR(50),
Change_Given           DECIMAL(10,2),
CONSTRAINT Payment_PK PRIMARY KEY (Payment_ID),
CONSTRAINT Payment_Order_FK FOREIGN KEY (Order_ID) REFERENCES Orders(Order_ID),
CONSTRAINT Payment_Customer_FK FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID));

-- Enforce 1:1 between Orders and Payment
ALTER TABLE Payment
ADD CONSTRAINT Payment_Order_UK UNIQUE (Order_ID);

-- Orders: if Customer is deleted set Customer_ID to NULL
ALTER TABLE Orders
DROP FOREIGN KEY Orders_Customer_FK,
ADD CONSTRAINT Orders_Customer_Behavior_FK
FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID)
ON DELETE SET NULL
ON UPDATE CASCADE;

-- Order_Line: if Order is deleted cascade delete its line items
ALTER TABLE Order_Line

```

```

DROP FOREIGN KEY OrderLine_Order_FK,
ADD CONSTRAINT OrderLine_Order_Behavior_FK
FOREIGN KEY (Order_ID) REFERENCES Orders(Order_ID)
ON DELETE CASCADE
ON UPDATE CASCADE;

-- Order_Line: restrict deletion of Menu_Item if lines reference it
ALTER TABLE Order_Line
DROP FOREIGN KEY OrderLine_MenuItem_FK,
ADD CONSTRAINT OrderLine_MenuItem_Behavior_FK
FOREIGN KEY (Menu_Item_ID) REFERENCES Menu_Item(Menu_Item_ID)
ON DELETE RESTRICT
ON UPDATE CASCADE;

-- Prepared_by: cascade deletes from Employee
ALTER TABLE Prepared_by
DROP FOREIGN KEY Preparedby_Employee_FK,
ADD CONSTRAINT Preparedby_Employee_Behavior_FK
FOREIGN KEY (Employee_ID) REFERENCES Employee(Employee_ID)
ON DELETE CASCADE
ON UPDATE CASCADE;

-- Prepared_by: cascade deletes from Orders
ALTER TABLE Prepared_by
DROP FOREIGN KEY Preparedby_Order_FK,
ADD CONSTRAINT Preparedby_Order_Behavior_FK
FOREIGN KEY (Order_ID) REFERENCES Orders(Order_ID)
ON DELETE CASCADE
ON UPDATE CASCADE;

-- Payment: restrict deletion of Order that has a payment
ALTER TABLE Payment
DROP FOREIGN KEY Payment_Order_FK,
ADD CONSTRAINT Payment_Order_Behavior_FK
FOREIGN KEY (Order_ID) REFERENCES Orders(Order_ID)
ON DELETE RESTRICT
ON UPDATE CASCADE;

-- Payment: restrict deletion of Customer that has a payment
ALTER TABLE Payment
DROP FOREIGN KEY Payment_Customer_FK,
ADD CONSTRAINT Payment_Customer_Behavior_FK
FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID)
ON DELETE RESTRICT
ON UPDATE CASCADE;

SET FOREIGN_KEY_CHECKS = 1;

```


LOAD FILE

```
-- =====
-- LOAD FILE - STARBIRD RESTAURANT DATABASE
-- =====

-- =====
-- CUSTOMER (20 records: 13 members, 7 non-members)
-- =====
INSERT INTO Customer VALUES (1, 'James', 'Martinez', 1001, '4155551234', 320, '2023-03-15');
INSERT INTO Customer VALUES (2, 'Sofia', 'Nguyen', 1002, '4155552345', 150, '2023-06-20');
INSERT INTO Customer VALUES (3, 'Ethan', 'Johnson', 1003, '4155553456', 780, '2022-11-10');
INSERT INTO Customer VALUES (4, 'Mia', 'Patel', 1004, '4155554567', 95, '2024-01-05');
INSERT INTO Customer VALUES (5, 'Liam', 'Robinson', 1005, '4155555678', 430, '2023-08-18');
INSERT INTO Customer VALUES (6, 'Ava', 'Chen', 1006, '4155556789', 210, '2024-02-14');
INSERT INTO Customer VALUES (7, 'Noah', 'Garcia', 1007, '4155557890', 560, '2022-09-30');
INSERT INTO Customer VALUES (8, 'Emma', 'Williams', 1008, '4155558901', 890, '2022-07-22');
INSERT INTO Customer VALUES (9, 'Oliver', 'Brown', 1009, '4155559012', 340, '2023-12-01');
INSERT INTO Customer VALUES (10, 'Isabella', 'Davis', 1010, '4155550123', 670, '2023-04-17');
INSERT INTO Customer VALUES (11, 'Lucas', 'Wilson', 1011, '4155551235', 120, '2024-03-08');
INSERT INTO Customer VALUES (12, 'Amelia', 'Taylor', 1012, '4155552346', 990, '2022-05-25');
INSERT INTO Customer VALUES (13, 'Mason', 'Anderson', 1013, '4155553457', 450, '2023-10-12');
INSERT INTO Customer VALUES (14, 'Harper', 'Thomas', NULL, '4155554568', NULL, '2024-04-01');
INSERT INTO Customer VALUES (15, 'Elijah', 'Jackson', NULL, '4155555679', NULL, '2024-04-03');
INSERT INTO Customer VALUES (16, 'Evelyn', 'White', NULL, '4155556780', NULL, '2024-04-05');
INSERT INTO Customer VALUES (17, 'Aiden', 'Harris', NULL, '4155557891', NULL, '2024-04-07');
INSERT INTO Customer VALUES (18, 'Abigail', 'Martin', NULL, '4155558902', NULL, '2024-04-10');
INSERT INTO Customer VALUES (19, 'Carter', 'Thompson', NULL, '4155559013', NULL, '2024-04-12');
INSERT INTO Customer VALUES (20, 'Scarlett', 'Moore', NULL, '4155550124', NULL, '2024-04-15');

-- =====
-- EMPLOYEE (17 records: 3 managers, 8 cooks, 6 cashiers)
-- =====
INSERT INTO Employee VALUES (1, 'David', 'Lopez', '2020-01-15', 'Manager', 22.50, 'General Manager', 'Full-time');
INSERT INTO Employee VALUES (2, 'Rachel', 'Kim', '2021-03-20', 'Manager', 20.00, 'Shift Manager', 'Full-time');
INSERT INTO Employee VALUES (3, 'Kevin', 'Torres', '2022-06-10', 'Manager', 20.00, 'Shift Manager', 'Full-time');
INSERT INTO Employee VALUES (4, 'Maria', 'Flores', '2021-08-15', 'Cook', 16.50, 'Line Cook', 'Full-time');
INSERT INTO Employee VALUES (5, 'Jason', 'Lee', '2022-02-28', 'Cook', 16.50, 'Line Cook', 'Full-time');
INSERT INTO Employee VALUES (6, 'Brittany', 'Scott', '2022-11-01', 'Cook', 16.00, 'Line Cook', 'Part-time');
INSERT INTO Employee VALUES (7, 'Marcus', 'Hall', '2023-01-10', 'Cook', 16.00, 'Line Cook', 'Part-time');
INSERT INTO Employee VALUES (8, 'Tiffany', 'Adams', '2023-04-15', 'Cook', 15.50, 'Line Cook', 'Part-time');
INSERT INTO Employee VALUES (9, 'Derek', 'Nelson', '2023-07-20', 'Cook', 15.50, 'Line Cook', 'Part-time');
INSERT INTO Employee VALUES (10, 'Ashley', 'Carter', '2023-09-05', 'Cook', 15.50, 'Line Cook', 'Part-time');
INSERT INTO Employee VALUES (11, 'Brandon', 'Mitchell', '2024-01-15', 'Cook', 15.00, 'Line Cook', 'Part-time');
INSERT INTO Employee VALUES (12, 'Stephanie', 'Perez', '2021-05-20', 'Cashier', 15.50, 'Cashier', 'Full-time');
INSERT INTO Employee VALUES (13, 'Tyler', 'Roberts', '2022-03-10', 'Cashier', 15.00, 'Cashier', 'Full-time');
```

```

INSERT INTO Employee VALUES (14, 'Amanda',      'Turner',      '2022-08-22', 'Cashier', 15.00, 'Cashier',
'Part-time');
INSERT INTO Employee VALUES (15, 'Justin',      'Phillips',    '2023-02-14', 'Cashier', 14.50, 'Cashier',
'Part-time');
INSERT INTO Employee VALUES (16, 'Melissa',     'Campbell',   '2023-06-30', 'Cashier', 14.50, 'Cashier',
'Part-time');
INSERT INTO Employee VALUES (17, 'Ryan',        'Parker',     '2024-02-01', 'Cashier', 14.50, 'Cashier',
'Part-time');

-- =====
-- MENU_ITEM (22 records - real Starbird items)
-- =====
INSERT INTO Menu_Item VALUES (1,  'Starbird Sandwich',  'Sandwiches',  12.47, 'Crispy chicken, Star Sauce,
lettuce, brioche bun',          NULL, 'No', 'In-store', 730);
INSERT INTO Menu_Item VALUES (2,  'Nashville Hot Bird',  'Sandwiches',  12.47, 'Crispy chicken, Nashville
hot spices, dill pickles, ranch', NULL, 'No', 'In-store', 820);
INSERT INTO Menu_Item VALUES (3,  'Big Star Sandwich',    'Sandwiches',  13.47, 'Crispy chicken, crispy
bacon, classic slaw, Star Sauce', NULL, 'No', 'In-store', 880);
INSERT INTO Menu_Item VALUES (4,  'Chimichurri Sandwich', 'Sandwiches',  12.47, 'Crispy chicken,
chimichurri, roasted red peppers, arugula', NULL, 'Yes', 'In-store', 790);
INSERT INTO Menu_Item VALUES (5,  'Classic Tender Box',   'Tender Boxes', 13.97, 'Three crispy tenders, house
fries, choice of sauce',        NULL, 'No', 'In-store', 850);
INSERT INTO Menu_Item VALUES (6,  'Nashville Tender Box', 'Tender Boxes', 13.97, 'Three Nashville hot
tenders, house fries, Greek yogurt ranch', NULL, 'No', 'In-store', 980);
INSERT INTO Menu_Item VALUES (7,  'Sweet Thai Tender Box', 'Tender Boxes', 13.97, 'Three sweet Thai glazed
tenders, house fries, spicy herb aioli', NULL, 'No', 'In-store', 920);
INSERT INTO Menu_Item VALUES (8,  'Chimichurri Tender Box', 'Tender Boxes', 14.97, 'Three chimichurri tenders,
house fries, roasted garlic aioli', NULL, 'Yes', 'In-store', 900);
INSERT INTO Menu_Item VALUES (9,  'Crispy Wings 6pc',      'Wings',        13.97, 'Six crispy wings, choice of
house-made sauce',            NULL, 'No', 'In-store', 640);
INSERT INTO Menu_Item VALUES (10, 'Crispy Wings 12pc',    'Wings',        24.97, 'Twelve crispy wings, choice
of two house-made sauces',    NULL, 'No', 'In-store', 1280);
INSERT INTO Menu_Item VALUES (11, 'Chimichurri Salad',     'Salads',       15.97, 'Crispy chicken,
chimichurri, white beans, roasted red peppers', NULL, 'Yes', 'In-store', 520);
INSERT INTO Menu_Item VALUES (12, 'Chop Salad',            'Salads',       15.97, 'Crispy chicken, avocado
mash, cotija, chipotle lime dressing', NULL, 'No', 'In-store', 580);
INSERT INTO Menu_Item VALUES (13, 'Sweet Thai Salad',      'Salads',       15.97, 'Sweet Thai tenders,
cucumbers, Asian herbs, green papaya sauce', NULL, 'No', 'In-store', 610);
INSERT INTO Menu_Item VALUES (14, 'House Fries',           'Sides',        5.97, 'Crispy seasoned fries
served with choice of house-made sauce', NULL, 'No', 'In-store', 430);
INSERT INTO Menu_Item VALUES (15, 'Truffle Fries',         'Sides',        8.97, 'House fries, truffle oil,
grated parmesan, chopped parsley', NULL, 'No', 'In-store', 520);
INSERT INTO Menu_Item VALUES (16, 'Super Slaw',            'Sides',        5.97, 'Classic coleslaw with
house-made dressing',          NULL, 'No', 'In-store', 190);
INSERT INTO Menu_Item VALUES (17, 'Elote Corn',            'Sides',        5.97, 'House roasted elote corn,
cotija cheese, tajin, cilantro', NULL, 'Yes', 'In-store', 210);
INSERT INTO Menu_Item VALUES (18, 'Lemonade',              'Beverages',    3.97, 'House-made fresh squeezed
lemonade',                      NULL, 'No', 'In-store', 180);
INSERT INTO Menu_Item VALUES (19, 'Iced Tea',              'Beverages',    3.97, 'House-made iced tea,
lightly sweetened',             NULL, 'No', 'In-store', 60);
INSERT INTO Menu_Item VALUES (20, 'Craft Soda',            'Beverages',    3.97, 'Local Alameda craft soda,
choice of flavor',              NULL, 'No', 'In-store', 150);
INSERT INTO Menu_Item VALUES (21, 'Churros',               'Treats',       5.97, 'Sugar dusted churros served
with maple syrup',              NULL, 'No', 'In-store', 170);
INSERT INTO Menu_Item VALUES (22, 'Ice Cream Sandwich',    'Treats',       6.97, 'Starbird house-made ice
cream sandwich',                NULL, 'No', 'In-store', 470);

-- =====
-- ORDERS (38 records)

```

```

-- Tax = Subtotal x 0.0925 (CA rate)
-- Order_Total = Subtotal + Tax
-- Points_Earned = Order_Total x 10 rounded
-- =====
-- Customers 1-7: 1 order each
-- Order 1: Subtotal=22.41, Tax=2.07, Total=24.48, Points=245
INSERT INTO Orders VALUES (1, '2026-04-01', '11:30:00', 'Dine-in', 'Completed', 22.41, 2.07, 24.48, 245,
1);
-- Order 2: Subtotal=18.44, Tax=1.70, Total=20.14, Points=201
INSERT INTO Orders VALUES (2, '2026-04-02', '12:15:00', 'Takeout', 'Completed', 18.44, 1.70, 20.14, 201,
2);
-- Order 3: Subtotal=13.97, Tax=1.29, Total=15.26, Points=153
INSERT INTO Orders VALUES (3, '2026-04-03', '13:00:00', 'Drive-up', 'Completed', 13.97, 1.29, 15.26, 153,
3);
-- Order 4: Subtotal=23.91, Tax=2.21, Total=26.12, Points=261
INSERT INTO Orders VALUES (4, '2026-04-04', '14:30:00', 'Delivery', 'Completed', 23.91, 2.21, 26.12, 261,
4);
-- Order 5: Subtotal=23.41, Tax=2.17, Total=25.58, Points=256
INSERT INTO Orders VALUES (5, '2026-04-05', '11:00:00', 'Dine-in', 'Completed', 23.41, 2.17, 25.58, 256,
5);
-- Order 6: Subtotal=19.94, Tax=1.84, Total=21.78, Points=218
INSERT INTO Orders VALUES (6, '2026-04-06', '12:45:00', 'Takeout', 'Completed', 19.94, 1.84, 21.78, 218,
6);
-- Order 7: Subtotal=12.47, Tax=1.15, Total=13.62, Points=136
INSERT INTO Orders VALUES (7, '2026-04-07', '13:30:00', 'Drive-up', 'Completed', 12.47, 1.15, 13.62, 136,
7);

-- Customers 8-15: 2 orders each
-- Order 8: Subtotal=30.94, Tax=2.86, Total=33.80, Points=338
INSERT INTO Orders VALUES (8, '2026-04-01', '11:45:00', 'Dine-in', 'Completed', 30.94, 2.86, 33.80, 338,
8);
-- Order 9: Subtotal=17.44, Tax=1.61, Total=19.05, Points=191
INSERT INTO Orders VALUES (9, '2026-04-08', '12:30:00', 'Takeout', 'Completed', 17.44, 1.61, 19.05, 191,
8);
-- Order 10: Subtotal=17.94, Tax=1.66, Total=19.60, Points=196
INSERT INTO Orders VALUES (10, '2026-04-02', '13:15:00', 'Drive-up', 'Completed', 17.94, 1.66, 19.60, 196,
9);
-- Order 11: Subtotal=33.94, Tax=3.14, Total=37.08, Points=371
INSERT INTO Orders VALUES (11, '2026-04-09', '14:00:00', 'Delivery', 'Completed', 33.94, 3.14, 37.08, 371,
9);
-- Order 12: Subtotal=18.44, Tax=1.70, Total=20.14, Points=201
INSERT INTO Orders VALUES (12, '2026-04-03', '11:30:00', 'Dine-in', 'Completed', 18.44, 1.70, 20.14, 201,
10);
-- Order 13: Subtotal=19.94, Tax=1.84, Total=21.78, Points=218
INSERT INTO Orders VALUES (13, '2026-04-10', '12:15:00', 'Takeout', 'Completed', 19.94, 1.84, 21.78, 218,
10);
-- Order 14: Subtotal=12.47, Tax=1.15, Total=13.62, Points=136
INSERT INTO Orders VALUES (14, '2026-04-04', '13:00:00', 'Drive-up', 'Completed', 12.47, 1.15, 13.62, 136,
11);
-- Order 15: Subtotal=24.91, Tax=2.30, Total=27.21, Points=272
INSERT INTO Orders VALUES (15, '2026-04-11', '14:30:00', 'Delivery', 'Completed', 24.91, 2.30, 27.21, 272,
11);
-- Order 16: Subtotal=22.44, Tax=2.08, Total=24.52, Points=245
INSERT INTO Orders VALUES (16, '2026-04-05', '11:00:00', 'Dine-in', 'Completed', 22.44, 2.08, 24.52, 245,
12);
-- Order 17: Subtotal=30.94, Tax=2.86, Total=33.80, Points=338
INSERT INTO Orders VALUES (17, '2026-04-12', '12:45:00', 'Takeout', 'Completed', 30.94, 2.86, 33.80, 338,
12);
-- Order 18: Subtotal=17.94, Tax=1.66, Total=19.60, Points=196

```

```

INSERT INTO Orders VALUES (18, '2026-04-06', '13:30:00', 'Drive-up', 'Completed', 17.94, 1.66, 19.60, 196,
13);
-- Order 19: Subtotal=18.44, Tax=1.70, Total=20.14, Points=201
INSERT INTO Orders VALUES (19, '2026-04-13', '11:15:00', 'Delivery', 'Completed', 18.44, 1.70, 20.14, 201,
13);
-- Order 20: Subtotal=19.94, Tax=1.84, Total=21.78, Points=218
INSERT INTO Orders VALUES (20, '2026-04-07', '12:00:00', 'Dine-in', 'Completed', 19.94, 1.84, 21.78, 218,
14);
-- Order 21: Subtotal=23.91, Tax=2.21, Total=26.12, Points=261
INSERT INTO Orders VALUES (21, '2026-04-14', '13:45:00', 'Takeout', 'Completed', 23.91, 2.21, 26.12, 261,
14);
-- Order 22: Subtotal=12.47, Tax=1.15, Total=13.62, Points=136
INSERT INTO Orders VALUES (22, '2026-04-08', '11:30:00', 'Drive-up', 'Completed', 12.47, 1.15, 13.62, 136,
15);
-- Order 23: Subtotal=33.94, Tax=3.14, Total=37.08, Points=371
INSERT INTO Orders VALUES (23, '2026-04-15', '12:15:00', 'Delivery', 'Completed', 33.94, 3.14, 37.08, 371,
15);

-- Customers 16-20: 3 orders each
-- Order 24: Subtotal=18.44, Tax=1.70, Total=20.14, Points=201
INSERT INTO Orders VALUES (24, '2026-04-01', '11:00:00', 'Dine-in', 'Completed', 18.44, 1.70, 20.14, 201,
16);
-- Order 25: Subtotal=13.97, Tax=1.29, Total=15.26, Points=153
INSERT INTO Orders VALUES (25, '2026-04-09', '12:30:00', 'Takeout', 'Completed', 13.97, 1.29, 15.26, 153,
16);
-- Order 26: Subtotal=24.91, Tax=2.30, Total=27.21, Points=272
INSERT INTO Orders VALUES (26, '2026-04-17', '13:00:00', 'Drive-up', 'Completed', 24.91, 2.30, 27.21, 272,
16);
-- Order 27: Subtotal=19.94, Tax=1.84, Total=21.78, Points=218
INSERT INTO Orders VALUES (27, '2026-04-02', '11:45:00', 'Delivery', 'Completed', 19.94, 1.84, 21.78, 218,
17);
-- Order 28: Subtotal=30.94, Tax=2.86, Total=33.80, Points=338
INSERT INTO Orders VALUES (28, '2026-04-10', '12:15:00', 'Dine-in', 'Completed', 30.94, 2.86, 33.80, 338,
17);
-- Order 29: Subtotal=23.41, Tax=2.17, Total=25.58, Points=256
INSERT INTO Orders VALUES (29, '2026-04-18', '13:30:00', 'Takeout', 'Completed', 23.41, 2.17, 25.58, 256,
17);
-- Order 30: Subtotal=12.47, Tax=1.15, Total=13.62, Points=136
INSERT INTO Orders VALUES (30, '2026-04-03', '11:00:00', 'Drive-up', 'Completed', 12.47, 1.15, 13.62, 136,
18);
-- Order 31: Subtotal=18.44, Tax=1.70, Total=20.14, Points=201
INSERT INTO Orders VALUES (31, '2026-04-11', '12:45:00', 'Delivery', 'Completed', 18.44, 1.70, 20.14, 201,
18);
-- Order 32: Subtotal=33.94, Tax=3.14, Total=37.08, Points=371
INSERT INTO Orders VALUES (32, '2026-04-19', '13:15:00', 'Dine-in', 'Completed', 33.94, 3.14, 37.08, 371,
18);
-- Order 33: Subtotal=19.94, Tax=1.84, Total=21.78, Points=218
INSERT INTO Orders VALUES (33, '2026-04-04', '11:30:00', 'Takeout', 'Completed', 19.94, 1.84, 21.78, 218,
19);
-- Order 34: Subtotal=24.91, Tax=2.30, Total=27.21, Points=272
INSERT INTO Orders VALUES (34, '2026-04-12', '12:00:00', 'Drive-up', 'Completed', 24.91, 2.30, 27.21, 272,
19);
-- Order 35: Subtotal=22.41, Tax=2.07, Total=24.48, Points=245
INSERT INTO Orders VALUES (35, '2026-04-20', '13:45:00', 'Delivery', 'Completed', 22.41, 2.07, 24.48, 245,
19);
-- Order 36: Subtotal=13.97, Tax=1.29, Total=15.26, Points=153
INSERT INTO Orders VALUES (36, '2026-04-05', '11:15:00', 'Dine-in', 'Completed', 13.97, 1.29, 15.26, 153,
20);
-- Order 37: Subtotal=30.94, Tax=2.86, Total=33.80, Points=338

```

```

INSERT INTO Orders VALUES (37, '2026-04-13', '12:30:00', 'Takeout', 'Completed', 30.94, 2.86, 33.80, 338,
20);
-- Order 38: Subtotal=23.41, Tax=2.17, Total=25.58, Points=256
INSERT INTO Orders VALUES (38, '2026-04-21', '13:00:00', 'Drive-up', 'Completed', 23.41, 2.17, 25.58, 256,
20);

-- =====
-- ORDER_LINE
-- Item_Subtotal = Quantity x Unit_Price
-- Notes filled in for some rows
-- =====
-- Order 1 (Total=22.41): Starbird Sandwich + House Fries + Lemonade
INSERT INTO Order_Line VALUES (1, 1, 1, 1, 12.47, 12.47, 'Extra Star Sauce', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (2, 1, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (3, 1, 18, 1, 3.97, 3.97, 'Light ice', 3, 0.00, 'Completed');
-- Order 2 (Total=18.44): Nashville Hot Bird + House Fries
INSERT INTO Order_Line VALUES (4, 2, 2, 1, 12.47, 12.47, 'Extra pickles', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (5, 2, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');
-- Order 3 (Total=13.97): Classic Tender Box
INSERT INTO Order_Line VALUES (6, 3, 5, 1, 13.97, 13.97, 'Buffalo sauce', 1, 0.00, 'Completed');
-- Order 4 (Total=23.91): Sweet Thai Tender Box + Lemonade + Churros
INSERT INTO Order_Line VALUES (7, 4, 7, 1, 13.97, 13.97, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (8, 4, 18, 1, 3.97, 3.97, 'No ice', 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (9, 4, 21, 1, 5.97, 5.97, NULL, 3, 0.00, 'Completed');
-- Order 5 (Total=23.41): Big Star Sandwich + House Fries + Iced Tea
INSERT INTO Order_Line VALUES (10, 5, 3, 1, 13.47, 13.47, 'No bacon', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (11, 5, 14, 1, 5.97, 5.97, 'Well done', 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (12, 5, 19, 1, 3.97, 3.97, NULL, 3, 0.00, 'Completed');
-- Order 6 (Total=19.94): Chop Salad + Iced Tea
INSERT INTO Order_Line VALUES (13, 6, 12, 1, 15.97, 15.97, 'Dressing on side', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (14, 6, 19, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
-- Order 7 (Total=12.47): Starbird Sandwich
INSERT INTO Order_Line VALUES (15, 7, 1, 1, 12.47, 12.47, 'No lettuce', 1, 0.00, 'Completed');
-- Order 8 (Total=30.94): Crispy Wings 12pc + House Fries
INSERT INTO Order_Line VALUES (16, 8, 10, 1, 24.97, 24.97, 'Lemon pepper sauce', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (17, 8, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');
-- Order 9 (Total=17.44): Big Star Sandwich + Craft Soda
INSERT INTO Order_Line VALUES (18, 9, 3, 1, 13.47, 13.47, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (19, 9, 20, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
-- Order 10 (Total=17.94): Classic Tender Box + Lemonade
INSERT INTO Order_Line VALUES (20, 10, 5, 1, 13.97, 13.97, 'Garlic parmesan', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (21, 10, 18, 1, 3.97, 3.97, 'Extra lemon', 2, 0.00, 'Completed');
-- Order 11 (Total=33.94): Crispy Wings 12pc + Truffle Fries + Super Slaw
INSERT INTO Order_Line VALUES (22, 11, 10, 1, 24.97, 24.97, 'Classic buffalo', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (23, 11, 15, 1, 8.97, 8.97, NULL, 2, 0.00, 'Completed');
-- Order 12 (Total=18.44): Nashville Hot Bird + House Fries
INSERT INTO Order_Line VALUES (24, 12, 2, 1, 12.47, 12.47, 'Extra hot', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (25, 12, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');
-- Order 13 (Total=19.94): Chop Salad + Craft Soda
INSERT INTO Order_Line VALUES (26, 13, 12, 1, 15.97, 15.97, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (27, 13, 20, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
-- Order 14 (Total=12.47): Starbird Sandwich
INSERT INTO Order_Line VALUES (28, 14, 1, 1, 12.47, 12.47, NULL, 1, 0.00, 'Completed');
-- Order 15 (Total=24.91): Sweet Thai Tender Box + Lemonade + Ice Cream Sandwich
INSERT INTO Order_Line VALUES (29, 15, 7, 1, 13.97, 13.97, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (30, 15, 18, 1, 3.97, 3.97, 'Light ice', 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (31, 15, 22, 1, 6.97, 6.97, NULL, 3, 0.00, 'Completed');
-- Order 16 (Total=22.44): Big Star Sandwich + Truffle Fries
INSERT INTO Order_Line VALUES (32, 16, 3, 1, 13.47, 13.47, 'Extra sauce', 1, 0.00, 'Completed');

```

```

INSERT INTO Order_Line VALUES (33, 16, 15, 1, 8.97, 8.97, NULL, 2, 0.00, 'Completed');
-- Order 17 (Total=30.94): Crispy Wings 12pc + House Fries
INSERT INTO Order_Line VALUES (34, 17, 10, 1, 24.97, 24.97, 'Sweet Thai sauce', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (35, 17, 14, 1, 5.97, 5.97, 'Well done', 2, 0.00, 'Completed');
-- Order 18 (Total=17.94): Classic Tender Box + Lemonade
INSERT INTO Order_Line VALUES (36, 18, 5, 1, 13.97, 13.97, 'Nashville sauce', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (37, 18, 18, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
-- Order 19 (Total=18.44): Nashville Hot Bird + House Fries
INSERT INTO Order_Line VALUES (38, 19, 2, 1, 12.47, 12.47, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (39, 19, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');
-- Order 20 (Total=19.94): Chop Salad + Craft Soda
INSERT INTO Order_Line VALUES (40, 20, 12, 1, 15.97, 15.97, 'Dressing on side', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (41, 20, 20, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
-- Order 21 (Total=23.91): Sweet Thai Tender Box + Lemonade + Churros
INSERT INTO Order_Line VALUES (42, 21, 7, 1, 13.97, 13.97, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (43, 21, 18, 1, 3.97, 3.97, 'No ice', 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (44, 21, 21, 1, 5.97, 5.97, NULL, 3, 0.00, 'Completed');
-- Order 22 (Total=12.47): Starbird Sandwich
INSERT INTO Order_Line VALUES (45, 22, 1, 1, 12.47, 12.47, 'Extra Star Sauce', 1, 0.00, 'Completed');
-- Order 23 (Total=33.94): Crispy Wings 12pc + Truffle Fries
INSERT INTO Order_Line VALUES (46, 23, 10, 1, 24.97, 24.97, 'Cali Gold BBQ', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (47, 23, 15, 1, 8.97, 8.97, NULL, 2, 0.00, 'Completed');
-- Order 24 (Total=18.44): Nashville Hot Bird + House Fries
INSERT INTO Order_Line VALUES (48, 24, 2, 1, 12.47, 12.47, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (49, 24, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');
-- Order 25 (Total=13.97): Classic Tender Box
INSERT INTO Order_Line VALUES (50, 25, 5, 1, 13.97, 13.97, 'Garlic parmesan', 1, 0.00, 'Completed');
-- Order 26 (Total=24.91): Sweet Thai Tender Box + Iced Tea + Ice Cream Sandwich
INSERT INTO Order_Line VALUES (51, 26, 7, 1, 13.97, 13.97, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (52, 26, 19, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (53, 26, 22, 1, 6.97, 6.97, NULL, 3, 0.00, 'Completed');
-- Order 27 (Total=19.94): Chop Salad + Craft Soda
INSERT INTO Order_Line VALUES (54, 27, 12, 1, 15.97, 15.97, 'Extra avocado', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (55, 27, 20, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
-- Order 28 (Total=30.94): Crispy Wings 12pc + House Fries
INSERT INTO Order_Line VALUES (56, 28, 10, 1, 24.97, 24.97, 'Nashville Hot', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (57, 28, 14, 1, 5.97, 5.97, 'Well done', 2, 0.00, 'Completed');
-- Order 29 (Total=23.41): Big Star Sandwich + Iced Tea + Churros
INSERT INTO Order_Line VALUES (58, 29, 3, 1, 13.47, 13.47, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (59, 29, 19, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (60, 29, 21, 1, 5.97, 5.97, NULL, 3, 0.00, 'Completed');
-- Order 30 (Total=12.47): Starbird Sandwich
INSERT INTO Order_Line VALUES (61, 30, 1, 1, 12.47, 12.47, 'No lettuce', 1, 0.00, 'Completed');
-- Order 31 (Total=18.44): Nashville Hot Bird + House Fries
INSERT INTO Order_Line VALUES (62, 31, 2, 1, 12.47, 12.47, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (63, 31, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');
-- Order 32 (Total=33.94): Crispy Wings 12pc + Truffle Fries
INSERT INTO Order_Line VALUES (64, 32, 10, 1, 24.97, 24.97, 'Lemon pepper', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (65, 32, 15, 1, 8.97, 8.97, NULL, 2, 0.00, 'Completed');
-- Order 33 (Total=19.94): Chop Salad + Craft Soda
INSERT INTO Order_Line VALUES (66, 33, 12, 1, 15.97, 15.97, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (67, 33, 20, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
-- Order 34 (Total=24.91): Sweet Thai Tender Box + Iced Tea + Ice Cream Sandwich
INSERT INTO Order_Line VALUES (68, 34, 7, 1, 13.97, 13.97, 'Extra sauce', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (69, 34, 19, 1, 3.97, 3.97, 'Light ice', 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (70, 34, 22, 1, 6.97, 6.97, NULL, 3, 0.00, 'Completed');
-- Order 35 (Total=22.41): Big Star Sandwich + House Fries + Lemonade
INSERT INTO Order_Line VALUES (71, 35, 3, 1, 13.47, 13.47, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (72, 35, 14, 1, 5.97, 5.97, NULL, 2, 0.00, 'Completed');

```

```

INSERT INTO Order_Line VALUES (73, 35, 18, 1, 3.97, 3.97, NULL, 3, 0.00, 'Completed');
-- Order 36 (Total=13.97): Classic Tender Box
INSERT INTO Order_Line VALUES (74, 36, 5, 1, 13.97, 13.97, 'Buffalo sauce', 1, 0.00, 'Completed');
-- Order 37 (Total=30.94): Crispy Wings 12pc + House Fries
INSERT INTO Order_Line VALUES (75, 37, 10, 1, 24.97, 24.97, 'Garlic parmesan', 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (76, 37, 14, 1, 5.97, 5.97, 'Well done', 2, 0.00, 'Completed');
-- Order 38 (Total=23.41): Big Star Sandwich + Iced Tea + Churros
INSERT INTO Order_Line VALUES (77, 38, 3, 1, 13.47, 13.47, NULL, 1, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (78, 38, 19, 1, 3.97, 3.97, NULL, 2, 0.00, 'Completed');
INSERT INTO Order_Line VALUES (79, 38, 21, 1, 5.97, 5.97, NULL, 3, 0.00, 'Completed');

```

```
-- =====
```

```
-- PREPARED_BY (some orders have 2 employees)
```

```
-- Only cooks prepare food
```

```
-- =====
```

```

INSERT INTO Prepared_by VALUES (4, 1, '11:30:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (5, 1, '11:30:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (4, 2, '12:15:00', 'Cook', '00:11:00');
INSERT INTO Prepared_by VALUES (6, 3, '13:00:00', 'Cook', '00:09:00');
INSERT INTO Prepared_by VALUES (5, 4, '14:30:00', 'Cook', '00:13:00');
INSERT INTO Prepared_by VALUES (7, 4, '14:30:00', 'Cook', '00:08:00');
INSERT INTO Prepared_by VALUES (4, 5, '11:00:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (8, 5, '11:00:00', 'Cook', '00:11:00');
INSERT INTO Prepared_by VALUES (6, 6, '12:45:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (7, 7, '13:30:00', 'Cook', '00:09:00');
INSERT INTO Prepared_by VALUES (4, 8, '11:45:00', 'Cook', '00:15:00');
INSERT INTO Prepared_by VALUES (5, 8, '11:45:00', 'Cook', '00:14:00');
INSERT INTO Prepared_by VALUES (6, 9, '12:30:00', 'Cook', '00:11:00');
INSERT INTO Prepared_by VALUES (7, 10, '13:15:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (4, 11, '14:00:00', 'Cook', '00:16:00');
INSERT INTO Prepared_by VALUES (8, 11, '14:00:00', 'Cook', '00:15:00');
INSERT INTO Prepared_by VALUES (5, 12, '11:30:00', 'Cook', '00:11:00');
INSERT INTO Prepared_by VALUES (9, 13, '12:15:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (6, 14, '13:00:00', 'Cook', '00:09:00');
INSERT INTO Prepared_by VALUES (4, 15, '14:30:00', 'Cook', '00:13:00');
INSERT INTO Prepared_by VALUES (7, 15, '14:30:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (5, 16, '11:00:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (8, 17, '12:45:00', 'Cook', '00:15:00');
INSERT INTO Prepared_by VALUES (9, 17, '12:45:00', 'Cook', '00:14:00');
INSERT INTO Prepared_by VALUES (6, 18, '13:30:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (4, 19, '11:15:00', 'Cook', '00:11:00');
INSERT INTO Prepared_by VALUES (7, 20, '12:00:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (5, 21, '13:45:00', 'Cook', '00:13:00');
INSERT INTO Prepared_by VALUES (9, 21, '13:45:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (6, 22, '11:30:00', 'Cook', '00:09:00');
INSERT INTO Prepared_by VALUES (4, 23, '12:15:00', 'Cook', '00:16:00');
INSERT INTO Prepared_by VALUES (8, 23, '12:15:00', 'Cook', '00:15:00');
INSERT INTO Prepared_by VALUES (5, 24, '11:00:00', 'Cook', '00:11:00');
INSERT INTO Prepared_by VALUES (7, 25, '12:30:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (6, 26, '13:00:00', 'Cook', '00:13:00');
INSERT INTO Prepared_by VALUES (9, 26, '13:00:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (4, 27, '11:45:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (5, 28, '12:15:00', 'Cook', '00:15:00');
INSERT INTO Prepared_by VALUES (8, 28, '12:15:00', 'Cook', '00:14:00');
INSERT INTO Prepared_by VALUES (7, 29, '13:30:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (6, 30, '11:00:00', 'Cook', '00:09:00');
INSERT INTO Prepared_by VALUES (4, 31, '12:45:00', 'Cook', '00:11:00');
INSERT INTO Prepared_by VALUES (9, 32, '13:15:00', 'Cook', '00:16:00');
INSERT INTO Prepared_by VALUES (5, 32, '13:15:00', 'Cook', '00:15:00');

```

```

INSERT INTO Prepared_by VALUES (8, 33, '11:30:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (7, 34, '12:00:00', 'Cook', '00:13:00');
INSERT INTO Prepared_by VALUES (4, 35, '13:45:00', 'Cook', '00:12:00');
INSERT INTO Prepared_by VALUES (6, 36, '11:15:00', 'Cook', '00:10:00');
INSERT INTO Prepared_by VALUES (5, 37, '12:30:00', 'Cook', '00:15:00');
INSERT INTO Prepared_by VALUES (9, 37, '12:30:00', 'Cook', '00:14:00');
INSERT INTO Prepared_by VALUES (8, 38, '13:00:00', 'Cook', '00:11:00');

-- =====
-- PAYMENT (38 records - one per order)
-- Tip only on card/mobile payments
-- Change_Given only on cash payments
-- =====
INSERT INTO Payment VALUES (1, 1, 1, 'Credit Card', '2026-04-01 11:45:00', 2.00, 'Completed', 'TXN100001',
0.00);
INSERT INTO Payment VALUES (2, 2, 2, 'Mobile Pay', '2026-04-02 12:30:00', 0.00, 'Completed', 'TXN100002',
0.00);
INSERT INTO Payment VALUES (3, 3, 3, 'Cash', '2026-04-03 13:15:00', 0.00, 'Completed', 'TXN100003',
4.74);
INSERT INTO Payment VALUES (4, 4, 4, 'Debit Card', '2026-04-04 14:45:00', 3.00, 'Completed', 'TXN100004',
0.00);
INSERT INTO Payment VALUES (5, 5, 5, 'Credit Card', '2026-04-05 11:15:00', 2.00, 'Completed', 'TXN100005',
0.00);
INSERT INTO Payment VALUES (6, 6, 6, 'Mobile Pay', '2026-04-06 13:00:00', 0.00, 'Completed', 'TXN100006',
0.00);
INSERT INTO Payment VALUES (7, 7, 7, 'Cash', '2026-04-07 13:45:00', 0.00, 'Completed', 'TXN100007',
6.38);
INSERT INTO Payment VALUES (8, 8, 8, 'Credit Card', '2026-04-01 12:00:00', 5.00, 'Completed', 'TXN100008',
0.00);
INSERT INTO Payment VALUES (9, 8, 9, 'Credit Card', '2026-04-08 12:45:00', 2.00, 'Completed', 'TXN100009',
0.00);
INSERT INTO Payment VALUES (10, 9, 10, 'Debit Card', '2026-04-02 13:30:00', 1.00, 'Completed', 'TXN100010',
0.00);
INSERT INTO Payment VALUES (11, 9, 11, 'Debit Card', '2026-04-09 14:15:00', 4.00, 'Completed', 'TXN100011',
0.00);
INSERT INTO Payment VALUES (12, 10, 12, 'Mobile Pay', '2026-04-03 11:45:00', 0.00, 'Completed', 'TXN100012',
0.00);
INSERT INTO Payment VALUES (13, 10, 13, 'Mobile Pay', '2026-04-10 12:30:00', 0.00, 'Completed', 'TXN100013',
0.00);
INSERT INTO Payment VALUES (14, 11, 14, 'Cash', '2026-04-04 13:15:00', 0.00, 'Completed', 'TXN100014',
6.38);
INSERT INTO Payment VALUES (15, 11, 15, 'Credit Card', '2026-04-11 14:45:00', 3.00, 'Completed', 'TXN100015',
0.00);
INSERT INTO Payment VALUES (16, 12, 16, 'Mobile Pay', '2026-04-05 11:15:00', 0.00, 'Completed', 'TXN100016',
0.00);
INSERT INTO Payment VALUES (17, 12, 17, 'Credit Card', '2026-04-12 13:00:00', 5.00, 'Completed', 'TXN100017',
0.00);
INSERT INTO Payment VALUES (18, 13, 18, 'Debit Card', '2026-04-06 13:45:00', 1.00, 'Completed', 'TXN100018',
0.00);
INSERT INTO Payment VALUES (19, 13, 19, 'Cash', '2026-04-13 11:30:00', 0.00, 'Completed', 'TXN100019',
0.41);
INSERT INTO Payment VALUES (20, 14, 20, 'Credit Card', '2026-04-07 12:15:00', 2.00, 'Completed', 'TXN100020',
0.00);
INSERT INTO Payment VALUES (21, 14, 21, 'Debit Card', '2026-04-14 14:00:00', 3.00, 'Completed', 'TXN100021',
0.00);
INSERT INTO Payment VALUES (22, 15, 22, 'Mobile Pay', '2026-04-08 11:45:00', 0.00, 'Completed', 'TXN100022',
0.00);
INSERT INTO Payment VALUES (23, 15, 23, 'Cash', '2026-04-15 12:30:00', 0.00, 'Completed', 'TXN100023',
2.92);

```



```

INSERT INTO Payment VALUES (24, 16, 24, 'Credit Card', '2026-04-01 11:15:00', 2.00, 'Completed', 'TXN100024',
0.00);
INSERT INTO Payment VALUES (25, 16, 25, 'Mobile Pay', '2026-04-09 12:45:00', 0.00, 'Completed', 'TXN100025',
0.00);
INSERT INTO Payment VALUES (26, 16, 26, 'Debit Card', '2026-04-17 13:15:00', 3.00, 'Completed', 'TXN100026',
0.00);
INSERT INTO Payment VALUES (27, 17, 27, 'Cash', '2026-04-02 12:00:00', 0.00, 'Completed', 'TXN100027',
3.22);
INSERT INTO Payment VALUES (28, 17, 28, 'Credit Card', '2026-04-10 12:30:00', 4.00, 'Completed', 'TXN100028',
0.00);
INSERT INTO Payment VALUES (29, 17, 29, 'Mobile Pay', '2026-04-18 13:45:00', 0.00, 'Completed', 'TXN100029',
0.00);
INSERT INTO Payment VALUES (30, 18, 30, 'Debit Card', '2026-04-03 11:15:00', 1.00, 'Completed', 'TXN100030',
0.00);
INSERT INTO Payment VALUES (31, 18, 31, 'Cash', '2026-04-11 13:00:00', 0.00, 'Completed', 'TXN100031',
4.86);
INSERT INTO Payment VALUES (32, 18, 32, 'Credit Card', '2026-04-19 13:30:00', 5.00, 'Completed', 'TXN100032',
0.00);
INSERT INTO Payment VALUES (33, 19, 33, 'Mobile Pay', '2026-04-04 11:45:00', 0.00, 'Completed', 'TXN100033',
0.00);
INSERT INTO Payment VALUES (34, 19, 34, 'Debit Card', '2026-04-12 12:15:00', 3.00, 'Completed', 'TXN100034',
0.00);
INSERT INTO Payment VALUES (35, 19, 35, 'Cash', '2026-04-20 14:00:00', 0.00, 'Completed', 'TXN100035',
5.52);
INSERT INTO Payment VALUES (36, 20, 36, 'Credit Card', '2026-04-05 11:30:00', 1.00, 'Completed', 'TXN100036',
0.00);
INSERT INTO Payment VALUES (37, 20, 37, 'Mobile Pay', '2026-04-13 12:45:00', 0.00, 'Completed', 'TXN100037',
0.00);
INSERT INTO Payment VALUES (38, 20, 38, 'Debit Card', '2026-04-21 13:15:00', 2.00, 'Completed', 'TXN100038',
0.00);

```

QUERY FILE

-- QUERY 1

-- Looking at all items on the menu priced at \$13.00 or more.

```
SELECT Menu_Item_ID, Menu_Item_Name, Category, Menu_Item_Price
FROM Menu_Item
WHERE Menu_Item_Price >= 13.00
ORDER BY Menu_Item_Price DESC;
```

-- QUERY 2

-- Looking at items priced at \$13.00 or more and how many times they were ordered.

```
SELECT
    mi.Menu_Item_ID,
    mi.Menu_Item_Name,
    mi.Category,
    mi.Menu_Item_Price,
    COUNT(ol.Order_Line_ID) AS Times_Ordered
FROM Menu_Item mi
LEFT OUTER JOIN Order_Line ol
    ON mi.Menu_Item_ID = ol.Menu_Item_ID
WHERE mi.Menu_Item_Price >= 13.00
GROUP BY
    mi.Menu_Item_ID,
    mi.Menu_Item_Name,
    mi.Category,
    mi.Menu_Item_Price
ORDER BY Times_Ordered DESC, mi.Menu_Item_Price DESC;
```

-- Query 3

-- Customer(s) with the most frequent orders and how many times they have ordered

```
SELECT
    c.Customer_ID,
    CONCAT(c.First_Name, ' ', c.Last_Name) AS Customer_Name,
    COUNT(o.Order_ID) AS Total_Orders
FROM Customer c
JOIN Orders o
    ON c.Customer_ID = o.Customer_ID
GROUP BY
    c.Customer_ID,
    c.First_Name,
    c.Last_Name
HAVING COUNT(o.Order_ID) = (
    SELECT MAX(Order_Count)
    FROM (
        SELECT Customer_ID, COUNT(*) AS Order_Count
        FROM Orders
        GROUP BY Customer_ID
    ) AS Customer_Order_Counts
)
ORDER BY Customer_Name;
```

-- Query 4

-- The item that earns the most money in revenue

```
SELECT
    mi.Menu_Item_ID,
    mi.Menu_Item_Name,
    mi.Category,
    mi.Menu_Item_Price,
    SUM(ol.Quantity) AS Total_Quantity_Sold,
```

```
        SUM(ol.Item_Subtotal) AS Total_Revenue
FROM Menu_Item mi
JOIN Order_Line ol
    ON mi.Menu_Item_ID = ol.Menu_Item_ID
GROUP BY
    mi.Menu_Item_ID,
    mi.Menu_Item_Name,
    mi.Category,
    mi.Menu_Item_Price
ORDER BY Total_Revenue DESC
LIMIT 1;
```

LOG FILE

BUILD

Action Output				
		Time	Action	Response
✓	1	14:53:50	CREATE DATABASE starbird	1 row(s) affected
✓	2	14:54:08	USE starbird	0 row(s) affected

Action Output				
		Time	Action	Response
✓	21	18:54:35	SET FOREIGN_KEY_CHECKS = 0	0 row(s) affected
✓	22	18:54:38	DROP TABLE IF EXISTS Payment	0 row(s) affected
✓	23	18:54:40	DROP TABLE IF EXISTS Prepared_by	0 row(s) affected
✓	24	18:54:42	DROP TABLE IF EXISTS Order_Line	0 row(s) affected
✓	25	18:54:43	DROP TABLE IF EXISTS Orders	0 row(s) affected
✓	26	18:54:44	DROP TABLE IF EXISTS Menu_Item	0 row(s) affected
✓	27	18:54:45	DROP TABLE IF EXISTS Employee	0 row(s) affected
✓	28	18:54:47	DROP TABLE IF EXISTS Customer	0 row(s) affected
✓	29	18:55:03	CREATE TABLE Customer (Custome...	0 row(s) affected
✓	30	18:55:15	CREATE TABLE Employee (Employee...	0 row(s) affected
✓	31	18:55:18	CREATE TABLE Menu_Item (Menu_I...	0 row(s) affected
✓	32	18:55:23	CREATE TABLE Orders (Order_ID...	0 row(s) affected
✓	33	18:55:27	CREATE TABLE Order_Line (Order_...	0 row(s) affected
✓	34	18:55:34	CREATE TABLE Prepared_by (Emplo...	0 row(s) affected
✓	35	18:55:37	CREATE TABLE Payment (Payment_...	0 row(s) affected
✓	36	18:55:44	ALTER TABLE Payment ADD CONST...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	37	18:55:47	ALTER TABLE Orders DROP FOREIG...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	38	18:55:49	ALTER TABLE Order_Line DROP FO...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	39	18:55:51	ALTER TABLE Order_Line DROP FO...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	40	18:55:53	ALTER TABLE Prepared_by DROP F...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	41	18:55:56	ALTER TABLE Prepared_by DROP F...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	42	18:55:59	ALTER TABLE Payment DROP FOREL...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	43	18:56:01	ALTER TABLE Payment DROP FOREL...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓	44	18:56:03	SET FOREIGN_KEY_CHECKS = 1	0 row(s) affected

LOAD

Action Output				
		Time	Action	Response
✓	46	20:03:24	use starbird	0 row(s) affected
✓	47	20:03:24	INSERT INTO Customer VALUES (1,...	1 row(s) affected
✓	48	20:03:24	INSERT INTO Customer VALUES (2,...	1 row(s) affected
✓	49	20:03:24	INSERT INTO Customer VALUES (3,...	1 row(s) affected
✓	50	20:03:24	INSERT INTO Customer VALUES (4,...	1 row(s) affected

Action Output				
		Time	Action	Response
✓	67	20:03:24	INSERT INTO Employee VALUES (1,...	1 row(s) affected
✓	68	20:03:24	INSERT INTO Employee VALUES (2,...	1 row(s) affected
✓	69	20:03:24	INSERT INTO Employee VALUES (3,...	1 row(s) affected
✓	70	20:03:24	INSERT INTO Employee VALUES (4,...	1 row(s) affected
✓	71	20:03:24	INSERT INTO Employee VALUES (5,...	1 row(s) affected
✓	72	20:03:24	INSERT INTO Employee VALUES (6,...	1 row(s) affected
✓	73	20:03:24	INSERT INTO Employee VALUES (7,...	1 row(s) affected

Action Output				
		Time	Action	Response
✓	84	20:03:24	INSERT INTO Menu_Item VALUES (1...	1 row(s) affected
✓	85	20:03:24	INSERT INTO Menu_Item VALUES (...	1 row(s) affected
✓	86	20:03:24	INSERT INTO Menu_Item VALUES (...	1 row(s) affected
✓	87	20:03:24	INSERT INTO Menu_Item VALUES (...	1 row(s) affected
✓	88	20:03:24	INSERT INTO Menu_Item VALUES (...	1 row(s) affected
✓	89	20:03:24	INSERT INTO Menu_Item VALUES (...	1 row(s) affected
✓	90	20:03:24	INSERT INTO Menu_Item VALUES (7...	1 row(s) affected
✓	91	20:03:24	INSERT INTO Menu_Item VALUES (...	1 row(s) affected

Action Output				
		Time	Action	Response
✓	106	20:03:24	INSERT INTO Orders VALUES (1, '2...	1 row(s) affected
✓	107	20:03:24	INSERT INTO Orders VALUES (2, '2...	1 row(s) affected
✓	108	20:03:24	INSERT INTO Orders VALUES (3, '2...	1 row(s) affected
✓	109	20:03:24	INSERT INTO Orders VALUES (4, '2...	1 row(s) affected
✓	110	20:03:24	INSERT INTO Orders VALUES (5, '2...	1 row(s) affected
✓	111	20:03:24	INSERT INTO Orders VALUES (6, '2...	1 row(s) affected
✓	112	20:03:24	INSERT INTO Orders VALUES (7, '2...	1 row(s) affected

Action Output				
		Time	Action	Response
✓	145	20:03:24	INSERT INTO Order_Line VALUES (...	1 row(s) affected
✓	146	20:03:24	INSERT INTO Order_Line VALUES (...	1 row(s) affected
✓	147	20:03:24	INSERT INTO Order_Line VALUES (...	1 row(s) affected
✓	148	20:03:24	INSERT INTO Order_Line VALUES (...	1 row(s) affected
✓	149	20:03:24	INSERT INTO Order_Line VALUES (...	1 row(s) affected
✓	150	20:03:24	INSERT INTO Order_Line VALUES (7...	1 row(s) affected
✓	151	20:03:24	INSERT INTO Order_Line VALUES (...	1 row(s) affected
✓	152	20:03:24	INSERT INTO Order_Line VALUES (...	1 row(s) affected

Action Output				
		Time	Action	Response
✓	223	20:03:24	INSERT INTO Prepared_by VALUES...	1 row(s) affected
✓	224	20:03:24	INSERT INTO Prepared_by VALUES...	1 row(s) affected
✓	225	20:03:24	INSERT INTO Prepared_by VALUES...	1 row(s) affected
✓	226	20:03:24	INSERT INTO Prepared_by VALUES...	1 row(s) affected
✓	227	20:03:24	INSERT INTO Prepared_by VALUES...	1 row(s) affected
✓	228	20:03:24	INSERT INTO Prepared_by VALUES...	1 row(s) affected
✓	229	20:03:24	INSERT INTO Prepared_by VALUES...	1 row(s) affected

Action Output				
		Time	Action	Response
✓	274	20:03:24	INSERT INTO Payment VALUES (1,...	1 row(s) affected
✓	275	20:03:24	INSERT INTO Payment VALUES (2,...	1 row(s) affected
✓	276	20:03:24	INSERT INTO Payment VALUES (3,...	1 row(s) affected
✓	277	20:03:24	INSERT INTO Payment VALUES (4,...	1 row(s) affected
✓	278	20:03:24	INSERT INTO Payment VALUES (5,...	1 row(s) affected
✓	279	20:03:24	INSERT INTO Payment VALUES (6,...	1 row(s) affected
✓	280	20:03:24	INSERT INTO Payment VALUES (7,...	1 row(s) affected

QUERY

QUERY 1 RESULT

Menu_Item_ID	Menu_Item_Name	Category	Menu_Item_Price
10	Crispy Wings 12pc	Wings	24.97
11	Chimichurri Salad	Salads	15.97
12	Chop Salad	Salads	15.97
13	Sweet Thai Salad	Salads	15.97
8	Chimichurri Tender Box	Tender Boxes	14.97
5	Classic Tender Box	Tender Boxes	13.97
6	Nashville Tender Box	Tender Boxes	13.97
7	Sweet Thai Tender Box	Tender Boxes	13.97
9	Crispy Wings 6pc	Wings	13.97
3	Big Star Sandwich	Sandwiches	13.47

QUERY 2 RESULT

	Menu_Item_ID	Menu_Item_Name	Category	Menu_Item_Price	Times_Ordered
	10	Crispy Wings 12pc	Wings	24.97	7
	3	Big Star Sandwich	Sandwiches	13.47	6
	12	Chop Salad	Salads	15.97	5
	5	Classic Tender Box	Tender Boxes	13.97	5
	7	Sweet Thai Tender Box	Tender Boxes	13.97	5
	11	Chimichurri Salad	Salads	15.97	0
	13	Sweet Thai Salad	Salads	15.97	0
	8	Chimichurri Tender Box	Tender Boxes	14.97	0
	6	Nashville Tender Box	Tender Boxes	13.97	0
	9	Crispy Wings 6pc	Wings	13.97	0

QUERY 3 RESULT

	Customer_ID	Customer_Name	Total_Orders	
	18	Abigail Martin	3	
	17	Aiden Harris	3	
	19	Carter Thompson	3	
	16	Evelyn White	3	
	20	Scarlett Moore	3	

QUERY 4 RESULT

Menu_Item_ID	Menu_Item_Name	Category	Menu_Item_Price	Total_Quantity_S...	Total_Revenue
10	Crispy Wings 12pc	Wings	24.97	7	174.79