


Navigation and Ancillary Information Facility

Motivation for Developing SPICE

January 2017




Why Did NAIF Build SPICE?

Navigation and Ancillary Information Facility

Scientists said they would like to:


- use common tools and methods throughout a project's lifecycle, and for all projects (national and international)
- understand the calculations and transformations used to produce observation geometry data
- be able to produce custom geometry calculations themselves, whenever and however they want
- have the ability to revise the fundamental data and software tools used to produce their own observation geometry data




What Existed Prior to SPICE?

Navigation and Ancillary Information Facility

"SEDR" - Supplemental Experiment Data Record




^{*} EDR = Experiment Data Record = "raw" science instrument data



SEDR System Characteristics


Navigation and Ancillary Information Facility


- The SEDR Generation program was built and operated at JPL
 - Scientist's requirements on SEDR had to be provided long before launch
 - » Late or post-launch updates were hard/expensive to accommodate
 - Difficult to change WHAT gets computed
 - Difficult to change HOW items are computed (algorithms, parameters)
 - Difficult to change the TIMEs at which items get computed
 - Generally only one SEDR file would be produced for each period of time
 - » Result: the scientist can't get better ancillary data if/when better inputs (e.g. spacecraft trajectory or orientation) are determined
 - SEDR generation was done "in the blind"
 - » Operators were not familiar with processes used to make the inputs
 - » Operators were not familiar with scientist's processing schemes
 - » Result: SEDR may not fully meet science team's expectations
 - The SEDR system was not exportable to other institutions



The SPICE Idea

Navigation and Ancillary Information Facility





SPICE Benefits vs. SEDR

Navigation and Ancillary Information Facility

The customer has great flexibility in deciding:


- what observation geometry parameters are computed
- at what times or at what frequency these parameters are computed
- for what time span these parameters are computed
- electing if/when to re-do parameter computations using new (better) or otherwise different data as inputs

The customer also has:

- common tools and methods that can be reused on many tasks
- full visibility into algorithms and data used in geometry calculations

The flight project operations center can:

- concentrate on producing better ancillary data, rather than on producing lots of SEDRs and frequently updating the SEDR software
- The SPICE process may be replicated anywhere



SPICE Detriments vs. SEDR

Navigation and Ancillary Information Facility

- Customers must do some non-trivial programming to read SPICE data and compute whatever is needed
- If the mission operations center is other than JPL, the appropriate project people need to learn how to produce SPICE data
- In some areas of SPICE the offering of choices to allow correct handling of different situations may present complexity that is unwarranted for "simple" problems