

Simeon Yordanov Grancharov

Senior Software Engineer

Go & Redis: More than a love story




A little bit about me



- I'm a backend engineer currently working at EF
- I have been working with Golang for the past 3 years
- I have been coding for around 10 years using C#, Python and Java.
- Non professional runner, football lover and gym rat.
- I also enjoy reading fantasy, mainly Brandon Sanderson and George RR Martin
- When I'm not coding, I blog about coding


► Some things just fit together....



redis



► What “spiked” my curiosity?






- What is Redis?
 - Open source
 - NonSql
 - Key - Value storage
- Why use Redis?
 - It's faaaaaaast
 - Data is organized in simple DS
 - Simple set of features
- What's the catch?
 - no secondary storage = less capacity
 - It makes you think a little more

Go-Redis

<https://github.com/redis/go-redis>

<https://redis.uptrace.dev/>

- Officially promoted by Redis itself
- +18k stars on Github



- Automatic connection pooling
- Redis cluster and sentinel clients
- Type safe
- Allows custom commands

► How to create a GoRedis client?

```
import (  
    "context"  
    "time"  
    goRedis "github.com/redis/go-redis/v9"  
)  
  
type RedisRepository struct {  
    client goRedis.Client  
}  
  
func NewRedisRepository(address string) RedisRepository {  
    return RedisRepository{  
        client: *goRedis.NewClient(&goRedis.Options{  
            Addr: address,  
        }),  
    }  
}
```

▶ How to call a Redis command

- GoRedis contains specific functions (type safe API).
- Context is required.
- We need to read the result

```
func (repo *RedisRepository) HashGetAll(key string)
(map[string]string, error) {
    ctx := context.Background()
    val, err := repo.client.HGetAll(ctx, key).Result()
    return val, err
}
```


RediGo

<https://github.com/gomodule/redigo>

- It came first
- Print like API
- Allows custom commands
- Manual connection pooling
- Redis sentinel and cluster

► How to create a Redigo client?

```
import redigo "github.com/gomodule/redigo/redis"

type RedisRepository struct {
    conn redigo.Conn
}

func NewRedisRepository(address string) RedisRepository {
    connection, err := redigo.Dial("tcp", address)
    if err != nil { panic(err) }
    return RedisRepository{
        conn: connection,
    }
}
```

► How to call a Redis command

- Redigo uses one specific function (print like API).
- No context is required.
- We need to read the result

```
func (repo *RedisRepository) HashGetAll(key string)
(map[string]string, error) {
    val, err := redigo.StringMap(repo.conn.Do("HGETALL",
key))
    return val, err
}
```

Package Comparing

- We will use the Go Benchmarks from the common library
- Functions that will be compared
 - SET, GET and combined
 - HGETALL, HSET and combined
 - LRANGE, LPUSH and combined
- Both operation execution time and memory storage will be evaluated


► How do the benchmarks look like?

```
import "testing"

var redisRepo = NewRedisRepository("0.0.0.0:20003")


func BenchmarkGoRedisGet(b *testing.B) {
    for i := 0; i < b.N; i++ {
        _, err := redisRepo.Get(testKey)
        if err != nil {
            panic(err)
        }
    }
}
```

- ▶ Enough talking, let's run the benchmarks and see the results....




► In conclusion

- Prod may differ
- Not all functionalities were tested
- RediGo offers a slightly better performance
- I would use Go redis



Thank you all!



Feel free to reach out!

