

Philly Fests — Client User Guide

 Save Philly Festivals logo

Audience: Simran Kaur (`skaur@pratt.edu`), Mengqi Cao (`mcao13@pratt.edu`), Uraiba Zafar (`uzafar@pratt.edu`), Iris Sun (`wsun16@pratt.edu`) **Scope:** Features F-01 through F-09 in `docs/Features.md`, plus the audited festival CSV importer **Authoritative time zone:** `America/New_York`
Status: Application features implemented and accepted. Several external provider integrations are configured but intentionally switched off and will stay off until the owners named below complete the activation steps in section 7.

Companion handover guides: `docs/Technical-Developer-Guide.md` (developer and operator implementation guide) and `docs/N8N-Owner-Guide.md` (non-technical ownership and approval guide for N8N operations).

This guide describes what the software actually does today. It does not describe a live production website. Nothing in this document should be read as a statement that the site, its email sending, its social feeds, or its data import are running in production.

1. What the site does today

Philly Fests is a Philadelphia festival discovery site with three connected parts:

1. **A public site** where anyone can search festivals, read festival pages, build a personal schedule in their own browser, email that schedule to themselves, and download it as a calendar file.
2. **A private producer area** where a signed-in festival organizer creates a draft festival listing and submits it for review.
3. **A private editorial/admin area** where Philly Fests staff review submissions, move them through a controlled approval workflow, publish or unpublish them, moderate social posts, and manage user accounts.

Everything a visitor can see in public is limited to festivals an editor has explicitly **published**. Drafts, pending submissions, approved-but-not-yet-published festivals, rejected festivals, and imported records are never publicly visible.

Audiences

Audience	Who they are	Where they work	Account needed?
Visitor	Anyone browsing festivals	<code>/</code> , <code>/calendar</code> , <code>/festivals/<slug></code> , <code>/about</code> , <code>/tours</code> , <code>/privacy</code> , <code>/terms</code>	No
Producer	A festival organizer submitting a listing	<code>/producer</code> (info), <code>/producer/dashboard</code> , <code>/producer/submit</code> , <code>/producer/festivals</code>	Yes — verified account with the <code>producer</code> role
Editor / Admin	Philly Fests staff	<code>/admin</code> , <code>/admin/festivals</code> , <code>/admin/festivals/<id></code> , <code>/admin/settings</code>	Yes — <code>admin</code> or <code>super_admin</code> role
Super admin	Staff who manage privileged accounts	<code>/admin/settings</code>	Yes — <code>super_admin</code> role
Integration operator	The technical owner who eventually turns on external providers	Deployment secrets, N8N, runbooks in <code>docs/</code>	Yes, plus separate activation approval

2. Visitor guide

No account is ever required for anything in this section.

2.1 Finding festivals (/)

The home page is the discovery page. It is server-rendered, and every filter you choose is written into the page URL, so a filtered result can be bookmarked, shared, or reached with the browser Back button.

Control	What it does	URL parameter
Search box	Matches festival name, description, location, city, and category name	q
Date	Any date, Next 7 days, This month, Next month, Custom range	date
Start date / End date	Custom range boundaries (YYYY-MM-DD)	start, end
Category	Populated from the categories on currently published festivals	category
Neighborhood or location	Free-text with suggestions from published festivals	location
Sort results	Relevance (only offered when there is a search term), Soonest, Newest, Name	sort
Apply / Clear	Submits the form, or returns to an unfiltered /	—

Notes that matter in practice:

- **Default sort** is `Soonest`. If a search term is present, the default becomes `Relevance`.
- **Date filtering uses overlap**, so a multi-day festival that merely crosses into the requested window is included rather than dropped.
- **Pagination** shows 24 festivals per page with `Previous` / `Next` links and a "Page X of Y" indicator. Filters are preserved as you page.
- The results heading shows a live count such as "12 festivals found".
- If nothing matches, you get a "No festivals match your search" panel with a **Clear all filters** link.
- If the database cannot be reached, you get a "Festival listings are temporarily unavailable" message instead of a broken page.
- The first two results are also shown as larger "Featured" cards above the About section.
- A `Calendar` link in the view switcher goes to `/calendar`. The `Map` view is shown as unavailable — it is not implemented.

Example shareable URL: `/?q=jazz&date=next-month&sort=soonest&page=2`

2.2 Festival detail pages (`/festivals/<slug>`)

Each published festival has a stable public page. A festival that is not published (or a slug that does not exist) returns a normal "not found" page.

The page shows, when the data exists: a hero image or a "Festival photo coming soon" fallback, category badges, name, description, dates and times, location and address, an official website link, official social channel links, optional Story / Mission / History sections, tags, and the program of individual events. Missing optional content produces a written fallback ("Category to be announced", "Official website coming soon", "No official social channels listed.", "Tags to be announced", "Program details are coming soon.") rather than an empty or broken section.

Two save buttons are available:

- **Save the whole festival** — in the page header.
- **Save an individual program event** — on each program item.

If a moderated social feed is enabled and has approved posts, it appears **below** the official social channel links, so the organizer's own accounts are always the first thing a visitor sees.

Canceled festivals that were previously published remain reachable at their URL and display a red "Canceled" tombstone with the editor's public cancellation message. On a canceled page, the schedule/save actions, website link, social channels, and social feed are all hidden, and the program section says schedule actions are unavailable.

2.3 Building a schedule (/calendar)

The Calendar page is the schedule builder. It lists published festivals grouped by date, with a month widget and a search/filter bar, and a **Schedule Builder** panel (in the left sidebar on desktop, above the results on mobile).

How saving works:

- Your selection lives **only in your own browser**, under the local-storage key `savePhillySchedule`. There is no account and nothing is sent to the server just by saving.
- Only non-sensitive identifiers are stored — the item type (`festival` or `event`) and its ID. **Your email address and any consent record are never written to browser storage.**
- The panel states this directly: *"Your schedule is saved only in this browser on this device and may be removed when browser data is cleared."*
- Saving the same item twice does not create a duplicate. A whole festival and one of its individual events count as two distinct selections, which is intentional.
- Removing an item uses the **×** button on its row. **Clear all** empties the schedule after a confirmation prompt.
- If two saved events overlap in time, you get a yellow **Time overlap warning**. It is a warning only — both items stay saved.
- If a saved item is no longer published, it is shown as an "Unavailable festival/event" row you can remove. It does not break the page.
- Corrupted or unrecognized stored data is discarded safely and the schedule resets rather than failing.

2.4 Emailing a schedule

In the Schedule Builder panel, enter an email address under **Email this schedule** and press **Email schedule**.

- This is a **transactional** message. The help text says so: *"Send every saved item to your inbox. This is transactional and does not sign you up for marketing."*
- The server re-checks every saved ID and includes only festivals and events that are currently published. Items that are no longer available are reported as omitted, e.g. *"Schedule emailed. 2 unavailable selections were omitted; your saved schedule remains intact."*
- Retrying the same address with the same selection will not send a duplicate; the request carries an idempotency key.
- If delivery fails you get an honest error, and **your saved schedule is never changed, cleared, or duplicated** by a failed send.
- Because production email sending is not activated (see section 7), a send attempt in an unconfigured environment reports a delivery failure rather than silently pretending to succeed.

2.5 Exporting to Google, Apple, or Outlook calendars

Press **Export to Calendar** in the Schedule Builder. The server generates the file and the browser downloads `philly-fests-schedule.ics`.

To import it:

Calendar app	Steps
Google Calendar	Settings → Import & export → Import → select <code>philly-fests-schedule.ics</code> → choose a calendar → Import
Apple Calendar (macOS/iOS)	Open the downloaded <code>.ics</code> file → choose the calendar to add it to → OK
Outlook (desktop or web)	File → Open & Export → Import/Export → Import an iCalendar (.ics) file, or on the web: Calendar → Add calendar → Upload from file

What to expect:

- One calendar entry per saved item, in the order you saved them, using Philadelphia time (`America/New_York`). Timed events are written as precise instants, so summer/winter and daylight-saving changes do not shift them.
- **All-day end dates are exclusive.** This is how the iCalendar standard works, and every major calendar app applies it. A one-day August 8 festival is written with an end of August 9; an August 8–10 festival is written with an end of August 11. Both display correctly in Google, Apple, and Outlook. If you inspect the raw file you will see the "extra" day — that is correct, not a bug.
- Entries carry a stable identifier, the canonical Philly Fests page URL, a status, a busy/free flag, a last-modified stamp, and a sequence number, so re-importing updates rather than duplicating in calendar apps that honor those fields.
- A festival that was published and later canceled exports with a `CANCELLED` status and shows as free time.
- **The export is a snapshot.** The panel states: *"Calendar exports are snapshots and do not update automatically if festival details change."* If a festival moves, re-export.
- Exporting an empty schedule is blocked — the button is disabled until you have saved at least one item.
- Unavailable selections are silently omitted from the file and reported in the on-screen confirmation. Your saved schedule is unchanged either way.
- Reminders/alarms are deliberately not added. Unsolicited reminders were judged intrusive; adding them would require an explicit user preference in a later increment.

2.6 Optional organizer marketing emails

Below the email form there is a separate section, **Optional organizer emails**.

- It is genuinely separate. You can email your schedule and export your calendar with every consent box unchecked.
- Nothing is pre-selected. The on-screen text says: *"Separately choose which authorized organizers may email you. Nothing is selected by default."*
- Only organizers of currently published festivals **that have an enabled and authorized integration** are offered. If none of your saved festivals has one, the section is empty and disabled.

- You must explicitly pick the named organizers, pick at least one preference (`Reminders` , `Updates` , `Discovery`), and tick the disclosure acknowledgment.
- The server re-checks everything, records versioned evidence of exactly what you agreed to, and queues one request per authorized organizer. Consent is stored on the server, never in your browser.
- A one-time management token is shown after you consent so you can revoke it from that same page. It is held in the page only — never stored in the browser, a URL, or a log. **If you leave the page, you lose the ability to self-revoke from the UI** and will need to contact the team.
- Revoking suppresses any pending organizer work.
- No organizer message is actually delivered today, because the organizer mailing integration is not activated (section 7).

2.7 Privacy and terms

`/privacy` and `/terms` are linked from the site footer. **Both are clearly labeled "Draft policy — pending legal approval."** They summarize what information is handled and how the site should be used, and they explicitly state that retention periods, service-provider disclosures, privacy-request procedures, warranties, liability, intellectual property, disputes, governing law, and formal contact details are all still pending legal review. These pages must be replaced with legally approved copy before any public launch.

3. Producer guide

3.1 Signing in

1. Start at `/producer` , the public "For festival producers" page, and press **Start or resume a submission**.
2. You will be sent to `/login` if you are not signed in. Sign in with your email and password.
3. After signing in you are returned to the submission editor.

Access requires an account with a **verified email address** and the `producer` role (staff `admin` / `super_admin` accounts can also use the producer area). If you sign in without those, you see a clear "Producer access unavailable" message rather than an empty page. Accounts are created by Philly Fests staff in `/admin/settings` ; there is no public self-registration.

3.2 Creating and editing a draft

- `/producer/dashboard` — overview with recent submissions.
- `/producer/festivals` — the full list of your submissions, with each one's state.
- `/producer/submit` — creates a new private draft and takes you into the editor. An existing draft opens at `/producer/submit?id=<festival-id>` .

Everything you type stays private. The page states it plainly: *"Drafts stay private. Submitted festivals remain private until approved."*

You can save as often as you like with **Save draft**. You may edit a submission only while it is in `draft` or `changes_requested` .

3.3 Required fields

Before the editor will let you move to the review step, these must be complete:

Field	Requirement
Festival name	Required
Description	Required, at least 20 characters
Contact name	Required (kept private)
Contact email	Required (kept private)
Location	Required
City	Required
State	Required
ZIP code	Required
Date type	Choose timed or all-day
Start / End (timed)	Both required; end must be after start
Start / End dates (all-day)	Both required; end cannot be before start

All dates and times you enter are treated as Philadelphia wall-clock time (`America/New_York`). Optional fields include phone, website URL, and a private image asset.

Image uploads are currently disabled. The uploader is present but the application reports upload capability as off until a production malware scanner and an audited Google Drive folder are configured (section 7). Nothing you do as a producer can turn this on.

3.4 Submitting for review

1. Press the review action. Any missing required field is listed in a "Please fix the following" summary with links straight to each field.
2. Read the review summary of your festival details.
3. Tick all three acknowledgments — representation, accuracy, and terms. All three are required.
4. Submit. The state becomes **Pending review** and you see *"Submission received and pending review."*

While pending, your submission is read-only: *"Your submission is read-only while the Philly Festivals team reviews it."* Submitting does not publish anything. The editor page says so directly: *"Approval is separate from publication, and this record remains private until published."*

The Philly Fests team mailbox receives a submission notification and you receive a receipt at your contact address. If the mail provider is not configured, the failure is recorded durably for follow-up — **it does not undo your submission.**

3.5 Responding to "changes requested"

If an editor asks for changes:

1. Your submission returns to the **Changes requested** state and becomes editable again.

2. The editor's producer-safe message is shown at the top of the editor in an amber panel labeled **Editorial message**.
3. The page tells you what to do: *"Review the producer-safe feedback, update your festival, and resubmit when ready."*
4. Fix the items, save, and go through the review-and-acknowledge step again to resubmit.

A **Rejected** submission also carries a producer-safe message. Rejected records can be reopened to `changes_requested` by an editor; you cannot reopen them yourself.

3.6 What stays private

Data	Visibility
Draft content before publication	Private to you and editors
Contact name, contact email, contact phone	Private to editors, always. Never in public pages, public API responses, calendar files, or analytics
Uploaded assets	Private while under review; only editor-approved assets on a published festival can become public
Editors' internal reasons	Private to editors — never sent to you
Editors' producer messages	Sent to you
Public cancellation message	Public, and only used for cancellations

4. Editor and admin guide

Sign in and go to `/admin/festivals`. Every page under `/admin` requires an `admin` or `super_admin` account. The links `/admin/pending`, `/admin/view-festivals`, and `/admin/submit` are legacy shortcuts that redirect into the editorial queue.

4.1 The editorial queue

`/admin/festivals` lists festivals with name, current state, revision number, last-updated time, and a **Review** link. Filter chips across the top switch between **All** and each individual state, and the filter is in the URL — for example `/admin/festivals?state=pending_review` for the review backlog, or `/admin/festivals?state=draft` for imported and producer drafts.

4.2 Workflow states

State	Meaning	Public?
<code>draft</code>	Being written by a producer, or created by the CSV importer	No
<code>pending_review</code>	Submitted and waiting for an editor	No
<code>changes_requested</code>	Sent back to the producer with feedback	No
<code>rejected</code>	Declined under the current review	No
<code>approved</code>	Editorially accepted — still not public	No
<code>published</code>	Live on the public site	Yes
<code>unpublished</code>	Pulled from public view without being deleted	No
<code>canceled</code>	Was published, now canceled — shows a public tombstone	Yes (tombstone only)
<code>archived</code>	Terminal, permanently private	No

Allowed moves are enforced in the application **and** in the database, so nothing can skip a step:

```
draft          → pending_review, archived
changes_requested → pending_review, archived
pending_review → changes_requested, rejected, approved
rejected       → changes_requested, archived
approved      → published, changes_requested, archived
published     → unpublished, canceled, archived
unpublished   → published, changes_requested, canceled, archived
canceled      → archived
archived      → (nothing)
```

4.3 Approving does NOT publish

This is the single most important rule in the workflow. Moving a festival to `approved` records your editorial decision but changes nothing on the public site. The festival becomes public only when you take the **second, separate** action of moving it from `approved` to `published`.

This is deliberate: it lets you accept a submission and control the moment it goes live.

4.4 Taking an action

Open a festival at `/admin/festivals/<id>`. You will see the private submission detail (including the private contact block), the **Editorial action** form, private assets, the private audit timeline, notification attempts, and the social feed manager.

In the action form:

1. **Next state** — only the moves that are legal from the current state are offered.

2. **Internal reason** — private to editors. **Required** for `changes_requested`, `rejected`, `canceled`, and `archived`.
3. **Producer message** — owner-safe text sent to the producer. **Required** for `changes_requested` and `rejected`.
4. **Public cancellation message** — appears only when the action is `canceled`. **Required** for cancellation, and it is the only place a public message is allowed.

Every transition records who acted, the previous state, the new state, the reason, and the timestamp, and bumps the revision number. If someone else changed the record while your page was open you get *"Revision conflict. Reload before taking another action."* — reload and redo it. This prevents two editors overwriting each other.

4.5 Publishing requirements

A festival can only be published if it has **exactly one valid primary date occurrence** in `America/New_York`. The database enforces this, so a festival with a missing, ambiguous, or invalid date interval cannot be published, and cannot be canceled into a public tombstone either. If a publish attempt fails on this rule, the date data must be corrected first.

Publishing stamps the first-published and published timestamps and makes the festival's calendar data publicly exportable. Unpublishing clears the live publication stamp but preserves the original first-published date, so a later re-publish keeps its history.

4.6 Cancellation tombstones

Use `canceled` for a festival that was published and is no longer happening. It requires both an internal reason and a public cancellation message. The result:

- The public detail page stays reachable and shows a red "Canceled" banner with your public message.
- Save-to-schedule, website link, official social links, social feed, and program actions are all removed from that page.
- The festival is removed from public discovery results.
- Calendar exports of that item are marked `CANCELLED` and free.

Cancellation is not deletion. From `canceled` the only remaining move is `archived`. There is no hard delete anywhere in the festival workflow; the legacy delete endpoint returns an explicit error directing you to archival.

4.7 Producer notifications and retry

When a transition produces a producer message, the application attempts an email to the producer. Delivery happens **outside** the state-change transaction on purpose: a mail failure can never undo a committed editorial decision.

The **Notification attempts** section on the festival page lists each attempt with its revision, delivery status, attempt count, and any failure code. When an attempt is pending or has failed with fewer than 5 attempts, the row is marked "Retry needed" and shows a **Retry notification** button. Retrying is safe — attempts are leased and counted, so a retry cannot produce a duplicate send.

4.8 Reviewing imported drafts

Festivals created by the CSV importer arrive as **private draft records with no owner**, exactly one all-day primary occurrence in `America/New_York`, one reviewed category, revision 0, and an initial audit transition attributed to the import operator. Their private contact fields are populated but redacted from import evidence.

To review them:

1. Go to `/admin/festivals?state=draft`.
2. Open a record and check the name, description, dates, location, and category against the source.
3. From `draft` the only forward move is `pending_review`, then the normal `approved` → `published` path. Nothing imported can shortcut to public.
4. Anything unsuitable goes to `archived`, which keeps it private and preserves its lineage.

Two limitations to plan around:

- **The admin interface has no festival content editor.** Editors can change state, review assets, and configure social feeds, but cannot edit festival fields in the UI. Correcting imported data requires either a producer-owned record or a separately reviewed forward repair as described in `docs/FESTIVAL-DATA-MIGRATION.md`.
- **Imported records are never deleted.** The importer has no rollback. A bad batch is handled by archiving through the normal audited workflow and repairing forward.

4.9 Moderating the social feed

Social moderation lives at the bottom of `/admin/festivals/<id>`.

Feed configuration — set the festival hashtag (letters, numbers, and underscores; no leading `#`), the provider feed ID, and the aggregation provider (**Curator.io** or **Flockler**). The **Enable approved posts publicly** checkbox is the per-festival kill switch. Save shows the current revision and last sync status.

Cached posts — a queue you can filter by **Pending**, **Approved**, **Hidden**, **Rejected**, or **All current-source posts**, paginated 24 at a time. Each card shows the author, the current moderation status and revision, the text excerpt, and a **Review original post** link to the canonical post on the source network.

Three actions are available on each post:

Action	Use it for	Reason required?
Approve post	Content that can appear publicly on the festival page	No
Hide post	Content that was visible or may be reconsidered later	Yes
Reject post	Content that should not be published under the current review	Yes

The interface refuses to hide or reject without a reason: *"Enter a moderation reason before hiding or rejecting a post."* Reasons are internal — keep sensitive personal information out of them. Moderation history is immutable at the database layer.

Safety properties worth knowing:

- Provider posts land in the queue as **pending** and cannot become public without your explicit approval.

- Public pages render first-party text cards that link out. No provider scripts, HTML, iframes, autoplay media, or tracking widgets are executed.
- Hidden and rejected posts are excluded by the database query itself, not filtered after the fact.
- If the provider fails, previously approved posts remain; an empty or unavailable feed shows stable fallback copy and the official festival links stay visible.

Recommended service levels (from `docs/SOCIAL-FEED-OPERATIONS.md`): review pending posts within **one business day** normally, within **four hours** on an actively staffed festival day, and hide a previously approved post **immediately** on a credible safety, rights, harassment, impersonation, or privacy report. Primary moderator: **Iris Sun**; backup: **Uraiba Zafar**.

4.10 User administration

Go to `/admin/settings`.

You can create an account (name, email, password, role), change an existing account's role, and deactivate or reactivate an account.

Rule	Detail
Roles	<code>public</code> , <code>producer</code> , <code>admin</code> , <code>super_admin</code>
Who can create privileged accounts	Only <code>super_admin</code> can create an <code>admin</code> or <code>super_admin</code> . An <code>admin</code> sees only <code>public</code> and <code>producer</code> as options
Who can promote/demote privileged accounts	Only <code>super_admin</code> . An <code>admin</code> cannot manage an <code>admin</code> or a <code>super_admin</code> at all
Self-deactivation	Blocked — you cannot deactivate your own account
Deletion	There is no user deletion. The "delete" control deactivates the account; the same control reactivates a deactivated account
Audit	Account changes are recorded

Because accounts are deactivated rather than deleted, historical attribution in the editorial audit trail stays intact. Keep at least two working `super_admin` accounts so nobody is locked out.

5. Time handling

Everything user-facing uses `America/New_York`. Fixed `EST` / `EDT` labels and hard-coded UTC offsets are not used as time-zone rules anywhere.

- Producer-entered times are Philadelphia wall-clock time. They are converted to a precise instant for storage and keep their source zone.
- Date-only values (all-day festivals) stay date-only and are never round-tripped through UTC, so they cannot drift by a day.
- Discovery date presets and custom ranges are computed against the Philadelphia calendar day, including across daylight-saving transitions.

- Displayed dates and times on public pages, the schedule builder, and admin screens are formatted in Philadelphia time.
- Calendar exports write timed events as precise instants and all-day events as calendar dates with an exclusive end date (see section 2.5).
- Imported festivals are given one all-day occurrence recorded in `America/New_York`.
- Social feed synchronization is scheduled in `America/New_York` for operator reporting.

6. Quick reference: where everything lives

Task	Location
Search festivals	<code>/</code>
Read a festival	<code>/festivals/<slug></code>
Build / email / export a schedule	<code>/calendar</code>
Learn about producer submissions	<code>/producer</code>
Create or resume a submission	<code>/producer/submit</code>
See your submissions	<code>/producer/festivals</code>
Sign in	<code>/login</code>
Admin overview	<code>/admin</code>
Editorial queue	<code>/admin/festivals</code>
Review backlog	<code>/admin/festivals?state=pending_review</code>
Imported and producer drafts	<code>/admin/festivals?state=draft</code>
Review one festival + moderate its social feed	<code>/admin/festivals/<id></code>
Manage user accounts	<code>/admin/settings</code>
Draft privacy notice	<code>/privacy</code>
Draft terms of use	<code>/terms</code>

7. What is NOT active until owners complete external activation

All of the following are **implemented and tested in code, and deliberately switched off**. They fail closed: when the configuration is absent, the feature reports an honest failure or reports itself as unavailable rather than pretending to work. Merging the code did not authorize activation; each item needs a separate, explicit activation approval.

Integration	Current behavior	What must happen first	Runbook
Resend production email (schedule confirmations, producer receipts, editorial notifications)	With no API key configured, sends are skipped and reported as <code>provider_unconfigured</code> without logging recipients, subjects, or message content. Failures are recorded for retry and never alter a saved schedule or reverse an editorial decision	Purchase/configure the Resend account, verify the sending domain, set the API key and sender address in the deployment secret manager, set the team mailbox alias, and prove delivery in a controlled test	docs/SCHEDULE-CALENDAR-EMAIL.md , docs/PRODUCER-SUBMISSION-OPERATIONS.md
N8N organizer mailing lists (forwarding consented visitors to each organizer's email service)	Consent is captured and durable outbox work is queued, but the N8N workflow is inactive, contains no credentials, and its provider adapter node intentionally fails. No organizer email is ever sent today	Final consent copy and retention periods approved by legal, revocation/suppression behavior confirmed, written organizer authorization, N8N TLS/secrets/backup readiness, the shared bearer secret configured in both secret stores, contract tests and a controlled proof, named operators, and explicit activation approval	docs/PRODUCT-DECISIONS.md , apps/n8n/README.md , docs/SCHEDULE-CALENDAR-EMAIL.md
Curator.io / Flockler social sync	Adapters exist with fixed API origins and server-only credentials, but no token or sync secret is configured, so no synchronization runs and no provider post enters the queue. Public pages show the stable empty/fallback state	Complete the 10-item activation checklist: purchased plan and privacy/legal review, eligible connected accounts, endpoint contract proven off-production, dedicated secrets and a named rotation owner, scheduled sync with quotas and bounded retry, moderator access and SLA confirmed, verified failure fallback, approved retention period, monitoring, and recorded activation approval	docs/SOCIAL-FEED-OPERATIONS.md
Google Drive uploads (producer image assets)	Uploads are disabled regardless of any flag , because this codebase intentionally ships no production malware scanner	Inject a real scanner with a production health check, configure the dedicated Drive folder and least-privilege service identity, then have	docs/PRODUCER-SUBMISSION-OPERATIONS.md

	or full image decoder. The producer editor reports upload capability as off	deployment operations independently audit the folder in Google Drive (correct folder, link sharing off, no <code>anyone</code> / <code>domain</code> permission, no other user or group, minimum service-account access, working upload-then-delete test) and record the evidence	
Production CSV festival import	No production import has been executed. The importer is insert-only, never publishes, and never calls email, consent, schedule, asset, geocoding, social, or N8N systems	Rehearse on disposable PostgreSQL, freeze and independently verify both input checksums, name the database operator and a distinct reviewer, take and verify a restorable backup, dry-run against the target, prepare, have the distinct reviewer produce a signed Ed25519 approval binding batch and backup evidence, then apply with the literal production confirmation, save the redacted report, replay to prove a no-op, and verify public endpoints exclude every imported draft	<code>docs/FESTIVAL-DATA-IMPORT-RUNBOOK.md</code> , <code>docs/FESTIVAL-DATA-MIGRATION.md</code>

Two related deployment prerequisites that also fail closed in production:

- Producer create, submit, and upload actions are disabled unless identity/IP-aware rate limiting is independently proven at the deployment edge. The in-application limiter is a per-process defense only and gives no cross-instance guarantee.
- Producer mutations require a valid absolute site URL to be configured; origin validation fails closed without it.

8. Known limitations

1. **Browser test coverage is incomplete in some environments.** The release browser matrix is Chromium, Firefox, and WebKit at desktop and mobile widths. WebKit (Safari and mobile Safari) additionally requires host packages installed with `pnpm exec playwright install-deps`. Where those packages cannot be installed, the run must be narrowed with `E2E_BROWSERS` — but CI must run the full matrix so a Safari or Firefox regression cannot reach a release. Treat any release validated without WebKit as **not** Safari-verified.

2. **Privacy and terms copy is draft.** `/privacy` and `/terms` are labeled "Draft policy — pending legal approval" on the page itself. Retention periods, service-provider disclosures, privacy-request procedures, liability, IP, disputes, governing law, and a formal contact channel are all unresolved. These must be replaced with approved copy before public launch, and the organizer-consent disclosure text needs the same legal sign-off.
3. **Imported festivals stay private drafts and need editorial review.** A dry run against the current reviewed source classifies **434 rows into 102 ready, 332 quarantined, and 0 duplicates**. Rows are quarantined for parse/normalization errors, blank or unmapped categories, ambiguous or nonstandard dates (a two-digit year, comma-separated dates, an impossible `6/37`, recurring phrases such as "Every Thursday", a location typed into the date column), materially conflicting same-name/date groups, and conservative matches against existing records. Nothing ambiguous is ever guessed into a real date. Even the 102 "ready" rows land as **private drafts with no owner** and must pass full editorial review before they can be approved and published. Matching records already in the target database can only increase the quarantine count.
4. **No festival content editor in the admin UI.** Editors move states, review assets, and configure feeds; they cannot edit festival fields from `/admin/festivals/<id>`.
5. **The Map view on the home page is not implemented** and is shown as unavailable.
6. **Schedules do not sync across devices or browsers.** They are browser-local by design, and clearing browser data removes them.
7. **Calendar exports are snapshots** and do not update when festival details change.
8. **The organizer-consent management token is shown once.** Leaving the page without saving it removes the visitor's self-service revocation path.
9. **Quality targets still need formal sign-off:** WCAG 2.2 AA, Core Web Vitals and response budgets, SEO metadata and event structured data, privacy-reviewed analytics events, availability/backup/RPO/RTO objectives, and provider quota, cost, and alerting thresholds.
10. **Contact addresses are personal university accounts.** All owner assignments below use `pratt.edu` addresses from `docs/Client-Hand-Off.md`. Confirm they remain available after handoff and replace them with organization-owned role aliases before operational activation. Named technical operators are still required for N8N, Google Drive, database, deployment, and security operations.
11. **Festival source data must stay out of the repository.** The organizer contact CSV is no longer tracked in Git and is ignored going forward, but it still exists in earlier commit history. Purging it fully requires an owner-approved repository history rewrite plus an access review, which is deliberately not done automatically because it invalidates existing clones. Until it is scheduled, treat repository access as access to organizer contact details. See `docs/FESTIVAL-DATA-IMPORT-RUNBOOK.md`.

9. Troubleshooting and who to contact

9.1 Owner assignments

These come from `docs/PRODUCT-DECISIONS.md` and should be confirmed before any operational activation.

Domain	Primary	Backup
Product and visual acceptance	Simran Kaur — skaur@pratt.edu	Mengqi Cao — mcao13@pratt.edu
Producer / editorial workflow	Uraiba Zafar — uzafar@pratt.edu	Iris Sun — wsun16@pratt.edu
Consent, privacy, and communications	Mengqi Cao — mcao13@pratt.edu	Simran Kaur — skaur@pratt.edu
Social moderation	Iris Sun — wsun16@pratt.edu	Uraiba Zafar — uzafar@pratt.edu
Release acceptance and incident coordination	Simran Kaur — skaur@pratt.edu	Iris Sun — wsun16@pratt.edu
Workflow / imported-data review	Uraiba Zafar — uzafar@pratt.edu	Iris Sun — wsun16@pratt.edu
Privacy / contact-data review for the import	Mengqi Cao — mcao13@pratt.edu	Simran Kaur — skaur@pratt.edu

9.2 Common situations

Symptom	Most likely cause	What to do	Who owns it
A festival is approved but not on the public site	Approval does not publish	Move it from <code>approved</code> to <code>published</code>	Uraiba Zafar
Publishing fails	The festival does not have exactly one valid primary date occurrence	Correct the date data, then publish	Uraiba Zafar
"Revision conflict. Reload before taking another action."	Someone else changed the record while your page was open	Reload the page and redo the action	Uraiba Zafar
A transition is rejected for a missing reason or message	Internal reason is required for changes requested, rejected, canceled, archived; a producer message is required for changes requested and rejected; a public message is required for cancellation	Fill in the required field	Uraiba Zafar
Emailing a schedule reports a failure	Production email sending is not activated	Expected until Resend is activated. The saved schedule is unaffected	Mengqi Cao
A producer notification shows "Retry needed"	A delivery attempt did not succeed	Press Retry notification on the festival page. Escalate if it keeps failing	Uraiba Zafar
A producer cannot upload an image	Uploads are disabled pending a scanner and audited Drive folder	Expected. Do not promise uploads to producers yet	Simran Kaur (release), with the technical operator
A producer cannot create or submit at all in production	Edge rate limiting or the canonical site URL is not proven/configured	Deployment owner must configure and verify these	Named technical operator
The social feed is empty on a festival page	No provider sync is active, the feed is disabled, or no post has been approved	Expected until provider activation. Confirm the feed's enable switch and the moderation queue	Iris Sun
An unsafe post is publicly visible	It was approved and should not have been	Hide it immediately with a documented reason, then escalate	Iris Sun → Mengqi Cao

Discovery shows "Festival listings are temporarily unavailable"	The database could not be reached	Escalate to the technical operator; check database availability	Simran Kaur (incident coordination)
A visitor lost their saved schedule	Browser data was cleared, or they switched device/browser	Expected — schedules are browser-local by design	Simran Kaur
An all-day festival looks a day too long in an exported file	The iCalendar all-day end date is exclusive	Correct behavior; confirm how it displays in the calendar app	Simran Kaur
A visitor wants to withdraw organizer consent but closed the page	The management token is shown only once	Handle manually with the privacy owner	Mengqi Cao
An imported festival has wrong data	Source data ambiguity	Do not delete it. Archive through the audited workflow and repair forward	Uraiba Zafar + Mengqi Cao
An admin cannot change another admin's role	Only a <code>super_admin</code> can manage privileged accounts	Ask a super admin	Simran Kaur
An account should be removed	Deletion does not exist	Deactivate the account in <code>/admin/settings</code>	Simran Kaur

9.3 Escalation

For anything involving safety, personal data, rights or takedown requests, or a suspected credential exposure, contact the privacy owner (**Mengqi Cao**, backup **Simran Kaur**) and the incident coordinator (**Simran Kaur**, backup **Iris Sun**) at the same time. For suspected tampering with moderation or editorial history, restrict administrative access, preserve database and log evidence, and involve the technical security operator — moderation transitions are immutable at the database layer.

10. Getting help and where the runbooks live

All operational documentation is in the `docs/` folder of the repository.

Document	Use it for
<code>docs/Features.md</code>	The feature baseline F-01 ... F-09 with acceptance criteria
<code>docs/PRODUCT-DECISIONS.md</code>	Approved product decisions, workflow model, time/calendar rules, owner assignments
<code>docs/DELIVERY-WORKFLOW.md</code>	Branching, required test gates, review rules, and the rule that merging code never authorizes activation
<code>docs/SCHEDULE-CALENDAR-EMAIL.md</code>	Schedule email, organizer consent, and calendar export behavior and endpoints
<code>docs/PRODUCER-SUBMISSION-OPERATIONS.md</code>	Producer submission operations, upload activation, the Drive audit, rate-limit prerequisites
<code>docs/SOCIAL-FEED-OPERATIONS.md</code>	Social provider choice, privacy model, refresh policy, moderation SLA, activation checklist, incident response
<code>docs/FESTIVAL-DATA-IMPORT-RUNBOOK.md</code>	Step-by-step CSV import: dry-run, prepare, signed review, apply, resume, report, recovery
<code>docs/FESTIVAL-DATA-MIGRATION.md</code>	Import safety principles, source profile, transformation rules, acceptance criteria, forward recovery
<code>apps/n8n/README.md</code>	N8N safety model, organizer subscription contract, and activation prerequisites
<code>docs/Technical-Developer-Guide.md</code>	Developer implementation and operations guide for the repository, web app, and N8N boundary
<code>docs/N8N-Owner-Guide.md</code>	Non-technical owner guide for N8N approvals, monitoring, and incident escalation
<code>docs/Client-Hand-Off.md</code>	The original design handoff this project was built from

Before asking for help, note: which page or URL you were on, which role you were signed in as, the festival name and its current workflow state and revision number, and the exact on-screen message. That is usually enough to resolve an issue without exposing any private data. Never paste credentials, API keys, private contact details, or the raw import CSV into a ticket, chat, or email.