

Model Equations

$$\begin{aligned}
\frac{d[cp]}{dt} &= \frac{vmax1 [bc][glu][atp]}{\left(1+\frac{[utp]}{K_{utp}}\right)(K_{atp}+[atp])(K_{bc}+[bc])(K_q+[glu])} - \frac{vmax2 [cp][asp]}{\left(1+\frac{[utp]}{K_{utp}}\right)(K_{m2}+[cp])(K_{asp}+[asp])} - d[cp] \\
\frac{d[ca]}{dt} &= \frac{vmax2 [cp][asp]}{\left(1+\frac{[utp]}{K_{utp}}\right)(K_{m2}+[cp])(K_{asp}+[asp])} - \frac{vmax3 [ca]}{K_{m3}+[ca]} - d[ca] \\
\frac{d[dho]}{dt} &= \frac{vmax3 [ca]}{K_{m3}+[ca]} - \frac{vmax4 [dho]}{K_{m4}+[dho]} - d[dho] \\
\frac{d[oro]}{dt} &= \frac{vmax4 [dho]}{K_{m4}+[dho]} - \frac{vmax5 [oro][prpp]}{K_{m5}+[oro][prpp]} - d[oro] \\
\frac{d[omp]}{dt} &= \frac{vmax5 [oro][prpp]}{K_{m5}+[oro][prpp]} - \frac{vmax6 [omp]}{K_{m6}+[omp]} - d[omp] \\
\frac{d[ump]}{dt} &= \frac{vmax6 [omp]}{K_{m6}+[omp]} - \frac{vmax10 [ump]}{K_{m10}+[ump]} - d[ump] \\
\frac{d[udp]}{dt} &= \frac{vmax10 [ump]}{K_{m10}+[ump]} - \frac{vmax7 [udp]}{K_{m7}+[udp]} - d[udp] \\
\frac{d[utp]}{dt} &= \frac{vmax7 [udp]}{K_{m7}+[udp]} - \frac{vmax8 [utp]}{K_{m8}+[utp]} - \frac{g_{pyr} [utp]}{K_{Mp}+[utp]} - d[utp] \\
\frac{d[ctp]}{dt} &= \frac{vmax8 [utp]}{K_{m8}+[utp]} - \frac{g_{pyr} [ctp]}{K_{Mp}+[ctp]} - d[ctp]
\end{aligned}$$

Supplemental Figure 1. Lineage-specific dN/dS estimates for the local URA1 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 2 Lineage-specific dN/dS estimates for the local URA2 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 3. Lineage-specific dN/dS estimates for the local URA3 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 4. Lineage-specific dN/dS estimates for the local URA4 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 5. Lineage-specific dN/dS estimates for the local URA5 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 6. Lineage-specific dN/dS estimates for the local URA10 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 7. Lineage-specific dN/dS estimates for the local URA6 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 8. Lineage-specific dN/dS estimates for the local URA7 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 9. Lineage-specific dN/dS estimates for the local YNK1 tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 10. Lineage-specific dN/dS estimates for the local ATCase tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 11. Lineage-specific dN/dS estimates for the local CPSase tree around *Saccharomyces cerevisiae*. Numbers in bold are the dN/dS values for the given branch.

Supplemental Figure 12. Phylogeny of the URA1 gene family. **A.** Complete phylogeny of URA1 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA1 gene family. Subtree used in the dN/dS analysis is marked in gray.

Supplemental Figure 13. Phylogeny of the URA2 gene family. **A.** Complete phylogeny of URA2 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA2 gene family. Subtree used in the dN/dS analysis is marked in gray.

Supplemental Figure 14. Phylogeny of the URA3 gene family. **A.** Complete phylogeny of URA3 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA3 gene family. Subtree used in the dN/dS analysis is marked in gray.

Supplemental Figure 15. Phylogeny of the URA4 gene family. **A.** Complete phylogeny of URA4 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA4 gene family. Subtree used in the dN/dS analysis is marked in gray.

Supplemental Figure 16. Phylogeny of the URA5 gene family. **A.** Complete phylogeny of URA5 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA5 gene family. Subtree used in the dN/dS analysis is marked in gray.

Supplemental Figure 17. Phylogeny of the URA10 gene family. **A.** Complete phylogeny of URA10 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA10 gene family. Subtree used in the dN/dS analysis is marked in gray.


Supplemental Figure 18. Phylogeny of the URA6 gene family. **A.** Complete phylogeny of the URA6 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA6 gene family. Subtree used in the dN/dS analysis is marked in gray.


Supplemental Figure 19. Phylogeny of the URA7 gene family. **A.** Complete phylogeny of the URA7 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the URA7 gene family. Subtree used in the dN/dS analysis is marked in gray.


Supplemental Figure 20. Phylogeny of the YNK1 gene family. **A.** Complete phylogeny of the YNK1 gene family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the YNK1 gene family. Subtree used in the dN/dS analysis is marked in gray.


Supplemental Figure 21. Phylogeny of the ATCase domain of the URA2 gene family . **A.** Complete phylogeny of the ATCase domain family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the ATCase domain family. Subtree used in the dN/dS analysis is marked in gray.


Supplemental Figure 22. Phylogeny of the CPSase domain of the URA2 gene family . **A.** Complete phylogeny of the CPSase domain family. Taxa used in dN/dS analysis are colored in dark gray. **B.** Collapsed version of the CPSase domain family. Subtree used in the dN/dS analysis is marked in gray.


























0.01

401625155#*Saccharomyces arboricola* H6

0.01


854566#*Saccharomyces cerevisiae*


330443609#*Saccharomyces cerevisiae* S288c


42


1008332#*Saccharomyces cerevisiae*


7.0E-4




















0.4

