

SYSC3010 T3 Project Proposal

RC Camera Car

Abstract

The students developing this project are Alec D'Alessandro, Thao-Tran Le-Phuong, Honor Lopes, and Igor Veselinovic. This document will outline the motivations, goals, and the proposed solution for the project, as well as the motivations for pursuing this project. The proposal will also provide the projected plan and milestones for the project.

Contents

Motivation	2
Goals/Scope	2
Objectives	2
Proposed Solution	3
Project Plan	3
Milestones	4

Motivation

The purpose of this project is to create a remote-controlled vehicle in order to explore uninhabited or unreachable locations. There are many locations inaccessible or unsafe for manned vehicles such as warzones, cave systems, and biohazard spaces. These are locations where it would be unsafe to send human drivers and would be preferable to have the vehicle operated remotely. This project would allow us to explore potentially dangerous regions without risk to human safety.

The planned vehicle will have a camera attached in order for it to obtain video of the vehicles surroundings. This allows the user to obtain data on inaccessible locations. This video feed would also allow the vehicle to be used remotely. The automatic light sensor system would allow the vehicle to be operated at night and in low light conditions. This project has science, military and recreational applications.

Goals/Scope

The first goal for this project is for the car to be controlled via smart-phone through our designed android application. Once the user has opened the application there will be a live feed video source that is being transmitted from the car. This will allow the user to view from the perspective of sitting on top of the car. The car could then be outfitted with additional auxiliaries needed for specific jobs. Examples of this include a shovel to take samples of soil or an arm to pick up and move target objects.

One limitation to the project development is how much bandwidth can be used for the live video feed stream from the car to the android application. A proposed solution to this would be to decrease video resolution for bandwidth reducing purposes, which would lead to mal visibility. A self-imposed constraint is on the complexity of the development of the car. This project will be focused on the vehicle controls and video feed. If the longevity of the project permitted more components would be added to ensure the car would give benefit to various jobs and a wide variety of terrains.

Objectives

- Remote controlled vehicle
- Video feed from camera on vehicle
- Automatic headlights
- Brightness sensors
- Video feed displayed on android app
- Vehicle controls on android app
- Accounts and user authentication

Proposed Solution

Users will use the Android app to register their car to themselves and connect it to a Wi-Fi network. After the car is connected to Wi-Fi, users can control the cars movements via the app as well as stream a video feed from and control the mounted camera. The video feed is to allow the user to control the car when it is not in sight. The app will also allow users to control the headlights of the car in case of dimly lit settings.

There will be a Raspberry Pi that acts as the centralized server. The server will have a database that will store the users, cars, and the pairings of users to cars. It will handle all of the commands coming from users and route them to their associated cars. Video feed from each car will be sent to the server to be sent to the proper user and can optionally be stored on a hard drive at the users request.

The body of the car will contain an Arduino and a Raspberry Pi. The Arduino will control the movement of the car (steering, acceleration) and handle the headlights of the car (LDR sensor and LEDs). The LDR sensor will be used to detect when an area is dimly lit and the Arduino will automatically turn on the headlights (LEDs). The car movement will require motors to be connected to the Arduino and possibly a custom 3D printed chassis to hold all of the components. The car will use continuous tracks for propulsion as they will allow the car to traverse more types of terrain. The Raspberry Pi will be connected to a Wi-Fi network to receive user commands and relay them to the Arduino via a wired connection. The Raspberry Pi will also be connected to the camera and will stream the video feed to the centralized server.

The system design is shown in Figure 1. The UML diagram outlines the components necessary for implementation and the relationships between them. The wiring diagram for the system is shown in Figure 2. In the diagram, the Arduino is connected to two LEDs that will act as the headlights, a light dependent resistor (LDR) to sense the brightness of the area, and an H-bridge motor driver and two motors to control the driving.




Figure 1: UML diagram for RC Camera Car system




Figure 2: Wiring diagram for Arduino of RC Camera Car system

Project Plan

Our remote-controlled car system has three main components that can be developed mostly in parallel. The car itself and the basic I/O components that provide the core functionality (i.e, the motors, light sensors, and headlights) make up one grouping of work. All handling of video, including interfacing with the camera, streaming, and long-term storage, is another main thread of work. The last central component to this system is the Android application which must have a GUI and needs to be tested differently since it is user-facing. Testing is a vital component of each stream of work and will be done throughout the development process of all software.

There are obvious interdependencies between section of work such as the Android application needing to receive video from the Raspberry Pi server and the Android application sending movement commands to the car. Even after testing components independently, new bugs and issues might arise once separate components are integrated together. Thus, beyond the unit testing of individual components, integration testing will need to be done at every stage of the systems development.

Milestones

Legend:

CAR: Remote-controlled car

VID: Video streaming and storage

AND: Android application

TST: Testing

-
- **[CAR]** Acquire/build all components for the system (camera, tracks/wheels, chassis, motor, etc.)
 - **[CAR]** Develop a codebase for controlling the cars wheels/tracks using motors to allow for forward/backward movement and turning
 - **[CAR, TST]** Develop a comprehensive unit test suite of the car movement control code
 - **[CAR, TST]** Manually test and fine-tune the car movement control code
-

- **[CAR]** Set up periodic checks of environment light levels using the light sensor and adjust the brightness of the headlights accordingly
 - **[CAR, TST]** Develop a comprehensive unit test suite of the light control code
-

- **[CAR]** Send movement commands from centralized Raspberry Pi server to the cars Raspberry Pi, relay them to the Arduino, and power the corresponding motor(s)
 - **[CAR, TST]** Develop a comprehensive unit test suite of the networking code
-

- **[VID]** Send video data from the cars Raspberry Pi to the centralized Raspberry Pi and relay the stream to clients
 - **[VID]** Store video clips on an external hard drive and track the files using an SQL database
 - **[VID, TST]** Develop a comprehensive functional test suite of the video streaming and storage code
-

- **[AND, CAR]** Send commands to the centralized Raspberry Pi server based on inputs to the Android application GUI that will then be relayed to the car
 - **[AND, VID]** Receive and play video streams and recorded clips from the centralized Raspberry Pi server in the Android application GUI
 - **[AND, TST]** Develop a sanity test suite of the GUI of the Android application
 - **[AND, TST]** Develop a comprehensive unit test suite of the Android application code
-