Chroma

致茂電子股份有限公司

2025年第4季法人說明會

財務長 應正

董事長 黃欽明

執行長 曾一士

2026年2月25日

Disclaimer

This presentation contains some forward-looking statements that are subject to substantial risks and uncertainties. Typically, these statements contain words such as “anticipate”, “believe”, “could”, “estimate”, “expect”, “intend”, “plan”, “forecast”, “project”, “predict”, “potential”, “continue”, “may”, “should”, “will”, and “would” or similar words. You should consider these forward-looking statements carefully because such statements are only our expectations or projections about future events, and actual results may differ materially from those expressed or implied by such statements. The forward-looking statements in this presentation include, but are not limited to, growth rates for various markets estimated by third party sources, future products and technology development, widespread market acceptance of the hosted delivery model, future revenue growth and profitability. You should be cautioned that the forward-looking statements are no guarantee of our future performance. The forward-looking statements contained in this presentation are made only as of the date of this presentation and we undertake no obligation to update the forward-looking statements to reflect subsequent events or circumstances, except as required by law.

This presentation and the information contained herein are the property of Chroma Ate Inc.

議程

- 公司簡介
- 財務數據
- 營運概況
- 問與答

Chroma

公司簡介

公司簡介

- 致茂電子成立於1984，為擁有自有品牌及設計之檢測設備及自動化量測解決方案之供應商。應用領域涵蓋電力電子、半導體、電動車及儲能等科技產業所需之檢測儀器與系統，以及整合性自動化測試解決方案。
- 經營宗旨：精密、可靠、創新。
- 致茂集團包含致茂測試設備及威光自動化兩大事業體。
- 2025年合併營收為283億新台幣。
- 2025年淨利為117億新台幣。
- 致茂集團截至2025年12月底員工總數為3,802人。

致茂電子歷年合併營收佔比



* 上述2021~2022年之營收未含日茂新材料，該事業體已於2022年3月底結束。

財務表現

集團合併營收 / 營業毛利率



母公司營收 / 營業毛利率 / 研發費用佔比



財務表現

股東權益報酬率



* 2025股東權益報酬率為來自於本業所得不含處分利益。

股利政策



* 2025年之現金股利將於股東會決議後配發

Chroma

財務數據

2025年第4季合併損益表摘要

Chroma

合併損益表 (單位: 佰萬新台幣，除每股盈餘為新台幣元)	2025.4Q	%	2025.3Q	%	QoQ %	2024.4Q	%	YoY %
淨營業收入	8,580	100%	6,410	100%	34%	6,039	100%	42%
量測儀器事業部之合併營收(淨額)	8,263	96%	6,155	96%	34%	5,755	95%	44%
威光自動化事業部之合併營收	254	3%	187	3%	36%	211	4%	20%
其他	63	1%	68	1%	(7%)	73	1%	(14%)
營業成本	(3,363)	(39%)	(2,575)	(40%)	31%	(2,432)	(40%)	38%
營業毛利	5,217	61%	3,835	60%	36%	3,607	60%	45%
營業費用								
推銷管理費用	(1,561)	(18%)	(1,336)	(21%)	17%	(1,364)	(23%)	14%
研發費用	(668)	(8%)	(651)	(10%)	3%	(684)	(11%)	(2%)
營業淨利	2,988	35%	1,848	29%	62%	1,559	26%	92%
營業外收入及支出	420	5%	3,626	56%	(88%)	380	6%	11%
稅前淨利	3,408	40%	5,474	85%	(38%)	1,939	32%	76%
所得稅費用	(759)	(9%)	(360)	(5%)	111%	(403)	(7%)	88%
本期淨利	2,649	31%	5,114	80%	(48%)	1,536	25%	72%
淨利歸屬於:								
本公司業主	2,549	30%	5,066	79%	(50%)	1,476	24%	73%
非控制權益	100	1%	48	1%	108%	60	1%	67%
	$ 2,649	31%	$ 5,114	80%	(48%)	$ 1,536	25%	72%
每股盈餘 (基本)	$ 6.03		$ 11.99		(50%)	$ 3.49		73%
每股盈餘 (稀釋)	$ 5.99		$ 11.92		(50%)	$ 3.45		74%

- 第三季之業外收益含處分待出售非流動資產 (轉移住宅用地予員工) 金額為新台幣31億8仟5佰萬元。

2025年全年累計合併損益表摘要

Chroma

合併損益表 (單位: 佰萬新台幣，除每股盈餘為新台幣元)	2025	%	2024	%	YoY %
淨營業收入	28,311	100%	21,604	100%	31%
量測儀器事業部之合併營收(淨額)	27,167	96%	20,419	95%	33%
威光自動化事業部之合併營收	883	3%	872	4%	1%
其他	261	1%	313	1%	(17%)
營業成本	(10,886)	(39%)	(8,858)	(41%)	23%
營業毛利	17,425	61%	12,746	59%	37%
營業費用					
推銷管理費用	(5,671)	(20%)	(5,065)	(23%)	12%
研發費用	(2,556)	(9%)	(2,199)	(11%)	16%
營業淨利	9,198	32%	5,482	25%	68%
營業外收入及支出	4,720	17%	1,226	6%	285%
稅前淨利	13,918	49%	6,708	31%	107%
所得稅費用	(1,992)	(7%)	(1,308)	(6%)	52%
本期淨利	11,926	42%	5,400	25%	121%
淨利歸屬於:					
本公司業主	11,692	41%	5,264	24%	122%
非控制權益	234	1%	136	1%	72%
	$ 11,926	42%	$ 5,400	25%	121%
每股盈餘 (基本)	$ 27.70		$ 12.49		122%
每股盈餘 (稀釋)	$ 27.51		$ 12.38		122%

資產負債摘要及財務指標

集團合併 (單位：佰萬新台幣) 資產負債摘要	2025. 12月	2024. 12月	+ / - %
現金及流動金融資產	8,314	5,040	+ 65%
存貨	7,919	5,458	+ 45%
短期負債	13	1,417	n/a
長期負債	3,304	2,108	+ 57%
股東權益	32,563	25,450	+ 28%
總資產	**47,150**	**37,308**	**+ 26%**
存貨週轉天數	224	209	
應收帳款週轉天數	87	87	
應付帳款週轉天數	113	118	
淨負債資產比(%)	Net Cash	Net Cash	
股東權益報酬率 (%) ●	**29%**	**22%**	
資產報酬率 (%) ●	**20%**	**15%**	

現金流量 (單位：佰萬新台幣)	2025	2024	同期比較
未計利息稅項折舊及攤銷	14,787	7,528	96%
營業現金流入	5,258	4,784	10%
自由現金流量 ●●	**6,686**	**2,893**	**131%**

● 股東報酬率及資產報酬率皆已年化且扣除第3季之處分待出售非流動資產 。

●● 自由現金流量 = 營運活動之淨現金流入 + (投資活動之淨現金流出)。

Chroma

營運概況

2025年第4季及全年產品銷售佔比與合併營收明細

(單位: 百萬新台幣)	2025.4Q	%	QoQ	YoY	2025	%	YoY	2024	%
量測及自動化檢測設備	2,632	44%	(13%)	56%	10,545	48%	55%	6,825	44%
半導體 / Photonics 測試解決方案	2,863	48%	37%	37%	9,759	44%	40%	6,974	45%
Turnkey Solutions	116	2%	111%	(21%)	444	2%	(35%)	685	4%
其它	332	6%	-	20%	1,264	6%	8%	1,168	7%
母公司營業收入	**5,943**	**100%**	**8%**	**42%**	**22,012**	**100%**	**41%**	**15,652**	**100%**
+ 量測事業體海外據點及測試設備相關子公司	**2,320**		**250%**	**50%**	**5,155**		**8%**	**4,767**	
致茂電子檢測設備事業體 (含海外量測事業子公司)	**8,263**	**96%**	**34%**	**44%**	**27,167**	**96%**	**33%**	**20,419**	**95%**
威光自動化	**254**	**3%**	**36%**	**20%**	**883**	**3%**	**1%**	**872**	**4%**
其他	**63**	**1%**	**(7%)**	**(14%)**	**261**	**1%**	**(17%)**	**313**	**1%**
集團營收	**8,580**	**100%**	**34%**	**42%**	**28,311**	**100%**	**31%**	**21,604**	**97%**

2026年營運展望

- 致茂電子集團2025年累計合併營收連續兩年持續成長並創下歷史新高，達283億新台幣，較2024年同期成長31%。母公司量測設備事業體同創新高全年累計營收達220億新台幣，較2024年增長41%。2025年兩大事業體同步成長 – 量測及自動化檢測設備及半導體 / Photonics測試解決方案分別較去年同期成長55%及40%。

- 2026年展望:

  - ✓ 受惠於客戶需求持續增溫，公司預期2026年營收將可持續穩健成長，兩大事業體 – 量測及自動化檢測設備及半導體 / Photonics測試解決方案營收將再創去年高點。

  - ✓ 量測及自動化檢測設備之營收貢獻主要自於AI伺服器所需之Power零組件(包含HVDC之導入)及儲能產業需求大增。

  - ✓ 半導體 / Photonics測試解決方案之成長動能來自於幾個面向，1) SLT持續受惠於AI / HPC / ASIC需求增長、2) 先進製程擴產帶動之Metrology需求提升及 3) CPO的導入增進Photonics營收大幅增長。

High-precision
Semiconductor Test Solutions

Advanced Package FT & SLT Test Solutions

Chroma

Hopper	Blackwell	Rubin
		
GPU TDP: 700W	1000 - 1400W	1800 – >3000W

(Source: NVIDIA GTC 2025/CES 2026, Industry Estimates)

FT & SLT Test Systems

NEW

Temperature-forcing System – King Cobra

- -70℃~ +150℃ @Tc
- Up to 5000W heat dissipation
- Fast transient heat suppression

NEW

Advanced Package FT Test Hander 3160-H

- Dual-site
- 3000W cooling
- Small footprint
- Optical Auto-Alignment

NEW

High Density Testing Platform 3200-HD

- At-speed full-power test
- Optical inspection
- Multi-zone CDU cooling
- High power thermal interface

Advanced Packaging - 2D/3D Wafer Metrology Systems

Chroma



Advanced Packaging / Wafer Leve
(CoWoS & WMCM)

Critical Dimension Metrology

Model 798X

- TSV
- VIA
- RDL
- Overlay



Advanced Packaging / Panel Level
(CoPoS)

Metrology for PLP

NEW

Model 799X

- TSV
- VIA
- RDL
- Overlay

CPO Test Solutions

Chroma

Photonics IC (PIC)



EPIC Wafer/Die (EIC+PIC)



Light Engine (Optical Engine)

External Laser Light Source

CPO Switch



(Source: SEMIVISION)

PIC Wafer Test Solution

586XX Series

- Optical Test
- Electrical Test
- Reliability Test & WAT

Light Engine & CPO Automation Test Solution

587XX Series

5860X Series

Laser Source

- Light Engine O/E Test
- CPO Switch Test
- Laser Reliability Test
- Laser Source for testing

High-power
Power Electronics Test Solutions

AI Server Power Test Solutions

Chroma

Power Supply Unit (PSU)



Power Shelf

(Source: Supermicro, ORV3, AEI)

AI Server

Battery Backup Unit (BBU)

Bidirectional
DC-DC Converter

BBU Shelf

Regenerative Grid Simulator

Model 61800
- 105kVA

Model 61815
- 15kVA

NEW

Model 61860HF
- 60kVA

Bidirectional DC Source

Model 62000D Series
- 0 – 2000V, 0 – 540A
- 6kW – 45kW

Model 62000D-HL Series
- High range: 2000V/480A/360kW
- Low range: 650V/1440A/360kW
- High power system: up to 1.8MW

Power Conversion Device ATS

NEW

Model 8000 ATS
- Up to 1.8MW

DC Electronic Load

NEW

Model 63700H
- 80V / 2,650A / 80kW
- 650V & 1,000V / 710A & 235A / 120kW

Model 63202A-20-1000
63202A-20-2000
- 2KW/Up to 2000A

Model 63200A Series
- 2kW – 24kW

AI Server Battery Backup Unit Test Solutions

Chroma

(Source: Supermicro)

Lithium-ion Battery Cell

Battery Pack



Battery Backup Unit (BBU)

EDLC / LIC

Capacitor Module

Power Capacitor Shelf (PCS)

Power Rack | Battery / Capacitor Shelf | Battery Pack | Battery Pack BMS | Module | Cell

Regenerative Battery Pack Test System

Model 17040E
- 200kW
- 850V

NEW

Model 17050
- 0 – 2000V
- 0 – 540A
- 6kW – 45kW, up to 500kW

Battery pack ATS

Model 8720 ATS
- 60V

Regenerative Battery Pack Test System

Model 17020/E/C
- 60V
- 100~500A

BMS Functional ATS

Model 8710 ATS
- 16cell simulator
- 540A

BBU Functional ATS

Model 8000 ATS
- Up to 500kW

Battery Reliability Test System

NEW

Model 17010H
- 5V
- 100~300A

Chroma

Advancing Excellence

Thank You

Copyright © 2023 Chroma ATE Inc. All rights reserved.