Day 12 Revisit Spring Web (MVC) – Spring AOP

MVC – Model View Controller Design Pattern

Model (Data Layer)

View (Presentation Layer)

Controller (Business Layer – Controls Entire Application)

WRT Data Flow → User to Application

Application to User

Spring Web (Spring MVC) is a module for designing web based applications.

@Component – Helps to indicate a class as a bean and framework manages it's lifecycle

@Entity – JPA Annotation which represents a Bean class is a reference to the DB Table

@Table (To provide custom name to the DB table)

@Id – To specify the Primary Key of the DB table in our Java Code

@GeneratedValue – Helps to Auto Generate the numerical ID property in the DB table

JPA – Java Persistence API (It's a Specification to simplify DB operations)

Popular JPA Implementations

1) Hibernate (ORM Framework – Object Relational Mapping)
2) iBatis/MyBatis
3) EclipseLink

Spring AOP (Aspect Oriented Programming) - AspectJ

JointPoints

PointCut

Advice

@Aspect

Day 13 Agenda Spring Boot & CRUD with Mongo DB

- SPRING BOOT INTRODUCTION

    - Introduction to Spring Boot
    - Value Proposition of Spring Boot
    - High-level Spring Boot features
    - Creating a simple Boot application using Spring Initializr web-site
- SPRING BOOT DEPENDENCIES, AUTO-CONFIGURATION AND RUNTIME
    - Dependency management using Spring Boot starters
    - How auto-configuration works
    - Configuration properties
    - Using CommandLineRunner
    - Using In-memory Database (h2)
- Introduction to MongoReposiotory
    - Performing CRUD Operations with MongoDB

- Testing the Endpoints using Postman
- API Documentation using Swagger

Web Service – Services based on web (Internet)

- Machine to Machine Communication using Http (TCP/IP/Http)
- Invoking a method based on URI and getting responses

URI – URL

URI – Uniform Resource Identifier (Endpoint) – api/v1/trainings

URL – Uniform Resource Locator – http://www.google.com?searchq=dfngdlfng

Path – Absolute Path & Relational(Relative) Path

Types of WebService

- SOAP – Simple Object Access Protocol
- REST – Representation State Transfer (It re-uses HTTP protocol)

Sl No	Http Method	DB Operation	Example URI
1	Get()	ReadAll	Api/v1/trainings
2	Get(int id)	ReadById	Api/v1/trainings/{id}
3	Post(Object obj)	Create (Insert)	Api/v1/trainings
4	Put(Int id, Object updates)	Update	Api/v1/training/{id}
5	Delete(int id)	DeleteById	Api/v1/trainings/{id}

SpringBoot – It's a simplified way of creating Spring based Enterprise Application

https://spring.io -

Creating a SpringBoot based Application

1) Using Spring Initializr (https://start.spring.io)
2) Using Spring recommended IDE (STS/VS Code/IntelliJ)

Spring Boot Auto Configuration

@SpringBootApplication – Annotation

SpringBoot is called as Opinionated Framework.

Configurations

1) Application.properties /Application.yml
2) Annotations @Configuration
3) Pom.xml (jars)

Important Annotations

1) @SpringBootApplication [@ComponentScan, @EnableAutoConfiguration & @SpringBootConfiguration]
2) @Autowired
3) @RestController
4) @Service
5) @RequestBody
6) @PathVariable
7) @RequestMapping
8) @GetMapping
9) @PostMapping
10) @PutMapping
11) @DeleteMapping
12) @Id
13) @Entity
14) @GeneratedValue

Testing API endpoints

1) Using Postman (HttpClient)
2) Using Curl
3) Using Swagger (API Documentation & Testing tool)

Download Postman

https://www.postman.com/downloads/

https://chrome.google.com/webstore/detail/postman/fhbjgbiflinjbdggehcddcbncdddomop

https://www.mongodb.com/developer/code-examples/java/rest-apis-java-spring-boot/

https://spring.io/guides/gs/accessing-data-mongodb/ -- Using Command Line Runner

Using REST Repositories