

Day 13 Revisit

Spring Boot – Opinionated Framework build on top of Spring Framework

Spring Boot – Simplifies the process & configurations of Spring Based Applications

3 ways of Spring Boot Project

- 1) Using Spring Initializr (start.spring.io)
- 2) Using any IDE (STS/VS Code/Theia)
- 3) Using SpringBoot CLI

Model, Repo, Service, Controller, Exception, Util, Config

Web Service –

Types of Web Service => SOAP (Simple Object Access Protocol), REST (Representational State Transfer)

Terminologies

- 1) End Points, API End points, REST end points
- 2) URI (Uniform Resource Identifier)
- 3) Status Code (200-success, 201-created, 404-resource not available, 500-server error)
- 4) RequestBody & Response Body
- 5) Pay Load (Data that we adding to the request body object)

Annotations used in Spring Boot

- 1) @SpringBootApplication [@ComponentScan, @EnableAutoConfiguration, @SpringBootConfiguration]
- 2) @RestController
- 3) @RequestMapping (Generic for all http methods)
- 4) @GetMapping
- 5) @PostMapping
- 6) @PutMapping
- 7) @DeleteMapping
- 8) @RequestBody & @ResponseBody
- 9) @PathVariable
- 10) @Entity
- 11) @Id
- 12) @GeneratedValue
- 13) @Repository
- 14) @Service

## Ways of Configuring SpringBoot

- 1) Using Application.properties or application.yml file
- 2) Use Java class annotated with @Configuration
- 3) Adding dependencies in the pom (while &/after creating the app)

Usage of H2 database (In-memory database 2mb in size) – It's available only during the runtime.

Default config of h2 is

Db url : jdbc:h2:mem:DemoDB

Driver com.h2.Driver

Username SA (case in-sensitive)

Password Nil

MySQL, DevTools, Lombok, Spring Data JPA, h2

## Various End points

API naming convention api/v1/employees ( GET & POST)

Api/v1/employees/{id} (Put, Delete, Get by id)

## CRUD using MongoDB

## Testing End points

- 1) Using PostMan
- 2) Using CURL
- 3) Using Swagger (API Documentation)

## Day 14 Agenda

Introduction to Spring Cloud, Eureka, Circuit Breaker, Hystrix, Open Feign

### **Hystrix**

- Knowing what is circuit breaking
- Setting up a micro service application
- Apply circuit breaker pattern

### **Eureka**

- Locating services
- Load balancing
- Knowing failovers of middle tier

- Client-side balancing

## Spring Cloud

- Monolithic Architecture (Tightly coupled)
- Micro-service based Architecture (SOA – Service Oriented Architecture)

Eureka Server – (Service Registry/Discovery)

## Cloud Service Providers

- 1) AWS (Amazon Web Service)
- 2) GCP (Google Cloud Provider)
- 3) Azure (Microsoft Cloud)

<https://www.geeksforgeeks.org/java-spring-boot-microservices-develop-api-gateway-using-spring-cloud-gateway/> - API Gateway Demo

## API Routing

MicroService – Communication between services

<https://github.com/syskanttechnosoft/MicroServiceBatch1/tree/main/Day%208%2021-Nov-2022>

reqres.in/api/users