

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education

Advanced Subsidiary Level and Advanced Level

| CANDIDATE<br>NAME |  |  |  |                     |  |  |
|-------------------|--|--|--|---------------------|--|--|
| CENTRE<br>NUMBER  |  |  |  | CANDIDATE<br>NUMBER |  |  |

095092614

CHEMISTRY 9701/22

Paper 2 Structured Questions AS Core

May/June 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

| For Examiner's Use |  |  |
|--------------------|--|--|
| 1                  |  |  |
| 2                  |  |  |
| 3                  |  |  |
| 4                  |  |  |
| Total              |  |  |

This document consists of 9 printed pages and 3 blank pages.



## Answer all the questions in the spaces provided.

1

The elements of the third period of the Periodic Table, sodium to sulfur, all form chlorides by

| dire | ct co | ombination.   |
|------|-------|---|
| (a)  | (i)   | Sulfur forms a number of chlorides which are liquid at room temperature.  Which other element of the third period forms a chloride which is liquid at room temperature?                       |
|      | (ii)  | Name <b>one</b> element of the third period which burns in chlorine with a coloured flame.  |
|      |       |   |
| •    | (iii) | Aluminium chloride may be produced by passing a stream of chlorine over heated aluminium powder in a long hard-glass tube. State <b>two</b> observations you could make during this reaction. |
|      |       | and   |
| (    | (iv)  | Write a balanced equation, with state symbols, for this reaction of aluminium with chlorine.  |
|      |       |   |
|      | (v)   | No chloride of argon has ever been produced.<br>Suggest a reason for this.  |
|      |       |   |
|      |       | [7]   |
|      |       |   |

- **(b)** When chlorides of the elements of the third period are added to water, some simply dissolve while others can be seen to react with the water.
  - (i) Complete the table below, stating how the chlorides of Na, A*l*, and Si behave when mixed with water. In the first column use only the terms 'dissolve' or 'react'.


| element | Does the chloride dissolve or react? | approximate pH of the resulting solution |
|---------|--------------------------------------|--|
| Na      |                                      |  |
| Al      |                                      |  |
| Si      |                                      |  |

| (ii) What type of reaction takes place between a chloride and | water? |
|---|--------|
|---|--------|

.....

[7]

(c) Sulfur forms the compound  $S_4N_4$  with nitrogen. The structure of  $S_4N_4$  is shown below. Assume all bonds shown are single bonds.



| (i) | Determine the number of lone pairs of electrons around a nitrogen atom and a sulfur |
|-----|---|
|     | atom in $S_4N_4$ .  |

nitrogen atom .....

sulfur atom .....

(ii) Which bond angle, a or b, in the  $S_4N_4$  molecule will be smaller? Explain your answer.

.....

[Total: 16]

[2]

| 2 | Alcohols such as methanol, CH <sub>3</sub> OH, are considered to be possible replacements for fossil |
|---|--|
|   | fuels because they can be used in car engines.   |

| (a) | Define, with the aid of an equation which includes state symbols, the standard enthalpy |
|-----|---|
|     | change of combustion, $\Delta H_c^{\bullet}$ , for methanol at 298 K.                   |

|            | [3] |
|------------|-----|
|            |     |
| definition |     |
| equation   |     |

Methanol may be synthesised from carbon monoxide and hydrogen. Relevant  $\Delta H_c^e$  values for this reaction are given in the table below.

| compound              | ΔH <sup>o</sup> <sub>c</sub> /kJ mol <sup>-1</sup> |
|-----------------------|--|
| CO(g)                 | -283   |
| H <sub>2</sub> (g)    | -286   |
| CH <sub>3</sub> OH(g) | -726   |

**(b)** Use these values to calculate  $\Delta H_{\text{reaction}}^{\bullet}$  for the synthesis of methanol, using the following equation. Include a sign in your answer.

$$CO(g) + 2H_2(g) \rightarrow CH_3OH(g)$$

 $\Delta H_{\text{reaction}}^{\bullet} = \dots kJ \, \text{mol}^{-1}$ 

[3]

|     |                                 | · ·   |
|-----|---------------------------------|---|
| (c) | The operating con               | ditions for this reaction are as follows.   |
|     | pressure                        | 200 atmospheres ( $2 \times 10^7 Pa$ )  |
|     | temperature                     | 600 K   |
|     | catalyst                        | oxides of Cr, Cu, and Zn  |
|     | In the spaces belo of methanol. | w, explain how <b>each</b> of these conditions affects the <b>rate of formation</b> |
|     | pressure                        |   |
|     |                                 |   |
|     |                                 |   |
|     |                                 |   |
|     | temperature                     |   |
|     |                                 |   |
|     |                                 |   |
|     |                                 |   |
|     | catalyst                        |   |
|     |                                 |   |
|     |                                 |   |
|     |                                 | [6]   |

[Total: 12]


**3** Food additives are substances added to food to preserve the flavour or to improve its taste and appearance.

European Union legislation requires most additives used in foods to be labelled clearly in the list of ingredients, either by name or by an 'E number'. E296 is malic acid which occurs in unripe fruit.

Malic acid has the structural formula HO<sub>2</sub>CCH<sub>2</sub>CH(OH)CO<sub>2</sub>H.

(a) Some reactions of malic acid are shown below.

In the boxes below, give the **structural** formulae of organic compounds **A** to **F**.



| (b) | What type of reaction is each of the following conversions?  |     |  |  |  |
|-----|--|-----|--|--|--|
|     | malic acid into C  |     |  |  |  |
|     | <b>C</b> into <b>D</b>   |     |  |  |  |
|     | C into E   | [3] |  |  |  |
| (c) | Suggest <b>one</b> major commercial use of compounds such as <b>A</b> or <b>B</b> .  |     |  |  |  |
|     |  | [1] |  |  |  |
| (d) | (i) Malic acid is chiral.  Draw fully displayed formulae of the two optical isomers of malic acid.  Indicate with an asterisk (*) the chiral carbon atom.  |     |  |  |  |
|     |  |     |  |  |  |
|     | (ii) Compound C also shows stereoisomerism.  Draw the skeletal formulae of each of the stereoisomers of C. Label each isomer   | r.  |  |  |  |
| (e) | The food additive E330 is another organic compound which occurs naturally in fruit. E330 has the following composition by mass: C, 37.5%; H, 4.17%; O, 58.3%. Calculate the empirical formula of E330. | [6] |  |  |  |
|     |  | [3] |  |  |  |

[Total: 19]

- 4 Oxygen-containing organic compounds may contain a number of different functional groups including alcohol, aldehyde, carboxylic acid, ester or ketone functional groups. These functional groups may be identified by their reactions with specific reagents.
  - (a) On treating compounds containing each of these functional groups with the reagents below, only five reactions occur. Complete the table by placing a tick (✓) in each box where you believe a reaction will occur. You should place **no more** than five ticks in the table.

| reagent  | alcohol<br>R₂CHOH | aldehyde<br>RCHO | carboxylic acid RCO <sub>2</sub> H | ester<br>RCO₂R' | ketone<br>RCOR' |
|--|-------------------|------------------|------------------------------------|-----------------|-----------------|
| NaHCO <sub>3</sub>   |                   |                  |                                    |                 |                 |
| Na   |                   |                  |                                    |                 |                 |
| Cr <sub>2</sub> O <sub>7</sub> <sup>2-</sup> /H <sup>+</sup> |                   |                  |                                    |                 |                 |

[5]

Compound **G** has the empirical formula CH<sub>2</sub>O and M<sub>r</sub> of 90.

An aqueous solution of **G** is neutral. There is no reaction when **G** is treated with NaHCO<sub>3</sub>.

When 0.30 g of pure **G** is reacted with an excess of Na, 80 cm<sup>3</sup> of H<sub>2</sub>, measured at room temperature and pressure, is produced.

| (b) (i) | What functional group do these two reactions show to be present in <b>G</b> ? |  |  |  |  |
|---------|---|--|--|--|--|
|         |   |  |  |  |  |

(ii) Use the data to calculate the amount, in moles, of hydrogen **atoms** produced from 0.30 g of **G**.

(iii) Hence, show that each molecule of **G** contains **two** of the functional groups you have given in (i).

[4]

| (c) | c) Treatment of <b>G</b> with 2,4-dinitrophenylhydrazine reagent produces an orange |  |  |  |
|-----|---|--|--|--|
|     | When <b>G</b> is warmed with Fehling's reagent, no reaction occurs.                 |  |  |  |

(i) What functional group do these reactions show to be present in **G**? Draw the displayed formula of this functional group.

(ii) Use your answers to (b)(i) and (c)(i) to deduce the structural formula of G.

[2]

- (d) Compound G can be both oxidised and reduced.
  - (i) When **G** is heated under reflux with acidified K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub>, compound **H** is formed. Give the structural formula of compound **H**.

(ii) When **G** is reacted with NaBH<sub>4</sub> under suitable conditions, compound **J** is formed. Give the structural formula of compound **J**.

[2]

[Total: 13]

### **BLANK PAGE**

### **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of he Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.