



Lab 2.1 part1

Success! Virtual host is working!

PRODAM GARAG V LISKAH, DOROGO

WELCOME TO MACBOOK | x



daniil@debian11server: ~



GNU nano 5.4

index.html

```
<html>
<head>
<title> WELCOME TO MACBOOK LINUX OPA TRITATATATATATA!</title>
</head>
<body>
<h1>Lab 2.1 part1</h1>
<h3>Success! Virtual host is working!</h3>
<h2>PRODAM GARAG V LISKAH, DOROGO</h2>
</body>
</html>
```

[Read 10 lines]

^G Help
^X Exit

^O Write Out
^R Read File

^W Where Is
^_ Replace

^K Cut
^U Paste

^T Execute
^J Justify

^C Location
^_ Go To Line

```
WELCOME TO MACBOOK L x +
daniil@debian11server: ~
root@debian11server:/var/www# cd macbook.com/
root@debian11server:/var/www/macbook.com# ls -lha
total 12K
drwxr-xr-x 3 root root 4.0K Sep 24 09:56 .
drwxr-xr-x 4 root root 4.0K Sep 24 09:55 ..
drwxr-xr-x 2 root root 4.0K Sep 25 03:17 html
root@debian11server:/var/www/macbook.com# cd html
root@debian11server:/var/www/macbook.com/html# ls -lha
total 12K
drwxr-xr-x 2 root root 4.0K Sep 25 03:17 .
drwxr-xr-x 3 root root 4.0K Sep 24 09:56 ..
-rw-r--r-- 1 root root 212 Sep 25 03:17 index.html
root@debian11server:/var/www/macbook.com/html#
```

WELCOME TO MACBOOK L x +

←

+

daniil@debian11server: ~

🔍

☰

×

root@debian11server:~# ss -lntp

State	Recv-Q	Send-Q	Local Address:Port	Peer Address:Port	Process
LISTEN	0	511	*:8080	*:*	users:((
"apache2",pid=2900,fd=4),("apache2",pid=2899,fd=4),("apache2",pid=2898,fd=4),("a					
pache2",pid=2897,fd=4))					

root@debian11server:~#

WELCOME TO MACBOOK | x +

←

+

daniil@debian11server: ~

🔍

☰

✕

☰

GNU nano 5.4 macbook.com.conf
<VirtualHost *:8080>
 ServerAdmin webmaster@localhost
 ServerName macbook.com
 ServerAlias www.macbook.com
 DocumentRoot /var/www/macbook.com/html
 ErrorLog \${APACHE_LOG_DIR}/error.log
 CustomLog \${APACHE_LOG_DIR}/access.log combined
</VirtualHost>

[Read 8 lines]

^G Help

^O Write Out

^W Where Is

^K Cut

^T Execute

^C Location

^X Exit

^R Read File

^_ Replace

^U Paste

^J Justify

^_ Go To Line

WELCOME TO MACBOOK | x



daniil@debian11server: ~



GNU nano 5.4

ports.conf

```
# If you just change the port or add more ports here, you will likely also  
# have to change the VirtualHost statement in  
# /etc/apache2/sites-enabled/macbook.com.conf
```

```
Listen 8080
```

```
<IfModule ssl_module>  
    Listen 443  
</IfModule>
```

```
<IfModule mod_gnutls.c>  
    Listen 443  
</IfModule>
```

```
# vim: syntax=apache ts=4 sw=4 sts=4 sr noet
```

[Read 15 lines]

^G Help

^O Write Out

^W Where Is

^K Cut

^T Execute

^C Location

^X Exit

^R Read File

^\ Replace

^U Paste

^J Justify

^_ Go To Line