



daniil@debian11server: ~



```
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=20 ttl=57 time=4.72 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=21 ttl=57 time=4.34 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=22 ttl=57 time=4.04 ms
```

```
^C
```

```
--- webhost.vsu.ru ping statistics ---
```

```
22 packets transmitted, 22 received, 0% packet loss, time 21035ms
```

```
rtt min/avg/max/mdev = 3.719/5.241/14.902/2.317 ms
```

```
daniil@debian11server:~$ ping www.vsu.ru
```

```
PING webhost.vsu.ru (62.76.169.30) 56(84) bytes of data.
```

```
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=1 ttl=57 time=3.79 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=2 ttl=57 time=4.40 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=3 ttl=57 time=4.05 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=4 ttl=57 time=4.17 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=5 ttl=57 time=4.43 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=6 ttl=57 time=4.84 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=7 ttl=57 time=5.14 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=8 ttl=57 time=11.5 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=9 ttl=57 time=22.7 ms
64 bytes from webhost.vsu.ru (62.76.169.30): icmp_seq=10 ttl=57 time=4.53 ms
```

```
^C
```

```
--- webhost.vsu.ru ping statistics ---
```

```
10 packets transmitted, 10 received, 0% packet loss, time 9015ms
```

```
rtt min/avg/max/mdev = 3.786/6.961/22.746/5.683 ms
```

```
daniil@debian11server:~$ S
```



daniil@debian11server: ~



```
daniil@debian11server:~$ nslookup www.vsu.ru
```

```
Server:          192.168.1.1
```

```
Address:         192.168.1.1#53
```

```
Non-authoritative answer:
```

```
www.vsu.ru       canonical name = webhost.vsu.ru.
```

```
Name:   webhost.vsu.ru
```

```
Address: 62.76.169.30
```

```
Name:   webhost.vsu.ru
```

```
Address: 2001:67c:418:2020::30
```

```
daniil@debian11server:~$ SS
```

daniil@debian11server: ~

```
daniil@debian11server:~$ traceroute www.vsu.ru
traceroute to www.vsu.ru (62.76.169.30), 30 hops max, 60 byte packets
 1  _gateway (10.0.2.2)  0.419 ms  0.365 ms  0.345 ms
 2  * * *
 3  * * *
 4  * * *
 5  * * *
 6  * * *
 7  * * *
 8  * * *
 9  * * *
10  * * *
11  * * *
12  * *
   *
13  * * *
14  * * *
15  * * *
16  * * *
17  * * *S^C
daniil@debian11server:~$
```



Account Settings

☐

Administrators can add and remove other users, and can change settings for all users.

Disabled >