$$
\begin{array}{lcll}
S & \rightarrow & \mathsf{ID}{=}E & \{\texttt{generate}(\text{`}\mathsf{ID}.name{:=}E.var')\} \\
S & \rightarrow & \texttt{if}(E) & \{S.label_1{:=}\texttt{newlabel}();\texttt{generate}(\text{`}\texttt{if_not}\ E.var\ \texttt{goto}\ S.label_1\ ')\} \\
 & & S^{(1)} & \{S.label_2{:=}\texttt{newlabel}();\texttt{generate}(\text{`}\texttt{goto}S.lable_2')\} \\
 & & \texttt{else} & \{\texttt{generate}(\text{`}\texttt{label}S.label_1')\} \\
 & & S^{(2)} & \{\texttt{generate}(\text{`}\texttt{label}S.label_2')\} \\
E & \rightarrow & E^{(1)}\&\&D & \{E.var := \texttt{newTemp}(); \\
 & & & \texttt{generate}(\text{`}E.var{:=}E^{(1)}.var\ \wedge\ D.var')\} \\
E & \rightarrow & D & \{E.var := \texttt{newTemp}();\texttt{generate}(\text{`}E.var{:=}D.var')\} \\
D & \rightarrow & D^{(1)} < C & \{D.var := \texttt{newTemp}(); \\
 & & & \texttt{generate}(\text{`}D.var{:=}D^{(1)}.var < C.var')\} \\
D & \rightarrow & C & \{D.var := \texttt{newTemp}();\texttt{generate}(\text{`}D.var{:=}C.var')\} \\
C & \rightarrow & C^{(1)} - \mathsf{ID} & \{C.var := \texttt{newTemp}(); \\
 & & & \texttt{generate}(\text{`}C.var{:=}C^{(1)}.var - \mathsf{ID}.name')\} \\
C & \rightarrow & \mathsf{ID} & C.var := \texttt{newTemp}();\texttt{generate}(\text{`}C.var{:=}\mathsf{ID}.name')
\end{array}
$$