

Icons used in this version

All from **Tabler Icons** (free, MIT-licensed) — same set as before, plus two new ones for the project thumbnails (**database**, **chart-bar**). Direct links:

- GitHub → <https://tabler.io/icons/icon/brand-github>
- LinkedIn → <https://tabler.io/icons/icon/brand-linkedin>
- Mail → <https://tabler.io/icons/icon/mail>
- Photo (younews thumbnail) → <https://tabler.io/icons/icon/photo>
- Database (movie-database thumbnail) → <https://tabler.io/icons/icon/database>
- Chart bar (fortnite-data-analysis thumbnail) → <https://tabler.io/icons/icon/chart-bar>
- Folder (the four grid cards) → <https://tabler.io/icons/icon/folder>
- External link → <https://tabler.io/icons/icon/external-link>

Whole set: <https://tabler.io/icons> (or `npm i @tabler/icons`).

Design spec

One thing to know up front: the mockup is rendered in a narrow ~680px preview frame, so the **colors, fonts, radii, and borders are production-accurate**, but the **type sizes and section spacing are compressed** to fit. Below I give the real production values; where the preview differs, I note it. Drop this in as your foundation:

```
:root {  
  /* ---- Fonts ---- */  
  --font-sans: "Inter", system-ui, -apple-system, sans-serif;  
  --font-mono: "JetBrains Mono", "SF Mono", ui-monospace, monospace;  
  /* loaded via: fonts.googleapis.com — Inter 400/500/600/700, JetBrains Mono 400/500 */  
  
  /* ---- Colors (exact hex from the mockup) ---- */  
  --bg: #0a192f; /* page background */  
  --bg-chrome: #0c1f3a; /* (browser bar in mockup; not needed on real site) */  
  --bg-elevated: #112240; /* cards, thumbnails sit on this */  
  --thumb-bg: #0a192f; /* thumbnail inner = same as page bg */  
  --text-primary: #e6f1ff; /* name, headings, card titles */  
  --text-secondary: #8892b0; /* stack lines, body copy */  
  --text-muted: #5c6685; /* inactive nav, captions, footer, url */  
  --line-inactive: #3a4a66; /* inactive nav leading line, traffic dots */  
  --accent: #64ffda; /* teal — tagline, nav active, tags, button */  
  --accent-soft: rgba(100,255,218,0.10); /* chip + tag fills */  
  --accent-soft-2: rgba(100,255,218,0.12); /* featured tag fills */  
  --accent-border: rgba(100,255,218,0.25); /* grid tag outline */
```

```

--border:      rgba(255,255,255,0.08); /* every hairline border */
--bar-placeholder: rgba(255,255,255,0.09); /* (only for wireframe bars) */

/* ---- Radii (exact) ---- */
--radius-button: 6px;
--radius-thumb: 8px;
--radius-grid: 10px;
--radius-card: 12px;
--radius-pill: 999px;

/* ---- Borders ---- */
--hairline: 1px solid rgba(255,255,255,0.08);
--highlight: 1px solid #64ffda; /* the featured/hovered card */

/* ---- Layout (production targets) ---- */
--sidebar-width: clamp(280px, 42vw, 460px); /* mockup shows 236px in the cramped preview */
--content-max: 600px;
--col-gap: 56px;
--section-gap: clamp(72px, 12vh, 120px); /* mockup uses 26px to fit */
--gutter: clamp(24px, 5vw, 100px);
}

```

Type scale — production sizes on the left, what the preview shrank them to on the right:

Element	Production size	Weight	Other	(preview)
Name (h1)	<code>clamp(40px, 8vw, 64px)</code>	700	line-height 1.05, letter-spacing -0.02em, color <code>--text-primary</code>	27px
Tagline	16px	500	color <code>--accent</code>	14px
Section number (01 -)	13px	500	mono, color <code>--accent</code>	12px
Featured card title	20px	600	color <code>--text-primary</code>	15px
Grid card title	16px	600	color <code>--text-primary</code>	13px

Stack line (Python · SQL)	13px	400	mono, color <code>--text-secondary</code>	10px
Nav labels	13px	500	mono, uppercase, letter-spacing 0.08em	12px
Skill chips	13px	500	mono, color <code>--accent</code>	11px
Featured tag	11px	500	mono, color <code>--accent</code>	10px
Grid tag	11px	500	mono, outlined	9px
Contact button	14px	500	color <code>--accent</code>	12px
Footer / url	13px	400	mono, color <code>--text-muted</code>	11–12px

Spacing & padding — production values (preview values noted where they differ):

Element	Padding / size	Gaps
Sidebar	40px 32px (<i>preview 24/18</i>)	nav items 12px apart; socials 16px apart
Content column	40px 32px (<i>preview 24/20</i>)	sections <code>--section-gap</code> apart
Featured card	24px (<i>preview 13</i>)	image↔text 24px; cards 16px apart vertically
Thumbnail	200px × 130px, radius <code>--radius-thumb</code> (<i>preview 112×80</i>)	—
Grid	<code>repeat(auto-fill, minmax(240px, 1fr))</code>	20px gap (<i>preview 2-col, 11px</i>)
Grid card	20px (<i>preview 11/13</i>), radius <code>--radius-grid</code>	—
Skill chip	4px 12px, radius <code>--radius-pill</code>	6px apart
Featured tag	2px 9px, radius <code>--radius-pill</code>	—
Grid tag	1px 7px, radius <code>--radius-pill</code> , 1px <code>solid --accent-border</code>	—

Contact button 12px 24px (*preview 8/18*), radius —
 `--radius-button, 1px solid --accent`

Two component behaviors that aren't just static values:

The active nav indicator is a leading line + label: active = a **24px-wide, 1px** line in `--accent` next to an `--accent` label; inactive = a **12px-wide** line in `--line-inactive` next to a `--text-muted` label. On hover, an inactive item's line animates from 12px → 24px and the label brightens.

The featured card hover state (the teal border you see on younews is the "active" look): default border is `--hairline`; on hover apply `--highlight`, swap background `#112240` → `#1d2d50`, and `transform: translateY(-4px)`, all transitioned over `0.25s cubic-bezier(0.16, 1, 0.3, 1)`.

Want me to roll all of this into a working `index.html` + `styles.css` starter so you're not transcribing values by hand?