IDYLLIC LIGHTING

Website requirements & creative direction

Cursor handoff | Version 1.0 | November 1, 2026

BEAUTIFUL AFTER DARK
Build the house. Invite the scroll. Bring it to light.

Create a first website for Idyllic Lighting, not a redesign of an existing site. The visitor sees a house assemble from the ground up into a dim nighttime scene. One roof-edge bulb gently pulses. Scrolling extends the illumination along the roofline while the headline gives way to useful business information.

Keep the result recognizable, warm and credible. The hero is the signature experience; the rest of the site should make services, examples and inquiries easy to understand.

The two conversion paths

Get a Free Quote and **Request a Site Visit** must be usable immediately. Both open the same inquiry system with the correct request type selected. A preferred visit date is a request, never a confirmed appointment.

Non-negotiable decisions

- Use a real Remotion composition for the hero, with native scrolling controlling the lighting reveal.
- Start illumination at the far-left roof edge. Previously lit bulbs stay on; reverse scrolling retraces the same route.
- Use a brief ground-up assembly, not a blocking loading screen. Two gentle idle pulses, then a steady light.
- Keep business content and controls in normal HTML. Provide static and reduced-motion alternatives.
- Use authentic, approved installation photos for the portfolio. Label the animated house as a visualization when it is not documentary photography.
- Never invent reviews, availability, prices, credentials, addresses or project history.

How to use this handoff

Read sections 2-3 for evidence and sources; 4-8 for design, motion and assets; 9-12 for functionality and build standards; 13-15 for skills, testing and the Cursor kickoff prompt. Sections 16-17 contain technical reference links.

Status language: Published reference = information a cited source lists, not owner approval. Proposed = a design/build instruction. Owner approval required = a launch gate. All design copy is proposed unless identified otherwise.

Use evidence, not plausible-sounding filler

Published business references

[Certain] The supplier directory lists Idyllic Lighting in Leduc, Alberta, with permanent and seasonal outdoor lighting for homes and businesses. It also lists wedding/event lighting, window washing, solar-panel cleaning and gutter cleaning. The listed service area is Central Alberta, Leduc, Edmonton and Leduc County. [B1]

[Certain] The same listing gives idylliclighting@gmail.com and links to the Facebook profile in section 3. It describes experience with Govee products. This is not proof of a certification, dealership, warranty or electrical licence. [B1]

[Certain] The linked logo uses a black background, gold lettering and an illuminated house. Preserve the existing identity; request an original transparent or vector logo before launch. [B3]

[Certain] A Reddit commenter publicly recommended Idyllic Lighting. Treat the comment as an anecdotal research lead. Do not convert it into a verified customer testimonial, star rating or published price list. [B4]

Project assumptions

The client reports that the business has no website. Build as a new-site project, without assuming that any particular domain is owned or available. The owner has not approved the proposed wording, website scope or live inquiry workflow in this handoff.

Owner approval required before launch

Identity and contact: preferred trading/legal name; logo originals; public phone; monitored inbox; domain ownership; hours; service areas; approved social/profile URLs. Do not publish a registry/home address as a storefront.

Offers and operations: confirm free quotes; whether visits carry a charge; installation-only versus supply-and-install; supported lighting systems; seasonal removal/storage; visit windows; response expectations; weather policy; warranties and insurance claims.

Content: permission for every project image; accurately attributed projects; any testimonial permissions; recent installation availability; prices only if expressly approved. Keep Christmas promises and scarcity messages out until confirmed.

Preview behaviour: use placeholders for unresolved facts or omit the field. Keep forms demo-only. Missing content should block publication of that content, not development of the layout and motion prototype.

Where Cursor should look

[B1] Supplier listing - business discovery source

Country Nut Creations: Find an Installer Open the Idyllic Lighting entry. Use it to check the business name, email, services, service region and linked Facebook page. It is a supplier directory, not an Idyllic-operated website.

[B2] Facebook - linked business profile

Open Idyllic Lighting on Facebook This exact destination is linked from B1. On the page, use **Posts** for installation updates, **Photos** for albums and project images, **Videos/Reels** for lighting demonstrations, and **Reviews/Recommendations** if that tab is available.

Access status: profile destination verified through B1; individual posts, albums and recommendations require inspection in an authorized browser. No specific post permalinks are pre-approved. Do not guess them or bypass access controls. Record the actual permalink and date when an item is selected.

[B3] Current logo reference

Open the logo image linked by the supplier This is a brand reference, not an installation photograph or automatic permission to republish. Obtain the original from the owner. Do not hotlink this file in production or upscale the square logo into a full-screen hero.

[B4] Public recommendation - research only

Reddit: Edmonton permanent LED discussion The linked comment specifically recommends Idyllic Lighting. Do not reuse images from other commenters or competitors as Idyllic projects. The commenter's reported price is not an approved business offer.

[B5] Google Maps discovery link

Search Google Maps for Idyllic Lighting, Leduc **Search link only, not a verified Business Profile or reviews URL.** Request the owner's exact Google share link before displaying a Google rating, map pin or review button.

[B6] Secondary supplier reference

Country Nut Creations: Govee products / listed installers Its product and Etsy reviews concern the supplier's products, not Idyllic's workmanship. Do not import them as Idyllic testimonials. Instagram, TikTok, YouTube and other social links remain owner-approval items; omit unverified icons.

Beautiful After Dark

Proposed character: architectural, warm, confident and residential. Premium presentation without pretending the business is a national franchise or a luxury-only installer.

Colour system

Token	Value	Intended use
Night	#0B0E13	Hero, navigation and footer
Charcoal	#171B21	Secondary dark surfaces
Warm ivory	#F5F1E8	Reading sections and light text
Champagne gold	#D8B76A	Light accents and key actions
Soft grey	#D7D9DE	Supporting text on dark surfaces

Test actual text/background pairs for contrast. Gold is an accent, not the default body-text colour. Preserve the approved logo; do not casually replace it with a newly generated wordmark.

Type and composition

Use an expressive but legible serif for major headings and a clean sans-serif for body copy. Suggested starting pair: **Cormorant Garamond Semibold + Manrope**. Verify font licences; self-host only permitted files. Use no more than two families and a small weight range.

Compose the house as the focal point, with a stable text area beside or above it and a restrained gradient behind text. Use generous margins and editorial spacing. Design the mobile crop separately; do not crop away the first bulb or the important roof peaks.

What the site must not become

No neon gaming palette, spinning 3D house, stock mansion slideshow, particle storm, snow overlay, glitter cursor, bouncing buttons, scroll hijacking or repeated long pinned sections. Do not combine every animation technique in the same viewport.

Seasonal positioning

Make warm-white illumination the year-round opening. Place Christmas/holiday messaging in an editable campaign section below it. Use owner-approved seasonal photos and a holiday inquiry option, not a permanently Christmas-only identity.

Set campaign start/end dates and an evergreen fallback in content configuration. Never show expired countdowns, unsupported installation deadlines or invented limited availability.

Proposed navigation

Logo | Services | Our Work | How It Works | Contact | **Get a Free Quote** Keep **Request a Site Visit** visible in the hero and inquiry section. On small screens use a compact header and accessible menu; avoid a floating bar that covers form fields.

Let the visitor switch the house on

A. Arrival - ground-up assembly

Show the nighttime setting immediately. Assemble the foundation, facade and roof into the same complete house in approximately **1.0-1.5 seconds**. Use layered masks and small upward reveals, not flying bricks or construction machinery. Maintain a stable camera and convincing architectural alignment.

The business identity and inquiry controls remain available while the scene enters. This is an entrance animation, not a loading percentage or a requirement before using the page.

B. Idle - the first bulb

The completed house remains visible in dim ambient light. All decorative lights are off except the bulb at the **far-left edge of the roof**. Give it two gentle warm pulses, finishing within a short idle cue, then hold it steadily. Keep the combined automatic intro and cue under five seconds; do not loop them indefinitely.

Proposed opening copy:

> Every transformation starts with a little light.
> Permanent & seasonal lighting for your home and business.
> Get a Free Quote | Request a Site Visit
> Scroll to bring it to life.

C. Scroll - illumination travels

On downward scrolling, stop the idle pulse and extend the light from that first bulb along an explicitly authored roofline route. Follow corners and peaks, not a rectangular left-to-right screen wipe. Already illuminated bulbs stay on. Add local light spill on soffits and nearby surfaces without brightening the entire sky or photograph.

Stopping freezes progress. Upward scrolling reverses the same illumination sequence, but never dismantles the house. No automatic chase-light loop.

D. Business introduction - synchronized text

As the lights progress, lift the original headline upward and fade it out. Bring the introduction up from below into the same text region. Use only three readable copy states, with still periods between changes.

Middle state: Meet Idyllic Lighting. Follow with one short, owner-approved description of their services and service area.

Completed state: Let's bring your home to light. Repeat the two inquiry actions. Hold the fully lit scene before normal page content resumes.

Bypass behaviour

Immediate scrolling, a section link or either inquiry action skips the assembly and aligns the scene with the current scroll position. Returning from the form does not replay the introduction. Provide an explicit Skip animation link. For reduced motion, show a fully lit static house and all essential content in normal flow.

One controller, two kinds of time

Use **Remotion + @remotion/player** for the composited house, masks, bulbs and light spill. Use **Motion useScroll** or an existing equivalent to read native page progress. Keep HTML text and controls outside the visual composition. Follow the current official APIs. [T1-T5]

State machine

INTRO -> IDLE -> SCRUB -> COMPLETE, with separate loading/failure and reduced-motion guards. Keep the house assembled once the intro finishes or is skipped. Store an intro-seen flag for the current tab session; safely handle unavailable storage.

A single controller owns the Player. It advances the brief intro/idle cue, then pauses and seeks during SCRUB. Do not let autoplay, a requestAnimationFrame timer and scroll all fight over the same frames. Stop background work when hidden or offscreen.

Proposed timeline

Reserve a short intro segment, a finite idle segment and a separate illumination segment. A starting point is **36 intro frames + 72 idle frames + 300 scrub frames at 30 fps**. These are design parameters, not a forced visit duration. Recompute if the art direction changes.

During SCRUB:

```
p = clamp(stickySectionProgress, 0, 1)
frame = scrubStart + round(p * (scrubFrameCount - 1))
player.pause()
player.seekTo(frame)
```

This is implementation pseudocode, not a complete component. Scope subscriptions; seek only when the rounded target changes. Keep composition visuals deterministic from frame data and avoid whole-page rerenders. [T1-T3]

Bulb path and text synchronization

Store normalized bulb coordinates, route order and spill masks in one configuration. Order bulbs by authored path distance, including an explicit branch order for different roof levels. Ramp each bulb softly around its activation threshold. A lit bulb stays on until reverse progress crosses that threshold.

Suggested scroll bands: opening 0-15%; first text transition 15-25%; introduction 25-65%; second transition 65-75%; completed message 75-100%. Complete illumination around 85% and hold. Adjust after reading/interaction tests.

Layout and fallbacks

Start with a desktop wrapper around 250svh including a sticky scene; tune for clarity. Do not multiply pinning across the whole site. Use one shared coordinate transform for the house and lights; recalculate after resizing. Keep a static poster until assets are decoded. If the Player fails, retain the poster, copy and links without a blank hero. Inspect Remotion licensing for both developer and client usage before release. [T6]

Prepare the artwork before polishing the animation

Asset priorities

Brand: original logo in SVG or transparent PNG, approved colours and any brand guidelines.

Portfolio: owner-approved original installation photographs. Prefer full-house nighttime views, close-ups of mounting quality, seasonal examples and genuine event work. Obtain landscape and portrait crops where possible. Ask for original files rather than social-media screenshots.

Hero: one coherent house scene, with the same architecture, lens, crop and lighting across all layers. A real commissioned/approved photograph is preferred. An illustrated or generated scene may be used as a clearly identified lighting visualization, never as proof of a completed Idyllic installation.

The house in the existing logo is a style reference, not a ready-made high-resolution architectural asset. Do not extract it and enlarge it into a blurry full-screen image.

Required layers and metadata

Asset	Purpose
Night background	Stable sky and surroundings throughout
House base and masks	Foundation, facade and roof assembly
Unlit complete house	Seamless handoff into the idle scene
Roofline/bulb configuration	Explicit coordinates and activation route
Local glow/spill layers	Convincing nearby illumination, not global exposure
Fully lit poster	Static, reduced-motion and error fallback
Mobile crop configuration	Keeps roofline and starting bulb in view

Use a common master coordinate system. Export web-sized AVIF/WebP assets plus suitable fallbacks; retain editable masters outside the public deployment. Inspect halos and transparent edges against the final dark background.

Image treatment rules

Correct exposure, crop, noise and white balance conservatively. Do not add nonexistent installation features, replace customers' houses, fake before-and-after evidence or use competitors' work. Keep originals and log edits. Get permission before publishing identifiable homes or details.

Maintain an asset manifest with source/permalink, owner, permission status, actual-project versus visualization, service category, edit history, crop/focal point and alt text. No asset enters the real-project gallery without approval.

Acquisition workflow

Use B2 to locate posts and albums. Capture their real URLs and dates in the manifest; request full-resolution originals from the owner. Where access or permission is missing, create an explicit placeholder and continue the build. Do not hotlink Facebook CDN images, scrape private content or invent missing post links.

Keep the hero memorable and the rest useful

1. Interactive hero

Implement the approved house sequence and a persistent route to both inquiry types. Keep one semantic H1 and a plain-text description of the business. Visually changing headings must not erase essential information from the accessible page.

2. Three service stories

Use **Permanent Lighting**, **Seasonal & Christmas Lighting**, and **Wedding & Event Lighting** as the initial lighting-focused grouping, subject to owner approval. Keep cleaning services secondary rather than allowing them to dilute the lighting-first homepage. [B1]

For each story, show one approved image, a concise description and a service-specific quote action. Avoid a generic wall of identical cards. Use images that rise gently from below with a brief reveal; never slide them sideways. Keep parallax shallow and optional. The long scroll-controlled hero should remain the only major pinned sequence.

Proposed descriptions: Permanent - Lighting that becomes part of your home's exterior. Seasonal - A festive finish for the season ahead. Events - Lighting designed around your celebration. These are positioning drafts, not product specifications or guarantees.

3. Real installations

Use a responsive gallery with useful captions and optional service filters when enough projects exist. Provide an accessible lightbox with keyboard navigation, Escape to close and restored focus. Hide an empty gallery rather than manufacture projects. Use a before-and-after slider only for a matched, approved pair of the same property.

4. How it works

Tell us about your project -> Assessment or site visit if needed -> Receive your quote -> Arrange installation. Confirm this operational sequence with the owner. Never imply a site visit is mandatory for every inquiry.

5. About, confidence and reviews

Use a short, factual introduction. No invented founder story, years in business, project counts, badges or guarantees. Testimonials are conditional: build the component, but hide it until approved, attributable reviews exist. A supplier's product reviews do not qualify.

6. Seasonal feature and FAQs

Offer an editable holiday feature with no unapproved deadline. FAQ answers must be approved for service areas, product supply, removal/storage, warranties, weather, visit charges and scheduling. Do not infer operating policies from competitors.

7. Inquiry, contact and footer

Finish with the shared form, approved contact channels, verified social link, service area and privacy link. A dedicated request route must also work without scrolling through the hero. Add standalone service pages later only when there is sufficient useful, approved content.

One inquiry system, two entry paths

Get a Free Quote selects quote. **Request a Site Visit** selects site_visit. Preserve selections when changing paths. Every service CTA preselects that service. Confirm the free-quote policy before public launch; do not imply visits themselves are free without approval.

Form fields

Field	Quote	Site visit
Name	Required	Required
Email or phone	At least one valid contact	At least one valid contact
Preferred contact method	Match supplied contact	Match supplied contact
Service and property type	Required; include Not sure	Required; include Not sure
City or postal code	Required	Required
Street address	Optional initially	Required for a requested visit
Project description	Required, concise	Required, concise
Property photos	Optional	Optional
Desired installation timeframe	Optional	Optional
Preferred visit date/window	Not required	Required; allow Flexible

Do not ask for account creation, payment details or unnecessary household information. Show a concise privacy/purpose notice beside submission. Do not bundle marketing consent into a service inquiry.

Scheduling behaviour

Use **America/Edmonton** for local date/time handling. Dates and morning/afternoon choices express preferences, not live inventory. Accept Flexible when availability is not known. Validate past dates on the server and client. Only enable business-specific days or exclusions after the owner approves them; do not inherit Alta's hours or Sunday policy.

Proposed confirmation copy

Quote: Thank you - your quote request has been received. Idyllic Lighting will review your project and contact you about next steps.

Site visit: Your site-visit request has been received. Your preferred date and time are not confirmed. Idyllic Lighting will contact you to arrange the visit.

Only use received after durable acceptance. Show validation errors inline and in an accessible summary. Preserve values after failure. A network error is not a success; offer a retry and an approved alternate contact route.

Demo mode

Use a prominent concept label. Simulate validation and confirmation without sending email, accepting real appointments or persisting customer data. Say: Demo only - no request has been sent. Keep submission mode server-controlled, not switchable by a visitor query parameter.

A form is finished only when the lead arrives reliably

Proposed production architecture

Preserve a suitable existing stack. For a fresh project, use React + TypeScript with prerendered/server-rendered marketing content, a client-only hero island and a server-side inquiry endpoint. Next.js is one implementation option; do not rewrite an existing project solely to use it.

Use a maintained transaction-email provider and private object storage already approved for the project. Select hosting and providers only after project-owner approval; preserve any existing infrastructure and keep credentials server-side. A static-only preview cannot deliver a secure production form without a backend.

Request lifecycle

Validate -> apply abuse controls -> create a durable lead and notification job -> acknowledge with a non-sensitive reference -> notify the owner -> monitor/retry failed notifications. Use idempotency protection against double-click and retried duplicate submissions. Track delivery separately from request acceptance; never promise inbox delivery solely because an API request was accepted.

Notify a configurable, owner-approved inbox. The public source email is a candidate, not permission to send test leads. Use a verified sender; use validated visitor email as Reply-To when present, not as an impersonated From address. Include request type, service and preferred visit window without exposing secrets or public upload links.

Abuse prevention and validation

Use server-side schema validation, bounded text lengths, escaped output, rate limiting, a honeypot and a challenge mechanism where appropriate. Validate Turnstile tokens server-side when used; its client widget alone is insufficient. Protect cookie-authenticated admin actions appropriately. Never trust client-supplied recipient addresses, file paths or prices. [T12]

Photo uploads

Proposed limit: up to 5 JPEG/PNG/WebP images, maximum 10 MB each, with a conservative total cap. Validate file signatures and actual decoding, not only extensions. Enforce pixel/dimension limits, re-encode safe derivatives, strip location metadata, randomize names and reject active formats. Keep objects private; use authenticated or short-lived access for staff. [T11]

Data handling

Keep addresses, contact details and photos out of URLs, analytics payloads, public buckets and ordinary logs. Limit staff access. Agree a retention/deletion schedule and implement cleanup, including abandoned uploads. Provide a plain-language privacy notice describing collection, purpose, processors and a contact route. Keep API keys server-side and out of the repository.

Protect the experience when motion is not suitable

Reduced motion and user control

Respect prefers-reduced-motion from first render and if it changes. Disable assembly, pulse, parallax, scrubbing and long pinned spacing. Show the fully illuminated poster and ordinary-flow copy. The animation is not essential to understanding the business. [T5, T8]

Provide Skip animation and a clear route to services/inquiries. The intro and idle cue must be finite; do not add unpausable continuous blinking. Avoid flashing effects altogether. Native scrolling must work with wheel, trackpad, touch and keyboard. [T7]

Content and keyboard access

Use semantic headings, landmarks, real links/buttons, visible focus and labelled controls. Keep copy and forms outside Remotion. Treat decorative visual layers as hidden from assistive technology. Never announce every frame or automatically move focus on scroll.

Only the visible copy state's controls may be interactive. Do not leave invisible links in the tab order. Maintain a static accessible business summary so the scene's visual text changes do not remove information. On intentional navigation to the form, move focus appropriately to its heading without trapping the user.

Target comfortable 44 x 44 CSS-pixel controls as a project design standard. Test contrast, zoom, error messages, keyboard-only submission and a screen-reader smoke test. Do not call the site compliant solely because an automated check passes.

Mobile behaviour

Compose at 360-390 px first, then tablet and desktop. Keep the starting bulb and roof readable. Shorten or remove pinning when the viewport cannot accommodate the house and text. A fully lit static mobile hero is preferable to a broken effect. Preserve both inquiry paths and all service information.

Performance plan

Deliver HTML copy, inquiry links and a lightweight poster before loading the animation enhancement. Use responsive image variants, defined dimensions and deferred below-fold media. Avoid a full-screen autoplay MP4 and a heavyweight runtime 3D scene as default choices. Pause/unmount expensive work when appropriate; clean up subscriptions.

Treat initial media budgets as engineering targets: roughly 300 KB mobile poster, 500 KB desktop poster, and 2 MB additional hero assets after initial content. Measure rather than blindly compressing valuable detail.

Use Core Web Vitals goals of LCP <= 2.5 s, INP <= 200 ms and CLS <= 0.1, assessed at the 75th percentile once field data exists. Before launch, use repeatable lab checks; do not claim field results from a local test. [T13]

Make the useful information visible without the animation

Search and AI discoverability

Write clear, approved service descriptions and service-area information in crawlable HTML. Use descriptive titles, meta descriptions, a logical H1/H2 hierarchy, internal links, image alt text and social sharing metadata. Provide a sitemap for canonical, indexable production pages and a deliberate robots policy.

[Certain] Google's guidance does not require special AI files or special optimization to appear in AI Overviews or AI Mode. Prioritize accessible, useful content and normal technical SEO. Do not promise a ranking or AI recommendation, or make llms.txt a launch dependency. [T9]

Structured data

Use Organization/Service data and an appropriate LocalBusiness type only where the business information supports it. Match visible content. Use approved URLs and sameAs profiles; omit unknown fields. Do not invent a street address, hours, price range or rating to satisfy a validator. Google's LocalBusiness feature requirements may not be met without an appropriate approved address; do not expose a private address merely to pursue eligibility. [T10]

Keep review markup out of the first release. Do not represent self-selected testimonials as a route to Google local-business review stars. Google's review guidance restricts self-serving local-business/organization review results. [T14]

Preview versus production

Preview: obvious concept/demo label; noindex; access control where private material is used; demo submissions only; no unapproved tracking; no claimed official domain. Noindex is not a substitute for privacy/access control.

Production: confirm domain ownership, DNS, HTTPS, inbox, sender authentication, legal/privacy copy, asset approvals and live-form testing. Remove preview-only restrictions deliberately, not automatically on a build. Never modify an existing domain without authorization.

Maintainable configuration

Keep business facts, service definitions, social links, gallery metadata, campaign dates, form policies, motion settings and environment toggles separate from components. Keep unknown values null, not plausible placeholders that could accidentally publish.

Make content editable through structured files for the first version; do not add a custom CMS or customer portal without a separate requirement. Include setup instructions, environment-variable examples without secrets, deployment steps, rollback steps and a content-update guide.

Scope boundary

The initial site includes the hero, service/gallery sections, shared inquiries and manual site-visit confirmation. Real-time calendar availability, payments, automated pricing, SMS reminders, customer accounts and live home-lighting previews are separate additions. This brief is not a business quote or promise that every extension fits an earlier package price.

Use a small, relevant skill set

Included project skill

idyllic-lighting-build is bundled at `.cursor/skills/idyllic-lighting-build/SKILL.md`. It coordinates evidence, the approved creative direction, form safeguards, staged implementation and visual QA. Its references are self-contained. The accompanying project rule keeps the most important constraints visible.

Cursor documents project-level skills in `.cursor/skills/` and manual invocation by skill name. Copy the pack's contents into the project root; do not leave its `.cursor` directory buried inside an unrelated folder. Merge existing rules rather than overwriting them. [T15]

External skills to install deliberately

Remotion official skills - required for this motion brief. Use remotion-best-practices, plus its composition/markup, Player/app and docs guidance as relevant. These teach the implementation; they do not replace the design requirements. [T16]

frontend-design - recommended. Use the Anthropic example skill for visual hierarchy, typography and deliberate composition. This project's palette and choreography override generic style suggestions. [T17]

webapp-testing - recommended. Use the Anthropic example skill for browser inspection and interaction testing. Playwright supplies the browser-testing capability; a skill is not a replacement for installing/running the test tooling. [T18-T19]

Suggested terminal commands

Review the upstream repositories and licences first. Run within the project, choosing project-level installation and Cursor when prompted. Check the CLI's current Node requirement; its reference currently lists Node 22.20 or later. [T20]

```
npx skills add remotion-dev/skills
npx skills add anthropics/skills --skill frontend-design -a cursor
npx skills add anthropics/skills --skill webapp-testing -a cursor
```

These install instructions, not React dependencies or browser binaries. Verify installed skills in Cursor; install application dependencies separately with compatible versions and a lockfile. Never install an unknown all-in-one SEO or animation pack without review.

Skills versus actual production work

Image preparation, roofline tracing, copy approval, secure form delivery, accessibility and performance still need concrete implementation and review. Do not claim the skills generate approved photographs, verify testimonials or configure accounts automatically.

First invocation: `/idyllic-lighting-build`. Ask the agent to inventory the repository and assets, then build only the hero prototype and static shell before expanding the site.

Review the signature interaction before building everything

Phase 1 - audit and static composition

Inspect the repository and skills. Record available content, unresolved approvals and asset rights. Establish colours, typography, navigation, a static hero and both inquiry entry points. Prepare desktop and mobile compositions with a labelled placeholder where artwork is unavailable.

Phase 2 - the motion prototype

Implement assembly, finite idle pulse, ordered illumination and synchronized copy. Test immediate scroll, early quote click, reverse scroll, stop/resume, resize and direct links. Review the hero in a real browser before polishing other sections. Do not replace the requested interaction with an autoplay video or generic carousel.

Phase 3 - complete the page

Add approved services, image gallery, how-it-works content, FAQs, campaign controls, contact and demo forms. Implement a normal-flow mobile/reduced-motion version. Keep unapproved reviews and unsupported claims hidden.

Phase 4 - production integration

Wire the real inquiry endpoint, private uploads, owner notifications, retry/error handling and approved privacy notices only after approval. Test with a controlled inbox first. Keep preview and production configurations separate.

Required acceptance checks

Motion: correct far-left starting bulb; no detached glow; stable house registration; every lit bulb remains on behind the reveal; reverse is deterministic; no repeated intro after returning from the form; no scroll traps or blank loading frames.

Forms: both buttons preselect correctly; service selection persists; at least one valid contact required; Flexible date works; past-date validation; no booking confirmation; errors preserve fields; duplicate protection; upload limits; private file access; notification failures are observable.

Access and devices: 360, 390, 768, 1440 and 1920 px; Chrome/Edge, Firefox and Safari/WebKit; touch and keyboard; 200% zoom; reduced motion; JavaScript/asset failure; slow network; browser Back/Forward and direct form links.

Content and launch: no invented testimonials, contacts or warranties; approved images match services; no competitor imagery; verified links; preview noindex remains until approval; production form reaches the approved inbox; no client data in analytics or logs.

Handoff evidence

Return screenshots at initial, idle, half-lit and fully lit states on desktop/mobile; a short interaction recording; automated/manual test results; build/lint/type-check status; known limitations; remaining owner approvals; and setup/deployment instructions. A successful compilation is not visual sign-off. [T19]

Kickoff prompt

Use the full pack as project context. Begin with this prompt:

> Invoke /idyllic-lighting-build. Read docs/BUILD_BRIEF.md, docs/SOURCES.md, content/business-draft.json and content/asset-manifest.json. Inspect the repository and preserve existing work. Identify relevant installed skills; use the official Remotion skill and recommended frontend/testing skills. Do not claim a skill or package is installed without checking.
>
> Build Idyllic Lighting's first website using the Beautiful After Dark direction. Follow the black/charcoal, warm-ivory and champagne-gold system. Keep the current identity recognizable. This is a lighting service website, not a construction website, generic Christmas template or luxury real-estate landing page.
>
> The signature hero is one house in a stable nighttime scene. Briefly assemble it from foundation to facade to roof. Keep navigation and both inquiry actions usable. Once assembled, pulse only the far-left roof-edge bulb twice, then hold. On scroll, extend warm-white illumination from that bulb along an authored roofline route. Retain previously lit bulbs. Stop scrolling to freeze and reverse scrolling to retrace. Never rebuild/dismantle the house on reverse scroll. Shift the hero heading upward into business details, then the final invitation, with readable holds.
>
> Use Remotion for the visual layers and a single native-scroll controller. Keep copy and actions in semantic HTML. Separate intro/idle time from scroll time. Add skip, reduced-motion, mobile and failure paths. Do not substitute a slideshow, automatic MP4, global image-brightness fade or sideways transition. Do not intercept scrolling.
>
> Build Get a Free Quote and Request a Site Visit as two paths into one form. Request only necessary information and optional photos. Dates are preferences in America/Edmonton, not confirmed bookings. Keep everything demo-only until production approval. Do not send test messages to the business.
>
> Use the source register. Public source material is not automatic publication permission. Request originals and record rights. Keep unverified phone, hours, pricing, reviews and product claims out. Use explicit placeholders when assets are unavailable. Label conceptual house imagery as a visualization. Never use another installer's photographs as Idyllic work.
>
> First deliver the static responsive composition and working hero prototype, including its fallback, plus both inquiry entry points. Capture desktop/mobile screenshots and demonstrate stop, reverse, skip and early-CTA behaviour. Then pause for visual review before implementing the remaining page. Return changed files, checks performed and unresolved approvals; do not publish or connect live services automatically.

Motion, accessibility & implementation

[T1] Remotion Player API

Player component and seekTo/pause API Use current property and method names; disable unintended playback controls, click-to-play and autoplay during scrubbing.

[T2] Deterministic Remotion animation

Animating properties Frame-driven composition principles for reversible visual states.

[T3] Remotion Player performance

Player best practices Loading and render-isolation guidance. Keep the page shell separate from per-frame visual work.

[T4] Native scroll progress

Motion useScroll Track section progress without replacing native scrolling.

[T5] Reduced-motion preference

Motion useReducedMotion Use a bespoke static path rather than simply slowing every effect.

[T6] Remotion licensing

Current licensing and pricing Check eligibility for the developer/client deployment; do not assume all commercial contexts are free.

[T7] Automatic motion controls

W3C: Pause, Stop, Hide Guidance concerning automatic motion/blinking and user controls.

[T8] Interaction-triggered motion

W3C: Animation from Interactions This criterion is Level AAA; use it as the project's reduced-motion design requirement, not a claim that every listed item is Level AA.

[T9] Google AI search guidance

AI features and your website Normal technical SEO and useful content; no special AI markup or ranking guarantee.

[T10] Business structured data

Google: LocalBusiness structured data Only use factual, visible, approved information and applicable feature requirements.

Official references continued

[T11] Upload security

OWASP File Upload Cheat Sheet Validation, storage isolation and safe handling of untrusted uploads.

[T12] Anti-bot verification

Cloudflare Turnstile server-side validation Validate tokens on the server; do not rely on the browser widget alone.

[T13] Performance measures

Google web.dev: Web Vitals Understand the difference between lab measurements and real-user field metrics.

[T14] Review markup restrictions

Google: Review snippet structured data Read the self-serving local-business and organization review restrictions.

[T15] Cursor skills format and discovery

Cursor: Agent Skills Project directories, frontmatter and invocation behaviour.

[T16] Official Remotion skills

Remotion: Agent Skills Source repository Select the guidance relevant to composition, markup, Player integration and current docs.

[T17] Frontend-design skill

Anthropic: frontend-design Example skill for deliberate interface design. Review upstream licence and content before installation.

[T18] Webapp-testing skill

Anthropic: webapp-testing Example skill for inspecting and testing local web applications.

[T19] Browser-test tooling

Playwright: Installation and getting started Use real browser checks and screenshots; install required browsers/tooling separately.

[T20] Skills installer CLI

Vercel Labs: skills Installation flags, supported agents, Node requirements and package source review.

Research date: November 1, 2026. Recheck third-party APIs, terms and owner-approved facts before deployment. The source register and asset manifest are included as editable project files.