

Corporate Design Manual

Version #1

November 2024

Messe
Düsseldorf



Contents

Introduction 03

Basic Elements

Logo 04

Use of our Logo by Independent
Trade Fair Brands 13

Logos of MD Subsidiaries 20

Colour 23

Typography 27

Icons & Graphics 33

Grid 38

Visual Language 47

Layout Systematics

Basic Layout 52

Motif-based Layout 59

Contact 66

Note

The Corporate Design Manual is constantly updated. Please ensure you always work in line with the specifications of the current version.

For the latest version of the Manual as well as all file templates mentioned below go to brand-messe-duesseldorf.com

→ English

marke-messe-duesseldorf.de

→ German

Consistent compliance with these specifications ensures a consistent appearance of Messe Düsseldorf and decisively contributes to high recognition levels and success in the market. The defined Corporate Design standards apply to the complete group of companies.

Introduction


Standardised communication of the corporate brand is key for the success of Messe Düsseldorf. It creates a consistent and professional image and strengthens confidence with our business partners and customers.

This Corporate Manual places the "m" from our logo at the centre of visual communication. This powerful design element increases recognition levels and is complemented by a forward-looking, digital and emotional corporate design.




Logo

Development



Old logo: retain existing strengths and recognition levels



New logo: signet and font revised for increased visibility and digital optimisation

Simplify the shape

Streamline the "m"

Inferred from the brand.
Clear, digital, functional

Main Logo

The logo is based on a square module grid.

The lettering runs along the bottom edge, the signet along the top edge.

The logos will be delivered in the Messe Düsseldorf color profile:

CMYK → PSO Coated v3

RGB → eciRGB v2 ICCv4

During production, it is essential to ensure that the correct color profile settings are used. The primary profile should be the one designated for Messe productions; secondarily, an adjustment to the production color profile can be made.

Additionally, make sure to avoid complications such as overprint attributes that could occur due to different program/software versions.

Colour
MD Orange

CMYK **RGB**
C 0 R 254
M 72 G 92
Y 100 B 0
K 0

Pantone Orange 021 C
Hex digits #fe5c00

100% black


Font

Inter 18pt
Medium
(static)

Primary use



Secondary use



Usage

Authorised versions



Messe
Düsseldorf

Main logo coloured



Messe
Düsseldorf

Single-coloured, 100% black



Messe
Düsseldorf

Inverted logo, 100% white


Non-authorised use



Messe
Düsseldorf



Messe
Düsseldorf



Messe
Düsseldorf



Messe
Düsseldorf



Messe
Düsseldorf

Protected Zone


Primary use

The protected zone for the Messe Düsseldorf logo is based on a square module inferred from the shape of the "m".

Definition of the module:

A square is drawn from the left top edge to the inside edge of the first downward line of the "m".

The logo can be placed in each corner subject to considering the protected zone. also be multiplied if required for ensuring the quality of the layout.



Protected Zone

Secondary use

The secondary use is authorised for special cases to optimise the logo use for specific requirements.

The protected zone of the logo in a landscape format is also based on a square module derived from the "m". shape.

Definition of the module:


A square runs from the left top edge to the right top edge of the second downward line of the "m".

The logo can be placed in each corner subject to considering the protected zone. The protected zone can also be multiplied if required for ensuring the quality of the layout.

Secondary use

Protected zone

Protected zone



Protected zone

Protected zone

Placement & Minimum Sizes



Sender function and use by external parties

The following rules shall apply to use by external parties as well as use with other partner logos:

The coloured main logo must primarily be used. The black or inverted logo may only be used in exceptional cases – depending on the visibility of the logo, which has to be optimal at all times.

The **proportionality ratio** is based on the ratio between the short and long side of the format. It specifies how many times the short side fits into the long side.


The protected zone must be retained but can be multiplied if need be.



Example "up to exactly 3 times":

If the short side fits into the long side up to 3 times max = **1/8 division**

1/8 of the long side = minimum size




Example "more than 3 times":

If the short side fits into the long side more than 3 times = **1/16 division**

1/16 of the long side = minimum size

Examples



Placement & Minimum Sizes

Exemplary sizes: print

DIN Formats	Minimum Sizes
DIN A7 (74 × 105 mm)	13,125 mm
DIN A6 (105 × 148 mm)	18,50 mm
DIN A5 (148 × 210 mm)	26,25 mm
DIN A4 (210 × 297 mm)	37,125 mm
DIN A3 (297 × 420 mm)	52,50 mm
DIN A2 (420 × 594 mm)	74,25 mm
DIN A1 (594 × 841 mm)	105,125 mm
DIN A0 (841 × 1189 mm)	148,625 mm
Business card (85 × 55 mm)	10,625 mm

Adv. Space	Minimum Sizes
Citylight poster (1185 × 1750 mm)	218,75 mm
Premium large area 18/1 Megalight Board (2520 × 3560 mm)	445,00 mm
Superposter (5260 × 3720 mm)	657,50 mm
Outdoor banner (6000 × 7000 mm)	875,00 mm

Banners	Minimum Sizes
Banner (Welcome) (5780 × 1720 mm)	722,50 mm
Banner (Rail station) (4500 × 3000 mm)	562,50 mm
Banner (Entrance) (8800 × 2900 mm)	1100,00 mm

Placement & Minimum Sizes

Exemplary sizes: digital

Digitale Templates Minimum Sizes

Social Media

9:16 (1080 × 1920 px)	240,00 px
1:1 (1080 × 1080 px)	135,00 px
4:5 (1080 × 1350 px)	168,75 px
1200 × 675 px	150,00 px
1200 × 1200 px	150,00 px

Header Minimum Sizes

LinkedIn header (1128 × 191 px)	70,50 px
Facebook header (820 × 360 px)	40,00 px
Web header (1800 × 450 px)	112,50 px

Google Ad Minimum Size

Skyscraper (160 × 600 px)	37,50 px
Banner (468 × 60 px)	29,25 px
Leadboard (970 × 90 px)	121,25 px
Large Rectangle (336 × 280 px)	42,00 px

E-mail boilerplate Minimum Sizes

E-mail boilerplate (629 × 130 px)	39,31 px
-----------------------------------	----------



Use of our Logo by Independent Trade Fair Brands

Placement & Minimum Sizes

Logo use: digital

Improved clarity and consistence across all touchpoints.

In printed material the Messe-Düsseldorf logo is featured integratively. The logo is also integrated into digital media to ensure consistent communication.

In advertising formats the logo of Messe Düsseldorf shall always be used when the logo of the independent trade fair brand or of other partners are used.


Visibility of partners

If the logo of the independent trade fair brands is not used, use of the Messe Düsseldorf logo is not required either. But as both partners benefit from each other the use of the Messe Düsseldorf logo is recommended.

Depending on its use and design the logo can be placed in each corner subject to retaining the protected zone. In digital media free placement is possible in addition.

Examples for logo placement

Image film of independent trade fair



If the logo is used especially in image-building advertising formats, the logo of Messe Düsseldorf as a partner shall also be featured.

Instagram, advertising




E-mail boilerplate



Example of logo mission

Instagram, standard post



Example for a possible placement of the logo as part of a partnership



Placement & Minimum Sizes

Exemplary layout: digital

For optimal and seamless integration of the logo in the layout it can be placed freely in digital media in keeping with the minimum sizes. Here it may be placed up to the edge of the protected zone.

Special use of secondary logo

Digital formats often have to relay plenty of information in a small space, especially with special, narrow formats.

To optimise the layout the secondary, landscape-format logo can also be used.

Minimum sizes for using the secondary logo:

tm Messe Düsseldorf Height

Height in pixel (secondary logo)

35 px:

Social Media 9:16, 1:1, 4:5,
1200 × 675 px, 1200 × 1200 px

25 px:

LinkedIn header, Web header


10 px:

Facebook header, large rectangle,
Skyscraper, banner, lead board,
E-Mail boilerplate

If the matching size is not specified,
the next best, matching format shall
be used as a reference size.

Examples of free placement of secondary logo

Website of independent trade fair



Website of independent trade fair



Website of independent trade fair



Placement & Minimum Sizes

How to handle Safe Zones, digital

It is important to consider Safe Zones so that the logo and important information do not get lost. You have to check individually for each format and platform which Safe Zones are specified.


If the logo is used as a partner logo minimum sizes and protected zones must be considered while the logo may be placed to very edge of the Safe Zone.

Safe Zones are specified areas on Social-Media platforms where ads are displayed without being hidden by UI elements, icons or comments.

LinkedIn Banner: Example of Safe Zone



LinkedIn Banner: Example of logo placement (both logo versions possible)



Sender information

General rules

Highlighting, e.g. by bold font can help improve clarity.

Dialling code and phone number are separated by a spacing, an extension by a hyphen.

E-mail and websites must be placed in one line and must not be separated by hyphens. If the layout permits the website can be highlighted.

The **IBAN** is given in five groups of four and one group of two digits, the **BIC** remains without a structure.

Highlighting	----- Tim Klöckner Senior Manager MarCom (Online Marketing) U-DK-MC / MarCom -----
	----- Messe Düsseldorf GmbH Postfach 10 10 06 40001 Düsseldorf Messeplatz 40474 Düsseldorf Germany -----
Dialling and phone numbers	----- Telefon +49 211 4560-200 Telefax +49 211 4560-87200 -----
E-mail and websites	----- www.messe-duesseldorf.de info@messe-duesseldorf.de -----
	Geschäftsführung Wolfram N. Diener (Vorsitzender) Marius Berlemann Bernhard J. Stempfle -----
	Vorsitzender des Aufsichtsrats Dr. Stephan Keller -----
Account details	----- IBAN DE89 1234 5678 9123 1234 00 BIC ABCDEF8E759 -----

Sender information

Example: Foreign Representations

The text block is aligned with the bottom edge and must not exceed the logo height. The offset from the parting line corresponds to one protected zone square.

The representation's name can be written in bold. Subject to sufficient space the website can be displayed in a bigger font size.

The minimum font size is 6 pt.

QR code use is optional and placement independent of the logo.

The text block is always placed next to the logo and separated by a parting line.

Example Sender foreign representation (on white background)



Example Sender foreign representation (on coloured background, integrative)



Sender information

Example: Campaign motif foreign representations

Good visibility must always be ensured. The minimum size serves as a guideline but the logo placement can also be bigger.

To optimise the quality of the layout as a whole, the protected zone can also be multiplied.

Depending on the application and overall design the logo can be placed in each corner.





Logos of MD Subsidiaries

Logo of MD Subsidiaries

Main logo



Logo of MD Subsidiaries



Messe
Düsseldorf
North America



Messe
Düsseldorf
China



Messe
Düsseldorf
Shanghai



Messe
Düsseldorf
India



Messe
Düsseldorf
Asia



Messe
Düsseldorf
Japan



Messe
Düsseldorf
for Asia



Colour

Colour

Visual core element

The colours used so far are clearly a strong point of Messe Düsseldorf’s visual appearance, making it stand out from competitors and ensuring high recognition levels. Magenta is used as a complementary additional colour.

Optimal digital:
A freshening-up in the digital colour space (RGB) makes the colours more modern, radiant and visible.

Forward-looking energy:
The extension of the colour spectrum to include the energetic magenta symbolising innovation and future.

Colour space CMYK:
Clear, determined, dynamic

Colour space RGB (digital):
modern, radiant,
attention-grabbing

MD Red

CMYK	RGB
C 0	R 255
M 85	G 52
Y100	B 0
K 0	

Pantone Warm Red C
Hex Values #FF3400

MD Orange (logo colour)

CMYK	RGB
C 0	R 254
M 72	G 92
Y 100	B 0
K 0	

Pantone Orange 021 C
Hex Values #fe5c00

MD Light Orange

CMYK	RGB
C 0	R 255
M 53	G 140
Y 100	B 0
K 0	

Pantone 151 C
Hex Values #ff8c00

MD Yellow

CMYK	RGB
C 0	R 255
M 27	G 197
Y 100	B 0
K 0	

Pantone 116 C
Hex Values #ffc500

MD Magenta


CMYK	RGB	Pantone 226 C
C 0	R 230	Hex Values #e60070
M 100	G 0	
Y 15	B 112	
K 0		

MD Gradient 1 (radiant)

CMYK	CMYK	CMYK	RGB	RGB	RGB
C 0	C 0	C 0	R 230	R 255	R 255
M 100	M 85	M 27	G 0	G 52	G 197
Y 15	Y100	Y 100	B 112	B 0	B 0
K 0	K 0	K 0			

MD Gradient 1 (stable)

CMYK	CMYK	CMYK	RGB	RGB	RGB
C 0	C 0	C 0	R 230	R 255	R 255
M 100	M 85	M 53	G 0	G 52	G 140
Y 15	Y100	Y 100	B 112	B 0	B 0
K 0	K 0	K 0			



Graduated Colour Shades

Visual core element

MD Gradient 1 (radiant)

The gradient area combines Messe Düsseldorf's basic colours which have become established as a distinct USP over many years. The gradient appears dynamic and fresh.

The upward movement towards the top right opens up the area optically conveying a positive, forward-looking orientation.

MD Gradient 2 (stable)

Lettering, icons and lines are characterised by their fine line widths. The graduated colour shades were adjusted to ensure a high-quality display and optimal legibility.

MD Gradient (radiant)

Application: for surfaces

Make sure that the angle and position are always at 45°.


MD Gradient (stable)

Application:
for text, icons, lines, transparencies

Make sure the position is at 45°. Any angle between 0° and 45° can be selected, depending on the context.

For fine lines and lettering a 0° angle is recommended. For large-surface transparencies a 45° angle is more suited.


MD Gradient 1 (radiant) for surfaces



MD Gradient 1 (radiant)

45°

MD Gradient 2 (stable) for letterings, icons, lines and transparencies



MD Gradient 2 (stable)

0°–45°



Typography

House Font

Inter



Messe
Düsseldorf

Logo



Straight, clear
M-shape
corresponds
well with the
signet

Messe
Düsseldorf

High x-Height

House Font

Inter

Font Inter (static)

Mainly:
Inter 18pt

Use: Inter 18pt (static font)

“Inter” is a font without serifs with a modern appeal designed by Rasmus Andersson. It combines numerous weights and international symbols making it versatile in use. Optimised for digital applications it ensures excellent legibility thanks to its clarity and high x-height. The bold font, in particular, appears self-confident and ensures good legibility.

Special feature:
This font provides a variable option alongside the classical application.

Added option: use of variable font

A variable font saves several weights (widths, styles etc.) in one file so that users can flexibly choose between values. This saves storage space and offers flexible design options, making it ideal for digital applications and dynamic documents designed by CSS.

For quality and licensing reasons, the font should be downloaded via this link.

<https://fonts.google.com/specimen/Inter?query=Inter>

Inter → ABCDFEGHIJKLM
Inter 18pt (static) abcdefghiklmopqrz
0123456789
Ă Ɔ Đ Ä 8 t 6 l z Σ é ħ Æ Š Œ Œ

Light – Aenean imperdiet. Etiam ultricies nisi vel augue. Curabitur ullamcorper ultricies nisi. Nam eget dui.

SemiBold – Aenean imperdiet. Etiam ultricies nisi vel augue. Curabitur ullamcorper ultriciesgue.

Regular – Aenean imperdiet. Etiam ultricies nisi vel augue. Curabitur ullamcorper ultricies nisi. Nam eget dui.

Bold – Aenean imperdiet. Etiam ultricies nisi vel augue. Curabitur ullamcorper ultriciesgue.

**international,
substantial, open,
stylish and visible**

Replacement Font

Arial

Arial System
typeface on
all customary
systems

In daily correspondence and Office applications Arial is used as a replacement font if the house font "Inter" cannot be uploaded. Arial is preinstalled on most operating systems and ensures high compatibility.

Arial should only be used if no other option is available to maintain Messe Düsseldorf's consistent image.

Applications

- Newsletter
- PPT presentations for third parties or live presentations
- Image typefaces cannot be activated for good reason.

Arial → ABCDFEGHIJKLM
abcdefghijklmopqrz
0123456789
ĂŒĐÄ8t6zΣÉłŒŒŠ'ŒŒ

Regular – Aenean imperdiet. Etiam ultricies
nisi vel augue. Curabitur ullamcorper
ultricies nisi. Nam eget dui.

**Bold –Aenean imperdiet. Etiam ultricies
nisi vel augue. Curabitur ull Curabitur
ullamcorper ultriciesgue.**

**compatible,
always ready
for use**

Lettering and Colour

Visual guidance and orientation

Recognition Highlights Emotions

A well-considered use of font and colour helps to clearly structure content and eases legibility. It creates visual hierarchies, adds dynamism and suspense to typography and emphasises important elements or information.

Harmonious colour contrasts can emotionalise and create a consistent overall impression. This interplay reinforces the corporate design and underscores the inimitable style of Messe Düsseldorf.

Always pay attention to good legibility in designs. Therefore, this font is recommended for headlines, highlighting texts in copy or short texts.

Emotional

Individual

Line Spacings

Line spacings and copy arrangement

“Inter” is used differently depending on the intended use. For the body copy the ascender of the capital letters should not touch the descenders of the line above. The standard line spacing of 1.3 (in Office software) and/or 130% of font size (in DTP software) serves as a basis. Line spacing should be increased for long lines and decreased for short lines (1.2 - 1.4 | 120% - 140%).

Headlines, sublines, intro texts are set with a line spacing of 1.1 (in Office) and/or 110% of font size (in DTP). Depending on the size and length the values 1 – 1.2 | 100% to 120% are better suited.

The copy is set in left-aligned, ragged margins. Here, the spaces between words are all the same width, which makes for good readability. A sensible division of words can also facilitate comprehension and the flow of reading.

Text type	Font width	Line spacing
Headline	Primary: Regular Secondary: Light, Bold, Extra Bold	Primary: 1,1 110% (1 - 1,2 100% bis 120%)
Subhead	Primary: Regular Secondary: Light, Regular, SemiBold	Primary: 1,1 110% (1 - 1,2 100% bis 120%)
Intro texts	Primary: Regular Secondary: Light, Regular, SemiBold	Primary: 1,1 110% (1 - 1,2 100% bis 120%)
Body copy	Regular	Primary: 1,3 130% (1,2 - 1,4 120% bis 140%)
Highlighting	SemiBold, Bold	
Marginal texts Footnotes	Regular, Medium	Primary: 1,3 130% (1,2 - 1,4 120% bis 140%)
Picture captions	Medium	Primary: 1,3 130% (1,2 - 1,4 120% bis 140%)



Icons & Graphics

Icons

Additional visual element

Icons are always designed with the same line width. They are strongly stylised and open in form.

All official icon versions are made available at

brand-messe-duesseldorf.com

→ English

marke-messe-duesseldorf.de

→ German

Colour:

Preferably, icons with a gradient should be used (as outline or inverted) to strengthen the consistency of the corporate design.

Main graphic

Icons: Outline with MD Gradient 2 (stable)



Icons: Inverted with Gradient 1 (radiant)



Icons

Additional visual element

Depending on the context the icons can also be displayed in the gradients of the basic colours MD Orange and MD Grey – or inverted on neutral backgrounds.


This type of display is particularly suitable when the information in the graphic is to be conveyed in a neutral and objective manner.

Additional display

Icons: Outline single-coloured, MD Orange



Icons: Inverted





Graphics

Information graphics

Graphics, charts and similar applications serve to visually organise complex or information-rich content.

It is important to ensure a clear, concise and minimalist design in order to make the content easy to grasp and understand.

Display Graphics



50%

Atur, te rem nimet volore optare sitem qu oditiam quam exera.

25%


Atur, te rem nimet volore optare sitem qu oditiam quam exera.

15%

Atur, te rem nimet volore.

10%

Atur, te rem nias met volore.





Graphics

Information graphics

Depending on the context information graphics can be designed in the gradients of the basic colours MD Orange and MD Grey.

This type of display is particularly suitable when the information in the graphic is to be conveyed in a neutral and objective manner.

Display Graphics



50%

Atur, te rem nimet volore optare sitem qu oditiam quam exera.

25%


Atur, te rem nimet volore optare sitem qu oditiam quam exera.

15%

Atur, te rem nimet volore.

10%

Atur, te rem nias met volore.






Grid

Design Grid


Systematics: Basic structure

The width and height of the desired format are first halved. The resulting surfaces are then halved again (1/4 of the total area), the newly created surfaces are halved again (1/8 of the total area), etc. This results in the design grid.


The application for common formats and exact measurements is explained in the respective topic-specific Design Manuals.




First halving
1/2 of total surface



Second halving
1/4 of the total surface



Third halving
1/8 of total surface



Fourth halving
1/16 of total surface

Exemplary calculation:
Format: A4
Width: 210 mm
Height: 297 mm

Design Grid


Systematics: Page margins and protected space

The margin to be left free of text (outer margin to inner margin) amounts to is 1/16 of the format.

In special cases where the short and long sides differ greatly, the margin to be kept free of text on the short side (outer margin to inner margin) amounts to 1/8 (width = W), while the margin on the long side (length = L) remains at 1/16.


Any protected zone pre-defined by media (e.g. Social Media header, posts) shall be adhered to.

Example Standard: 16-fold division = margin




Exemplary calculation of margin:
Format: A5

16-fold division
 $210 : 16 = 13,125 \text{ mm}$
 $148 : 16 = 9,25 \text{ mm}$



Example special format. Width (B) 8-fold and length (L) 16-fold division = margin



Exemplary calculation of margin:
Format: Banner (468 × 60 px)

Design Grid


Systematics:Print space

Within the design grid elements such as copy, image and forms can be placed taking into account the margin.


In addition, images and shapes can be set in the bleed.

For media with specific requirements such as brochures, a print space is defined in the design grid.

Example Adverts



Example Brochure



Application

Design grid and baseline grid

The baseline grid is based on the body copy and its line spacing and starts at the upper edge of the format (10 pt body copy = 130% / 13 pt baseline grid).

All paragraph formats such as body copy, headlines, subline, marginal texts, captions and footnotes shall always be aligned so that the first line is aligned with the baseline grid.

The line spacing is governed by pre-defined specifications. Also see the definition of line spacings.

All guidelines that are no longer needed after the grid has been set up (such as the blue lines) can be removed. This ensures a clearer design grid.


Design grid structure



Print space and finished design grid



Baseline grid



The copy frame is aligned with the upper line of the design grid and the first line is aligned with the baseline grid.

The first line of the body copy is aligned with the baseline grid.

The first line of the subline is aligned with the baseline grid, followed by the pre-defined line spacing.

The first line of the footnote is aligned with the baseline grid, followed by the pre-defined line spacing.

A4 Portrait Format, Plain Letterhead

Example





Grid: Application with Free Design of the "m"


Example advert

The copy frame of the headline is placed at the upper line of the design grid. The first line is aligned with the baseline grid followed by the defined line spacing.

The first line of the body copy is Aligned with the baseline grid.







Exception:
If the lettering or copy is directly associated with the signet, the lettering shall be aligned with the shape of the "m".



Application examples




Grid: Application with Free Design of the "m"

Example Social Media banner (9:16)



Grid: Application with Free Design of the "m"

Example banner with marked difference between the long and short sides (Proof of Concept)





Visual Language

Imagery

Bright contrasts

Open to new ideas together

The focus is on friendly, authentic and dynamic images with dark accents for a contrast-rich image language.

This visual commonality makes for a consistent presentation of different themes.

Messe Düsseldorf Imagery



* marked photos: Ansgar van Treeck


Image Pool

Radiant contrast


Messe Düsseldorf Imagery



*



*



* marked photos: Ansgar van Treeck

Image Selection

Brilliant contrasts

What needs to be considered for image selection

Should new images be required they must comply with the following criteria:

Photography: High image quality, light & shadow, stark contrasts

Architecture: Modern shapes, clear, open


Technology: Innovative and current

People: Authentic, modern, international, appealing, gender-equal

Apparel: Up-to-date and modern

The aim is a fresh, positive, future-oriented and authentic imagery.

Setting for image selection: Colour and atmosphere "Dramatic".






Layout Systematics

Basis Layout

The "m" at the centre

Sender



The basic layout aims: to strengthen the corporate branding



The "m" at the centre
Self-confident placement of
lettering and signet.

flexible

Dynamic gradient
Modern and digital appeal.

open & borderless

Design Principles


Why do we use the "m" as a design element?

The "m" in the centre

The "m" represents the experiential character of the trade fair and makes it visible. The "m" brings Messe Düsseldorf's identity to life and acts as a central element that embodies both consistency and innovation.

Committed & Dynamic

A fresh update of the colours expresses future-oriented energy. The colour scheme, extended to include magenta, creates a high degree of differentiation from the competition and emphasises the brand's dynamism and innovative strength.



Openness and Substance

The "m" symbolises the openness and substance that this powerful element conveys. The shape is so distinctive that it can be used in a variety of ways, while always maintaining its strength and clarity.

Defining Trademark

This makes the "m" a central medium for a modern, differentiated and determined, visual identity.

Design Elements

Basic layout

Maximum flexibility paired with high recognition levels

The “m” from the logo is the central design element, which can be used flexibly and strikingly. For external communication materials, the white or orange “m” is preferred.

The Messe Düsseldorf lettering also serves as a flexible design element and is placed in a clearly visible position.

A modern colour gradient, whether applied to the entire surface or used as an accent, gives the appearance a dynamic and distinctive touch.

The interplay gives rise to unmistakable recognition values of the corporate trademark.

SIGNET as a graphic design element in various versions



LETTERING freely positionable as a graphical element

Messe
Düsseldorf

preferably in 2-lines

GRADIENT as a graphic element in entire surfaces or as accent



MD Gradient 1 (radiant)




Shaping The Future

MD Gradient 2 (stable)




PowerPoint-Presentation

Example pages



Print Media


Basic layout example




Digital Media

Basic layout example

The gradient may be animated but only softly and in a flowing way.





Where Ideas
Take Off



Messe
Düsseldorf

Eimporro dolorehent ut
exeratus aut quidem si-
modis aut qui cusam audi
velic exeratus aut quidem
simodis aut qui cusam
audi velicdoktu Irasmus

Motif-based Layout

Convey additional messages

The basic layout aims to strengthen the corporate branding



Extension, e.g. as an image campaign



Window to the world
Room for exchange,
business and innovation.

self-confident

Transparent gradient
The trade fair as a connecting
platform.

open & flexible

Design Principles

Extension to include motifs

Strengthen experience character

The “m” is made transparent to reveal the images behind it. This brings the “m” to life and makes the experiential character of the trade fair visible.

The trade fair as an open platform

The open and transparent design is representative of the way Messe Düsseldorf connects markets and creates space for dialogue, business and innovation.



Flexibility and Adaptation

The transparent “m” flexibly adapts to different markets and target groups by changing motifs, which emphasises the service concept.

This liveliness promotes innovation and strengthens the brand identity.

Connection through gradient

The transparent gradient symbolises the connection between inside and outside illustrating how MD brings markets together.

This dynamic branding can directly give rise to image campaigns of Messe Düsseldorf.

Design Elements

Extension to include motifs

Graphic concept

The distinct "m" is opened up to reveal the underlying images.

The transparent gradient stresses the connection between inside and outside, thereby becoming a carrier of messages, motifs and content of Messe Düsseldorf.

Transparency effect


Make sure the MD Gradient does not appear too bright or too dark when using it.

Since this effect depends on the underlying motif the setting must always be adjusted to match.

SIGNET AND IMAGERY in combination



SIGNET AND IMAGERY in combination



Transparency effect:
Harsh Licht







MD Gradient 2 (stable)
suitable for bright images



MD Gradient 1 (radiant)
suitable for dark images

Print Media

Motif-based layout example




Digital Media

Motif-based layout example







All elements can be animated but only in a soft and flowing manner.

Example: underlying images feature subtle movements, lettering slides in gently, etc.



Social Media

Examples





Contact

Julia Terhorst

Senior Manager Corporate Advertising

TerhorstJ@messe-duesseldorf.de

+49 (0)211 4560-995

Sven Peters

Senior Manager Corporate Advertising

PetersS@messe-duesseldorf.de

+ 49 (0)211 4560-929

unternehmenswerbung@messe-duesseldorf.de