


*W4111 – Introduction to Databases
Section 002, Spring 2023*

Lecture 1: Introduction and Foundational Concepts (V1.0)



*W4111 – Introduction to Databases
Section 002, Spring 2023*

Lecture 1: Introduction and Foundational Concepts (V1.0)



We will start in a few minutes.

W4111 Introduction to Databases:

*Faculty do not manage waitlists
for some courses, including W4111.*

*The academic admin staff in the
CS Department manages the waitlist,
priorities and enrollment.*

Today's Contents

Contents

- Introduction
 - Logistics, about your instructor, OHs, IAs.
 - Homework, exams.
- ~~Data, Databases, Database Management Systems, Applications~~
 - The material is mostly
 - History of databases
 - Motivation for databases
 - Terms
 - Concepts
 - Covering in lecture is not a good use of time.
 - Just read slides that come with book.
<https://www.db-book.com/db7/slides-dir/index.html>
- Database design, Entity-Relationship Model (Part 1)
 - Database design process.
 - ER-Model and diagrams.
- The theory: The *Relational Model* (Part 1)
 - Relational model, schema, keys, schema diagrams.
 - Basics of relational algebra.
- The realization: Structured Query Language (SQL) (Part 1)
 - Basics of Data Definition Language.
 - Basics of Data Manipulation Language (Query).
- Homework 0 – Definition and discussion.

Introduction

Logistics

Waitlist

- The administrative staff of the Dept. of Computer Science **directly** manages enrollment in the W4111 sections and the wait lists. This is true of several courses.
 - COMS W4111 is **ALWAYS** oversubscribed and has huge wait lists.
 - The course is a requirement for several majors and tracks.
 - There are **complex rules** about prioritizing students for course enrollment.
- Faculty follow department policies and do not manage waitlists, despite the info that identifies the waitlist as “Instructor Managed.”
- Contacts: You must work with administrative leaders on enrollment:
Computer Science: Cynthia Meekins, cynthia@cs.columbia.edu)

Lecture Format, Recitation, Office Hours

- Sessions:
 - Lecture: (In-Person) Lecture: Friday, 10:10AM to 12:40PM (301 Uris Hall).
 - Recitation: Periodic, optional, online recitations
 - Either in-person/online or just online. Will announce in advance.
 - Usually held when there is student interest, homework due, exams, etc.
- Office hours:
 - In-person: Friday: 8:30AM – 9:45AM (Room TBD); and by-request as needed.
 - Extra office hours: I hold a lot of extra office hours, usually based on workload around assignment due dates and exams.
- Collaboration/contact:
 - We will use [Ed Discussions](#), which is available from CourseWorks. You can get access from the side menu on the CourseWorks page for the class.
 - I am usually monitoring [Slack](#). Subscribe to the channel #w4111-f22 (https://join.slack.com/t/dff-columbia/shared_invite/zt-1mxup4vn5-EE2vyai0Si31mG7M7Wx0Zw).
 - The course lectures, sample code, etc. will be in a [GitHub](#) repository. (<https://github.com/donald-f-ferguson/Intro-to-Databases-F22>)
 - The course [website](#) provides additional information. (https://github.com/donald-f-ferguson/Intro_to_Databases_S23)
 - There is a [course calendar](#) with OHs, assignments, exams, (<https://bit.ly/W4111-S23-Calendar>)
- **Note: Your health, safety and well-being are ALWAYS my primary concern.
Speak to me if you need special considerations and I will do the best that I can.**

About Your Instructor

About your Instructor

- 40 years in computer science industry:
 - IBM Fellow
 - Microsoft Technical Fellow
 - Chief Technology Officer, CA technologies
 - Dell Senior Technical Fellow.
 - CTO, Co-Founder, [Seeka.tv](#)
 - Ansys Fellow
- Academic experience:
 - BA, MS, Ph.D., Computer Science, Columbia University
 - Approx. 18 semesters as an Adjunct Professor
 - Fulltime Professor of Professional Practice in CS (2018)
 - Courses:
 - E1006: Intro. to Computing
 - W4111: Intro. to Databases
 - E6998, E6156: Advanced Topics in SW Engineering (Cloud Computing)
- Approx. 65 technical publications; Approx. 12 patents



Personal:

- Two children:
 - College student
 - 2019 Barnard Graduate
- Hobbies:
 - Krav Maga, Black Belt in Kenpo Karate
 - 1LT, [New York Guard](#)
 - Bicycling
 - Astronomy
- Languages:
 - Proficient in Spanish
 - Learning Arabic

About the Course

The Course

- From the new/pending Columbia University Bulletin

"Prerequisites: COMS W3134, COMS W3136, or COMS W3137; or the instructor's permission.

The course covers what a database system is, how to design databases effectively and in a principled manner, how to query databases, and how to develop applications using databases: entity-relationship modeling, logical design of relational databases, relational algebra, SQL, database application development, database security, and an overview of query optimization and transaction processing. Additional topics generally include NoSQL, graph, object-relational, and cloud databases, as well as data preparation and cleaning of real-world data. The course offers both programming and non-programming paths for homework and projects, to accommodate students with different programming skills and backgrounds."

- Prerequisites:
 - COMS W3134, COMS W3136, or COMS W3137 are data structures classes. All of these courses require extensive programming, in Java.
 - A course in data structures is helpful for this section of W4111 but not essential. I waive the requirement.
 - We will help you with any data structures knowledge you lack.
- Programming in/for this class:
 - There will be a "non-programming" option, which we will discuss below.
 - For students who want to take the programming track, we will use Python. I will provide motivation for choosing Python below.

Course Objectives

- Have fun, learn a lot and come to appreciate and enjoy some amazing technology. Data and databases have and will change the world.
- Provide a foundation that allows you to succeed in future courses. This is an *introduction* to databases. The technology is crucial for future courses
 - Big data, data analysis, data science
 - Advanced database classes
 - Machine learning
 - Numerical and data analytics in operations research, engineering, economics, finance, life sciences, financial engineering, medicine, etc.
- Enable you to successfully apply the technology in your work and profession.

Have cool stuff to talk about on interviews and in your resumes.


The Course – Value and my Perspective

- This course is foundational, and will teach you the core concepts in
 - Data modeling
 - Data model implementation; Data manipulation.
 - Different database models and database management systems.
 - Implementation and architecture of data centric applications and database management systems.
- ANY non-trivial application
 - Requires a well-designed data model.
 - Implements a data model and manipulates data.
 - Uses a database management system.
- Understanding databases and database management is core to the “hottest fields” in computer science, e.g.
 - Data science
 - Machine learning
 - Intelligent (Autonomous) systems
 - Internet-of-Things
 - Cybersecurity
 - Cloud Computing
- Database, database application, etc. skills are increasingly central to many disciplines, including:
 - Economics.
 - IEOR, financial engineering.
 - Mechanical and electrical engineering.
 - Medicine, pharmaceuticals
 - ...
- University courses on databases sometimes focus on theory and abstract concepts. This course will cover theory, but there will be an increased emphasis on:
 - Practical, hands-on applications of databases.
 - Patterns and best practices.
 - Developing and understanding database centric applications.
 - Using databases and various tools for data analysis, visualization and insight.
- **Personal perspective**
 - A large percent of my career has been spent figuring out or leading teams that figured out how to model, implement and manipulate data.
 - I have used the information in this class more than anything else I have learned.
 - This will likely be true for you.

Surprising Example

Example: This is a photo of me using a database during COVID-19 mobilization.

- Match service members
 - To JTF-HQ requests for personnel
 - Based on assignment needs
 - And service member
 - Skills
 - Availability
 - Tracked in a DBMS.
 - The hardhat is because DB usage can be very dangerous 😱.
-
- No joking: I had to build an application that used:
 - Relational DBMS.
 - Python, Jupyter Notebook.
 - Google Sheets with Apps Script.
 - Google Forms.
 - This course's technology and these skills are surprisingly applicable.



Modules

Each section of W4111 is slightly different based on student interest and professor's focus. There is a common, core syllabus. Professors cover topics in different orders and grouping based on teaching style. This section of W4111 has four modules:

- **Foundational concepts (50% of semester):** This module covers concepts like data models, relational model, relational databases and applications, schema, normalization, ... The module focuses on the relational model and relational databases. The concepts are critical and foundational for all types of databases and data centric applications.
- **Database management system architecture and implementation (10%):** This module covers the software architecture, algorithms and implementation techniques that allow [databases management systems](#) to deliver functions. Topics include memory hierarchy, storage systems, caching/buffer pools, indexes, query processing, query optimization, transaction processing, isolation and concurrency control.
- **NoSQL – “Not Only SQL” databases (20%):** This module provides motivation for [“NoSQL”](#) data models and databases, and covers examples and use cases. The module also includes cloud databases and databases-as-a-service.
- **Data Enabled Decision Support (20%):** This module covers data warehouses, data import and cleanse, OLAP, Pivot Tables, Star Schema, reporting and visualization, and provides an overview of analysis techniques, e.g. clustering, classification, analysis, mining.

Environment

Course Resources and Development Environment

- Recommended textbook:
 - *Database System Concepts. Seventh Edition.* (ISBN 9780078022159)
 - There is a website associated with the textbook: <https://www.db-book.com/>
 - Textbooks are expensive. You can easily get through the course using website, lecture material,
- Install a new, most recent, isolated/single user instance of Anaconda environment.
 - **Install just for yourself and within your home directory.**
 - You must install the most recent version for Python 3.
 - You can isolate the new instance from other instances to avoid conflicts, or set up custom environments.
- Development environments: Students are entitled to a free, annual [JetBrains professional license](#).
 - Students have had problems with MySQL Workbench. We will use [DataGrip](#). Please install.
 - Installing [PyCharm](#) is recommended for all and required for the programming track.
- Install [MySQL Server Community Edition](#).
 - When prompted, choose [legacy authentication](#) method.
 - Set your root password to **dbuserdbuser**. (**Remember your user name and password**)

*Homework
Exams
Grading*

Assignments, Exams, Grading

- Point value of assignments and exams
 - 50%: Homework assignments:
 - 5 HWs, approximately one HW every two-three weeks.
 - Each is worth 10. We will sometimes break a HW into a couple of subparts.
 - Homework format:
 - Common to all tracks:
 - Questions requiring written answers and diagrams.
 - Implement/execute/test various database operations required to solve a use case/question.
 - Format will be an iPython/Jupyter Notebook.
 - Track specific: Incremental development of a project:
 - Programming track – web application.
 - Non-programming track – data analysis/visualization.
 - You receive a total of **five** late submission days that you can use during the semester.
- Exams: Both the midterm and final have an in-class and take-home element.
 - 20% of grade is midterm exam score.
 - 30% is final exam score.
- 97-100 points is **an A**. There are opportunities to get extra-credit.

To Program or Not To Program, ...

- From the department's guidance for the course:
 - "To accommodate the diverse backgrounds of the students who take this class, all sections of the class should include a non-programming option for projects and assignments. We (NOTE: Does not include me) have successfully offered such an option in some sections of the class for many years: students can either program a web application to interface with a DB of their own design, or alternatively follow the non-programming option and come up with a quantifiably more detailed DB design/data."
- What does not constitute programming?
 - Writing queries for a relational, graph, document, or other data management system does not constitute programming and can be expected of all students.
- What constitutes programming?
 - Reading more than a handful (1-5) lines of code, Writing Python code that is not directly required to write a query."
- Why I previous only did a programming track:
 - Any non-trivial use of data and databases in any field requires programming. This is not Star Trek.
You cannot shout, "Computer! Analyze ..."
 - You might think, "But, I do not want to program. I want to go into financial services, private equity, medicine, ... I can just use tools like Pandas or Tableau". You will do some programming in these jobs for complex scenarios. Get over it.
- Tracks: Programming and non-programming.
 - There is a common core that involves understanding concepts, modeling data, using databases, etc.
 - Exams are the same for both tracks. Mix of written questions and practical exercises.
 - Homework assignments: There is a common core on all assignments for both tracks. Additionally,
 - Programming track will incrementally build a database centric, cloud-based web application.
 - Non-programming track will do a more complex, database centric project.

Homework Assignments

- My homework assignments are:
 - Open ended.
 - Vaguely specified.
- You will complain. I will listen sympathetically.
 - You will savage me on the instructor reviews and CULPA.
 - My professional colleagues and I will laugh at you behind your back.
- Management, clients, partners, etc.
 - Do not understand technology as well as we do.
 - You will get requirements like, "I want it colored mauve because that has more RAM."
- Converting vague requests into a useful, meaningful project that we can implement is what we do. Get over it.

You are senior people at a top school. You need to define concrete solutions and approaches from ambiguity. No one showed Thomas Edison a light bulb and then said, "Build this."

Donald Ferguson on 2019-01-29



Approach for First Few Lectures

Lectures and Topics

► Chapter 1 Introduction

▼ PART ONE RELATIONAL LANGUAGES

► Chapter 2 Introduction to the Relational M...

► Chapter 3 Introduction to SQL

► Chapter 4 Intermediate SQL

► Chapter 5 Advanced SQL

▼ PART TWO DATABASE DESIGN

► Chapter 6 Database Design Using the E-R ...

► Chapter 7 Relational Database Design

▼ PART THREE APPLICATION DESIGN AND DEV...

► Chapter 8 Complex Data Types

- Chapter 1:

- Is interesting, but something easily learned from reading slides, docs, etc.
 - **You are responsible for reading the slides and independent study.**

- Books and standard syllabuses tend to be sequential.

Cover and complete topics one at a time.

- My view is that there is a core conceptual model with three realizations:

- Entity, relationships,; the concepts.
 - ER design and modeling.
 - Implementation:
 - Relational model/algebra.
 - SQL.
 - Resource/REST oriented.
 -

- My approach is to incrementally and iteratively:

- Introduce concepts.
 - Explain the realizations.
 - Because implementing a real system requires the approach of concept, design, implement in several layers.

Core Concepts:

- Data
- Databases
- Database management systems.
- Applications, application architectures.
- Roles.
- History of databases.
- etc.

Covering these topics is not a good use of lecture time:


- Read the slides for chapter 1 from the recommended textbook.
(<https://www.db-book.com/slides-dir/index.html>).
- Do some independent study with the help of Professor Google.
- We will cover the material through questions on the reading, recitation,
Piazza questions,, **and homework assignments.**

Database design, Entity-Relationship Model (Part 1)

- Entity, relationship, attribute.
- Database design process.
- ER-Model and diagrams.

Problem Statement

- We must build a system that supports academic operations in a university.
- There are two major domains:
 - Interactive operations, e.g. register, choose class, assign grade,
 - Insight and reporting, e.g. enrollment trends, overloaded resources,
- We will design, develop, test and deploy the system iteratively and continuously.
- There are four core domains.



- The processes are iterative, with continuous extension and details.

- In this course,
- We focus on the data dimension.
- We will get some insight into the other dimensions.



Design Phases

- Initial phase -- characterize fully the data needs of the prospective database users.
- Second phase -- choosing a data model
 - Applying the concepts of the chosen data model
 - Translating these requirements into a conceptual schema of the database.
 - A fully developed conceptual schema indicates the functional requirements of the enterprise.
 - Describe the kinds of operations (or transactions) that will be performed on the data.

DFF Comments:

- We see slides with this formatting, they come directly from the presentations associated with the textbook. (<https://www.db-book.com/db7/slides-dir/index.html>)
- The number at the bottom is of the form chapter.slide_no.
- I try to put my comments, modifications and annotations in red text, or inside a red rectangle/callout.




Design Phases (Cont.)

- Final Phase -- Moving from an abstract data model to the implementation of the database
 - Logical Design – Deciding on the database schema. Database design requires that we find a “good” collection of relation schemas.
 - Business decision – What attributes should we record in the database?
 - Computer Science decision – What relation schemas should we have and how should the attributes be distributed among the various relation schemas?
 - Physical Design – Deciding on the physical layout of the database

A Common and my Approach: Conceptual → Logical → Physical

<https://ehkioya.com/conceptual-logical-physical-database-modeling/>

Levels of Data Modeling




- It is easy to get carried away with modeling. You can spend all your time modeling and not actually build the schema.
- We will use the approaches in class.
- Mostly to understand concepts and patterns.


<https://www.1keydata.com/datawarehousing/data-modeling-levels.html>

Feature	Conceptual	Logical	Physical
Entity Names	✓	✓	
Entity Relationships	✓	✓	
Attributes		✓	
Primary Keys		✓	✓
Foreign Keys		✓	✓
Table Names			✓
Column Names			✓
Column Data Types			✓


Conceptual Model Design



Logical Model Design



Physical Model Design



<https://www.1keydata.com/datawarehousing/data-modeling-levels.html>



ER model -- Database Modeling

- The ER data mode was developed to facilitate database design by allowing specification of an **enterprise schema** that represents the overall logical structure of a database.
- The ER data model employs three basic concepts:
 - entity sets,
 - relationship sets,
 - attributes.
- The ER model also has an associated diagrammatic representation, the **ER diagram**, which can express the overall logical structure of a database graphically.



Entity Sets

COMS W4111 002 01 2023

- An **entity** is an object that exists and is distinguishable from other objects.
 - Example: specific person, company, event, plant
- An **entity set** is a set of entities of the **same type** that share the same properties.
 - Example: set of all persons, companies, trees, holidays
- An entity is represented by a set of attributes; i.e., descriptive properties **possessed by all** members of an entity set.
 - Example:
 $\text{instructor} = (\text{ID}, \text{name}, \text{salary})$
 $\text{course} = (\text{course_id}, \text{title}, \text{credits})$
- A subset of the attributes form a **primary key** of the entity set; i.e., uniquely identifying each member of the set.

DFF Comments:

- Some of these statements apply primarily to OO systems and the relational/SQL models.
- A motivation for “No SQL” is to relax the constraints.



Entity Sets -- *instructor* and *student*

76766	Crick
45565	Katz
10101	Srinivasan
98345	Kim
76543	Singh
22222	Einstein

instructor

98988	Tanaka
12345	Shankar
00128	Zhang
76543	Brown
76653	Aoi
23121	Chavez
44553	Peltier

student



Relationship Sets

- A **relationship** is an association among several entities

Example:

44553 (Peltier) advisor 22222 (Einstein)
student entity relationship set instructor entity

- A **relationship set** is a mathematical relation among $n \geq 2$ entities, each taken from entity sets

$$\{(e_1, e_2, \dots, e_n) \mid e_1 \in E_1, e_2 \in E_2, \dots, e_n \in E_n\}$$

where (e_1, e_2, \dots, e_n) is a relationship

- Example:

$$(44553, 22222) \in \text{advisor}$$


DFF Comments:

- Nobody thinks about relationships this way.
- There is no idea so simple that a DB professor cannot make it confusing, usually by using math.



Relationship Sets (Cont.)

- Example: we define the relationship set *advisor* to denote the associations between students and the instructors who act as their advisors.
- Pictorially, we draw a line between related entities.



DFF Comment:

- In this diagram, the lines are the relationship set.
- Many DB models use a 3rd entity set to represent complex relationships.

DFF Comments:

- Nobody draws the diagrams this way, but ...
- Sometimes thinking this way helps understand other ways to depict the concept.



Representing Entity sets in ER Diagram

- Entity sets can be represented graphically as follows:
 - Rectangles represent entity sets.
 - Attributes listed inside entity rectangle
 - Underline indicates primary key attributes

<i>instructor</i>
<u>ID</u>
<i>name</i>
<i>salary</i>

<i>student</i>
<u>ID</u>
<i>name</i>
<i>tot_cred</i>

“Visual modeling is the use of semantically rich, graphical and textual design notations to capture software designs. A notation, such as UML, allows the level of abstraction to be raised, while maintaining rigorous syntax and semantics. In this way, it improves communication in the design team, as the design is formed and reviewed, allowing the reader to reason about the design, and it provides an unambiguous basis for implementation.”


Instructor	
PK	ID
	<i>salary</i>
	<i>name</i>

Crow's
Foot
Notation


Student	
PK	ID
	<i>name</i>
	<i>tot_cred</i>

Visual Notation – Many Notations


ER Model



UML




Crow's Foot



- “Other,” i.e. PowerPoint is the most common modeling notation.
- It is easy to get “carried away.”
- The trick is to do “just enough modeling.”
- I mostly use Crow’s Foot
 - It is “just enough”
 - But lacks some capabilities.
- The book uses ER notation.

Do a Slightly More complex University Database ER Model

- The model has:
 - Four entity sets:
 - School*
 - Department*
 - Student*
 - Faculty*
 - Three relationship sets:
 - Student-School*
 - School-Department*
 - Faculty-Department*.




- This is the level of detail I want when I ask for:
 - Conceptual Model diagram.
 - Logical Model diagram.
- Some online tools with “free,” constrained usage.
 - Lucidchart (<https://www.lucidchart.com/>)
 - Vertabelo (<https://vertabelo.com/>)

Notation has Precise Meaning

- Attribute annotations:
 - PK = Primary Key
 - FK = Foreign Key
- Line annotations:
 - We will spend a lot of time discussing keys.
 - We will start in a couple of slides.

Summary of Crow's Foot Notation



- We will learn over time and there are good tutorials (<https://www.lucidchart.com/pages/er-diagrams>) to help study and refresh.

What Does this Mean? Let's Get Started

Primary Key means that the value occurs at most once.

This is a statement about the domain, not the actual data currently in the table.

School Code	School Name
CC	Columbia College
SEAS	Fu Foundation School of Engineering and Applied Science
GSAS	Graduate School of Arts and Sciences
GS	General Studies
....

Foreign Key means that if a value occurs in **school_id** for any row, there must be a row in School with that key.

UNI	Last name	First name	school_id
dff9	Ferguson	Donald	CC
js11	Smith	John	GS
jp9	Public	James	CC
bb101	Baggins	Bilbo	CC
....

The line notations mean:

- A student is related to EXACTLY ONE school.
- A School may be related to 0, 1 or many students.



ER model -- Database Modeling


- The ER data mode was developed to facilitate database design by allowing specification of an **enterprise schema** that represents the overall logical structure of a database.
- The ER data model employs three basic concepts:
 - entity sets,
 - relationship sets,
 - attributes.
- The ER model also has an associated diagrammatic representation, the **ER diagram**, which can express the overall logical structure of a database graphically.

DFF Comments:

- The book and slides do not do a great job of motivating the ER model or ER diagrams.
- Why do people and teams think about or use the ER model and modeling?

ER Model and ER Modeling

- ER Model: Agility, Separation of Concerns
 - ER model is a generalization that most DB models implement in some form.
 - Using the ER model enables:
 - Thinking about and collaborating on design with getting bogged down in details.
 - Enable flexible choices about how to realize/Implement data.
- ER Diagrams: Communication, Quality, Precision
 - With a little experience, everyone can understand and ER diagram.
 - Easier to discuss and collaborate on application's data than showing SQL table definitions, JSON,
 - People think visually. That is why we have whiteboards. ER diagrams are precise and unambiguous.
 - Guides you to think about relationships, keys, ... And prevents “re-dos” later in the process. It is easier to fix a diagram than a database schema.



ER Modeling – Reasonably Good Summary

Advantages of ER Model

Conceptually it is very simple: ER model is very simple because if we know relationship between entities and attributes, then we can easily draw an ER diagram.

Better visual representation: ER model is a diagrammatic representation of any logical structure of database. By seeing ER diagram, we can easily understand relationship among entities and relationship.

Effective communication tool: It is an effective communication tool for database designer.

Highly integrated with relational model: ER model can be easily converted into relational model by simply converting ER model into tables.

Easy conversion to any data model: ER model can be easily converted into another data model like hierarchical data model, network data model and so on.

Disadvantages of ER Model

Limited constraints and specification

Loss of information content: Some information be lost or hidden in ER model

Limited relationship representation: ER model represents limited relationship as compared to another data models like relational model etc.

No representation of data manipulation: It is difficult to show data manipulation in ER model.

Popular for high level design: ER model is very popular for designing high level design

No industry standard for notation

<https://pctechnicalpro.blogspot.com/2017/04/advantages-disadvantages-er-model-dbms.html>

Note:

- If you get to use Google to help with take home exams, HW, etc.
- I get to use Google to help with slides.

The Relational Model



Relational Model

- All the data is stored in various tables.
- Example of tabular data in the relational model



Ted Codd
Turing Award 1981

ID	name	dept_name	salary
22222	Einstein	Physics	95000
12121	Wu	Finance	90000
32343	El Said	History	60000
45565	Katz	Comp. Sci.	75000
98345	Kim	Elec. Eng.	80000
76766	Crick	Biology	72000
10101	Srinivasan	Comp. Sci.	65000
58583	Califieri	History	62000
83821	Brandt	Comp. Sci.	92000
15151	Mozart	Music	40000
33456	Gold	Physics	87000
76543	Singh	Finance	80000

(a) The *instructor* table

- The “relation” is the “table.”
 - In my big space of pieces of data. *ID, name, dept_name, salary* are somehow related.
 - This causes confusion, because the ER and other models use “relation” to mean something else.
- Core concepts:
 - Relation
 - Tuple (Row)
 - Column (Attribute)



Example of a *Instructor* Relation

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Diagram illustrating the components of the table:

- Attributes (or columns):** Indicated by three arrows pointing from the text "attributes (or columns)" to the column headers *ID*, *name*, *dept_name*, and *salary*.
- Tuples (or rows):** Indicated by three arrows pointing from the text "tuples (or rows)" to the first three data rows of the table.



Attribute

- The set of allowed values for each attribute is called the **domain** of the attribute
- Attribute values are (normally) required to be **atomic**; that is, indivisible
- The special value **null** is a member of every domain. Indicated that the value is “unknown”
- The null value causes complications in the definition of many operations

DFF Comments:

- I will explain the importance of atomic attributes and null in examples.
- Atomic and use of Null is important!



Relations are Unordered

- Order of tuples is irrelevant (tuples may be stored in an arbitrary order)
- Example: *instructor* relation with unordered tuples

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
22222	Einstein	Physics	95000
12121	Wu	Finance	90000
32343	El Said	History	60000
45565	Katz	Comp. Sci.	75000
98345	Kim	Elec. Eng.	80000
76766	Crick	Biology	72000
10101	Srinivasan	Comp. Sci.	65000
58583	Califieri	History	62000
83821	Brandt	Comp. Sci.	92000
15151	Mozart	Music	40000
33456	Gold	Physics	87000
76543	Singh	Finance	80000



Database Schema

- Database schema -- is the logical structure of the database.
- Database instance -- is a snapshot of the data in the database at a given instant in time.
- Example:
 - schema: *instructor (ID, name, dept_name, salary)*
 - Instance:

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
22222	Einstein	Physics	95000
12121	Wu	Finance	90000
32343	El Said	History	60000
45565	Katz	Comp. Sci.	75000
98345	Kim	Elec. Eng.	80000
76766	Crick	Biology	72000
10101	Srinivasan	Comp. Sci.	65000
58583	Califieri	History	62000
83821	Brandt	Comp. Sci.	92000
15151	Mozart	Music	40000
33456	Gold	Physics	87000
76543	Singh	Finance	80000



Keys

- Let $K \subseteq R$
- K is a **superkey** of R if values for K are sufficient to identify a unique tuple of each possible relation $r(R)$
 - Example: $\{ID\}$ and $\{ID, name\}$ are both superkeys of *instructor*.
- Superkey K is a **candidate key** if K is minimal
Example: $\{ID\}$ is a candidate key for *Instructor*
- One of the candidate keys is selected to be the **primary key**.
 - which one?
- **Foreign key** constraint: Value in one relation must appear in another
 - **Referencing** relation
 - **Referenced** relation
 - Example: *dept_name* in *instructor* is a foreign key from *instructor* referencing *department*

Notation


Classroom relation

building	room_number	capacity
Packard	101	500
Painter	100	125
Painter	514	10
Taylor	3128	70
Watson	100	30
Watson	120	50

classroom schema

It is customary to list the primary key attributes of a relation schema before the other attributes; for example, the *dept_name* attribute of *department* is listed first, since it is the primary key. Primary key attributes are also underlined.

Consider the *classroom* relation:




- The primary key is a *composite key*. Neither column is a key (unique) by itself.
- Keys are statements about all possible, valid tuples and not just the ones in the relation.
 - Capacity is unique in this specific data, but clearly not unique for all possible data.
 - In this domain, there cannot be two classrooms with the same building and room number.
- Relation schema:
 - Underline indicates a primary key column. There is no standard way to indicate other types of key.
 - We will use **bold** to indicate foreign keys.
 - You will sometimes see things like *classroom(building:string, room_number:number, capacity:number)*

Observations

- Keys:
 - Will be baffling. It takes time and experience to understand/appreciate.
 - There are many, many types of keys with formal definitions.
 - I explain the formality but focus on the concepts and applications.
- No one uses the formal, relational model. So, why do we study it?
 - Is very helpful when understanding concepts that we cover later in the course, especially query optimization and processing.
 - There are many realizations of the model and algebra, and understanding the foundation helps with understanding language/engine capabilities.
 - The model has helped with innovating new approaches, and you may innovate in data and query models in your future.

Start Building our Datamodel

- First two relations in relational schema notation:
 - Department(department_name, department_id)
 - Faculty(UNI, first_name, last_name, **department_id**)
- Relationship:
 - A faculty “has” exactly one department.
 - A department has 0, 1 or many faculty.





Relational Query Languages

- Procedural versus non-procedural, or declarative
- “Pure” languages:
 - Relational algebra
 - Tuple relational calculus
 - Domain relational calculus
- The above 3 pure languages are equivalent in computing power
- We will concentrate in this chapter on relational algebra
 - Not turning-machine equivalent
 - Consists of 6 basic operations

DFF Comments:

- You will sometimes see other operator, e.g. \leftarrow Assignment.
- Relational algebra focuses on *retrieve*. You can sort of do Create, Update, Delete.
- The SQL Language, which we will see, extends relational algebra.



Relational Algebra

- A procedural language consisting of a set of operations that take one or two relations as input and produce a new relation as their result.
- Six basic operators
 - select: σ
 - project: Π
 - union: \cup
 - set difference: $-$
 - Cartesian product: \times
 - rename: ρ



Select Operation

- The **select** operation selects tuples that satisfy a given predicate.
- Notation: $\sigma_p(r)$
- p is called the **selection predicate**
- Example: select those tuples of the *instructor* relation where the instructor is in the “Physics” department.
 - Query

$$\sigma_{dept_name = "Physics"}(instructor)$$

- Result

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
22222	Einstein	Physics	95000
33456	Gold	Physics	87000



Select Operation (Cont.)

- We allow comparisons using
 $=, \neq, >, \geq, <, \leq$
in the selection predicate.
- We can combine several predicates into a larger predicate by using the connectives:
 \wedge (**and**), \vee (**or**), \neg (**not**)
- Example: Find the instructors in Physics with a salary greater \$90,000, we write:

$$\sigma_{dept_name = "Physics"} \wedge salary > 90,000 (instructor)$$

- Then select predicate may include comparisons between two attributes.
 - Example, find all departments whose name is the same as their building name:
 - $\sigma_{dept_name=building} (department)$



Project Operation

- A unary operation that returns its argument relation, with certain attributes left out.
- Notation:

$$\Pi_{A_1, A_2, A_3, \dots, A_k} (r)$$

where A_1, A_2 are attribute names and r is a relation name.

- The result is defined as the relation of k columns obtained by erasing the columns that are not listed
- Duplicate rows removed from result, since relations are sets



Project Operation (Cont.)

- Example: eliminate the *dept_name* attribute of *instructor*
- Query:

$$\Pi_{ID, name, salary} (instructor)$$

- Result:

<i>ID</i>	<i>name</i>	<i>salary</i>
10101	Srinivasan	65000
12121	Wu	90000
15151	Mozart	40000
22222	Einstein	95000
32343	El Said	60000
33456	Gold	87000
45565	Katz	75000
58583	Califieri	62000
76543	Singh	80000
76766	Crick	72000
83821	Brandt	92000
98345	Kim	80000



Composition of Relational Operations

- The result of a relational-algebra operation is relation and therefore of relational-algebra operations can be composed together into a **relational-algebra expression**.
- Consider the query -- Find the names of all instructors in the Physics department.

$$\Pi_{name}(\sigma_{dept_name = "Physics"}(instructor))$$

- Instead of giving the name of a relation as the argument of the projection operation, we give an expression that evaluates to a relation.

The Dreaded Relax Calculator

- Let's look at an online tool that you will use.
- RelaX (<https://dbis-uibk.github.io/relax/calc/local/uibk/local/0>)
- The calculator:
 - Has an older version of the data from the recommended textbook.
(<https://dbis-uibk.github.io/relax/calc/gist/4f7866c17624ca9dfa85ed2482078be8/relax-silberschatz-english.txt/0>)
 - You can also upload new data.
- Some queries:
 - $\sigma \text{dept_name}='Comp. Sci.' \vee \text{dept_name}='History'$ (department)
 - $\pi \text{name}, \text{dept_name}$ (instructor)
 - $\pi \text{ID}, \text{name}$
 $\sigma \text{dept_name}='Comp. Sci.'$ (instructor)
)

SQL



History

- IBM Sequel language developed as part of System R project at the IBM San Jose Research Laboratory
- Renamed Structured Query Language (SQL)
- ANSI and ISO standard SQL:
 - SQL-86
 - SQL-89
 - SQL-92
 - SQL:1999 (language name became Y2K compliant!)
 - SQL:2003
- Commercial systems offer most, if not all, SQL-92 features, plus varying feature sets from later standards and special proprietary features.
 - Not all examples here may work on your particular system.



SQL Parts

- DML -- provides the ability to query information from the database and to insert tuples into, delete tuples from, and modify tuples in the database.
- integrity – the DDL includes commands for specifying integrity constraints.
- View definition -- The DDL includes commands for defining views.
- Transaction control –includes commands for specifying the beginning and ending of transactions.
- Embedded SQL and dynamic SQL -- define how SQL statements can be embedded within general-purpose programming languages.
- Authorization – includes commands for specifying access rights to relations and views.

SQL Language Statements

The core SQL language statements are:

- SELECT: Implements both σ , π
- INSERT
- UPDATE
- DELETE
- CREATE TABLE
- ALTER TABLE
- JOIN, which is an operator within SELECT.
- Many, if not most, SQL statements:
 - Implement multiple relational algebra expressions.
 - Cannot easily (or at all) be represented in relational algebra.

$$\begin{aligned} \pi \text{ ID, name (} \\ \sigma \text{ dept_name='Comp. Sci.' (instructor)} \\ \text{)} \\ = \\ \text{SELECT ID, name FROM instructor} \\ \text{WHERE} \\ \text{dept_name='Comp. Sci.'} \end{aligned}$$



Data Definition Language

The SQL data-definition language (DDL) allows the specification of information about relations, including:

- The schema for each relation.
- The type of values associated with each attribute.
- The Integrity constraints
- The set of indices to be maintained for each relation.
- Security and authorization information for each relation.
- The physical storage structure of each relation on disk.



Create Table Construct

- An SQL relation is defined using the **create table** command:

create table *r*

$(A_1 D_1, A_2 D_2, \dots, A_n D_n,$
 $\text{(integrity-constraint}_1\text{)},$
 $\dots,$
 $\text{(integrity-constraint}_k\text{)})$

- r* is the name of the relation
 - each A_i is an attribute name in the schema of relation *r*
 - D_i is the data type of values in the domain of attribute A_i
- Example:

```
create table instructor (  
    ID          char(5),  
    name        varchar(20),  
    dept_name   varchar(20),  
    salary      numeric(8,2))
```

SQL

Switch to Demos: Jupyter Notebook and DataGrip

- Drawing a simple data model in Lucidchart.
- Generating sample data in Mockaroo.
- Loading CSV data using DataGrip.
- Editing and modifying schema in SQL.
- Running some queries.
- Doing some relational algebra.

End of Lecture

HW0 and HW1 will come out over the weekend.