fablebook

Brand book

Version 2.1, November 11, 2026

Contents

Brand at a glance 03

Positioning and values 04

Messaging 05

The idea 06

Where the brand shows 07

Logo 08

Color 13

Type 17

Voice 20

Writing the name 22

Key terms 23

Imagery 24

Graphic elements 26

Themes 27

Applications 28

Brand assets 34

Contact, approval and legal 35

To review 37


fablebook

The whole journey, not just the happy path.

A UI catalog for Phoenix LiveView. Mock up all of your user flows and preview them with realistic data so you can quickly iterate to perfection. For developers, designers, product people and LLMs.



COLOR



Paper #F6F4EF **Card** #FFFFFF **Ink** #17181C **Gilt Deep** #7A5200

Hairline #D9D6CE **Gilt** #B07A12, the ribbon in the logo

● Edited Gap Waived

TYPE

The whole journey, not just the happy path.

Literata for docs headlines, Schibsted Grotesk for the logo, reading and the UI catalog, JetBrains Mono for addresses and code.

VOICE

Plain: Fablebook says what the user is trying to do, what is on screen and what to do next, and never raises its voice.

THREE RULES

1. The name is Fablebook: one word, capital F. In code it is `fablebook` and `:fablebook`.
2. Gilt appears only in the logo, the docs and the social card. The UI catalog stays neutral.
3. Never put a shape behind the logo, and never use the ribbon alone as a bookmark icon.

A UI catalog for Phoenix LiveView. Mock up all of your user flows and preview them with realistic data so you can quickly iterate to perfection. For developers, designers, product people and LLMs.

PHOENIX AND LIVEVIEW DEVELOPERS

Mock up my app's user flows and see how every screen will look. Then keep refining until the whole UI is perfect, from first idea to finished.

A setup that takes minutes: add `fablebook` to your mix.exs, mount one dev route in Phoenix, and start previewing your UI. Nothing else to build or maintain.

DESIGNERS AND OTHER STAKEHOLDERS

Go through every user flow screen by screen.

One catalog to preview all of your user flows, with links to share your mockups for feedback, and a scenario coverage map to uncover blind spots in your UI.

CODING ASSISTANTS AND OTHER LLM TOOLS

LLM context for every user persona, JTBD, UI component, and screen of your app.

All of the JTBD (Jobs To Be Done), domain language, and component styles are available as structured text so that an LLM has perfect context.

Real

Previews your real UI, not a lookalike. A mockup that doesn't match production gets you feedback on a screen your users will never see.

Exact

Names each scenario by the case it shows, like "Card declined at send time". Never "variant 3".

Calm

The UI catalog has neutral styling to keep the focus on the screens and components it is showing.

Honest

Says which screens are covered and which are not. "Gap" marks a case nobody has pictured; "Waived" marks one you chose to skip, with your reason.

Yours

Your user flows, test scenarios, styling, and domain language all live in your app's repository.

ELEVATOR PITCH

Fablebook is a UI catalog for Phoenix LiveView. Mock up all of your user flows and preview them with realistic data so you can quickly iterate to perfection.

KEY MESSAGES

The whole journey.

Shows each screen in cases such as a first visit, nothing there yet and form validation errors. Each scenario is clearly named and has a link you can share.

As users see it.

Previews your real UI, so what you see is what ships.

In your repository.

Your user flows, test scenarios, styling, and domain language are files in your app, so they change with your code.

TAGLINE

The whole journey, not just the happy path.

Sentence case, with the period. It sits beside the logo, never in it.

ABOUT FABLEBOOK: APPROVED DESCRIPTIONS

`One line: Hex, GitHub and package listings`

A UI catalog for Phoenix LiveView: mock up all of your user flows and preview them with realistic data.

`Short: README opening, talk bios`

Fablebook is an open-source UI catalog for Phoenix LiveView. Mock up all of your user flows and preview them with realistic data, from the happy path to the edge cases, and see which cases nobody has covered yet.

`Do not say`


Storybook for Phoenix, “knobs”, “variants”, “every state”, “blazing fast”, “seamless”, “powerful”. Fablebook shows cases; whether a screen is good is for your team to decide.

Why a bookmark on the f

Most UI work is judged on the happy path. The empty first visit, the failed payment and the client name that runs across three lines are where screens let users down, and finding them means clicking through the whole app. Fablebook shows each as a named scenario to open, compare and link to, so a team sees the whole user flow.


The mark is the first letter of the name, a lowercase f, whose stem becomes a bookmark ribbon with a swallowtail end, hanging below the baseline. The ribbon is the same shape the UI catalog uses to mark the current scenario. In the logo it is the one gilt piece: the place you've kept.

The f is the wordmark's own f, from Schibsted Grotesk, cut once under the crossbar. Nothing in the mark is a shield, a lock or an eye. Fablebook helps people see what is there; it does not guard, watch or certify.



A bookmark keeps your place in a book. A scenario keeps one screen in one case, ready to come back to.


Full brand where people decide. Neutral where they work.



FABLEBOOK'S OWN

README, Hex page, docs site and social card


Who: Everyone who is deciding whether to use it.
Brand: The full logo, the gilt, Literata headlines, both themes.



INSIDE THE UI CATALOG

The sidebar, toolbar, inspector and palette in a developer's own app

Who: Developers building their UI, and designers and product people giving feedback.
Brand: The logo in the corner, Ink or Vellum only, Schibsted Grotesk, no gilt. The one exception is the ribbon that marks the current scenario.



IN OTHER PEOPLE'S WRITING

Blog posts, talks, newsletters and other READMEs

Who: People writing about Fablebook.
Brand: The logo, unchanged, with the rules in this book. Nothing added.

The UI catalog stays neutral on purpose, so your app's own colors are the only color on screen.

fablebook

fablebook

One color. Ink on Paper. One color is the same drawing in a single color: the gap under the crossbar and the notch carry the form, so nothing is redrawn. Ink on light, Vellum on dark.



The f alone. For avatars, stickers and the corner of the UI catalog where the name needs no repeating. Use the full logo where the name has to show.

fablebook fablebook



Three cuts, drawn for their size. Display, middle (25 to 48 px) and small (24 px and below), and a tile whose f fills it. The icon page explains them.



Light is the default theme. The logo has a version for each theme. On light, the word is Ink and the ribbon is Gilt; on dark, the word is Vellum and the ribbon is Gilt Bright. Use the version made for the background; do not make one by inverting the other. The word and the ribbon are one drawing. Do not retype the name, separate the ribbon, or use the ribbon on its own as a bookmark icon.

fablebook

fablebook

One color. Vellum on Night. One color is the same drawing in a single color: the gap under the crossbar and the notch carry the form, so nothing is redrawn. Ink on light, Vellum on dark.



The f alone. For avatars, stickers and the corner of the UI catalog where the name needs no repeating. Use the full logo where the name has to show.

fablebook fablebook



Three cuts, drawn for their size. Display, middle (25 to 48 px) and small (24 px and below), and a tile whose f fills it. The icon page explains them.



The dark theme. The logo has a version for each theme. On light, the word is Ink and the ribbon is Gilt; on dark, the word is Vellum and the ribbon is Gilt Bright. Use the version made for the background; do not make one by inverting the other. The word and the ribbon are one drawing. Do not retype the name, separate the ribbon, or use the ribbon on its own as a bookmark icon.

An f that fills the tile, for small sizes.



The 32 px icon, enlarged 8 times



The 16 px icon, enlarged 16 times

THREE CUTS, DRAWN FOR THEIR SIZE


Display	49 px tall and up	Wide gap, long ribbon.
Middle	25 to 48 px	Wider gap, longer ribbon and a deeper notch, at least 3 px.
Small	24 px and below	The gap closes: the f and ribbon become one shape with a deep-notched foot.

APP TILE AND FAVICONS

The app tile and the 16 and 32 px favicons use a heavier f (weight 800 at 32 px, 900 at 16 px) that fills the tile from top to bottom. The ribbon runs out through the bottom edge and its notch is cut through the tile, so the tile is not a plain light letter on a rounded square. Below 16 px, do not use the mark.

BROWSER TAB

The browser tab follows the theme: `favicon.svg` is an Ink tile on a light device and a Paper tile on a dark one. The `.ico` has the light drawing only, because an ICO can’t change with the theme.



32 px, light · 32 px, dark · 16 px, light · 16 px, dark



Keep clear space on every side equal to the height of the letter b (its ascender), measured from the outermost edge of the logo. Nothing enters it: no text, edge or other logo. The square is that distance.

ON SCREENSHOTS AND PHOTOGRAPHS

- Place the logo on a calm area at least as wide as the logo and its clear space.
- Use the light drawing on a light area and the dark drawing on a dark one. If neither reads well, move the logo.
- Do not put a shape or a shadow behind it to make it read.

MINIMUM SIZE

	SCREEN	PRINT	ACTUAL SIZE
Logo	14 px tall	12 mm wide	fablebook
Tile, drawn for its size	16 px	Not specified	

On screen, the logo is never smaller than 14 px tall and the tile never smaller than 16 px. In print, never smaller than 12 mm wide.

WHAT THE MARK CAN BE MISTAKEN FOR

An f with a stem below the baseline can be read as ƒ, the function sign. Developers know it, and for a Phoenix library of function components it is an acceptable second reading. The name is also one letter from another well-known name, and a light f on a rounded square is a common app-icon pattern; the tile avoids it by running the ribbon through the bottom edge.




✕ Don’t retype the name or stretch, squeeze or rotate the logo.




✕ Don’t recolor the ribbon, or make the word gilt.



✕ Don’t put a plate, badge or any shape behind the logo, except the app tile.




✕ Don’t add the tagline, the descriptor or any text to the logo.



✕ Don’t separate the ribbon and use it alone as a bookmark.



✕ Don’t use the dark drawing on a light page, or the light drawing on a dark one.



Paper	#F6F4EF	RGB 246 244 239	The light background. Light is the default theme.	About 62% of a light screen.
Card	#FFFFFF	RGB 255 255 255	Panels, cards and the frame around the canvas.	About 24% of a light screen.
Ink	#17181C	RGB 23 24 28	Text on light, the UI catalog's only emphasis, and the logo on light.	About 9% of a light screen.
Gilt Deep	#7A5200	RGB 122 82 0	Links, large accent words and focus in docs and the README. Never in the UI catalog.	About 2% of a light screen.
Hairline	#D9D6CE	RGB 217 214 206	Dividing lines on light.	About 3% of a light screen.

Gilt
#B07A12 RGB 176 122 18


The ribbon in the logo: Gilt on light and Gilt Bright on dark. It is an artwork color, a shape to look at, never text, a link or a control. Gilt Deep and Gilt Bright carry text.

Slate
#5C5F66

Secondary text on Paper and Card.

Control Edge
#8A8C92

Input and button borders on light (3.1:1 on Paper). On dark use #7D7F86 (4.7:1 on Night).



Night	#121316	RGB 18 19 22	The dark background.	About 62% of a dark screen.
Graphite	#1B1C21	RGB 27 28 33	Panels, cards and the frame around the canvas on Night.	About 24% of a dark screen.
Vellum	#E8E6E1	RGB 232 230 225	Text on dark, and the logo on dark.	About 9% of a dark screen.
Gilt Bright	#E2B04A	RGB 226 176 74	Links, large accent words and focus in docs and the README on dark. Never in the UI catalog.	About 2% of a dark screen.
Dim Line	#2C2D33	RGB 44 45 51	Dividing lines on dark.	About 3% of a dark screen.

Ash
#A5A29A
Secondary text on Night and Graphite.

UI CATALOG MARKERS

Three words, never the gilt.

The UI catalog has three markers. Each is a word first; its color only backs the word up, and none of them is the gilt.

ON LIGHT		ON DARK	
Gap	#9A3B1F	Gap	#F29A7A
Waived	#4C5058	Waived	#B5B2AA
● Edited	#17181C	● Edited	#E8E6E1

Edited, Gap and Waived are the only status words in the UI catalog. The Gap brick is kept apart from the gilt, so a gap never looks like the logo.

WHAT EACH MEANS

Gap

Not covered yet: there is no scenario for it, and nobody has waived it.

Waived

Set aside on purpose, with your reason. It stays visible and counted.

Edited

Temporary: a control changed a value. Your code is untouched; Restore scenario puts the original back.

THE ONE RIBBON IN THE UI CATALOG

The current scenario carries a small ribbon, the same shape as the logo's. Inside the UI catalog it is Ink; on the docs site it may be gilt.



ROLE	WHERE IT IS USED	LIGHT		DARK		MINIMUM
Body text	README, docs, the UI catalog and this book.	Aa	16.14:1	Aa	14.89:1	4.5:1
Descriptor and secondary text	The words “A UI catalog for Phoenix LiveView” beside the logo, and metadata under a title.	Aa	5.82:1	Aa	7.28:1	4.5:1
Caption and table metadata	Captions, scenario addresses and column labels on a card.	Aa	6.40:1	Aa	6.67:1	4.5:1
Copy inside an application	Text on a card in the UI catalog, the README or a slide.	Aa	17.74:1	Aa	13.64:1	4.5:1
Display accent	A large headline word in the gilt, in docs and the social card. 24 px and up.	Aa	6.30:1	Aa	9.33:1	3:1
Link	Links in docs and the README, and the main button’s text in docs.	Aa	6.92:1	Aa	8.54:1	4.5:1
Focus ring	The 2 px ring on a focused control, in Ink or Vellum. The UI catalog never uses a gilt ring.		16.14:1		14.89:1	3:1
Logo ribbon	Gilt against the page, read as a shape, not as text.		3.39:1		9.33:1	3:1

ABOUT THESE RATIOS

Ratios are WCAG 2.2 contrast, computed from the hex values. A pair that passes here says nothing about a whole product built with it. Gilt on Paper is 3.4:1: enough for a shape, not for text. Hairline and Dim Line only divide; they are never the only boundary of a control.

NEVER

- × **Gilt** as text of any size on Paper or Card
- × **Gilt Deep or Gilt Bright** as anything inside the UI catalog (use Ink or Vellum)
- × **Hairline** as the only boundary of a control
- × **Gilt, Gilt Deep or Gilt Bright** as a status or a warning

	Literata	Schibsted Grotesk	JetBrains Mono
	Aa	Aa	Aa
	The whole journey, not just the happy path.	A scenario is one screen in one case.	`accounts/invoice_card/empty`
WEIGHTS	SemiBold (600) for headlines and the cover line; Regular (400) for long reading in docs.	Regular (400), Medium (500) and SemiBold (600). SemiBold (650) draws the wordmark.	Regular (400) and Medium (500).
USE	Headlines in docs, guides, slides and the social card.	The wordmark, body text, the UI catalog's labels, tables and buttons.	Anything copied or compared: commands, module names, attrs, scenario addresses and code.
WHY	A book face, drawn for reading on screens. It gives the docs the feel of a well-kept book without a decorative gesture, and it sits well beside the grotesque logo.	Flat-cut terminals and calm, open letters, so it reads well small and in dense tools. The wordmark is this face, so the logo and the interface are one family.	Tall x-height, a slashed zero and distinct 1, l and I, so an address or a command can be read and copied correctly.

All three families are SIL Open Font License 1.1, from Google Fonts. The license texts are in the assets fonts folder.

ROLE	USE	FACE, WEIGHT, SIZE	SAMPLE

Display	Covers, slides and the social card. One line, two at most.	`Literata 600`
		`56 / 60 px`
		`tracking -0.01em`
			The whole journey, not just the happy path.

Heading	Page titles and section heads in docs and guides.	`Literata 600`
		`28 / 34 px`
		`tracking -0.005em`
			Show the empty screen first

Body	README, docs and guides. 62 to 72 characters a line.	`Schibsted Grotesk 400`
		`16 / 25 px`
		`tracking 0`
			A scenario is one screen in one case, such as a new account with nothing sent yet.

UI catalog text	The UI catalog's sidebar, toolbar, inspector and tables.	`Schibsted Grotesk 500`
		`13 / 18 px`
		`tracking 0`
			Empty: new account, nothing sent yet

Label	Sidebar groups and column heads. Capitals only at this size and weight.	`Schibsted Grotesk 600`
		`12 / 14 px`
		`tracking 0.12em, capitals`
			SCENARIOS

Code and addresses	Commands, modules, attrs and scenario addresses. Never wrap an address; shorten it in the middle.	`JetBrains Mono 400`
		`13 / 20 px`
		`tracking 0`
			`accounts/login_form/empty`

Invoice card

SCENARIOS

Default	accounts/invoice_card/default	
Empty	accounts/invoice_card/empty	Gap
Long	accounts/invoice_card/long	
Error	accounts/invoice_card/error	

13 px Schibsted Grotesk for labels and the case line; addresses in 13 px JetBrains Mono. A case line starts with its kind, as in “Empty: new account, nothing sent yet”.

WHY ADDRESSES USE JETBRAINS MONO

	Zero and capital O	One, lowercase L and capital I
JetBrains Mono	0 O	1 l I
Schibsted Grotesk	0 O	1 l I

In JetBrains Mono the zero is slashed and the 1, l and I are different, so an address or a command can be read and copied correctly. Schibsted Grotesk’s zero is close to the O.

MADE FOR PEOPLE READING CLOSELY

- The wordmark is outlined from Schibsted Grotesk 650 and is never retyped. Everywhere else the name is ordinary text.
- Docs headlines are Literata; everything the UI catalog draws is Schibsted Grotesk. They never swap.
- Every scenario address, module name, attr and command is set in JetBrains Mono, so it can be compared by eye and copied.
- Headlines are sentence case. Capitals appear only in 12 px labels.
- No type is lighter than 400 or smaller than 12 px.

Plain: Fablebook says what the user is trying to do, what is on screen and what to do next, and never raises its voice.

	PLAIN LIVELY	SOUNDS LIKE
The UI catalog: empty and error messages	● ○ ○ ○ ○	No scenarios yet. Add one to this story, or mark this kind of case as waived.
Docs and README	○ ● ○ ○ ○	Mount Fablebook as a dev route in Phoenix, then open it to see every screen in your app.
Release notes	○ ● ○ ○ ○	A story’s coverage now shows which kinds of case have a waiver and why.
Talks and social posts	○ ○ ● ○ ○	The empty screen is where most apps first let a new user down. Here is how to see it before they do.

The voice never changes; the tone shifts with where the words appear. Fablebook is plain everywhere and a little livelier in a talk or a post. In the UI catalog it is never lively: a developer there is trying to find out why something looks wrong.

Add a scenario for the empty screen.

Not: Create a new variant.

This screen has no scenario for when saving fails.

Not: Coverage gap detected in your design system.

Restore scenario

Not: Reset your changes.

Fablebook shows your screens the way your users see them.

Not: Fablebook makes your UI bulletproof.

Mount it as a dev route in Phoenix.

Not: Seamlessly integrate Fablebook into your workflow.

Empty: new account, nothing sent yet.

Not: Edge case 4.

Waived: this case does not apply to a read-only table.

Not: Skipped.

No scenarios match this filter. Clear the filter to see all 38.

Not: Oops! Nothing here.

WRITE FOR THE PEOPLE READING

- **Start from the user.** Say what they are trying to do and what they see before any term from the code.
- **Say what to do next.** Every empty and error screen ends with a step.
- **Name scenarios by what the user is going through.** A designer or product manager who didn’t build the screen should know what is on it without opening the code.

Fablebook

Fablebook, one word with a capital F, in running text. In code, packages and commands it is `fablebook`, `:fablebook` and `mix fablebook.install`.

NOT LIKE THIS

~~FableBook, Fable Book~~: one word, one capital

~~FABLEBOOK~~: except as a 12 px label in capitals

~~fablebook~~: in running text (code only)

~~the Fablebook platform~~: Fablebook is a library and a UI catalog

DESCRIBING IT

Call it “a UI catalog for Phoenix LiveView” and what it shows “scenarios”. Describe what it is for in the user’s terms: screens, user flows, the happy path, errors and edge cases, not “states” or “components” alone.


The words Fablebook depends on.

TERM	WHAT IT MEANS HERE	INSTEAD OF
UI catalog	What Fablebook is, and what you open in the browser: a sidebar, toolbar, inspector and palette around the canvas.	~~workbench~~, ~~manager~~, ~~dashboard~~, ~~explorer~~
Domain language	The words your team and users use for things in your app, such as invoice or plan, as structured text.	~~canon~~
Job to be done	What a user is trying to get done, such as paying an invoice. Also called a JTBD.	~~task~~, ~~use case~~
Canvas	The framed area where a scenario is shown: your real UI.	~~sandbox~~, ~~preview~~, ~~iframe~~
Story	The catalog entry for one screen or component, its subject. It owns that subject's scenarios.	~~fable~~, ~~spec~~
Scenario	One screen shown in one case, such as the invoice card for a new account. It has a clear name and a link you can share.	~~variant~~, ~~variation~~, ~~example~~, ~~state~~
Case	What a user is going through when they see a screen, such as "Empty: new account, nothing sent yet". Kinds: happy path, empty, many, error, long.	~~situation~~, ~~description~~, ~~state class~~
Group	Scenarios shown together in one grid for comparison. Each keeps its own address.	~~variation group~~
Attrs and slots	The inputs of a function component, in Phoenix's own words.	~~args~~, ~~props~~, ~~knobs~~
Edited	A scenario shown with a value you changed in a control. Temporary: your code is untouched.	~~dirty~~, ~~modified~~
Waiver	A note that a case is set aside on purpose, with your reason. It stays visible.	~~exception~~, ~~skip~~, ~~ignore~~
Gap	A case with no scenario and no waiver: nobody has pictured it yet.	~~missing~~, ~~uncovered~~
Book	One catalog with its own settings, mounted at one path. An app may have several.	~~backend~~, ~~config~~
Host app	The Phoenix app you are building, which Fablebook runs in during development.	~~twin~~, ~~demo app~~, ~~example app~~

These are only the words the brand depends on; the product's own glossary defines the rest.

Show the real thing.

Fablebook's pictures show the UI catalog at work with real labels: a story with its scenarios, a coverage map, and a command. They need no stock photography and no illustration.



Empty: New account, nothing sent yet.
`accounts/invoice_card/empty`

A story and its scenarios. The screen shown in a frame, with each scenario named by its case and its address under it.

	HAPPY	EMPTY	MANY
login_form	3	1	2
invoice_card	4	1	2
plan_picker	2	Gap	1
usage_meter	3	2	Gap

Each cell is a count of scenarios, a waiver or a gap.

A coverage map. Each story against each kind of case: a scenario, a waiver or a gap in every cell.

The pictures in this book are illustrations drawn from the UI catalog's real labels and structure. They show the layout this book recommends, not screenshots of the current product, and the data in them is invented.

NEVER



✕ Storybook's book and S



✕ Open books and quills



✕ Fairy-tale castles and dragons



✕ Stacks of cards or paper



✕ Magnifying glasses



✕ A checkmark as proof a screen is done

Also never: rainbow component grids, stock people at screens, neon grids and code rain.

Fablebook shows how a screen behaves from the happy path to the edge cases. These pictures say it tells stories, reviews design or guarantees quality, and Fablebook does none of those.

Quiet code colors that never look like the gilt.

ROLE	LIGHT	DARK	COLORS
Text	#17181C	#E8E6E1	Names and punctuation. Module names in weight 500.
Comment	#5C5F66	#8F8C85	Comments, in a quiet slate.
Keyword	#7A2E6E	#D79BCB	def, do, end, attr, slot. Plum.
String	#2F6B3E	#8CC28A	Strings and HEEx attribute values. A quiet green.
Atom, key and number	#2C5F8A	#8DB8E3	Atoms, keys and numbers, in a slate blue.
Command and flag	#0E6B63	#5FD0C4	The prompt, commands and flags, in teal.

- No gilt in code, so nothing in code looks like the ribbon. The Gap brick appears only as the word “gap” in coverage output, where it means a gap.
- Module names and function heads stand out by weight, not by another color.
- Syntax colors are for code blocks only. Inline code in a sentence is plain JetBrains Mono on a chip, in every medium.
- Use these colors where Fablebook styles code: slides, social cards, blog posts and screenshots. GitHub and ExDoc color their own code; leave that alone.
- Show code that matches the current release, not pseudo-code.

```
# lib/my_app_web/router.ex
if Application.compile_env(:my_app, :dev_routes) do
  import Fablebook.Router

  scope "/dev" do
    pipe_through :browser

    fablebook "/fablebook", MyAppWeb.Storybook
  end
end
```

```
<.button variant="primary">
  Send invoice
</.button>
```


```
$ mix fablebook.install
$ mix phx.server
$ mix fablebook.coverage
```

One shape that keeps your place: the ribbon.


The ribbon is the brand's only graphic device. It is the same shape as the stem of the logo: straight sides and a swallowtail end. It marks one thing per view, the place you are keeping, and it is the only gilt allowed inside the UI catalog.


- **The current-scenario ribbon.** A 4 px wide ribbon on the sidebar's selected scenario and on the canvas frame's top edge. In the UI catalog it is Ink, not gilt; on the docs site and in slides it may be gilt.
- **The page ribbon.** On the docs site, a gilt ribbon hangs from the top of a page you have bookmarked or are reading from a link. One per page, never decorative.

The ribbon never repeats as a pattern, never frames a block, never marks more than one item, and never stands in for the logo.




The ribbon marks the current scenario in the sidebar, in Ink.






LIGHT, THE DEFAULT

Paper behind Card panels, Ink text and Ink focus. The default for docs, the README and the UI catalog on a light device.




DARK

Night behind Graphite panels, Vellum text and Vellum focus. Every text and background pair is contrast-checked.



SYSTEM

The page follows the device's setting from the moment it loads, and the logo uses the drawing for whichever theme applies.



The UI catalog, in neutral styling. The only color on the canvas is your app's own: here a blue button your app defined. The ribbon marks the current scenario, the case is named under the frame, and the address is in JetBrains Mono. An illustration of the layout this book recommends, with invented data.

INTERFACE


Ink on Paper and Card; Hairline dividers; no gilt, no accent, no shadow. The frame around the canvas is Card with a Hairline edge.

MOTION


Moving between scenarios and pages is instant, and a component's own animation plays as your app defines it. The UI catalog's own interface moves only with a 120 ms ease-out when something is hovered, focused or selected.

WORDS

Scenario, case, story, canvas. Never variant, example or knob.



You changed a value with a control: the Edited chip and Restore scenario appear. Your code is untouched.



Dark, the error scenario, marked Waived on this story. A waived case stays visible, with the reason you wrote.

EDITED

The chip and Restore scenario appear together, and only while a control has changed a value.

WAIVED

A waived case keeps its Waived mark and your reason, so it is never mistaken for a Gap.

DARK

The UI catalog follows the device. Ink becomes Vellum; your app's colors stay its own.

	HAPPY	EMPTY	MANY	ERROR	LONG
login_form	3	1	2	Gap	1
invoice_card	4	1	2	1	1
plan_picker	2	Gap	1	Waived	1
usage_meter	3	2	Gap	1	Waived

Each cell is a count of scenarios, a waiver or a gap.

Coverage: each story against each kind of case. A cell is a scenario count, a waiver or a gap; nothing is hidden.



The same grid in dark. Gap is brick, never gilt.

CELLS

A number is a count of scenarios. Waived and Gap are words, in their chips.

READING

A story with a Gap in the error column has no scenario and no waiver for it.

COMMAND

The same grid is printed by `mix fablebook.coverage`.

fablebook


A UI catalog for Phoenix LiveView

The whole journey, not just the happy path.

Mock up all of your user flows and preview them with realistic data, from the happy path to the edge cases. Fablebook also shows which cases nobody has covered yet.

```
$ mix fablebook.install
$ mix phx.server
```

The README header: the logo, a plain descriptor, the tagline set in Literata, one paragraph and one command. GitHub keeps its own fonts and code colors.



The docs site in light: Literata headlines, Gilt Deep links, one gilt page ribbon, code on the code ground.

README


The logo, one descriptor, the tagline, one paragraph and one command. No badges wall. GitHub shows the dark or light logo by the device theme.

DOCS HEADLINES


Literata 600 for page and section titles; Schibsted Grotesk for everything else. Gilt Deep for links.

PAGE RIBBON

One gilt ribbon hangs from a page opened from a link. Never more than one, never decoration.



The link preview, 1280 by 640 px: the one full-bleed dark canvas, with the logo, the tagline in Literata, and the descriptor. The gilt appears here and nowhere else in a preview.



The terminal: the coverage map as an aligned table in JetBrains Mono. The words gap and waived are colored; the counts are plain.

LINK PREVIEW

The one place gilt fills the logo on a full-bleed dark canvas. One tagline line in Literata and one descriptor line.

TERMINAL

An aligned table of plain words. “gap” is brick and “waived” is slate, and both are written out, so the table reads without color or when piped.

ALT TEXT

Write the card’s alt text as the tagline and the descriptor.


fablebook 0.1.0

A UI catalog for Phoenix LiveView: mock up all of your user flows and preview them with realistic data.

```
{:fablebook, "~> 0.1", only: :dev}
```

Docs Source Changelog

The Hex page: the logo, the version, the one-line description from Messaging and the dependency line. Hex draws its own page; this shows what the package supplies.



32 px, light 32 px, dark

Browser tabs and the 32 px tile, light and dark. The tab shows the 16 px tile, and its title is the scenario address, so many tabs stay tellable apart.

HEX PAGE

The package supplies the description and the dependency line; keep the description to the one-line boilerplate in Messaging.

TAB TITLES

The title is the scenario address, so many open tabs can be told apart. The 16 px tile is the only icon.

AVATAR

The 32 px tile or the f alone on a calm ground, never the full logo cropped.

YOU NEED	USE (IN ASSETS/)
Logo on a light background	`logo/fablebook-lockup-light.svg` `logo/fablebook-lockup-mid-light.svg` `logo/fablebook-lockup-small-light.svg` `logo/fablebook-mark-light.svg` `logo/fablebook-lockup-light-2048.png`
Logo on a dark background	`logo/fablebook-lockup-dark.svg` `logo/fablebook-lockup-mid-dark.svg` `logo/fablebook-lockup-small-dark.svg` `logo/fablebook-mark-dark.svg` `logo/fablebook-lockup-dark-2048.png`
One color: print and single-color jobs	`logo/fablebook-lockup-mono-ink.svg` `logo/fablebook-lockup-mono-vellum.svg` `logo/fablebook-mark-mono-ink.svg` `logo/fablebook-mark-mono-vellum.svg`
Favicon and app tile	`icon/favicon.svg` `icon/favicon-light.svg` `icon/favicon-dark.svg` `icon/favicon.ico` `icon/favicon-32-light.png` `icon/favicon-16-light.png`
Link preview and social card	`social/fablebook-social-card-1280x640.png`
Fonts	`fonts/web/fonts.css` `fonts/variable/SchibstedGrotesk[wght].ttf` `fonts/variable/Literata[opsz,wght].ttf` `fonts/variable/JetBrainsMono[wght].ttf` `fonts/OFL-SchibstedGrotesk.txt`

RETIRED WITH VERSION 2.1

- The plain bookmark ribbon on its own as the logo, which reads as a stock bookmark icon.
- A tagline inside the logo.
- Any S, book or cover shape.
- The words “variant”, “knobs” and “Storybook for Phoenix”.

Who to ask, and what’s ours.

CONTACT AND APPROVAL

- Questions about the brand and requests to use it: the Fablebook maintainers, through the project’s issue tracker.
- Approval: the maintainers approve any use that changes the logo or colors; unchanged use under these rules needs no approval.

USE BY OTHERS

- Hex packages, blogs, newsletters and conference sites may use the logo unchanged to refer to Fablebook.
- Do not use it to suggest that Fablebook endorses, certifies or reviews another product.
- Do not alter the logo, or build a new logo from the ribbon.

LEGAL

- Fablebook is open source. The logo and this brand book are covered by the repository’s license unless it says otherwise.
- No trademark registration is claimed in this book, and none was searched. Use ™, not ®, only if the maintainers decide to claim the name.
- Fonts are SIL Open Font License 1.1; the license texts are in the assets fonts folder.

Mascot

Considered, not proposed. A tool for working on a UI is trusted for being calm and exact, and a character pulls the other way.

Stock photography and illustration

There is no honest photograph of “a screen when the save fails”. The real UI catalog says it better.

Brand color in the UI catalog

The UI catalog stays neutral so the app’s own colors are the only color on screen.

Patterns and textures

The ribbon is the only graphic device. A pattern would compete with your UI in the canvas, which is the picture.

A second typeface for the logo

The wordmark and the interface are both Schibsted Grotesk; the book face, Literata, is for docs headlines only.

Logo animation and sound

Not defined in this edition. The UI catalog has no sound, and moving between scenarios is instant; see To review.

Choices made in this edition that are easy to change

1 **“UI catalog” is the one name.** The descriptor is “A UI catalog for Phoenix LiveView”, and the part you open is the same thing. “Workbench” is gone from the book.

2 **One word for each thing: scenario, case, story.** A scenario is one screen in one case; a case is what a user is going through (a first visit, nothing there yet, an error). “Case” replaces “situation”, which read as a synonym of “scenario”; “condition” is the alternative. “Story” is still the word for one screen; if user flows are your unit, it changes with the glossary and coverage map.

3 **Edited is set apart from Gap and Waived.** Edited is temporary, so it is a round outlined pill, unlike the flat Gap and Waived chips. Gap is brick, not amber, which would read as gilt; Waived has a dashed outline. Meanings stay short until Fablebook is further along.

4 **The terminal prints the words gap and waived in color.** Gap is brick and waived is slate; both are written out, so the table reads without color. It is the one place brick appears in code.

5 **The book says screens, paths and cases, not “states”.** Scenario, story, gap, waived and edited are the product’s own words.

6 **Some audience promises are the owner’s wording.** Previewing user flows with realistic data, a scenario coverage map, personas, jobs to be done, component styles as structured text, and “test scenarios” and “styling” in your repository are not confirmed as shipped.

7 **“Domain language” replaces “canon”; no “draft”.** “Canon” came from the product’s notes; confirm the name there. There is no draft label: the UI catalog has only Edited, Gap and Waived.

8 **The ribbon is part of the f.** It is the f’s stem below one cut. A logo with a whole f and a ribbon beside it would state the initial twice.

9 **The name sits close to a very well-known one.** Fablebook is one letter from a famous social network, whose icon is a lowercase f on a rounded tile. The tile’s ribbon runs out through the bottom edge to break that. Name clearance was not searched.

10 **Gilt is a docs-and-logo color only.** The UI catalog has no accent. If it ever feels sterile, the ribbon on the current scenario is the first place to add gilt.

11 **Light is the default theme.** Docs, README and Hex render light by default, with a dark theme for dark devices. The UI catalog follows the device.

Not checked: Name and trademark clearance were not searched; the name was kept. Code samples follow the README and were not run. Logo legibility was checked on test sheets and by model readers, not with people. Contrast is computed for the pairs listed here, not for a whole product. Print color was not proofed. The favicon and tile were not checked on a real device or in Safari, and the 16 px tile still sits close to a plain letter on a rounded square.