

Test File 4: Manage Weighted Average Maturity and Weighted Average Life Calculation

Last update: 04 May, 2026

Table of Contents

1. Understand WAM/WAL Calculation for NASDAQ Reporting	2
1.1. About Calculating WAM/WAL for Master Funds.....	2
1.2. Determine How to Calculate WAM/WAL	2
1.3. Understand NASDAQ Processing Impact	3
1.4. About the Automated Event Wrapper and WAM/WAL Calculation	4
1.5. Review WAM and WAL	4
1.6. Add Historical WAM/WAL Values during Conversion.....	4
2. Set Up Master Fund Reference Data for WAM/WAL Calculation	5
2.1. About Master Fund Setup	5
2.2. How the WAM/WAL Elections Affect Weighted Average Report Settings	8
3. Manage Report Overrides for the Weighted Average Report.....	10
3.1. About Report Overrides	10
3.2. Add Report Overrides	12



The Weighted Average report identifies government securities defined by the Investment Company Act of 1940 as part of the 2A-7 processing for money market funds to determine if a demand feature exists for a security. The report has two versions, the Weighted Average Life (WAL) report and the Weighted Average Maturity (WAM) report.

You can use report overrides to create rules that affect the Weighted Average report results. Report override rules can determine how Weighted Average report calculates the days to maturity and can allow the report to contain more accurate data. This prevents spikes in the days calculated when there is a timing delay receiving reference data to update these fields.

If you use the ABC mutual fund accounting solution, the system can calculate Weighted Average Life (WAL) and Weighted Average Maturity (WAM) for Money Market portfolios, along with Mutual Fund master fund entity types. You can set up elections at the master fund level that determine how the system calculates the WAM/WAL values, and can use report overrides. The system can calculate WAM/WAL values by executing the WAM and WAL report events when it calculates NAVs. If you use the NASDAQ Transmission console and want to report those values for Money Market entities to NASDAQ, the system can include the WAM and WAL values on the NASDAQ Money Market Valuation Message for transmission to NASDAQ.

This section describes how the system calculates WAM/WAL and how you can set up the system to calculate WAM/WAL differently based on various criteria.

1. Understand WAM/WAL Calculation for NASDAQ Reporting

If you use the ABC mutual fund accounting solution, when you run the Calculate NAV panel/event, the system also can calculate Weighted Average Maturity and Weighted Average Life values for master funds. After the system calculates those values, the system can include the Weighted Average Maturity and Weighted Average Life values on the NASDAQ Money Market Valuation Message.

The system can calculate WAM/WAL for money market funds and for other types of master funds, such as mutual funds. This section describes this process.

1.1. About Calculating WAM/WAL for Master Funds

The Valuation Close Calculate NAV event (associated with the Calculate NAV panel) and the Function Wrapper Calculate NAV event always calculate WAM and WAL for Money Market (MM) portfolio types, and can calculate WAM and WAL for Mutual Fund (MF) type master funds.

During NAV calculation, the Calculate NAV event determines if an entity is a Money Market portfolio. If the entity is a Money Market portfolio, the Calculate NAV process executes the WAM Report and WAL Report events. These events calculate the Weighted Average Maturity and Weighted Average Life value.

The system stores the values on the ESTAR_NAV table. The Calculate Nav Multi Currency event also copies the Weighted Average Maturity and Weighted Average Life values from the ESTAR_NAV table and stores it in the NAV_MULTI table.

1.2. Determine How to Calculate WAM/WAL

You can set up the system to calculate WAM/WAL for master funds in different ways.

1.2.1. WAM/WAL Calculation for Money Market Type Master Funds

When the system calculates WAM/WAL during the Calculate NAV process for Money Market type master funds, it uses hard coded defaults to determine the calculation methodology. You can also set up the system to calculate WAM and WAL with options that differ from those default options.

For a money market portfolio composite type, the system calculates:

- Weighted Average Maturity using the default election of Call Schedule and Exclude Currency Holdings.
- Weighted Average Life using the default election of Call Schedule and Include Currency Holdings.

The Call Schedule option indicates that the system uses the Schedule table as the source for the next call, put, or step date to use for the WAM/WAL calculation. The Currency Holdings options determine whether the WAM/WAL report does or does not display CRCRCR securities in the report.

Alternatively, the Calculate NAV process can use master fund-level WAM and WAL elections to determine how to calculate Weighted Average Life and Weighted Average Maturity for a given Money Market fund,

rather than rely on the default hardcoded options. In place of using the Call Schedule, the system can use the Override Table. In that case, the system uses report override rules as the source for call, put, or step dates to use for the WAM calculation. You can also specify whether the WAM/WAL report should or should not display CRCRCR securities in the report. Setup of the master fund-level WAM Election and WAL Election is optional for Money Market funds.

1.2.2. WAM/WAL Calculation for Mutual Fund Type Master Funds

When you run the Calculate NAV panel/event, the system can calculate Weighted Average Maturity and Weighted Average Life value for master funds with a Master Fund Type of Mutual Fund. The process is similar to that used for money markets.

The Calculate NAV process uses master fund-level WAM and WAL elections to determine how to calculate Weighted Average Life and Weighted Average Maturity for a given master fund. The default hardcoded options apply only to Money Market funds.

Therefore, while setup of the master fund-level WAM Election and WAL Election fields is optional for Money Market funds, it is required for Mutual Fund type master funds in order to calculate WAM/WAL values. If the Calculate NAV events determine that the master fund is not a money market portfolio, and if you do not specify the WAM/WAL elections for the master fund, then the system cannot calculate the Weighted Average Maturity and Weighted Average Life values.

For each master fund, you can specify use of the Call Schedule or the Override Table. The Call Schedule option indicates that the system uses the Schedule table as the source for the next call, put, or step date to use for the WAM/WAL calculation. The Override Table allows the system to use report override rules as the source for call, put, or step dates to use for the WAM calculation. You can also specify whether the WAM/WAL report should or should not display CRCRCR securities in the report.

1.3. Understand NASDAQ Processing Impact

In the NASDAQ Transmission Delta panel, the QUERY_NASDAQ event copies over the Weighted Average Maturity and Weighted Average Life values from the NAV Multi table to store the calculated WAM and WAL on the ESTAR_NAV_FOR_NASDAQ table. Also, the QUERY_NASDAQ procedure which creates the NASDAQ transmission messages includes the WAM and WAL on the money market valuation messages.

In the case of a multi-class Money Market entity, the Weighted Average Maturity and Weighted Average Life values are the same for each share class within the Money Market entity. You have the option to override the Weighted Average Maturity and Weighted Average Life values for each share class within the NASDAQ Transmission Console.

In the OVERRIDE NAV window within the NASDAQ Transmission Console, you can override the calculated WAM and WAL values. Only use this option if you do not agree with the calculated WAM and WAL value calculated by the ABC mutual fund accounting solution.



1.4. About the Automated Event Wrapper and WAM/WAL Calculation

The Revaluation of Positions and Open Lots event belongs to the default Valuation Close Events Event Group. This event is the first event executed in the default Valuation Close Events Event Group.

The system needs to execute this event before it executes the Calculate NAV event so that the WAM and WAL events (which are run as part of Calculate NAV) can retrieve the proper position and market data from the position tables to calculate a correct WAL and WAM value. If this event is not executed before Calculate NAV, then the system does not calculate a WAL and WAM value.

1.5. Review WAM and WAL

You can review WAM and WAL values using the List Valuation Periods panel Show All tab results and the List Multicurrency NAV panel Show All tab results.

1.6. Add Historical WAM/WAL Values during Conversion

When you convert master fund entities from a legacy system to the ABC mutual fund accounting solution, you can add historical WAM and WAL values to the system. Use of historical values is optional.

In the Create NAV panel and the Edit NAV panel, you can specify a Weighted Average Life (tag 8623) and a Weighted Average Maturity (tag 8624) amount. These panels allow you to enter WAM/WAL values that the system saves to the ESTAR_NAV table.

2. Set Up Master Fund Reference Data for WAM/WAL Calculation

Before you use the system to calculate Weighted Average Life and Weighted Average Maturity values for master funds, review the options you can select at the master fund level and their impact.

2.1. About Master Fund Setup

The system can use master fund-level WAM and WAL elections during the NAV calculation process, when the system runs the Weighted Average Maturity or the Weighted Average Life reports.

To set up master funds for use with WAM/WAL reporting, you must identify the master fund's WAM Election and WAL Election values. The default election for these elections is NULL. You can perform this setup when you create a new master fund or when you edit a master fund.

The Wam Election and Wal Election fields are available in the Create Master Fund panel and the Edit Master Fund/Sector panel. A description of these options follows.

Additionally, the system allows you to select a data source at the master fund level for running the WAM/WAL reports. In the WAM WAL Data Source field, you can select one out of four predefined options to specify the data source for the report. You can perform this setup when you create a new master fund or when you edit a master fund. For more information, see [Investment Management Software](#).

Field Name	Tag	Description
Wam Election	18059	Used when calculating Weighted Average Maturity (WAM) during the NAV Calculation process. For money market portfolio composite types, the system can use either a valid option or a NULL value to calculate WAM. For mutual fund portfolio composite types, you must specify an option other than None (N or NULL) for the system to calculate WAM. This option identifies the source of the call, put, or step dates. It also indicates whether to include or exclude cash securities with a processing security type of Currency (CRCRCR). Options include: • Call Schedule/Exclude Currency Holdings (CEXC). The system uses the Schedule table as the source for the next call, put, or step date to use for the WAM calculation. The Weighted Average Maturity report does not display CRCRCR securities in the report. • Override Table/Exclude Currency Holdings (OEXC). The system uses the report override rules as the source for call, put, or step dates to use for the WAM calculation. It uses report overrides that have a Date Type value of DEMAND - CALL, DEMAND - PUT, DEMAND - STEP, and DEMAND - REFUND to identify the calculation date, if available. The Weighted Average Maturity report does not display CRCRCR securities in the report. • Call Schedule/Include Currency Holdings (CINC). The system uses the Schedule table as the source for the next call, put, or step date to use for the WAM calculation. The Weighted Average Maturity report displays CRCRCR securities in the report. These holdings have a defaulted days to maturity set to 1 and the calculation date set to report date + 1. • Override Table/Include Currency Holdings (OINC). The system uses the report override rules as the source for call, put, or step dates to use for the WAM calculation. It uses report overrides that have a Date Type value of DEMAND - CALL, DEMAND - PUT, DEMAND - STEP, and DEMAND - REFUND to identify the calculation date, if available. The Weighted Average Maturity report displays CRCRCR securities in the report. These holdings have a defaulted days to maturity set to 1 and the calculation date set to report date + 1. • None (N or NULL). If you select None or do not specify a value for this option for a money market portfolio composite type, the system uses the hardcoded default election of Call Schedule and Exclude Currency Holdings during NAV calculation. If you select this value for a master fund that does not have a Money Market type, the system cannot calculate WAM for that master fund. The default value is NULL.

Field Name	Tag	Description
Wal Election	18060	Used when calculating Weighted Average Life (WAL) during the NAV Calculation process. For money market portfolio composite types, the system can use either a valid option or a NULL value to calculate WAL. For mutual fund portfolio composite types, you must specify an option other than None (N or NULL) for the system to calculate WAL. This option identifies the source of the call, put, or step dates. It also indicates whether to include or exclude cash securities with a processing security type of Currency (CRCRCR). Options include: • Call Schedule/Exclude Currency Holdings (CEXC). The system uses the Schedule table as the source for the next call, put, or step date to use for the WAL calculation. The Weighted Average Life report does not display CRCRCR securities in the report. • Override Table/Exclude Currency Holdings (OEXC). The system uses the report override rules as the source for call, put, or step dates to use for the WAL calculation. It uses report overrides that have a Date Type value of DEMAND - CALL, DEMAND - PUT, DEMAND - STEP, and DEMAND - REFUND to identify the calculation date, if available. The Weighted Average Life report does not display CRCRCR securities in the report. • Call Schedule/Include Currency Holdings (CINC). The system uses the Schedule table as the source for the next call, put, or step date to use for the WAL calculation. The Weighted Average Life report displays CRCRCR securities in the report. These holdings have a defaulted days to maturity set to 1 and the calculation date set to report date + 1. • Override Table/Include Currency Holdings (OINC). The system uses the report override rules as the source for call, put, or step dates to use for the WAL calculation. It uses report overrides that have a Date Type value of DEMAND - CALL, DEMAND - PUT, DEMAND - STEP, and DEMAND - REFUND to identify the calculation date, if available. The Weighted Average Life report displays CRCRCR securities in the report. These holdings have a defaulted days to maturity set to 1 and the calculation date set to report date + 1. • None (N or NULL). If you do not specify a value for this option for a money market portfolio composite type, the system uses the hardcoded default election of Call Schedule and Include Currency Holdings during NAV calculation. If you select None or a null value for a master fund that does not have a Money Market type, the system cannot calculate WAL for that master fund. The default value is NULL.
WAM WAL Data Source	18564	Specifies the data source for the Weighted Average Maturity report or Weighted Average Life report. Options include: • Market Value Base • Face Amount • Book Value Page • 2a7 Market Value

2.2. How the WAM/WAL Elections Affect Weighted Average Report Settings

There is a relationship between the Wam Election and Wal Election values you define at the master fund level and the Call Source field and Currency Holdings field values displayed in the Weighted Average Report panel when you run the report for that master fund.

In order to display the Weighted Average Report panel values for the Call Source field and the Currency Holdings field, the system considers whether you are running the WAM or the WAL report, along with the value you selected for the master fund's Wam Election or Wal Election field, as appropriate.

The following table shows the impact of the master fund-level Wam Election field on the Weighted Average Maturity report settings.

Master Fund Level If you set Wam Election (tag 18059) to:	Weighted Average Report Panel Run for That Master Fund: • If you set Report Name (tag 7009) to Weighted Average Maturity (WAM_REPORT) • Then Call Source (tag 1182) displays:	Weighted Average Report Panel Run for That Master Fund: • If you set Report Name (tag 7009) to Weighted Average Maturity (WAM_REPORT) • Then Currency Holdings (tag 7005) displays:
Call Schedule/Exclude Currency Holdings (CEXC)	Call Schedule (C)	Exclude (EXC)
Override Table/Exclude Currency Holdings (OEXC)	Override Table (O)	Exclude (EXC)
Call Schedule/Include Currency Holdings (CINC)	Call Schedule (C)	Include (INC)
Override Table/Include Currency Holdings (OINC)	Override Table (O)	Include (INC)
None (N or NULL) NOTE: WAM calculated for Money Market type master funds; no WAM calculated for other types of master funds.	Call Schedule (C)	Exclude (EXC)

The following table shows the impact of the master fund-level Wal Election field on the Weighted Average Maturity report settings.

Master Fund Level If you set Wal Election (tag 18060) to:	Weighted Average Report Panel Run for That Master Fund: - If you set Report Name (tag 7009) to Weighted Average Life (WAL_REPORT) - Then Call Source (tag 1182) displays:	Weighted Average Report Panel Run for That Master Fund: - If you set Report Name (tag 7009) to Weighted Average Life (WAL_REPORT) - Then Currency Holdings (tag 7005) displays:
Call Schedule/Exclude Currency Holdings (CEXC)	Call Schedule (C)	Exclude (EXC)
Override Table/Exclude Currency Holdings (OEXC)	Override Table (O)	Exclude (EXC)
Call Schedule/Include Currency Holdings (CINC)	Call Schedule (C)	Include (INC)
Override Table/Include Currency Holdings (OINC)	Override Table (O)	Include (INC)
None (N or NULL)	Call Schedule (C)	Include (INC)

Note: WAM calculated for Money Market type master funds; no WAM calculated for other types of master funds.

3. Manage Report Overrides for the Weighted Average Report

Report overrides allow you to create rules that affect the Weighted Average report results. The Weighted Average report is comprised of the Weighted Average Maturity (WAM) report and the Weighted Average Life (WAL) report. You can use the Report Override panels to set up and maintain report overrides.

3.1. About Report Overrides

Report override rules affect the Weighted Average report, comprised of the Weighted Average Maturity (WAM) report and the Weighted Average Life (WAL) report. You can use the Report Override panels to maintain report override rules at the entity/fund or composite level.

The Weighted Average Maturity report provides the average days to maturity for all the underlying bonds in the fund, weighted based upon the percentage ownership of each bond. Report override rules can determine how Weighted Average report calculates the days to maturity and can allow the report to contain more accurate data. This prevents spikes in the days calculated when there is a timing delay receiving reference data to update these fields.

The calculation date is the date used as "maturity" date for counting the days to maturity for use in the WAM reporting. You can use report overrides as maturity shortening rules that govern the calculation date for the Weighted Average Maturity report. Different types of securities have different methods to use for the count. A description of these rules and the effect that they have on the report's calculation date follows.

3.1.1. Apply Report Overrides to Determine the Next Calculation Date

You can create report overrides for rules based on an entity/security, entity/processing security type, entity/security type, security, processing security type, or security type. You can also create report overrides based on a security processing type, security type, issuer name or ID, and/or issuer industry without specifying an entity or security.

When you run the Weighted Average Maturity report, the system can use report overrides as rules that determine the next calculation date for the WAM calculation. As the system processes each position, it must identify whether a report override affects the report results for the position. It identifies the appropriate report override to use by matching the report override criteria to the position in the following order:

1. Entity/security of the report override matches the position.
2. Security of the report override matches the position's security.
3. Entity/processing security type (PST) or processing security type of the report override matches the position.
4. Entity/security type or security type of the report override matches the position.
5. Issuer name of the report override matches the position, and the report override's Date Type is Demand - Max Maturity.

When the system identifies the appropriate report override to use by matching the report override criteria to the position, it uses the following default hierarchy for cases where SMF rules conflict with each other. The report logic uses the following defined order to work down the list to determine the rule to use:

1. Security Alias
2. Issuer ID
3. Issuer Name
4. Issuer Industry
5. Security Type
6. Processing Security Type

3.1.2. Identify Call, Put, Step, and Refund Dates to Use as the Calculation Date

The Weighted Average report can use the call date for counting days to maturity for callable bonds. Or you can use maturity date and then use report override rules to set the call date when the bond was determined as "likely" to be called.

In the Weighted Average Report panel, you can select a Call Source value to accommodate different sources of call and put dates for use in the report. When you set the report's Call Source to Call Schedule, the report uses the Schedule table to obtain its calculation date. When you set the report's Call Source to Override Table, the report uses report override rules for call date, put date, step date, and refund date to determine the calculation date. If the system cannot find call dates, then the bond uses maturity date for the calculation.

If the report uses a Call Source of Call Schedule, the report uses the Schedule table to identify the next call/put/step date. Otherwise, If the report uses a Call Source of Override Table, and a report override is available with a Date Type of DEMAND - CALL, DEMAND - PUT, DEMAND - STEP, or DEMAND - REFUND, the report uses the report override rule's override date.

3.1.3. Identify the Next Reset Date for Variable Rate Securities

For variable rate securities, if the report cannot identify a report override rule that applies to a position, the WAM report uses the next refix date for the security's variable rate to determine the calculation date for the WAM calculation.

There is often a delay with receiving the variable rate data for the next accrual period once the current rate reset date arrives. During the wait period for the variable rate schedule to be updated, the calculation date on the WAM report defaults to maturity date. To avoid these spikes and apply a continuously correct WAM, you can use Projection type report override rules to apply calculations based on chosen attributes. The report can calculate a temporary "projected" date for use for calculation date for WAM reporting while waiting for the reference data update. The report can use projection rules off the coupon date and frequency or rate reset frequency. The report uses these rules when the next reset date is not available and you set up an override rule to project based on the last refix date or on the coupon date and frequency.

In cases where a Next Refix Date does not exist in the Variable Rate table, the report override rules determine how the system projects the next calculation's dates. You can set up report override rules based on the following date types:

- **Projection - Refix Date.** The report override rule identifies an historic refix date in the Variable Rate table and calculates a refix date based on the security variable rate reset frequency.
- **Projection - Coupon Date.** The report override rule identifies the coupon date from the security and uses the coupon frequency to determine the next calculation date.
- **Projection.** The report override rule uses a combination of the Projection - Refix Date option and the Projection - Coupon Date option. The report first looks to the refix projection and if it does not find an historic refix date, the report continues to the coupon date projection.

Otherwise, if the Next Refix Date is not available in the Variable Rate table, and a Projection type report override rule is unavailable, the system uses the variable rate next reset date from the SMF. Otherwise, if the security is not Short Term Variable Rate, Long Term Variable Rate, Short Term Floating Rate, and Long Term Floating Rate and a value is present in the STAR_SECURITY_TIME_SERIES table, the report uses that value. Otherwise, the report uses the stated maturity date.

3.2. Add Report Overrides

In the Add Report Override panel, you can add a report override for use in the Weighted Average report. The Change Report Override, Delete Report Override, and List Report Override panels are also available for managing report overrides.

To add a report override for the Weighted Average report:

1. In Accounting Center, in the left navigation pane, click **Setup > Portfolio Rules > Weighted Average Report Overrides > Add Report Override**.
You see the Add Report Override panel.
2. Complete the options on the Add Report Override panel.
3. Click **Submit**.

3.2.1. Add Report Override Panel Options

In the Add Report Override panel, when you add a report override for the Weighted Average report, you can select various options based on the requirements of your business.

Field Name	Tag	Description
Entity Details		
Entity ID	1163	Specifies the unique account identifier of the entity associated with the report override. You can also specify a composite (COMP) to store report override rules for each individual underlying entity/fund of that composite.
Entity Name	1164	Specifies the descriptive name of the entity.
Security Details		

Field Name	Tag	Description
Asset ID Type	1432	Specifies the primary asset identifier for the security, such as CUSIP, ISIN, and SEDOL.
Asset ID	14	Specifies the identification number of the primary asset ID type for the security. If you do not specify a security, you can define a report override based on security type, processing security type, issuer ID, issuer name, and/or issuer industry.
Issue Name	961	Specifies the name of the security.
Issuer ID	1413	Specifies the identifier of the company or municipality that offered the security for sale. You can select an issuer ID without selecting an entity or security.
Issuer Name	1173	Specifies the name of the issuer. You can select an issuer name without selecting an entity or security. NOTE: The Report Override panel uses tag 1173 for Issuer ID Name whereas the SMF record stores it under tag 2285.
Issuer Industry	1417	Specifies the industry of the issuer. You can select an issuer industry without selecting an entity or security.
Security Description	962	Describes the security.
Ticker	13	Specifies the system of letters used to uniquely identify the security.
Processing Security Type	3931	Specifies the code value that the system uses to identify a security and determines what type of processing to perform. You can select a processing security type (PST) without selecting an entity or security. If you do specify a security, this field displays the processing security type for the selected security.
Security Type	82	Specifies the type of security. You can select a security type without selecting an entity or security.
Report Override Details		

Field Name	Tag	Description
Report Type	444	Identifies the type of Weighted Average report to which the report override applies. Options include: • WAM. Indicates that the report override applies to the Weighted Average Maturity report. • WAL. Indicates that the report override applies to the Weighted Average Life report. • BOTH. Indicates that the report override applies to both the Weighted Average Maturity report and the Weighted Average Life report.

Field Name	Tag	Description
Date Type	8381	Describes the date type used for the report override. Options include: • DEMAND. Identifies a report override for a demand date that the report can use to determine the calculation date. • DEMAND - CALL. Identifies a report override for a demand call date that the report can use to determine the calculation date. • DEMAND - PUT. Identifies a report override for a demand put date that the report can use to determine the calculation date. • DEMAND - STEP. Identifies a report override for a demand step date that the report can use to determine the calculation date. • DEMAND - REFUND. Identifies a report override for a demand refund date that the report can use to determine the calculation date. • 12 YEAR MAX MATURITY. Identifies a report override for maximum maturity, using a maximum WAM of 12 years (4380 days) on the Weighted Average report. This reflects a value of 12 years for the bond until the actual maturity is less than 12 years away from the report date. Once the maturity date is less than 12 years away, the actual maturity date is used as calculation date. You must also specify an issuer for the report override. • REFIX. Identifies a report override for a next refix date that the report can use to determine the calculation date. If you select this option and provide a null override value, the report ignores the demand feature during the calculation of days to maturity. If you select this option and supply the override value, the report uses this date as the next refix date. • PROJECTION - REFIX DATE. If the Next Refix Date is not available, the report identifies an historic refix date in the Variable Rate table and calculates a refix date based on the security variable rate reset frequency. • PROJECTION - COUPON DATE. If the Next Refix Date is not available, the report identifies the coupon date from the security and uses the coupon frequency to determine the next calculation date. • PROJECTION. If the Next Refix Date is not available, the report uses a combination of the Projection - Refix Date option and the Projection - Coupon Date option. The report first looks to the refix projection and if it does not find an historic refix date, the report continues to the coupon date projection. • DEMAND MATURITY. Identifies a report override for a maturity date to use as calculation date. You must also specify an issuer for the report override. If you select this option and provide a null override value, the report uses the maturity date of the security from the Security Master Record. If you select this option and supply the override value, the report uses this date as the maturity date. Both options display Maturity Date under the report's Date Type field. • AVERAGE LIFE. Identifies a report override based on average life in years for use with TBA securities. The Weighted Average reports use the WAL field from the SECURITY_ANALYTICS table for the WAM/WAL calculation for each position. Because this field is stored in years, the report multiplies the WAL value by 365 and then rounds it to the nearest number of days. If a SECURITY_ANALYTICS record does not exist for the report run date, the system calculates the WAM/WAL to Maturity Date. When you select this option, you do not need to supply an override value.

Field Name	Tag	Description
		• FIXED RATE EXPECTED MATURITY. Identifies a report override for any security where Coupon Type is equal to Fixed Rate (F) to use the expected maturity date to calculate WAM. The system uses the SECURITYDBO.MBS_DETAIL_EXT.MTG_END_PRINCIPAL_WNDW_FOR_MATU field (tag 10316). If a date exists, the report displays the expected maturity date and labels it as Fixed Rate Exp Mat on the grid and Advanced profile reports. If no date exists, the report calculates to maturity date. When you select this option, you do not need to supply an override value.
Override Days	2518	Specifies the number of days to maturity to use as an override. You can specify a value for either the Override Days field or the Override Date field.
Override Date	2519	Specifies the maturity date to use as an override. You can specify a value for either the Override Days field or the Override Date field.

