UNITY 6000.0.62F1 · COMPLETE OFFLINE DOCUMENTATION

Swipe Ronin Developer Guide

Install. Edit. Reskin. Build your release.

szekipapa77@gmail.com



CHAPTER 01

Start here: Swipe Ronin

Swipe Ronin is a standalone editable Unity game template. Draw a line across the bandits to throw a spinning blade down the courtyard. A longer swipe produces a larger blade. Use the available star budget, target the actual enemy arrangement and complete the level goal.

Includes 25 curated levels, source-backed generation, a game-specific visual editor and validation, 4 guided helpers, local saving and portrait/landscape scenes. Keep the required private game Kit and publisher-owned Szekipapa77Ads layer. Provider SDK binaries are excluded. There is no bundled HLK, purchases, multiplayer server or remote LiveOps backend. Import only one game Kit into a project because the Kit classes share names.

CHAPTER 02

Requirements, installation and first play

Use Unity **6000.0.62f1**, URP **17.0.4** and Unity UI **2.0.0**. Install matching Android SDK/NDK/OpenJDK and WebGL modules in Unity Hub. Retain the supplied manifest and ProjectSettings.

1. Extract the standalone project to a short writable local path, then open it in the matching editor. Wait for package import and compilation.
2. For native unitypackage import, create a matching URP project and use Assets > Import Package > Custom Package. Import every game, Kit, Szekipapa77Ads and WebGL-template entry.
3. Run Szekipapa77 > Swipe Ronin > Setup. It configures rendering and player settings; review its changes when integrating with existing work.
4. Active Input Handling must support the classic Input Manager: choose Old or Both. New Input System only is insufficient.
5. Open `Assets/Games/SwipeRonin/Scenes/SwipeRonin_Mobile.unity` and press Play. Follow the level card and first-level instructions.
6. Stop Play mode before editing level assets. Keep all .meta GUIDs. The game uses classic Unity UI Text; do not assume an extra TextMesh Pro import is required.

CHAPTER 03

Project folders and exact source map

All game-relative paths below start at `Assets/Games/SwipeRonin`. Runtime UI is built in code; editing an unrelated static Canvas does not reskin it. Scripts contains game rules and views; Editor contains authoring tools; Kit supplies UI/audio/save/platform support; Resources/swiperonin contains level JSON, art, music and sound; Settings owns URP assets; Scenes contains both entry scenes.

- `Scripts/SrData.cs`
- `Scripts/SrGen.cs`
- `Scripts/SrLevels.cs`
- `Scripts/SrMeshes.cs`
- `Scripts/SrSfx.cs`
- `Scripts/SrSim.cs`
- `Scripts/SwipeRoninGame.cs`
- `Scripts/SwipeRoninGame.UI.cs`
- `Scripts/SwipeRoninGame.World.cs`

Main flow: SwipeRoninGame.cs. UI and popup consumers: SwipeRoninGame.UI.cs. Model/generator/loading: SrData.cs, SrGen.cs, SrLevels.cs, SrSim.cs. Authoring: Editor/SwipeRoninLevelEditor.cs. Shared ad settings live outside the game at Assets/Szekipapa77Ads/Resources/AdsSettings.asset.

CHAPTER 04

Gameplay, controls and progression

Draw a line across the bandits to throw a spinning blade down the courtyard. A longer swipe produces a larger blade. Use the available star budget, target the actual enemy arrangement and complete the level goal.

The initial bank has 25 curated levels. Read the supplied loader/generator before changing continuation rules. Play the guided opening, ordinary progress, completion and retry paths; preserve saved indexes during a visual reskin. The Mobile scene is portrait and the WebGL-named scene is landscape, but the supplied Build menu selects portrait for both build targets. Select landscape explicitly in your Build Profile if desired. Test a near-startup scene replacement as well as a normal restart.

CHAPTER 05

Tutorials and every helper

Fresh local progress triggers the first-level guidance. Newly unlocked helpers have introduction and guided-use flows. Reset only a test save when reviewing tutorials. A free guided first use can differ from ordinary charge consumption. Exact helper names/unlocks/charges: Scripts/SwipeRoninGame.cs; help and effect descriptions: Scripts/SwipeRoninGame.cs.

Helper	Unlock	Free charges	Action and effect
Giant Star	3	2	Your next blade is huge and smashes straight through stone walls and lanterns.
Fire Star	6	2	Your next blade bursts into a big explosion at the first bandit it touches.
Slow Time	10	2	Everything that moves slows right down for 6 seconds.
+2 Stars	15	2	Adds two more shurikens to this level.

Activate the tool and perform its required target action: arming a tool alone does not demonstrate its effect. A successful use requires the stated preconditions from this game: show both activation and its actual effect. Exhausted charges may offer a rewarded ad; verify success/cancel/failure and grant a reward once only.

CHAPTER 06

Visual level editor: worked editing session

Open **Szekipapa77 > Swipe Ronin > Level Editor**. Exact implementation: `Editor/SwipeRoninLevelEditor.cs`.

Duplicate an early entry in this game-specific visual editor, change its visible name and one rule, save, validate, then play it. Use the exact source-control table below for this game.

1. Back up Resources/swiperonin/Levels/levels.json.
2. Duplicate a simple early level and edit one small element.
3. Use the game-specific validation controls and resolve every reported issue.
4. Save explicitly; stop and restart Play mode, then use Play this level or navigate to the edited index.
5. Check portrait and landscape and rebuild demo outputs after accepting data changes.

The exact current authoring controls, including tooltips and generator switches, follow. These are game-specific source references, not a generic editor feature list.

Source	Exact current code
`SwipeRoninLevelEditor.cs:43`	`[MenuItem("Szekipapa77/Swipe Ronin/Level Editor")]`
`SwipeRoninLevelEditor.cs:46`	`[MenuItem("Szekipapa77/Swipe Ronin/Validate All Levels")]`
`SwipeRoninLevelEditor.cs:98`	`EditorGUILayout.HelpBox("Editing is disabled in Play mode. Stop Play mode to edit levels.", MessageType.Info);`
`SwipeRoninLevelEditor.cs:115`	`if (GUILayout.Button(_dirty ? "Save *" : "Save", EditorStyles.toolbarButton, GUILayout.Width(70))) Save();`
`SwipeRoninLevelEditor.cs:116`	`if (GUILayout.Button("Reload", EditorStyles.toolbarButton, GUILayout.Width(60)) && (!_dirty || EditorUtility.DisplayDialog("Reload", "Discard unsaved changes?", "Discard", "Cancel"))) Load();`
`SwipeRoninLevelEditor.cs:119`	`if (GUILayout.Button("Validate selected", EditorStyles.toolbarButton, GUILayout.Width(110)) && Cur != null) _results[_sel] = SrGen.Validate(Cur);`

SwipeRoninLevelEditor.cs:120	`if (GUILayout.Button("Validate all", EditorStyles.toolbarButton, GUILayout.Width(80))) ValidateAllInWindow();`
SwipeRoninLevelEditor.cs:121	`if (GUILayout.Button("Play this level", EditorStyles.toolbarButton, GUILayout.Width(100)) && Cur != null) Play(_sel + 1);`
SwipeRoninLevelEditor.cs:140	`if (GUILayout.Button("Add")) { Rec("Add level"); var l = new LevelData { name = "New Level", stars = 3, par = 1, ents = new[] { new EntData { t = "bandit", x = 0, z = 8 } } }; Insert(_file.levels.Length, l); }`
SwipeRoninLevelEditor.cs:141	`if (GUILayout.Button("Dup") && Cur != null) { Rec("Duplicate level"); Insert(_sel + 1, Cur.Clone()); }`
SwipeRoninLevelEditor.cs:142	`if (GUILayout.Button("Del") && Cur != null && EditorUtility.DisplayDialog("Delete", $"Delete level {_sel + 1}?", "Delete", "Cancel")) { Rec("Delete level"); var list = new List<LevelData>(_file.levels); list.RemoveAt(_sel); _file.levels = list.ToArray(); _sel = Mathf.Clamp(_sel, 0, Mathf.Max(0, _file.levels.Length - 1)); _selEnt = -1; _results.Clear(); }`
SwipeRoninLevelEditor.cs:145	`if (GUILayout.Button("Up") && _sel > 0) { Rec("Move level"); Swap(_sel, _sel - 1); _sel--; }`
SwipeRoninLevelEditor.cs:146	`if (GUILayout.Button("Down") && _sel < _file.levels.Length - 1) { Rec("Move level"); Swap(_sel, _sel + 1); _sel++; }`
SwipeRoninLevelEditor.cs:162	`EditorGUILayout.LabelField($"Level {_sel + 1}", EditorStyles.boldLabel);`
SwipeRoninLevelEditor.cs:164	`var name = EditorGUILayout.TextField("Name", l.name);`
SwipeRoninLevelEditor.cs:165	`var hint = EditorGUILayout.TextField("First-time hint", l.hint);`
SwipeRoninLevelEditor.cs:167	`var stars = EditorGUILayout.IntSlider("Shurikens (budget)", l.stars, 1, 12);`

SwipeRoninLevelEditor.cs:168	`var par = EditorGUILayout.IntField("Par (3 stars)", l.par, GUILayout.Width(220));`
SwipeRoninLevelEditor.cs:171	`var diff = EditorGUILayout.Slider("Difficulty", l.difficulty, 0, 1);`
SwipeRoninLevelEditor.cs:172	`var breather = EditorGUILayout.ToggleLeft("Breather", l.breather, GUILayout.Width(80));`
SwipeRoninLevelEditor.cs:173	`var tut = EditorGUILayout.ToggleLeft("Tutorial", l.tut == 1, GUILayout.Width(80));`
SwipeRoninLevelEditor.cs:176	`var theme = EditorGUILayout.Popup("Theme", l.theme, new[] { "Noon", "Golden afternoon", "Blossom dusk" });`
SwipeRoninLevelEditor.cs:177	`var layout = EditorGUILayout.TextField("Layout tag", l.layout);`
SwipeRoninLevelEditor.cs:188	`EditorGUILayout.HelpBox((v.Solvable ? "Bot: " : "Bot FAILED: ") + v + (v.Solvable ? "\nPlan: " + v.Plan : ""), v.Solvable ? MessageType.Info : MessageType.Error);`
SwipeRoninLevelEditor.cs:189	`if (v.Par > 0 && GUILayout.Button($"Apply bot result (par {v.Par}, budget {v.Par + (l.breather ? 3 : 2)})", GUILayout.Width(300)))`
SwipeRoninLevelEditor.cs:205	`EditorGUILayout.HelpBox("Top-down courtyard (the player stands at the bottom edge, looking up). Left-click empty floor: place the brush. " +`
SwipeRoninLevelEditor.cs:349	`if (_selEnt < 0 || _selEnt >= l.ents.Length) { EditorGUILayout.LabelField($"{l.ents.Length} things, {l.CountEnemies()} bandits. Select a thing to edit it."); return; }`
SwipeRoninLevelEditor.cs:351	`EditorGUILayout.LabelField($"Selected #{_selEnt}: {d.t}", EditorStyles.boldLabel);`
SwipeRoninLevelEditor.cs:353	`int kind = EditorGUILayout.Popup("Type", (int)Kinds.Parse(d.t), Kinds.Names);`
SwipeRoninLevelEditor.cs:354	`float x = EditorGUILayout.Slider("x (left/right)", d.x, XMin, XMax);`

SwipeRoninLevelEditor.cs:355	`float z = EditorGUILayout.Slider("z (distance)", d.z, ZMin + 1, ZMax);`
SwipeRoninLevelEditor.cs:356	`float y = EditorGUILayout.Slider("y (height)", d.y, 0, 4);`
SwipeRoninLevelEditor.cs:359	`if (kk == EK.Wall || kk == EK.Pedestal || kk == EK.Crate) { w = EditorGUILayout.Slider("width", d.w, 0.4f, 6); h = EditorGUILayout.Slider("height", d.h, 0.3f, 3); }`
SwipeRoninLevelEditor.cs:360	`if (kk == EK.Trap) dir = EditorGUILayout.Popup("Punch direction", d.dir >= 0 ? 1 : 0, new[] { "left", "right" }) == 1 ? 1 : -1;`
SwipeRoninLevelEditor.cs:361	`if (kk == EK.Bandit || kk == EK.Brute) { int pi = Mathf.Max(0, Array.IndexOf(new[] { "", "idle", "dance", "crouch" }, d.pose)); pose = new[] { "", "idle", "dance", "crouch" } [EditorGUILayout.Popup("Pose", pi, new[] { "default", "idle", "dance", "crouch" })]; }`
SwipeRoninLevelEditor.cs:362	`float mx = EditorGUILayout.Slider("slide amplitude", d.mx, 0, 4);`
SwipeRoninLevelEditor.cs:363	`float my = EditorGUILayout.Slider("bob amplitude", d.my, 0, 1.5f);`
SwipeRoninLevelEditor.cs:364	`float ms = EditorGUILayout.Slider("motion speed", d.ms, 0, 3);`
SwipeRoninLevelEditor.cs:365	`float ph = EditorGUILayout.Slider("motion phase", d.ph, 0, 6.28f);`
SwipeRoninLevelEditor.cs:372	`if (GUILayout.Button("Duplicate")) { Rec("Duplicate thing"); var c = d.Clone(); c.x = Mathf.Clamp(c.x + 1, XMin, XMax); var list = new List<EntData>(l.ents) { c }; l.ents = list.ToArray(); _selEnt = l.ents.Length - 1; }`
SwipeRoninLevelEditor.cs:373	`if (GUILayout.Button("Mirror")) { Rec("Mirror thing"); d.x = -d.x; d.dir = -d.dir; }`
SwipeRoninLevelEditor.cs:374	`if (GUILayout.Button("Delete")) { Rec("Delete thing"); var list = new List<EntData>(l.ents); list.RemoveAt(_selEnt); l.ents = list.ToArray(); _selEnt = -1; }`

`SwipeRoninLevelEditor.cs:382`	`EditorGUILayout.LabelField("Auto Generate (same generator as the game uses after the curated levels)", EditorStyles.boldLabel);`
`SwipeRoninLevelEditor.cs:384`	`_genCount = EditorGUILayout.IntField("Count", _genCount); _genStart = EditorGUILayout.IntField("Start level #", _genStart); _genSeed = EditorGUILayout.IntField("Seed", _genSeed);`
`SwipeRoninLevelEditor.cs:387`	`_genFrom = EditorGUILayout.Slider("Start difficulty", _genFrom, 0.05f, 1); _genTo = EditorGUILayout.Slider("End difficulty", _genTo, 0.05f, 1);`
`SwipeRoninLevelEditor.cs:390`	`_genBreather = EditorGUILayout.IntSlider("Breather every", _genBreather, 0, 8);`
`SwipeRoninLevelEditor.cs:391`	`_genReplace = EditorGUILayout.ToggleLeft("Replace range from start (else append)", _genReplace);`
`SwipeRoninLevelEditor.cs:403`	`if (GUILayout.Button($"Generate {_genCount} validated levels", GUILayout.Height(26))) Generate();`

CHAPTER 07

Generator, insertion and replacement

Use this editor generation panel, choose a reproducible seed and small count, review start/index and replace behavior, then generate, save and reopen. The source excerpt below identifies exact append/replace semantics.

Source	Exact current code
`SwipeRoninLevelEditor.cs:41`	`bool _genReplace;`
`SwipeRoninLevelEditor.cs:391`	`_genReplace = EditorGUILayout.ToggleLeft("Replace range from start (else append)", _genReplace);`
`SwipeRoninLevelEditor.cs:425`	`if (_genReplace) { for (int i = 0; i < made.Count; i++) { if (at + i < list.Count) list[at + i] = made[i]; else list.Add(made[i]); } }`
`SwipeRoninLevelEditor.cs:426`	`else { at = list.Count; list.AddRange(made); }`

Worked extension: back up the bank, generate a small set at moderate difficulty using the exact per-game controls, validate them, then Save. Reopen the JSON and confirm the count changed. Do not assume every editor has the same insertion behavior: the actual implementation below distinguishes insert, append and replace. Runtime continuation does not automatically append new records to project JSON. Validation and bot scores help find problems but do not certify a pleasant human difficulty curve.

CHAPTER 08

Actual level JSON and identifiers

Canonical asset: `Assets/Games/SwipeRonin/Resources/swiperonin/Levels/levels.json`. Array order controls visible numbering. Preserve numeric/boolean types, root version fields where present and resource/save identifiers. The actual first record is shown below; use the editor for structured coordinates and block/word data.


```
{
 "name": "First Strike",
 "hint": "Swipe across them to throw a blade. A longer swipe makes a bigger blade!",
 "difficulty": 0.05,
 "breather": false,
 "tut": 1,
 "stars": 3,
 "par": 1,
 "theme": 0,
 "layout": "line",
 "ents": [
   {
     "t": "bandit",
     "x": -1.1,
     "z": 8,
     "y": 0,
     "w": 1,
     "h": 1,
     "mx": 0,
     "my": 0,
     "ms": 0,
     "ph": 0,
     "dir": 1,
     "pose": "dance"
   },
   {
     "t": "bandit",
     "x": 0,
     "z": 8.4,
     "y": 0,
     "w": 1,
     "h": 1,
     "mx": 0,
     "my": 0,
     "ms": 0,
     "ph": 0,
     "dir": 1,
     "pose": "idle"
   },
   {
     "t": "bandit",
     "x": 1.1,
     "z": 8,
     "y": 0,
     "w": 1,
     "h": 1,
     "mx": 0,
     "my": 0,
     "ms": 0,
     "ph": 0,
     "dir": 1,
     "pose": "dance"
   }
 ]
}
```


Root keys: levels. Inspect SrData.cs, SrGen.cs, SrLevels.cs, SrSim.cs for field semantics and validation. Keep visible names/hints distinct from technical keys. The game-specific board, wave, card, opponent or question records are gameplay data; UI translation is separate.

CHAPTER 09

Reskin recipe: interface colours

Stop Play mode and open `Scripts/SwipeRoninGame.UI.cs`. Find `Cream`, currently `#FFF4DE`. Change that hex literal to `#42C9B0`, preserve its symbol/type, compile and reopen the scene. Review HUD, menus, helper cards, settings/results and both orientations. Art sprites and procedural fallback shapes can have additional colours; edit them deliberately.

Actual consumers of this symbol are listed first, then all current palette/hex assignments. Editor-only palettes do not control the runtime. Preserve state/goal contrast and rebuild after accepting a change.

Source	Exact current code
`SwipeRoninGame.UI.cs:562 / HzPopup PopupCore(string title, string message, Color accent, Sprite art, float extraH, out RectTransform extra, (string label, Color color, Action action)[] buttons)`	`var card = HzUI.Panel("Card", dim.transform, Cream, 50);`

Source	Exact current code
`SwipeRoninGame.cs:27 / class/static declarations`	`static readonly string[] BoostColor = { "#3E8FE0", "#F2742B", "#8A5CD6", "#2FAE6B" };`
`SwipeRoninGame.cs:39 / class/static declarations`	`static readonly string[] SkinHex = { "#C9D6E3", "#3CCB8C", "#E8414B", "#F3C53C", "#FF9CC9", "#4A4A66" };`
`SwipeRoninGame.cs:169 / IEnumerator Intro(string key, string title, string msg, string art)`	`ArtPopup(title, msg, HzUI.Hex("#D9412B"), Art(art), ("Got it", HzUI.Hex("#2FAE6B"), () => closed = true));`
`SwipeRoninGame.cs:304 / void ApplyEvent(PEv p)`	`FloatText(at + Vector3.up * 0.4f, "Armour off!", HzUI.Hex("#E2C25C"));`
`SwipeRoninGame.cs:353 / void Kill(int th, Vector3 at)`	`FloatText(at + Vector3.up * 0.2f, "+1", HzUI.Hex("#F3C53C"));`
`SwipeRoninGame.cs:449 / IEnumerator LoseFlow()`	`ArtPopup("Out of shurikens!", msg + "\nGet 3 more and finish the job?", HzUI.Hex("#7E2A20"), Art("lose_badge"),`
`SwipeRoninGame.cs:450 / IEnumerator LoseFlow()`	`("+3 shurikens (ad)", HzUI.Hex("#2FAE6B"), () => HzPlatform.Rewarded(GameId, "revive", ok => { if (ok) Revive(); else LoadLevel(Level, true); })),`

`SwipeRoninGame.cs:451 / IEnumerator LoseFlow()`	`("Retry", HzUI.Hex("#E8A33D"), () => LoadLevel(Level, true)));`
`SwipeRoninGame.cs:453 / IEnumerator LoseFlow()`	`ArtPopup("Out of shurikens!", msg, HzUI.Hex("#7E2A20"), Art("lose_badge"),`
`SwipeRoninGame.cs:454 / IEnumerator LoseFlow()`	`("Retry", HzUI.Hex("#E8A33D"), () => LoadLevel(Level, true)));`
`SwipeRoninGame.cs:493 / void OnBooster(int b)`	`("Get 1 (ad)", HzUI.Hex("#2FAE6B"), () => HzPlatform.Rewarded(GameId, "booster_" + b, ok => { if (ok) { SetCharges(b, Charges(b) + 1); Toast("+1 " + BoostName[b]); HzAudio.Play(Sfx.Buy, 0.7f); } })),`
`SwipeRoninGame.cs:494 / void OnBooster(int b)`	`("No thanks", HzUI.Hex("#9C8F86"), null));`
`SwipeRoninGame.UI.cs:13 / class/static declarations`	`static readonly Color Cream = HzUI.Hex("#FFF4DE");`
`SwipeRoninGame.UI.cs:14 / class/static declarations`	`static readonly Color TextInk = HzUI.Hex("#3A2A2A");`
`SwipeRoninGame.UI.cs:81 / void BuildHud()`	`_levelSub = HzUI.Label("Name", lp.transform, _def.name, 30, HzUI.Hex("#FFD9B0"), TextAnchor.MiddleCenter, false);`
`SwipeRoninGame.UI.cs:92 / void BuildHud()`	`var ci = ArtOrIcon(cp.transform, "coin", HzIcons.Coin, HzUI.Hex("#F3C53C"), 92);`
`SwipeRoninGame.UI.cs:101 / void BuildHud()`	`var st = HzIcons.IconButton(_hud, HzIcons.Settings, HzUI.Hex("#4A3F63"), () => { if (!PopupOpen()) ShowSettingsPopup(); }, 100);`
`SwipeRoninGame.UI.cs:250 / void RefreshBoosters()`	`v.Inner.color = un ? HzUI.Hex(BoostColor[b]) : HzUI.Hex("#6E6680");`
`SwipeRoninGame.UI.cs:256 / void RefreshBoosters()`	`v.Badge.GetComponent<Image>().color = c > 0 ? Vermilion : HzUI.Hex("#2FAE6B");`
`SwipeRoninGame.UI.cs:258 / void RefreshBoosters()`	`v.Caption.color = un ? Color.white : HzUI.Hex("#D8D0E8");`
`SwipeRoninGame.UI.cs:261 / void RefreshBoosters()`	`v.Ring.color = sel || _guide == b ? HzUI.Hex("#FFE066") : new Color(1, 1, 1, 0);`
`SwipeRoninGame.UI.cs:272 / void RefreshBudget(bool punch)`	`var g = ArtOrIcon(_budgetRow, "ammo_star", HzIcons.Star, HzUI.Hex("#7B8FA6"), 70);`

`SwipeRoninGame.UI.cs:282 / void RefreshBudget(bool punch)`	`Color on = g is Image ? Color.white : HzUI.Hex("#7B8FA6");`
`SwipeRoninGame.UI.cs:288 / void RefreshBudget(bool punch)`	`_budgetText.color = left == 0 ? Vermilion : left == 1 ? HzUI.Hex("#E8A33D") : TextInk;`
`SwipeRoninGame.UI.cs:353 / void MultiBanner(string text, int bonus)`	`var t = HzUI.Label("T", holder, text, 120, HzUI.Hex("#FFE066")); t.rectTransform.Place(new Vector2(0.5f, 1), new Vector2(900, 140), new Vector2(0, -70));`
`SwipeRoninGame.UI.cs:354 / void MultiBanner(string text, int bonus)`	`t.AddOutline(HzUI.Hex("#7E2A20"), 6); t.AddShadow(new Color(0, 0, 0, 0.35f), 8); t.raycastTarget = false;`
`SwipeRoninGame.UI.cs:374 / void LevelBanner()`	`var n = HzUI.Label("N", bg.transform, sub, 44, HzUI.Hex("#FFD9B0")); n.rectTransform.Place(new Vector2(0.5f, 0), new Vector2(760, 70), new Vector2(0, 20), new Vector2(0.5f, 0));`
`SwipeRoninGame.UI.cs:416 / void DrawSwipe(Vector2 a, Vector2 b)`	`var col = _armed == BFire ? HzUI.Hex("#FF9A3D") : _armed == BGiant ? HzUI.Hex("#7FD0FF") : SkinColor(CurrentSkin());`
`SwipeRoninGame.UI.cs:510 / void CompleteGuide(int b)`	`Toast("Nice! " + BoostName[b] + " is yours", HzUI.Hex("#FFE3C0"), 1.3f, 0.7f);`
`SwipeRoninGame.UI.cs:565 / HzPopup PopupCore(string title, string message, Color accent, Sprite art, float extraH, out RectTransform extra, (string label, Color color, Action action)[] buttons)`	`var inner = HzUI.Panel("Inner", card.transform, HzUI.Hex("#FBE9CF"), 40); inner.raycastTarget = false;`
`SwipeRoninGame.UI.cs:632 / void UnlockPopup(int b, Action done)`	`("Try it!", HzUI.Hex("#2FAE6B"), done));`
`SwipeRoninGame.UI.cs:639 / void WinPopup(int lv, int stars, int coins, Action next, Action again)`	`new (string, Color, Action)[] { ("Continue", HzUI.Hex("#2FAE6B"), next), ("Again", HzUI.Hex("#E8A33D"), again) });`
`SwipeRoninGame.UI.cs:643 / void WinPopup(int lv, int stars, int coins, Action next, Action again)`	`var s = HzIcons.Icon(extra, HzIcons.Star, i == 1 ? 120 : 100, on ? HzUI.Hex("#FFC93C") : new Color(0.75f, 0.7f, 0.65f, 0.6f));`
`SwipeRoninGame.UI.cs:645 / void WinPopup(int lv, int stars, int coins, Action next, Action again)`	`if (on) s.AddOutline(HzUI.Hex("#B5651D"), 3);`
`SwipeRoninGame.UI.cs:659 / void ShowSettingsPopup()`	`var p = ArtPopup("Settings", "", HzUI.Hex("#4A3F63"), null,`

`SwipeRoninGame.UI.cs:660 / void ShowSettingsPopup()`	`(SoundLabel(), HzUI.Hex("#3E8FE0"), null),`
`SwipeRoninGame.UI.cs:661 / void ShowSettingsPopup()`	`(MusicLabel(), HzUI.Hex("#8A5CD6"), null),`
`SwipeRoninGame.UI.cs:662 / void ShowSettingsPopup()`	`("How to play", HzUI.Hex("#2FAE6B"), HowToPlay),`
`SwipeRoninGame.UI.cs:663 / void ShowSettingsPopup()`	`("Restart level", HzUI.Hex("#E8A33D"), () => LoadLevel(Level, true)),`
`SwipeRoninGame.UI.cs:664 / void ShowSettingsPopup()`	`("Close", HzUI.Hex("#9C8F86"), null));`
`SwipeRoninGame.UI.cs:678 / void HowToPlay()`	`PopupCore("How to play", "", HzUI.Hex("#2FAE6B"), null, 440, out var extra, new (string, Color, Action)[] { ("Got it", HzUI.Hex("#2FAE6B"), null) });`
`SwipeRoninGame.UI.cs:699 / void ShowSkins()`	`var p = PopupCore("Blade Skins", "", HzUI.Hex("#4A3F63"), null, 560, out var extra, new (string, Color, Action)[] { ("Close", HzUI.Hex("#9C8F86"), null) });`
`SwipeRoninGame.UI.cs:709 / void ShowSkins()`	`tile.GetComponent<Image>().color = eq ? HzUI.Hex("#FFE7A8") : Color.white;`
`SwipeRoninGame.UI.cs:715 / void ShowSkins()`	`var pr = HzUI.Label("P", rt, eq ? "Equipped" : owned ? "Tap to use" : SkinPrice[i] + " coins", 28, eq ? HzUI.Hex("#2FAE6B") : owned ? TextInk : Vermilion, TextAnchor.MiddleCenter, false);`
`SwipeRoninGame.World.cs:11 / class/static declarations`	`static readonly Color Vermilion = HzUI.Hex("#D9412B"), VermDark = HzUI.Hex("#7E2A20"), Ink = HzUI.Hex("#2A2236");`
`SwipeRoninGame.World.cs:12 / class/static declarations`	`static readonly Color Skin = HzUI.Hex("#F2B48C"), Gi = HzUI.Hex("#3D3F86"), GiDark = HzUI.Hex("#2B2C63"), Sash = HzUI.Hex("#F28A1E");`
`SwipeRoninGame.World.cs:13 / class/static declarations`	`static readonly Color Band = HzUI.Hex("#F7F3EA"), StarGold = HzUI.Hex("#FFD84A"), Dust = HzUI.Hex("#FFF6E6");`

SwipeRoninGame.World.cs:14 / class/static declarations	static readonly Color StoneC = HzUI.Hex("#C9BEAD"), StoneDark = HzUI.Hex("#9E937F"), Wood = HzUI.Hex("#C98A4B"), WoodDark = HzUI.Hex("#8A5A2E");
SwipeRoninGame.World.cs:15 / class/static declarations	static readonly Color Straw = HzUI.Hex("#E2C25C"), StrawDark = HzUI.Hex("#B8962F");
SwipeRoninGame.World.cs:20 / class/static declarations	new Theme { SkyTop = HzUI.Hex("#2FA9EA"), SkyMid = HzUI.Hex("#7FD6F6"), Horizon = HzUI.Hex("#D4F3FB"), Light = HzUI.Hex("#FFF2DC"), Intensity = 1.25f,
SwipeRoninGame.World.cs:21 / class/static declarations	AmbSky = HzUI.Hex("#B6E2F5"), AmbEq = HzUI.Hex("#F3D9B8"), AmbGround = HzUI.Hex("#9C7A5C"), Stone = HzUI.Hex("#F3CC93"), Grout = HzUI.Hex("#D99456"), Blossom = HzUI.Hex("#FF9CC9"), LightRot = new Vector3(50, -32, 0) },
SwipeRoninGame.World.cs:22 / class/static declarations	new Theme { SkyTop = HzUI.Hex("#3E8FD8"), SkyMid = HzUI.Hex("#FFC48A"), Horizon = HzUI.Hex("#FFE7BD"), Light = HzUI.Hex("#FFD49A"), Intensity = 1.2f,
SwipeRoninGame.World.cs:23 / class/static declarations	AmbSky = HzUI.Hex("#C7C9E8"), AmbEq = HzUI.Hex("#FFD2A0"), AmbGround = HzUI.Hex("#9A6E4E"), Stone = HzUI.Hex("#F1C08A"), Grout = HzUI.Hex("#C97E48"), Blossom = HzUI.Hex("#FF8FB4"), LightRot = new Vector3(32, -50, 0) },
SwipeRoninGame.World.cs:24 / class/static declarations	new Theme { SkyTop = HzUI.Hex("#6476D9"), SkyMid = HzUI.Hex("#F2A5CC"), Horizon = HzUI.Hex("#FFE1EE"), Light = HzUI.Hex("#FFE2EC"), Intensity = 1.1f,
SwipeRoninGame.World.cs:25 / class/static declarations	AmbSky = HzUI.Hex("#C9B8EE"), AmbEq = HzUI.Hex("#F6C7D9"), AmbGround = HzUI.Hex("#8E6A70"), Stone = HzUI.Hex("#EDC59D"), Grout = HzUI.Hex("#C8846A"), Blossom = HzUI.Hex("#FFB3D9"), LightRot = new Vector3(40, 28, 0) },

SwipeRoninGame.World.cs:163 / void BuildEnvironment(int theme)	Obj("Lawn", _env, SrMesh.Quad, Lit(Color.Lerp(HzUI.Hex("#7CCB6A"), th.Horizon, 0.25f), 0.05f), new Vector3(0, -0.6f, 60), new Vector3(400, 1, 200), null, false);
SwipeRoninGame.World.cs:246 / void BuildEnvironment(int theme)	Merge("Gold", gold, Lit(HzUI.Hex("#E8B64A"), 0.6f));
SwipeRoninGame.World.cs:248 / void BuildEnvironment(int theme)	Merge("Wood", wood, Lit(HzUI.Hex("#B5764A"), 0.2f));
SwipeRoninGame.World.cs:249 / void BuildEnvironment(int theme)	Merge("Paper", paper, Lit(HzUI.Hex("#FFF4DE"), 0.1f));
SwipeRoninGame.World.cs:250 / void BuildEnvironment(int theme)	Merge("Trunk", trunk, Lit(HzUI.Hex("#7A4E3A"), 0.15f));
SwipeRoninGame.World.cs:253 / void BuildEnvironment(int theme)	Merge("Hills", hill, Lit(Color.Lerp(HzUI.Hex("#5FAF7A"), th.Horizon, 0.45f), 0.05f), false);
SwipeRoninGame.World.cs:306 / void BuildLevelWorld()	Obj("Barrel", root, SrMesh.Cylinder, Lit(HzUI.Hex("#D63A2A"), 0.55f), new Vector3(0, 0.5f, 0), new Vector3(0.84f, 1f, 0.84f));
SwipeRoninGame.World.cs:308 / void BuildLevelWorld()	Obj("RimT", root, SrMesh.Cylinder, Lit(HzUI.Hex("#5A2620"), 0.4f), new Vector3(0, 0.97f, 0), new Vector3(0.88f, 0.07f, 0.88f));
SwipeRoninGame.World.cs:309 / void BuildLevelWorld()	Obj("RimB", root, SrMesh.Cylinder, Lit(HzUI.Hex("#5A2620"), 0.4f), new Vector3(0, 0.05f, 0), new Vector3(0.88f, 0.08f, 0.88f));
SwipeRoninGame.World.cs:310 / void BuildLevelWorld()	Obj("Fuse", root, SrMesh.Cylinder, Lit(HzUI.Hex("#3A3030"), 0.3f), new Vector3(0.15f, 1.08f, 0), new Vector3(0.06f, 0.18f, 0.06f));
SwipeRoninGame.World.cs:319 / void BuildLevelWorld()	Obj("Spring", arm, SrMesh.Cylinder, Lit(HzUI.Hex("#C9CED6"), 0.8f), new Vector3(dir * 0.25f, 0, 0), new Vector3(0.12f, 0.5f, 0.12f), Quaternion.Euler(0, 0, 90));
SwipeRoninGame.World.cs:323 / void BuildLevelWorld()	Obj("Mitt", paddle, SrMesh.Sphere, Lit(HzUI.Hex("#E8392B"), 0.6f), new Vector3(dir * 0.3f, 0.02f, 0), new Vector3(0.62f, 0.66f, 0.6f));

`SwipeRoninGame.World.cs:324 / void BuildLevelWorld()`	`Obj("Thumb", paddle, SrMesh.Sphere, Lit(HzUI.Hex("#E8392B"), 0.6f), new Vector3(dir * 0.12f, 0.2f, -0.24f), new Vector3(0.26f, 0.3f, 0.22f));`
`SwipeRoninGame.World.cs:329 / void BuildLevelWorld()`	`Obj("Lane", root, SrMesh.Quad, Lit(HzUI.Hex("#E9A15C"), 0.1f), new Vector3(dir * (k + 0.2f), 0.012f, 0), new Vector3(0.3f, 1, 0.1f), null, false);`
`SwipeRoninGame.World.cs:336 / void BuildLevelWorld()`	`Obj("Cap", root, SrMesh.Cube, Lit(HzUI.Hex("#4E4A57"), 0.3f), new Vector3(0, h + 0.07f, 0), new Vector3(w + 0.16f, 0.14f, 0.55f));`
`SwipeRoninGame.World.cs:380 / void BuildLevelWorld()`	`Obj("Slab", v.Platform, SrMesh.Cube, Lit(HzUI.Hex("#8C6BB0"), 0.4f), new Vector3(0, 0.06f, 0), new Vector3(1.3f, 0.12f, 1.1f));`
`SwipeRoninGame.World.cs:381 / void BuildLevelWorld()`	`Obj("Trim", v.Platform, SrMesh.Cube, Lit(HzUI.Hex("#FFD27A"), 0.5f), new Vector3(0, 0.125f, -0.56f), new Vector3(1.32f, 0.03f, 0.04f), null, false);`
`SwipeRoninGame.World.cs:383 / void BuildLevelWorld()`	`var rail = Obj("Rail", _levelRoot, SrMesh.Cube, Lit(HzUI.Hex("#6B5A4A"), 0.3f), new Vector3(e.D.x, 0.01f, e.D.z), new Vector3(e.D.mx * 2 + 1.4f, 0.02f, 0.18f), null, false);`
`SwipeRoninGame.World.cs:450 / void BuildBalloons(EView v)`	`var cols = new[] { HzUI.Hex("#FF4D6D"), HzUI.Hex("#FFD23F") };`
`SwipeRoninGame.World.cs:514 / void UpdateWorld(float dt, float simDt)`	`b.M = th.Fire ? Lit(HzUI.Hex("#FF8A2A"), 0.9f) : Lit(skinCol, 0.92f);`
`SwipeRoninGame.World.cs:807 / void ExplosionFx(Vector3 at)`	`Debris(at, HzUI.Hex("#D63A2A"), 10, 6f);`
`SwipeRoninGame.World.cs:808 / void ExplosionFx(Vector3 at)`	`Debris(at, HzUI.Hex("#4A4040"), 8, 4f);`

CHAPTER 10

Reskin recipe: visible menu and HUD text

Open `Scripts/SwipeRoninGame.UI.cs`, find the displayed literal `"Settings"`, and replace its displayed value with `"Options"`. Keep hierarchy names and technical IDs unchanged. In HzUI.Label/Button calls the first string may be an object name; change the displayed text argument. Read the method references below to distinguish construction from later refresh assignments.

Preserve interpolation braces, invariant number formatting, ON/OFF updates and line breaks. Update both initial and refresh paths, portrait and landscape. Exact helper names/unlocks/charges: Scripts/SwipeRoninGame.cs; help and effect descriptions: Scripts/SwipeRoninGame.cs. Level names/hints remain separate JSON content. If a title appears in art, Title property or another screen, update those visible uses deliberately without renaming GameId, namespace, resources or save keys.

Hard-coded game strings do not automatically use shared localization. To translate the interface, route every display assignment through your translation table. Dictionaries, word banks and theme pools are independent gameplay assets and need separate validation. Test help, settings, results, tutorial and helper introductions after a fresh launch.

Source	Exact current code
`SwipeRoninGame.cs:24 / class/static declarations`	`static readonly string[] BoostName = { "Giant Star", "Fire Star", "Slow Time", "+2 Stars" };`
`SwipeRoninGame.cs:38 / class/static declarations`	`static readonly string[] SkinName = { "Steel", "Jade", "Crimson", "Gold", "Sakura", "Shadow" };`
`SwipeRoninGame.cs:169 / IEnumerator Intro(string key, string title, string msg, string art)`	`ArtPopup(title, msg, HzUI.Hex("#D9412B"), Art(art), ("Got it", HzUI.Hex("#2FAE6B"), () => closed = true));`
`SwipeRoninGame.cs:449 / IEnumerator LoseFlow()`	`ArtPopup("Out of shurikens!", msg + "\nGet 3 more and finish the job?", HzUI.Hex("#7E2A20"), Art("lose_badge"),`
`SwipeRoninGame.cs:453 / IEnumerator LoseFlow()`	`ArtPopup("Out of shurikens!", msg, HzUI.Hex("#7E2A20"), Art("lose_badge"),`
`SwipeRoninGame.cs:487 / void OnBooster(int b)`	`if (!Unlocked(b)) { Toast("Unlocks at level " + BoostUnlock[b]); HzAudio.Play(Sfx.Wrong, 0.5f); if (_boost[b] != null) HzTween.Shake(_boost[b].Root, 10, 0.3f); return; }`
`SwipeRoninGame.cs:492 / void OnBooster(int b)`	`ArtPopup("Need a " + BoostName[b] + "?", "Watch a short ad to get one more.", HzUI.Hex(BoostColor[b]), Art(BoostArt[b]),`

`SwipeRoninGame.cs:493 / void OnBooster(int b)`	`("Get 1 (ad)", HzUI.Hex("#2FAE6B"), () => HzPlatform.Rewarded(GameId, "booster_" + b, ok => { if (ok) { SetCharges(b, Charges(b) + 1); Toast("+1 " + BoostName[b]); HzAudio.Play(Sfx.Buy, 0.7f); } })),`
`SwipeRoninGame.cs:501 / void OnBooster(int b)`	`if (ThrowsLeft <= 0) { Toast("No shurikens left"); HzAudio.Play(Sfx.Wrong, 0.4f); return; }`
`SwipeRoninGame.cs:508 / void OnBooster(int b)`	`if (_slowLeft > 0) { Toast("Time is already slow"); return; }`
`SwipeRoninGame.cs:600 / public override string DebugCommand(string cmd)`	`case "settings": ShowSettingsPopup(); return "ok";`
`SwipeRoninGame.UI.cs:78 / void BuildHud()`	`_levelText = HzUI.Label("Lvl", lp.transform, "Level " + Level, 56, Color.white);`
`SwipeRoninGame.UI.cs:81 / void BuildHud()`	`_levelSub = HzUI.Label("Name", lp.transform, _def.name, 30, HzUI.Hex("#FFD9B0"), TextAnchor.MiddleCenter, false);`
`SwipeRoninGame.UI.cs:94 / void BuildHud()`	`_coinText = HzUI.Label("N", cp.transform, Coins.ToString(), 52, Color.white, TextAnchor.MiddleRight);`
`SwipeRoninGame.UI.cs:101 / void BuildHud()`	`var st = HzIcons.IconButton(_hud, HzIcons.Settings, HzUI.Hex("#4A3F63"), () => { if (!PopupOpen()) ShowSettingsPopup(); }, 100);`
`SwipeRoninGame.UI.cs:109 / void BuildHud()`	`var sk = HzUI.Button("Skins", _hud, null, new Color(1, 1, 1, 0.0f), Color.white, () => { if (!_ended && !PopupOpen()) ShowSkins(); }, 30, 40);`
`SwipeRoninGame.UI.cs:116 / void BuildHud()`	`var skl = HzUI.Label("L", _skinsBtn, "Skins", 32, Color.white); skl.rectTransform.Place(new Vector2(0.5f, 0), new Vector2(skS, 40), new Vector2(0, 22));`
`SwipeRoninGame.UI.cs:126 / void BuildHud()`	`_budgetText = HzUI.Label("N", _budgetRow, "", 40, TextInk, TextAnchor.MiddleLeft);`
`SwipeRoninGame.UI.cs:128 / void BuildHud()`	`_enemyText = HzUI.Label("E", _budgetRow, "", 34, Vermilion, TextAnchor.MiddleRight);`
`SwipeRoninGame.UI.cs:157 / void BuildHud()`	`_modeText = HzUI.Label("T", _modeBanner, "", 40, Color.white); _modeText.rectTransform.Stretch(14);`

`SwipeRoninGame.UI.cs:171 / void BuildHud()`	`_tipText = HzUI.Label("T", _tipPanel, "", 40, TextInk); _tipText.rectTransform.Stretch(18);`
`SwipeRoninGame.UI.cs:210 / void BuildHud()`	`v.Btn = HzUI.Button("Booster" + b, parent, null, Color.white, Color.white, () => OnBooster(id), 40, 75);`
`SwipeRoninGame.UI.cs:235 / void BuildHud()`	`v.BadgeText = HzUI.Label("N", bd.transform, "", 34, Color.white); v.BadgeText.rectTransform.Stretch();`
`SwipeRoninGame.UI.cs:237 / void BuildHud()`	`v.Caption = HzUI.Label("Cap", v.Root, "", 30, Color.white);`
`SwipeRoninGame.UI.cs:255 / void RefreshBoosters()`	`v.BadgeText.text = c > 0 ? c.ToString() : "+";`
`SwipeRoninGame.UI.cs:257 / void RefreshBoosters()`	`v.Caption.text = un ? BoostName[b] : "Level " + BoostUnlock[b];`
`SwipeRoninGame.UI.cs:287 / void RefreshBudget(bool punch)`	`_budgetText.text = "x" + left;`
`SwipeRoninGame.UI.cs:296 / void RefreshEnemies()`	`_enemyText.text = n == 0 ? "All down!" : n == 1 ? "1 bandit left" : n + " bandits left";`
`SwipeRoninGame.UI.cs:330 / void FloatText(Vector3 world, string text, Color c)`	`var l = HzUI.Label("Float", _labels, text, 56, Color.white);`
`SwipeRoninGame.UI.cs:353 / void MultiBanner(string text, int bonus)`	`var t = HzUI.Label("T", holder, text, 120, HzUI.Hex("#FFE066")); t.rectTransform.Place(new Vector2(0.5f, 1), new Vector2(900, 140), new Vector2(0, -70));`
`SwipeRoninGame.UI.cs:355 / void MultiBanner(string text, int bonus)`	`var s = HzUI.Label("S", holder, "+" + bonus + " coins", 52, Color.white); s.rectTransform.Place(new Vector2(0.5f, 0), new Vector2(900, 70), new Vector2(0, 35));`
`SwipeRoninGame.UI.cs:371 / void LevelBanner()`	`var t = HzUI.Label("L", bg.transform, "Level " + Level, 92, Color.white); t.rectTransform.Place(new Vector2(0.5f, 1), new Vector2(760, 110), new Vector2(0, -16), new Vector2(0.5f, 1));`
`SwipeRoninGame.UI.cs:374 / void LevelBanner()`	`var n = HzUI.Label("N", bg.transform, sub, 44, HzUI.Hex("#FFD9B0")); n.rectTransform.Place(new Vector2(0.5f, 0), new Vector2(760, 70), new Vector2(0, 20), new Vector2(0.5f, 0));`

SwipeRoninGame.UI.cs:402 / void ShowModeBanner()	_modeText.text = _armed == BGiant ? "Giant Star ready: swipe to throw it!" : _armed == BFire ? "Fire Star ready: swipe to throw it!" : "Slow Time! Everything moves slowly.";
SwipeRoninGame.UI.cs:510 / void CompleteGuide(int b)	Toast("Nice! " + BoostName[b] + " is yours", HzUI.Hex("#FFE3C0"), 1.3f, 0.7f);
SwipeRoninGame.UI.cs:591 / HzPopup PopupCore(string title, string message, Color accent, Sprite art, float extraH, out RectTransform extra, (string label, Color color, Action action)[] buttons)	var t = HzUI.Label("Title", ribbon.transform, title, 68, Color.white); t.rectTransform.Stretch(6);
SwipeRoninGame.UI.cs:596 / HzPopup PopupCore(string title, string message, Color accent, Sprite art, float extraH, out RectTransform extra, (string label, Color color, Action action)[] buttons)	p.Message = HzUI.Label("Msg", card.transform, message, 42, TextInk, TextAnchor.MiddleCenter, false);
SwipeRoninGame.UI.cs:631 / void UnlockPopup(int b, Action done)	ArtPopup("New: " + BoostName[b] + "!", BoostDesc[b] + "\nYou get " + BoostStart[b] + " free!", HzUI.Hex(BoostColor[b]), Art(BoostArt[b]),
SwipeRoninGame.UI.cs:659 / void ShowSettingsPopup()	var p = ArtPopup("Settings", "", HzUI.Hex("#4A3F63"), null,
SwipeRoninGame.UI.cs:660 / void ShowSettingsPopup()	(SoundLabel(), HzUI.Hex("#3E8FE0"), null),
SwipeRoninGame.UI.cs:661 / void ShowSettingsPopup()	(MusicLabel(), HzUI.Hex("#8A5CD6"), null),
SwipeRoninGame.UI.cs:673 / static string SoundLabel() => HzAudio.Muted ? "Sound: OFF" : "Sound: ON";	static string SoundLabel() => HzAudio.Muted ? "Sound: OFF" : "Sound: ON";
SwipeRoninGame.UI.cs:674 / static string MusicLabel() => HzAudio.MusicMuted ? "Music: OFF" : "Music: ON";	static string MusicLabel() => HzAudio.MusicMuted ? "Music: OFF" : "Music: ON";
SwipeRoninGame.UI.cs:690 / void HowToPlay()	var l = HzUI.Label("L" + i, extra, lines[i], 34, TextInk, TextAnchor.UpperLeft, false);
SwipeRoninGame.UI.cs:700 / void ShowSkins()	var coinRow = HzUI.Label("C", extra, "Coins: " + Coins, 44, TextInk); coinRow.rectTransform.Place(new Vector2(0.5f, 1), new Vector2(700, 60), new Vector2(0, -30));

SwipeRoninGame.UI.cs:705 / void ShowSkins()	var tile = HzUI.Button("Skin" + i, extra, null, Color.white, TextInk, () => { }, 30, 30);
SwipeRoninGame.UI.cs:714 / void ShowSkins()	var nm = HzUI.Label("N", rt, SkinName[i], 34, TextInk); nm.rectTransform.Place(new Vector2(0.5f, 0), new Vector2(220, 40), new Vector2(0, 62));
SwipeRoninGame.UI.cs:715 / void ShowSkins()	var pr = HzUI.Label("P", rt, eq ? "Equipped" : owned ? "Tap to use" : SkinPrice[i] + " coins", 28, eq ? HzUI.Hex("#2FAE6B") : owned ? TextInk : Vermilion, TextAnchor.MiddleCenter, false);
SwipeRoninGame.UI.cs:728 / void ShowSkins()	else { HzAudio.Play(Sfx.Wrong, 0.5f); Toast("Need " + (SkinPrice[id] - Coins) + " more coins", null, 1.2f, 0.75f); return; }
SwipeRoninGame.World.cs:91 / void SetupLook()	_starMat = new Material(_baseAlpha); _starMat.SetTexture("_BaseMap", _starTex); _starMat.SetColor("_BaseColor", StarGold);
SwipeRoninGame.World.cs:93 / void SetupLook()	_dustMat = new Material(_baseAlpha); _dustMat.SetTexture("_BaseMap", SrMesh.Blob(64, 0.3f)); _dustMat.SetColor("_BaseColor", new Color(Dust.r, Dust.g, Dust.b, 0.8f));
SwipeRoninGame.World.cs:95 / void SetupLook()	_shadowMat = new Material(_baseAlpha); _shadowMat.SetTexture("_BaseMap", _blobTex); _shadowMat.SetColor("_BaseColor", new Color(0.25f, 0.12f, 0.08f, 0.35f));
SwipeRoninGame.World.cs:151 / void BuildEnvironment(int theme)	_skyMat = new Material(_baseUnlit); _skyMat.SetTexture("_BaseMap", SrMesh.SkyGradient(th.SkyTop, th.SkyMid, th.Horizon)); _skyMat.SetColor("_BaseColor", Color.white);
SwipeRoninGame.World.cs:157 / void BuildEnvironment(int theme)	_groundMat.SetTexture("_BaseMap", SrMesh.Flagstones(th.Stone, th.Grout, 7));
SwipeRoninGame.World.cs:160 / void BuildEnvironment(int theme)	_groundMat.SetTextureScale("_BaseMap", new Vector2(14, 22));

CHAPTER 11

Artwork, fonts, audio and licences

Replace game images under Resources/swiperonin through Unity while retaining resource keys, .meta GUIDs, Sprite/UI import settings, alpha, pivots and slicing. Procedural graphics in the art/view sources may need separate colour changes. Replacing one PNG does not change every fallback. Keep third-party font and other licence notices with the corresponding shipped assets.

Effects are under Resources/swiperonin/Sfx. Preserve each actual load key and importer settings when replacing sounds. Supplied music: Resources/swiperonin/Music/shrine_loop.ogg. Preserve that load key and verify loop/compression and the independent Music toggle. Kit UI uses supplied fonts; preserve actual licence notices and verify new glyphs.

CHAPTER 12

Local saves, reset and migration

HzSave wraps PlayerPrefs and flushes local state on focus loss/quit. WebGL persistence uses browser storage tied to the hosting origin. Clearing site data or changing origin starts a new local save; this is not cloud synchronization. Inspect HzSave/PlayerPrefs calls in the actual game source before altering progression, stars, helper charges or tutorial flags.

Verify fresh launch, a completed arena, helper use, sound options, focus loss and restart. Use a dedicated test profile for resets. Keep technical save keys stable during colour/text reskins. If changing schema or keys, implement and test a migration rather than silently discarding existing users' progress.

CHAPTER 13

Advertising integration and configuration

Asset: `Assets/Szekipapa77Ads/Resources/AdsSettings.asset`. Inspect backend, useGoogleTestIds and missingSdkFallback in the publisher-owned Ads configuration. Buyer projects include adapter/integration code and exclude external provider SDK binaries. WebGL and a missing-provider fallback simulate ads; these are not live commercial impressions.

For real Android ads install the supported provider SDK from its official source into your working project, enter your own app/placement IDs and use test ads first. Verify banner/interstitial/rewarded callbacks on supported hardware. For production use your own IDs and disable simulated missing-SDK fallback. Build tooling rejects unsafe production fallback settings. No IAP, remote backend or HLK is included in this publisher edition.

CHAPTER 14

Android build and release

Install Unity 6000.0.62f1 Android modules through Hub. Select Android, run Setup and review application ID `com.szekipapa77.swiperonin`, version, scene orientation and signing. The build command writes `Builds/Android/swiperonin.apk`. Confirm BuildResult.Succeeded and the actual output file; intermediate report totals are not the final APK size.

Use your own keystore/signing and distribution settings. A test-signed demo is not a signed store release. A provider-free build simulates ads; a provider test-demo does not prove production ad-account configuration. Test real hardware touch, safe areas, focus/audio, save/relaunch and reward callbacks. Keep passwords, keystores and private service credentials out of buyer packages.

CHAPTER 15

WebGL build and hosting

Install matching WebGL support. Run Setup and Build WebGL; output is `Builds/WebGL/swiperonin/`. Serve index.html with all loader/framework/data/WASM/StreamingAssets files over HTTP(S), not file://. Match compression, Content-Encoding and MIME types to the host. Outer page sizing and actual scene orientation are different settings.

The publisher's playable demo is hosted on HyperCodeStore. Upload the actual runtime files rather than merely changing a URL. Test a fresh anonymous load, real pointer controls, audio after interaction, saved progress/reload and phone/desktop sizing. Rebuild and rehost when code/assets change. A successful HTTP page alone is not gameplay verification.

CHAPTER 16

Troubleshooting

Compile errors: restore matching packages and the full private Kit/Ads layer; only one game Kit belongs in a project. **Pink/invisible rendering:** run Setup and inspect Graphics and every Quality URP assignment. **No input:** classic input handling must be enabled; check canvas focus and blocking modals. **Missing resources:** restore exact paths, .meta GUIDs and importer settings.

Edits do not appear: stop Play, Save in the level editor, reload the canonical bank and check current saved level. **Text reverts:** update construction and refresh assignments from the exact table. **No live ads:** provider binaries are deliberately excluded; inspect your installed provider and fallback mode. **Scene reload exception:** retain owner-lifetime and generation guards on delayed callbacks. **WebGL fails:** inspect browser Console, compression headers and missing payloads.

CHAPTER 17

Support and final release checklist

Publisher: Szekipapa77. Support: szekipapa77@gmail.com. Include game title, exact Unity version, platform, first Console error and reproduction steps. Never send passwords/tokens.

1. Clean-import the standalone project and native package.
2. Play both scenes and replace a scene near startup.
3. Review tutorial, normal completion/retry and every helper activation plus effect.
4. Validate editor changes and test reskin text/colours in both layouts.
5. Rebuild affected Android/WebGL outputs.
6. Verify complete public APK bytes, actual browser demo, documentation and video links.
7. Keep licences and exclude all internal prompts, planning/capture/build/QA tooling from buyers.