

Summary

Implement a data structure to manage bookings at an airline.

Background

Passengers (“pax” for short) book tickets at an airline to take them from origin to destination. Some bookings are non-stop, while others go through intermediate airports (“layovers”). Airports can be uniquely identified by their three-letter IATA code. For example, Amsterdam Airport Schiphol is AMS, Atlanta is ATL.

Below are examples of bookings:

Pax name	Departure (UTC)	Itinerary
Alice	May-26 06:45 2020	LHR→AMS
Bruce	Jun-04 11:04 2020	GVA→AMS→LHR
Cindy	Jun-06 10:00 2020	AAL→AMS→LHR→JFK→SFO
Derek	Jun-12 08:09 2020	AMS→LHR
Erica	Jun-13 20:40 2020	ATL→AMS→AAL
Fred	Jun-14 09:10 2020	AMS→CDG→LHR

Requirements

- Implement a data structure for bookings such that you can efficiently:
 - add bookings
 - select bookings departing before a given time
 - select bookings visiting two airports sequentially. (e.g. the search AMS→LHR gives you bookings with itineraries like HAM→AMS→LHR, AMS→LHR, AAL→AMS→LHR→JFK→SFO, etc. but not LHR→AMS or AMS→CDG→LHR, for example.)
- Leave the code in a state that reflects your standard for production-grade quality. We score your solution based on:
 - simplicity (the solution should be no more complex than needed)
 - testability and reusability (another developer should be able to continue with your work)
 - use of appropriate types and data structures
- Implement the assignment in Python
- You should be able to finish the assignment within half a day (at most 4 hours). You do *not* need to include: database interactions, HTTP API, logging, concurrency, deployment configuration, or parsing functionality.
- Submit your assignment as a *private* GitHub repo. Add **ariebovenberg** and **dimakalachniuk** as collaborators.
- If you have any questions, send us an email.