



Care for the mother, not just the baby.

A wellbeing companion for the fourth trimester — and every cycle after it. Daily check-ins, support on hard days, and a safety net that notices when it is more than a bad week.

ImpactHer · HackYeah 2026



After birth, the mother drops off the radar

13%

of women who have just given birth experience a mental disorder — primarily depression.

Source: World Health Organization, maternal mental health.



Care follows the baby

Visits, checklists and apps are built around the newborn. The mother's sleep, pain and mood are nobody's job.



Alone after week six

After the 6-week check-up the system goes quiet — right when exhaustion peaks and “baby blues” can turn into depression.



Apps count days, not feelings

Cycle trackers predict periods. None of them help on a hard day, or notice when “a bad week” is something more.



Meet Marta, day 39 after a C-section

“Is this still baby blues, or should I tell someone?”

39

days postpartum

4.4 h

average sleep

2.5 / 5

average mood

Breastfeeding, recovering from surgery, partner back at work. She will not open a medical app at 3 a.m. — but she will tap a number between 1 and 5.

Also for Kasia, 29: no baby, but mood swings across her cycle she wants to understand and get ahead of.




The 30-second daily check-in



One minute a day, and someone who notices

- 
Daily check-in
 Mood, sleep, energy, pain — 30 seconds, one hand.
- 
Tough-day mode
 Breathing first, then what helped you before.
- 
Goals & reminders
 Tiny steps she sets herself, with push reminders.
- 
Knowledge
 16 calm, sourced articles for her week.
- 
Safety net
 EPDS screening, red flags, crisis help.



Responsive PWA: phone, tablet and desktop · Polish and English



Support that learns what actually helps her

- 1 **She tells us**
Onboarding asks what helps on hard days — a walk, a call, a nap — and what drains her.
- 2 **Hard day**
One tap on the heart: a minute of breathing, then her top strategies, ranked.
- 3 **“Did it help?”**
Yes · a bit · no. Each answer updates a Bayesian score per strategy.
- 4 **It adapts**
Next time the list is reordered — with the evidence shown back to her.

3 of 4

harder days a short walk helped Marta — so it is suggested first.

JESTEM PRZY TOBIE

Krok 3 z 4

Co teraz może pomóc?

To, co działało u Ciebie ostatnio. Wybierz jedno.

Krótki spacer

Świeże powietrze i ruch, bez celów sportowych. Wózek opcjonalny.

Pomogło Ci w 3 z 4 trudniejszych dni · 10 min

Oddech 4-7-8

Uspokajający oddech 4-7-8. Minuta, oczy otwarte lub zamknięte.

Pomogło Ci w 1 z 1 trudniejszych dni · 1 min

Mikroodpoczynek

Nie sen — po prostu wyłączenie się na kilka minut. To się liczy.

Pomogło Ci w 1 z 1 trudniejszych dni · 10 min

Poproś o wsparcie

Gotowa wiadomość do kogoś z Twojego kręgu.


Tomek

„Hej, jest mi dziś ciężko. Możesz wpaść na godzinę? Nie musisz nic robić, wystarczy, że będziesz.”

Tough day, step 3: ranked strategies + ask Tomek for help



3 a.m. is not lonely anymore




Night Shift

From 22:00 to 6:00 the app turns warm and dim: big one-hand buttons, a 1-tap check-in, breathing, “can’t sleep”, and a note for the morning.

“12 mums from Otula are awake right now.”

Anonymous count, hidden below 5 people.



Support circle

She lists concrete asks — dinner on Thursday, the 2 a.m. feed. Family opens a link, no account, and taps “I’ll take it”. She gets a push.

Turns “let me know if you need anything” into real help.



From daily taps to a report for the midwife

+24%

better mood after nights with ≥ 6 h of sleep — patterns are written as sentences, with notes on the chart.

1 tap

builds a printable visit report: mood & sleep, EPDS trend, symptoms, red flags and her own questions.

3 a.m.

“Save as a question for my visit” — thoughts captured when they happen, not forgotten in the office.



Kind by default, serious when it matters



EPDS screening

The validated Edinburgh scale every 14 days postpartum, with a trend over time.



Risk engine

8 transparent rules over check-ins and EPDS: from a gentle nudge to urgent help.



Red flags after birth

Heavy bleeding, fever, chest pain... one tap shows “call a doctor now” with tel: links.



Crisis page, no login

112 and Polish crisis lines, two taps from every screen — even logged out.



Never a diagnosis

“Your result suggests it may help to talk to a specialist” — not “you have depression”.



Private by design

Notes encrypted at rest, JSON export, one-click delete, no trackers (GDPR).



A working product, not a mock-up

React PWA

TypeScript · Vite · TanStack Query



Django REST API

55 endpoints · JWT · OpenAPI

Celery + Redis

reminders · nightly jobs

PostgreSQL

encrypted notes

Web push

service worker · VAPID

Docker Compose

one command: make up

295

backend tests

51 + 2

unit + end-to-end tests

21

screens, PL & EN

How: 10 AI coding agents (Meta Muse Code) working in parallel git worktrees on a shared API contract, with Claude Code integrating, testing and fixing — every merge verified against the real API in a browser.



Otula covers the weeks when nobody else is watching.

1

Pilot with midwives and primary care

Visit report as the bridge between home and the patronage visit.

2

Clinical review

Validate the Polish EPDS flow and risk thresholds with perinatal psychologists.

3

Partners and foundations

Circle and partner guide with maternal-health NGOs; verified helpline network.



Otula — care for the mother, not just the baby.

Resources & disclosure

- EPDS — Cox, Holden & Sagovsky, 1987
- WHO maternal mental health data
- Open source: Django, DRF, React, Vite, Recharts, Celery
- AI: Meta Muse Code, Claude Code; design in Figma Make
- Concept and design drafted before the start; first code commits 22:55 on Oct 3 — full git history in the repo